FARO
BARCELONA

LIGHTING & FAN

2019

LIVING ON THE BRIGHT SIDE

Edition
A2019

Design
Faro Design Team

Product Photos
Guillem F-H
Ricard Badía
Fotodisseny

Special Thanks
Natalia Zubizarreta
Erlantz Biderbost
Restaurant 3 Nusos
Pol&Grace Hotel
Elena Castells Poch
Meritxell Ribé - The Room Studio

Printing
Jiménez Godoy - Spain

Spain
c/Dinámica 1
08755, Castellbisbal, Barcelona
faro@lorefar.com
www.faro.es

—you shine so bright!

eres brillante!

Lights and shadows are part of us. Becoming aware of it and accepting it naturally, implies embracing peace and well-being, helping us to flow, enjoy, even laugh and love. Let's shine together.

Las luces y las sombras forman parte de nosotros. Tomar consciencia de ello y aceptarlo con naturalidad conlleva abrazar la paz y el bienestar, ayudándonos a fluir, disfrutar, incluso a reír y amar. Brillemos juntos.

—change your light, change your life

tu vida cambia cuando cambias tu luz

The objects that surround us must help us live a more fully and happily life. That is just what we pursue with each of our creations. We design objects thinking about the happiness and comfort of the people who will be in contact with them.

Los objetos que nos rodean deben ayudarnos a conseguir vivir la vida de una forma más plena y feliz. Eso es justo lo que perseguimos con cada una de nuestras creaciones. Diseñamos objetos pensando en la felicidad y el confort de las personas que van a estar en contacto con ellos.

—designed for happiness

diseñado para la felicidad

A design is much more than an attractive aesthetic. Our design speaks of well-being, energy, commitment, respect and awareness. Our team believes in a design available to everyone. Achieving this challenge makes us extremely happy.

El diseño es mucho más que una estética atractiva y resultona. Nuestro diseño habla de bienestar, energía, compromiso, respeto y consciencia. Nuestro equipo cree en el diseño al alcance de todos. Conseguir este reto nos hace tremendamente felices.

We work to become your favourite brand. We have everything you are looking for.

Trabajamos para ser tu marca favorita. Tenemos todo lo que buscas.

te lo ponemos fácil

—we make it easy

—fall in love with us

enamórate de nosotros

Our desire is to become the travel companion of all your projects. And for that reason, we not only focus on the creation of aesthetic designs but also functional, accessible and of quality.

Nuestro deseo es convertirnos en el compañero de viaje de todos tus proyectos. Y por eso, no sólo nos centramos en la creación de diseños estéticos sino también funcionales, asequibles y de calidad.

reddot award 2018 winner

GERMAN DESIGN AWARD SPECIAL 2018

GERMAN DESIGN AWARD WINNER 2018

GERMAN DESIGN AWARD SPECIAL 2019

Delta Selection Adi Awards 2018

salone satellite 20years of new creativity

Green Product Award Winner 2018

miaw DESIGN INNOVATION AWARDS

Restaurant & Bar Product Design Awards Winner

— the creators los creadores

Designers, artists, creators. They make our world a better place thanks to their ingenuity, talent and creativity.
Diseñadores, artistas, creadores. Ellos hacen de nuestro mundo un lugar mejor gracias a su ingenio, talento y creatividad.

Faro Team


Lucid


Xjer Studio

@goulafiguera

Cristo

@

marina.milafigueras

Jordi Blasi

@nahtrang


Conillas


@pepellaudetdesign

@alegredesign

opher Friedrich Wagner


@oikodesignoffice

#estudiribaudi

Bohman&Folenius

@jordilopis


Àlex&Manel Lluscà

@jordi_busquets_design

INDOOR LIGHTING

PORTABLES

HOOK **36**

HOSHI **34**
LED

JELLYFISH **35**
NEW LED

TAKE AWAY **32**
LED

TABLE

ACADEMY **58**
LED

AKANE **45**

ARTIS **63**
NEW

BANKER **47**

BERNI **73**

BLISS **47**

ETERNA **64**

HAT **47**

HOSHI **44**
LED

HOTEL **75**

INVITING **40**
NEW LED

JELLYFISH **52**
LED

LAO **54**
LED

LE VITA **48**
NEW LED

LINDA **70**

LINK **55**

LOOP **50**
LED

LULA **46**

LUPE **69**

MINE **45**

MITIC **77**

MIX **46**

MOMA **76**

NIDIA **47**

NIKO **42**
LED

REM **66**

RETRO **56**

SABA **80**

STOOD **51**

SWEET **72**

TANGO **68**

TEN **44**

THANA **77**

TREE **71**

VESPER **62**

VOLTA **74**

DESK

ANOUK **237**
LED

BAOBAB **237**

GRETA **236**
LED

GRU **237**

ITO **237**
LED

LENA **236**
LED

MEIER **236**
LED

OTTO **236**
LED

SERP **236**
LED

CLIP

INVITING **138**
NEW LED

LENA **159**
LED

LOKE **159**
LED

PEPPER **168**

STUDIO **139**

TER **173**

FLOOR

ACADEMY **58**
LED

ARTIS **63**
NEW

BERNI **73**

BLACK **78**

ESSENTIAL **81**

ETERNA **64**

HALO **78**
LED

HOTEL **75**

JELLYFISH **52**
LED

LAO **54**
LED

LE VITA **48**
NEW LED

LINDA **70**

LINK **55**

LOOP **50**
LED

LUPE **69**

MITIC **77**

MOMA **76**

PAPUA **79**

REM **66**

RETRO **56**

SABA **80**

STAND-UP **60**

STOOD **51**

SWEET **72**

TANGO **68**

THANA **77**

TREE **71**

VESPER **62**

VOLTA **74**

WHIZZ **57**

BATHROOM CEILING


BRUME **201**
NEW LED IP44

CLOE **202**
IP44

FORO **202**
LED IP44

KAO **202**
LED IP44

LOGOS **203**
IP44

TOLA **203**
IP44

VUK **202**
LED IP44

YUTAI **202**
NEW LED IP44

ZON **202**
LED IP44

MIRROR


BRUME **177**
NEW LED IP54


DANUBIO **183**
NEW LED IP44


DOKA **178**
IP44

EDGE **185**
LED IP44


GALA **179**
NEW IP44


INDO **185**
LED IP44


LAGO **179**
NEW IP44

LAOS **178**
IP44

LASS **181**
IP44

SUSPENDED

LINE **184**
LED IP54


NILO **184**
NEW LED IP44


PERLA **176**
NEW IP44

RELAX **180**
IP44

SIRET **180**
LED IP44


TERMA **180**
LED IP44


VOLGA **182**
NEW LED IP44


BRUME **201**
NEW LED IP44

RECESSED

AIM **227** LED
ARGÓN **225**
BOL **226** LED
BOW **229** LED
CLEAR **227** LED
COMPACT **229** LED
EBBA **226** LED
FALCON **230**
FOX **227** NEW LED

FRESH **228**
GAS **225**
GINGKO **230**
HYDE **222** NEW
KOI **226** LED
LED MINI **226** LED
LUAN **232** LED
MOIST **229**
MÓVIL **226**

NEÓN **225**
NEU **224**
NORD **224** LED
NUSA **226** LED
PLAS **233** LED
RADÓN **224**
SIGNAL **233** LED
SON **232** LED
TED **232** LED



TOD **232** LED
TROOP **220** NEW LED
WET **228**
YES **224**

TRACK

CUP **215**
LAO **214** LED
LINK **215**
NAN **217**
ORLEANS **214** NEW
PLOT **217**
RAM **217**
RING **214**
STAN **216** NEW LED

CEILING

AMI **200** LED
BIC **200** NEW LED
COCOTTE **191** LED
DOLME **190** LED
HARU **195** LED
IRIS **199**
JANET **196**
LINK **193**
NAN **195**

NATSU **195** LED
ORLEANS **192**
POTE **196**
REL **195** LED
RONDA **200** LED
SEVEN **197** LED
SIDE **189** LED
SILK **196** LED
SOGO **198** LED

SQUAD **195**
SVEN **194**
TECTO **194**
TENDER **188** NEW LED

SUSPENDED

AINA **105**
LED

ART **114**

BONGO **123**

CHARLOTTE **123**

CLAIRE **116**

CLARA **114**

COCOTTE **107**
LED

CONIK **111**
LED

COSMOS **118**
LED

CRÁTER **113**

DANKA **118**
LED

DOLME **106**
LED

ESSENTIAL **105**

ETER **109**

ETNA **109**

FADA **119**
LED

FAUNA **119**
LED

FLASH **110**
LED

FUSTA **103**

HALITA **114**

HELGA **119**
LED

HOTEL **103**

HUE-IN **91**

LANG **116**

LE VITA **84**
NEW LED

LIANA **121**

LINDA **102**

LISE **119**
LED

LIZ **114**

LOOP **95**
LED

LOU **116**

LUCE **122**
LED

MAGMA **113**

MALI **122**

MARGOT **122**

MARINA **121**

MARLIN **114**

MIA **122**
LED

MINE **98**

MIX **112**

MOU **117**

MUTE **92**
LED

NAN **119**

NIDO **121**

NINETTE **117**

NUDOS **121**

ORA **119**
LED

PAM **118**
LED

PAULINE **96**
LED

PEPPER **117**

PHILL **97**
LED

PLANET **108**
LED

PLAT **117**
LED

PLEC **120**
LED

PLUMA **111**
LED

PROSA **104**

RETRO **112**

ROSE **115**
NEW

SABA **105**

SEVEN **104**

SIDE **108**

SIRIA **123**

SLIM **88**
LED

STOOD **94**

SWEET **100**

TANGO **100**

THANA **104**

TRANSFER **123**

TREE **102**

VESPER **101**

WHIZZ **86**

WINCH **121**

WALL GENERAL

AMBO **175**

ART **164**

BOARD **169**
NEW LED

CELIA **169**

CHERAS **172**

CONIK **171**
LED

COTTON **144**
NEW

DALLAS **170**
LED

DIULA **175**

EACO **172**

ELSA **173**
LED

ERES **165**
NEW


HAN **131**
LED

HOMS **165**

HUDSON **168**

INVITING **138**
NEW LED


KAMEN **171**

KERA **164**
NEW

LE VITA **127**
NEW LED

LINDA **167**

LIRIA **175**

LISE **170**
LED

LIST **169**

LOA **168**

LOOP **135**
LED

LUNA **173**
NEW LED

MARINA **168**

MARLIN **169**

MOY **126**
NEW LED IP44

NAN **170**
NEW

NASH **171**
LED

NUDOS **169**

OLAF **173**

ORA **170**
LED

OSLO **173**

OVO **165**

PETRA **168**

PLEC **167**
LED IP44

PURE **132**
NEW LED

RAS **168**

RETRO **166**

RODA **156**

SABA **156**

SAC **166**

SERA **164**
NEW

SIDE **189**
LED

SLIM **130**
NEW LED


SNOW **173**

STOOD **134**

TEN **164**

TERA **173**
LED

THANA **156**

WHIZZ **128**
NEW

WINCH **167**

READING&BED

ACADEMY **148**
LED

ARTIS **143**

AUREA **162**
LED

BEL **158**
LED

BERNI **152**

BLOME **148**
LED

BOC **161**
NEW LED

BOKEN **158**
LED

DESLIZ **149**
NEW LED

ESSENTIAL **156**

ETERNA **140**

FLASH **162**

FRAME **141**
NEW

FUSTA **153**

HANDY **155**

HANNA **154**
NEW

HANOI **147**

HOTEL **150**

JULIET **158**

LED

KALE **159**

LED

LEAD **158**

NEW LED

LE PETIT **161**

LED

LESER **158**

LED

LOKE **159**

LED

LUPE **146**

MITIC **156**

MIX **157**

MOMA **154**

MOOD **133**

NEW LED

NIKO **136**

LED

NIT **157**

PIXIE **158**

NEW LED

REM **142**

ROB **157**

ROOM **151**

SABANA **147**

SAHARA **156**

SAMI **159**

LED

SMILE **163**

LED

SUAU **160**

LED

SWEET **154**

SWING **163**

LED

TANGO **153**

VESPER **152**

VOLTA **151**

PICTURE

HENLEIN **175**

LED

KLIMT **174**

LED

LUMIERE **175**

MAGRITTE **174**

NEW LED

SPOT

CUP **208**

LAO **210**

LED

LINK **210**

ORLEANS **207**

RING **209**

STAND **211**

NEW LED

STONE **206**

OUTDOOR LIGHTING

PORTABLES

ARGUS **247**
NEW LED

BALDA **245**

BOO **246**
LED

CAT **244**

HUE **242**
IP65

JARRET **245**

KERALA **247**
LED

LAMPANOT **246**
NEW LED

LOUD **247**
LED

POST

TOC **247**
LED

VERSUS **243**

AGRA **270**
LED

BLOCK **250**
NEW LED IP65

BLUB'S **263**

BU-OH! **269**
LED IP65

DAS **271**
LED

DATNA **256**

GIZA **259**
LED

MILA **266**
LED

MISTU **263**

MOON **262**

MUFFIN **263**

MUGA **259**
LED IP65

NALA **266**

NAYA **270**
LED

NOBORU **272**
NEW LED IP65

SETE **266**
LED

SHELBY **255**
LED IP65

SURAT **266**

TAU **257**

TWIST **252**
NEW LED IP65

VERNO **265**

WILMA **264**

BEACON

AGRA **270**

ALP **271**
LED

ARISTO **265**

BERET **260**
LED

BLOCK **250**
NEW LED IP65

BLUB'S **263**

BU-OH! **269**
LED IP65

CHANDRA **273**
LED

CROSS **267**

DAS **271**
LED

DATNA **256**

GINA **273**

GIZA **259**
LED

GROP **260**
LED

GROW **268**
LED IP65

KLAMP **273**

LOGAR **261**
LED

LOTUS **251**
NEW LED

MISTU **263**

MOON **262**

MUFFIN **263**

MUGA **259**
LED IP65

NANDA **261**
LED

NAYA **270**
LED

ONZE **267**

PLIM **258**
NEW LED IP65

ROY **267**

SAURA **274**
LED

SHADOW **272**
LED IP65

SHELBY **255**
LED IP65

SOLEIL **275**

NEW LED

SPY **272**

NEW LED IP65

STICKER **253**

LED IP65

TARRACO **267**

TAU **257**

TRAM **254**

IP65

TWIST **252**

NEW LED IP65

VERNO **265**

WILMA **264**

POLE

BERET **280**

LED

BLUB'S **279**

BU-OH! **277**

LED IP65

CROSS **276**

DATNA **276**

LED IP65

GROP **280**

LED

MISTU **278**

MUFFIN **278**

NÁUTICA **281**

SUSPENDED

PLAZA **280**

NEW LED

TRAM **276**

LED IP65

BLUB'S **319**

ESTORIL **321**

HONEY **320**

NEW

HUE **318**

MISTU **319**

MOON **319**

MUFFIN **319**

CEILING

NÁUTICA **321**

PLEC **320**

LED

WILMA **319**

DAKRON **314**

IP65

DAKYU **314**

IP66

GOZ **314**

LED

HELMET **315**

MAUREN **315**

OLOT **314**

PROJECTORS

TAMI **314**

LED

TASA **315**

YEN **314**

ALFA **327**

LED IP65

FLOW **326**

IP65

FLUX **330**

LED

FOC **329**

LED IP65

KARL **330**

LED IP65

KEW **329**

LED IP65

LIT **329**

IP68

MINIPROJECT**328**

IP65 NEW LED IP65

OKI **328**

NEW LED IP65

OKO **328**

PROJECT **328**

IP65

SHOW **329**

NEW LED IP67

SLOT **325**

NEW LED IP67

TONI **327**

IP65

TORAN **329**

LED

SPIKE

VIC **330**

LED IP65

BALDER **330**

LED IP67

FLOW **326**

IP65

FOC **336**

LED IP65

GARTEN **333**

PICCOLA **331**

NEW LED IP65

SETH **332**

LED

SLOT **325**

NEW LED IP67

SOBEK **330**

LED IP65

RECESSED

TONI **327**

IP65

TONO **333**

CROSBY **341**

LED IP67

CURTIS **341**

LED IP67

DANG **336**

LED

EDEL **346**

LED IP68

EDEL RGB **346**

LED IP68

ESCA **337**

FILTER **338**

LED IP65

FROL **342** LED IP65
FRUM **341** LED IP67
GALO **336** LED
GEISER **343** NEW IP67
GRAVA **347** LED IP67
GRON **342** LED IP65
GRUND **340** LED IP67
HORUS **339** LED IP65
KANE **340** LED IP67

LED **342** LED IP67
LIO **346** IP67
LISO **337**
MINI CARTER **338** LED
MINI RACING **338** LED
NASE **336** LED
NAT **339** LED IP65
SALT **345** LED IP67
SEDNA **339** LED IP65

SOUN **338** NEW LED IP65
SPARK **337** NEW LED IP65
STORE **338** LED IP65
STRIPE **337** NEW LED
SURIA **344** LED IP67
TARO **345** LED IP67
TECNO **346** IP67
UVE **336** LED

WALL

ADAY **297** LED
ALP **293** LED
ÁNCORA **294**
ARGOT **310**
ASKOT **310**
AXEL **293** NEW LED IP65
BACO **308**
BLIND **299** LED
BLOCK **284** NEW LED IP65

BLUB'S **288**
BONN **310**
BORDA **292**
BRACKET **293** LED
BRONX **301**
BROW **304** LED
BRUC **299** LED
BU-OH! **294** LED IP65
CABO **292**

CANON **302** LED
CELA **309**
CERES **310**
CLAUSS **295** LED
COBO **300** LED IP65
CRIPTA **311**
DADO **291**
DAS **293** LED
DATNA **289**

DERBY **311**
DRAGMA **295** NEW LED IP65
DRAK **304** NEW LED
ELE **303** LED
ESTAY **311**
ESTORIL **290**
FEDON **309**
FRED **308** NEW LED IP65
FUTURE **294**



GINA **303**
GIZA **286** LED
GRANT **305** LED IP65
GROW **294** LED IP65
GUIZA **302** NEW LED IP65
HALF **306** LED IP65
HIKARI **306** NEW LED IP65
HONEY **291** NEW
KALA **302** LED


KAULA **297**
LED

KEENAN **304**
LED IP65

KERALA **287**
LED

KLAMP **293-301**

KUBICK **306**


LACE **299**
LED


LACRE **299**

LING **299**
LED

LOG **299**
LED

LOTUS **285**
NEW LED IP65

LUR **307**
LED

MARE **307**
LED

MISTU **288**

MOL **309**

MOON **288**

MUFFIN **288**

MUST **305**
LED IP65

NAHIR **292**

NAIROBI **302**
NEW LED

NALA **307**

NATRON **309**

NÁUTICA **290**

NEGUS **310**

NEWPORT **291**

NINE **293**
NEW LED IP65


NORAY **292**
IP65

OLAN **300**
LED

ONZE **287**

OVAL **296**
NEW LED IP65

ÓVALO **311**

PATH **305**
LED


PILL **304**
LED

PISTÓN **300**

PLEC **289**
LED


PLIM **287**
NEW LED IP65

POL **307**
LED

PROA **301**

QUART **295**
LED

RONDO **311**

ROY **286**

SHELBY **286**
LED

SOREN **291**

STEPS **300**


STICKER **295**
LED IP65

SUMA **302**

SUN **308**
LED

SUNSET **300**
LED

TACANA **298**
LED IP65

TACOS **298**
NEW LED IP65

TAIMA **303**
LED

TAKUA **296**
NEW LED IP65 NEW

TAMASHI **307**

TANE **296**
LED

TARRACO **287**

TEJO **309**

TIMON **292**

TINIA **303**

TOC **289**
LED IP65


TOLUCA **298**
LED IP65

TOM **308**
NEW LED IP65

TONE **306**
LED IP65

TORE **302**
LED

TRAM **286**

TWIST **284**
NEW LED IP65

VIEW **296**

WALLY **290**

WEST **297**

WILMA **289**

FAN

WITH LIGHT

ALO **381**	LED L
BAHAMAS **389**	LED L
CEBU **515**	S
CENTURY **363**	LED XL
CHICAGO **519**	S
COCOS **385**	LED L
CORSO **427**	L
DISC **403**	LED L
EASY **513**	S

FARETTO **407**	L
FEROE **507**	S
FOGO **481**	LED M
GALÁPAGO **521**	S
ICARIA **419**	L
ICE **401**	LED L
IZARO **395**	NEW LED L
KOMODO **397**	NEW L
LANTAU **359**	LED L

LEYTE **391**	LED L
LISBOA **509**	S
LOMBOK **429**	L
MANHATTAN **357**	NEW LED XL
MANILA **423**	L
MEDITERRÁNEO **523**	S
MINI ICARIA **503**	S
MINI UFO **517**	S
NU **393**	NEW LED L

OVNI **425**	L
PALAO **525**	S
PALK **417**	L
PANAY **477**	M
PHUKET **479**	LED M
POLARIS **399**	LED L
TABARCA **411**	NEW L
TILOS **361**	XL
TIMOR **413**	LED L

TONIC **387**	LED L
TONSAY **415**	L
VANU **421**	L
VENETO **505**	S
VULCANO **383**	LED L
WINCH **409**	L
WIND **405**	L

WITH/WITHOUT LIGHT

ALOHA **433**	L
CIES **369**	NEW LED XL
ETERFAN **485**	LED M
GRID **463**	NEW LED L
JUSTFAN **365**	NEW LED XL
JUSTFAN **487**	LED M
JUSTFAN **527**	LED S
MINIETERFAN **483**	LED M
MINITUBE **489**	LED M

MOLOKAI **493**	LED M
NIAS **465**	LED L
NOVA **431**	LED L
PEMBA **471**	LED L
TUBE **491**	LED M
TYPHOON **435**	LED L
WINCHE **437**	LED L
YAKARTA **497**	

WITHOUT LIGHT

ALO **441** L
ANDROS **367** XL NEW
AOBA **373** XL
CUBA **453** L
ECO INDUS **499** M
FACTORY **533** S
IBIZA **469** L
INDUS **447** L
ITACA **461** L

KEIKI **539** S
LAKKI **473** L
LAMA **443** L
LANTAU **459** L
LANTAU **377** XL
LUZON **455** L
MALLORCA **467** L
MALVINAS **445** L NEW
MENO **371** XL

MINIINDUS **535** S NEW
MINILANTAU **511** S
MINIMALLORCA **529** S NEW
MOREA **439** L
NASSAU **495** M
NISOS **375** XL NEW
NU **451** L
OBOE **531** S NEW
POLEA **449** L

SIOUX **457** L
VEDRA **537** S

TECH

TRACK PROJECTORS

CYLINDER **568**
FOKUS **564**
FUGA **554**
MINICYLINDER **570**
MINISIGMA **562**
NANOCYLINDER **569**
NANOFOKUS **565**
NANOSIGMA **561**
SIGMA **560**

RECESSED

COLIN **592**
MINICOLIN **596**
MINIOPTIC **587**
NANOCOLIN **594**
OPTIC **586**
ORE **628**
SOLID **582**
SYNCH **578** NEW
VIA **624** NEW

SURFACE

MINISIGN **620**
SIGN **616**
TEKO **608** NEW
VIA **626** NEW

SUSPENDED

ORE **628**

28

INDOOR

30.
PORTABLE

38.
TABLE & FLOOR

82.
SUSPENDED

124.
WALL

186.
CEILING

204.
SPOTLIGHTS

212.
TRACK

218.
RECESSED

234.
DESK

238

OUTDOOR

240.
PORTABLE

248.
BOLLARDS

282.
WALL

312.
CEILING

316.
SUSPENDED

322.
PROJECTORS & SPIKES

334.
RECESSED

348

FAN

354.
EXTRA LARGE

378.
LARGE

474.
MEDIUM

500.
SMALL

550

TECH

554.
TRACK PROJECTORS

578.
RECESSED

608.
SURFACE & SUSPENDED

634.
EBLUE

636.
LEDSTRIPS

640.
LAMPS & GEARS

INDOOR

PORTABLE

TAKE AWAY

— Nahtrang

1W 25lm | 2W 90lm | 3W 220lm

3 INTENSITIES

PRESS

01015 white/blanco

01016 black/negro

LED 3W 3000K 300lm CRI>80 Driver

Body Polycarbonate/Policarbonato
Diff Silicone/Silicona
Base Wood/Madera

PRESS LAMP | DC5V-1A | Battery

USB charger | 10h Worktime 3-4h Charge



#TAKEAWAYAROUNDTHEWORLD

WALL ACCESSORY

01017 wood/madera

Body Wood/Madera



DIMMER



USB CHARGER

HOSHI

— Xjer Studio

28386 gold+black/oro+negro

28389 black+copper/negro+cobre

LED SMD 4W 3000K 480lm CRI>80 Driver

Body Metal

DIM DC5V-1A Battery

USB charger 8h Worktime 4-6h Charge

P.44
TABLE





NEW

JELLYFISH

— Nahtrang

24523 black+gold/negro+oro

24524 white/blanco

LED SMD 3W 2700K 220lm CRI>80 Driver

Body Metal

DC5V-1A Battery USB wire

Max. 9h Worktime
8h Charge



1W 25lm | 2W 90lm | 3W 220lm

3 INTENSITIES

SWITCH

P.52
TABLE&FLOOR

HOOK

— Oiko Design Office

Each light fixture sold will feed one child for an entire school year thanks to a collaboration with the NGO Mary's Meals. Assembled by disabled people from Fundació Maresme.

Con cada luminaria vendida alimentamos a un niño durante todo un año escolar gracias a la colaboración con la ONG Mary's Meals. Ensambladas por personas discapacitadas de la Fundació Maresme.

reddot award 2018
winner

Delta Selection
Adi Awards
2018

Green
Product Award
Winner 2018

28365 brown/marrón
28369 black/negro

E27 MAX 5W LED [17462]

Body Recycled ABS/ABS Reciclado
Body Recycled Polypropylene/
Polipropileno Reciclado

4.3 MT



Ecological &Solidary

Recycled Plastic
Pvc Free
Low Co2

MAGAZINE RACK ACCESSORY

28366 white/blanco

Body Metal



SHELVE ACCESSORY



28367 white/blanco

Body Metal



WALL LAMP ACCESSORY

28368 white/blanco

Body Metal



Berlin Interiors
London Interiors

TABLE &FLOOR

DIMMABLE
INTENSITY & COLOR TEMPERATURE

57306 white/blanco
57307 black/negro
57308 yellow/amarillo
57311 grey/gris

LED COB 6W 2700K 4800K 410lm CRI>80
Driver ✓

Body Aluminium/Aluminio
Diff PMMA

DIM | 100-240V | 50/60HZ | 2 MT | CLIP ✓



GERMAN DESIGN AWARD SPECIAL 2019

P.138
CLIP&WALL



CLIP INCLUDED

NIKO

— Nahtrang

1W 80lm | 4W 250lm | 7W 500lm

3 INTENSITIES

Diff Opal Glass/Cristal Opal

01007 white+wood/blanco+madera

Diff Polycarbonate/Policarbonato

01025 **NEW** white+wood/blanco+madera

LED SMD 7W 3000K 500lm CRI>80 Driver

Body Metal

DIM 220-240V 50/60HZ USB charger

5VDdc/2A Wireless charger



WIRELESS CHARGER

USB CHARGER

TOUCH DIMMER

HOSHI — Xjer Studio

28387 gold+black/oro+negro

28388 black+copper/negro+cobre

LED SMD 12W 3000K 930lm CRI>80 Driver

Body Metal

DIM 100-240V 50/60HZ 2.6 MT



P.34
PORTABLE

TEN — Faro Team

62156 copper/cobre

62157 satin gold/oro satinado

E27 MAX 15W LED ⊗ [17429 or 17464]

Body Metal

1.5 MT

P.164
WALL+CEILING





MINE — Nahtrang

Diff Opal Glass/Cristal Opal

28378 white/blanco

28379 dark grey/gris oscuro

Diff Polycarbonate/Policarbonato

28211 **NEW** white/blanco

28212 **NEW** dark grey/gris oscuro

E27 MAX 15W LED [17463]

Body Metal+Wood/Metal+Madera

2 MT



P.98
SUSPENDED

AKANE — Pepe Llaudet

28370 black+beige/negro+beige

E27 MAX 15W LED [17463]

Body Metal
Shade Papyrus/Papiro

1.7 MT



AKANE — Pepe Llaudet

28371 black+beige/negro+beige

E27 MAX 15W LED [17464]

Body Metal
Shade Papyrus/Papiro

1.7 MT



LULA — Marina Milà

28383 white/blanco

28385 black+white/negro+blanco

E27 MAX 15W LED ⊗ [17463]

Body Metal
Shade Textile/Téxtil

1.7 MT

LULA — Marina Milà

28380 white/blanco

28382 black+white/negro+blanco

E27 MAX 15W LED ⊗ [17463]

Body Metal
Shade Textile/Téxtil

1.7 MT

MIX — Àlex & Manel Lluscà

29970 white+wood/blanco+madera

29971 black+wood/negro+madera

E14 MAX 8W LED ⊗ [17461]

Body Metal+Wood/Metal+Madera

1.9 MT







P.112 SUSPENDED

P.157 WALL

Project: Elena Castells Poch

BLISS

28401 wood+white/madera+blanco

E27 MAX 15W LED ⊗ [17463]

Body Wood+Metal/Madera+Metal
Shade Textile/Téxtil

1.8 MT



HAT

28408 wood+white/madera+blanco

E14 MAX 8W LED ⊗ [17461]

Body Wood/Madera
Shade Textile/Téxtil

1.8 MT



NIDIA

68423 nickel+white/níquel+blanco

E27 MAX 15W LED ⊗ [17462]

Body Metal
Shade Linen/Lino

1.5 MT



BANKER

68334 old gold+green/oro viejo+verde

E27 MAX 15W LED ⊗ [17463]

Body Metal
Diff Glass/Cristal

1.9 MT 90° 90°



NEW

LE VITA

— Nahtrang



29693 gold/oro

LED 6W 2700K 570lm CRI>80 Driver

Body Die Cast Aluminium/Aluminio inyectado
Diff Opal glass/Cristal Opal

100-240V 50/60HZ 2 MT



P.84
SUSPENDED

P.127
WALL

TOUCH SWITCH

29692 old/oro

LED 6W 2700K 570lm CRI>80 Driver

Body Die Cast Aluminium/Aluminio inyectado
Diff Opal glass/Cristal Opal

100-240V 50/60HZ 2 MT



CHERRY TREE WOOD



TOUCH SWITCH

LOOP

— Estudi Ribaudí

CLIP INCLUDED

1W 100lm | 3W 300lm | 6W 600lm

TOUCH DIMMER

29569 black+wood/negro+madera

LED SMD 6W 2700K 600lm CRI>80 Driver

Body Metal
Shade Cherry Tree Wood/Madera Cerezo

100-240V | 50/60HZ | 2 MT | 350°

29568 black+wood/negro+madera

LED SMD 6W 2700K 600lm CRI>80 Driver

Body Metal
Shade Cherry Tree Wood/Madera Cerezo

100-240V | 50/60HZ | 2 MT | 350° | CLIP

P.95 SUSPENDED
P.135 WALL





STOOD

— Lucid

CHERRY TREE WOOD

29846 black+wood/negro+madera

E27 MAX 15W LED [17464]

Body Metal
Shade Cherry Tree Wood/Madera Cerezo

2 MT

29847 black+wood/negro+madera

E27 MAX 15W LED [17464]

Body Metal
Shade Cherry Tree Wood/Madera Cerezo

2 MT





P.94
SUSPENDED



P.134
WALL

JELLYFISH

— Nahtrang

24522 black+gold/negro+oro

LED SMD 6W 3000K 500lm CRI>80 Driver

Body Metal

220-240V 50/60HZ 1.8 MT



24521 black+gold/negro+oro

LED SMD 6W 3000K 500lm CRI>80 Driver

Body Metal

220-240V 50/60HZ 4.3 MT



29029 black+copper/negro+cobre
29037 white+copper/blanco+cobre
29047 black/negro
29048 white/blanco

LED SMD 4W 3000K 400lm CRI>80 Driver

Body Metal
Diff ABS

220-240V 50/60HZ 2 MT 350° 90° 90°



LAO

— Nahtrang



29038 white+copper/blanco+cobre
29049 black/negro
29050 white/blanco

LED SMD 4W 3000K 400lm CRI>80 Driver

Body Metal
Diff ABS

220-240V 50/60HZ 2 MT 350° 90° 90°



P.210
CEILING



P.210
SPOT



P.214
TRACK

○ **29883** white/blanco
● **29884** black/negro
● **29899** **NEW** bronze/bronce

GU10 MAX 8W LED ⊗ [O 17316 ● ● 17324]

Body Steel/Acero

1.9 MT 90° 90°



LINK

— Estudi Ribaudí

○ **29881** white/blanco
● **29882** black/negro
● **29898** **NEW** bronze/bronce

GU10 MAX 8W LED ⊗ [O 17316 ● ● 17324]

Body Steel/Acero

1.9 MT 90° 90°

P.193
CEILING

P.210
SPOT

P.215
TRACK

RETRO

— Àlex & Manel Lluscà

20019 beige/beige
20020 olive green/verde oliva
20009 red/rojo

E14 MAX 8W LED ⊗ [17461]

Body Metal

2 MT



20003 beige/beige
20005 red/rojo

E14 MAX 8W LED ⊗ [17461]

Body Metal

1.7 MT



P.112
SUSPENDED

P.166
WALL

WHIZZ

— Christoph Friedrich Wagner

P.86
SUSPENDED

P.128
WALL



20162+20164 black+gold/negro+oro
20163+20164 gold+black/oro+negro
E27 MAX 15W LED ⊗ [17426 or 17496]
Body Metal

1.4 MT

20162

20163

20164



ACADEMY

— Nahtrang

28202 chrome/cromo
28203 white/blanco
28207 black/negro

LED SMD 6W 3000K 350lm CRI>80 Driver

Body Metal+Aluminium/Metal+Aluminium
Diff Opal PMMA/PMMA Opal

100-240V 50/60HZ 2 MT 350° SWITCH



1W 87lm 2W 175lm 4W 350lm

TOUCH DIMMER



28204 chrome/cromo
28205 white/blanco
28208 black/negro

LED SMD 6W 3000K 550lm CRI>80 Driver

Body Metal+Aluminium/Metal+Aluminium
Diff Opal PMMA/PMMA Opal

100-240V 50/60HZ 2 MT 350°



ADJUSTABLE

STAND-UP

— Estudi Ribaudí

57210 alum.+white/alum.+blanco
57211 black+white/negro+blanco
57212 alum.+black/alum.+negro
57213 black+black/negro+negro
57214 alum.+grey/alum.+gris
57215 black+grey/negro+gris

E27 MAX 15W LED ⊗ [17463]

Body Aluminium/Aluminio
Shade Textile/Téxtil

2 MT





57210 57211 57212 57213 57214 57215

SWITCH



ADJUSTABLE SHADE

29978 white+beige/blanco+beige
29979 brown+beige/marrón+beige

2 E27 MAX 15W LED ⊗ [17463]

Body Metal
Shade Textile/Téxtil

3.5 MT



VESPER

— Nahtrang

29984 white+beige/blanco+beige
29985 brown+beige/marrón+beige

2 E27 MAX 15W LED ⊗ [17463]

Body Metal
Shade Textile/Téxtil
Top Diff Textile/Téxtil

1.7 MT



P.101
SUSPENDED



P.150
WALL



ADJUSTABLE

NEW

ARTIS

— Àlex & Manel Lluscà

ORIENTABLE

68488 bronze/bronce

E27 MAX 15W LED [17463]

Body Metal
Shade Textile/Téxtil

2.4 MT 350°

68489 bronze/bronce

E27 MAX 15W LED [17463]

Body Metal
Shade Textile/Téxtil

3.2 MT 350°



P.143
WALL





24009 chrome/cromo

E27 MAX 15W LED ⊗ [17464]

Body Metal

2 MT

*Shade not incl. / Pantalla no incl.



OPTIONAL SHADES

Shade options on page 647

Opciones de pantalla en página 647

2P0231
white/blanco

2P0232
beige/beige

2P0233
black/negro

2P0131
white/blanco

2P0132
beige/beige

2P0133
black/negro



24008 chrome/cromo

E27 MAX 15W LED ⊗ [17463]

Body Metal

1.8 MT

*Shade not incl. / Pantalla no incl.



OPTIONAL SHADES

Shade options on page 647
Opciones de pantalla en página 647

2P0221 white/blanco | **2P0222** beige/beige | **2P0223** black/negro

2P0121 white/blanco | **2P0122** beige/beige | **2P0123** black/negro

REM

— Àlex & Manel Lluscà

29684 matt nickel/níquel mate
29685 gold/oro
E27 MAX 15W LED [17463]
Body Metal

1.6 MT

*Shade not incl. / Pantalla no incl.

OPTIONAL SHADES
Shade options on page 647
Opciones de pantalla en página 647

2P0221	2P0222	2P0223
white/blanco	beige/beige	black/negro

2P0121	2P0122	2P0123
white/blanco	beige/beige	black/negro

2P0311	2P0312	2P0313
white/blanco	beige/beige	black/negro

MADE IN EUROPE

2P0421	2P0422	2P0423
white/blanco	beige/beige	black/negro

29686 matt nickel/níquel mate
29687 gold/oro

E27 MAX 15W LED [17463]

Body Metal
Shade Textile/Téxtil

1.9 MT

*Shade not incl. / Pantalla no incl.



OPTIONAL SHADES
Shade options on page 647
Opciones de pantalla en página 647

2P0231
white/blanco

2P0232
beige/beige

2P0233
black/negro

2P0131
white/blanco

2P0132
beige/beige

2P0133
black/negro

MADE IN EUROPE

2P0431
white/blanco

2P0432
beige/beige

2P0433
black/negro

P.142
WALL





ADJUSTABLE

SWITCH

TANGO

— Estudi Ribaudí



DT00066G grey/gris

DT00066N grey+black/gris+negro

E27 MAX 15W LED ⊗ [17463]

Body Metal
Shade Textile/Téxtil
Top Diff Metal

2.6 MT

DT00065G grey/gris

DT00065N grey+black/gris+negro

E27 MAX 15W LED ⊗ [17463]

Body Metal
Shade Textile/Téxtil
Top Diff Metal

1.9 MT

P.100
SUSPENDED

P.153
WALL





Project: Elena Castells Poch

ADJUSTABLE

LUPE

— Jordi Busquets

P.146
WALL

29997 chrome+beige/cromo+beige

E27 MAX 15W LED ⊗ [17462]

Body Metal
Shade Textile/Téxtil

1.8 MT

29998 chrome+beige/cromo+beige

E27 MAX 15W LED ⊗ [17462]

Body Metal
Shade Textile/Téxtil

2 MT





LINDA

— Estudi Ribaudí

29308 white/blanco
29312 black+white/negro+blanco

E27 MAX 15W LED [17464]

Body Steel/Acero
Shade Textile/Téxtil

2.8 MT





29307 white/blanco
29311 black+white/negro+blanco

E27 MAX 15W LED [17464]

Body Steel/Acero
Shade Textile/Téxtil

2 MT



P.102 SUSPENDED

P.167 WALL

TREE

— Estudi Ribaudí

P.102
SUSPENDED



● **29868** black/negro
○ **29869** white/blanco

E27 MAX 15W LED ⊗ [17464]

Body Metal
Shade Textile/Téxtil

2MT



● **29866** black/negro
○ **29867** white/blanco

E27 MAX 15W LED ⊗ [17464]

Body Metal
Shade Textile/Téxtil

1.8 MT



SWEET

— Estudi Ribaudí

P.100
SUSPENDED



P.154
WALL



29938 nickel+white/níquel+blanco
29958 white/blanco
29959 black/negro

E27 MAX 15W LED ⊗ [17464]

Body Metal
Shade Textile/Téxtil

1.7 MT



29937 nickel+white/níquel+blanco
29954 white/blanco
29955 black/negro

E27 MAX 15W LED ⊗ [17463]

Body Metal
Shade Textile/Téxtil
Top Diff Textile/Téxtil

1.9 MT



29335 white/blanco
29336 black/negro

E27 MAX 15W LED ⊗ [17464]

Body Metal
Shade Textile/Téxtil

1.5 MT



BERNI

— Nahtrang

29332 white/blanco
29333 black/negro

E27 MAX 15W LED ⊗ [17464]

Body Metal
Shade Textile/Téxtil
Top Diff Metal

1.5 MT

P.152
WALL



VOLTA

— Estudi Ribaudí

P.151
WALL

20025 nickel+white/níquel+blanco
20026 nickel+black/níquel+negro

E27 MAX 15W LED ⊗ [17464]

Body Metal
Shade Textile/Téxtil

2 MT

20029 nickel+white/níquel+blanco
20030 nickel+black/níquel+negro

E27 MAX 15W LED ⊗ [17464]

Body Metal
Shade Textile/Téxtil

2 MT





29943 chrome+white/cromo+blanco
29948 chrome+black/cromo+negro

E27 MAX 15W LED ⊗ [17464]

Body Metal
Shade Textile/Téxtil

1.9 MT



HOTEL

— Àlex & Manel Lluscà

29942 chrome+white/cromo+blanco
29947 chrome+black/cromo+negro

E27 MAX 15W LED ⊗ [17463]

Body Metal
Shade Textile/Téxtil
Top Diff Textile/Téxtil

1.9 MT 90° 90° 350°



P.103
SUSPENDED



P.150
WALL



MOMA

68500 chrome+white/cromo+blanco

68501 chrome+black/cromo+negro

E27 MAX 15W LED ⊗ [17462]

Body Metal
Shade Textile/Téxtil
Bottom Diff Opal PVC/PVC Opal

1.9 MT



P.154
WALL

MOMA

68502 chrome+white/cromo+blanco

68503 chrome+black/cromo+negro

E27 MAX 15W LED ⊗ [17463]

Body Metal
Shade Textile/Téxtil
Bottom Diff Opal PVC/PVC Opal

2.1 MT



THANA

68531 nickel+white/níquel+blanco

E27 MAX 15W LED ⊗ [17463]]

Body Metal
Shade Textile/Téxtil

2 MT



THANA

68530 nickel+white/níquel+blanco

E27 MAX 15W LED ⊗ [17463]]

Body Metal
Shade Textile/Téxtil

1.5 MT



P.104 SUSPENDED

P.155 WALL



MITIC

68418 nickel+beige/níquel+beige

E27 MAX 15W LED ⊗ [17463]]

Body Metal
Shade Textile/Téxtil

1.5 MT



MITIC

68417 nickel+beige/níquel+beige

E14 MAX 8W LED ⊗ [17461]

Body Metal
Shade Textile/Téxtil

1.8 MT



P.156 WALL

HALO

55191 black/negro

LED SMD 6W 3000K 500lm CRI>80 Driver

Body Aluminium+Zinc/Aluminio+Zinc

DIM 100-240V 50/60HZ 1.9 MT



BLACK

29764 black/negro

E27 MAX 15W LED [17464]

Body Polycarbonate/Policarbonato
Shade Textile/Téxtil

2.5 MT



PAPUA

○ **68462** white/blanco

● **68463** black/negro

E27 MAX 15W LED ⊗ [17464]

Body Metal
Shade Textile/Téxtil

1.8 MT



SABA

68546 nickel+black/níquel+negro

E27 MAX 15W LED ⊗ [17463]

Body Metal
Shade (double) Textile/Téxtil

1.5 MT



SABA

68545 nickel+black/níquel+negro

E27 MAX 15W LED ⊗ [17464]

Body Metal
Shade (double) Textile/Téxtil

1.7 MT



SABA

68547 nickel+black/níquel+negro

E27 MAX 15W LED ⊗ [17464]

Body Metal
Shade (double) Textile/Téxtil

2.1 MT



P.105
SUSPENDED

P.156
WALL

ESSENTIAL

29343 nickel+white/níquel+blanco

E27 MAX 15W LED ⊗ [17463]

Body Metal
Shade Textile/Téxtil

3 MT



P.105
SUSPENDED

P.156
WALL

SUS
PEN
DED

NEW

LE VITA

— Nahtrang

29691 gold/oro

LED 2x6W 2700K 1200lm CRI>80 Driver

Body Die Cast Aluminium/Aluminio inyectado
Diff Opal glass/Cristal Opal

100-240V 50/60HZ 1.5 MT



29694 gold/oro

LED 6W 2700K 570lm CRI>80 Driver

Body Die Cast Aluminium/Aluminio inyectado
Diff Opal glass/Cristal Opal

100-240V 50/60HZ 1.5 MT



P.48 TABLE&FLOOR

P.127 WALL

NEW
WHIZZ
— Christoph Friedrich Wagner
20162+20166

20160 black+gold/negro+oro
20161 gold+black/oro+negro

E27 MAX 15W LED [17426 17496]

Body Metal

1.5 MT



P.57 TABLE&FLOOR



P.128 WALL



20162

20163

20166

20162+20166 black+gold/negro+oro
20163+20166 gold+black/oro+negro

E27 MAX 15W LED [17426 17496]

Body Metal

1.5 MT



24500 white/blanco

24501 black+gold/negro+oro

LED 20W 3000K 1150lm CRI>80 Driver

Body Metal
Diff Opal Glass/Cristal Opal

220-240V 50/60HZ 3MT



SLIM

— Àlex & Manel Lluscà

PENDANT & WALL

P.130
WALL

24504 white/blanco

24505 black+gold/negro+oro

LED 2x20W 3000K 2300lm CRI>80 Driver

Body Metal

Diff Opal Glass/Cristal Opal

220-240V 50/60HZ





ARTICULATED



20124 white ivory/blanco marfil
20125 white/blanco
20126 terracotta/terracota
20127 black/negro
20128 yellow/amarillo
20129 burgundy/granate
20130 olive green/verde oliva
20131 dark green/verde oscuro

4 E27 MAX 15W LED ⊗ [17464]

Body Metal
Shade Beige Ribbon Shade/Tela encintada
Diff Papyrus/Papiro

1.6 MT



HUE-IN

— Nahtrang

RIBBON SHADE



20116 20117 20118 20119



20120 20121 20122 20123

- **20116** white ivory/blanco marfil
- **20117** white/blanco
- **20118** terracotta/terracota
- **20119** black/negro
- **20120** yellow/amarillo
- **20121** burgundy/granate
- **20122** olive green/verde oliva
- **20123** dark green/verde oscuro

3 E27 MAX 15W LED ⊗ [17464]

Body Metal
Shade Beige Ribbon Shade/Tela encintada
Diff Papyrus/Papiro

1.6 MT



MUTE

— Nahtrang

20101 dark grey+grey/gris oscuro+gris

20102 dark grey+brown/gris oscuro+marrón

LED SMD 40W 2700K 2000lm CRI>80 Driver

Body Metal
Shade Recycled PET+Textile Fiber/
PET Reciclado+Fibra Téxtil
Diff Opal Glass/Cristal Opal

220-240V 50/60HZ 2MT α =0.4



GERMAN DESIGN AWARD SPECIAL 2019



SOUND ABSORBING
α =0.4

PENDANT & CEILING

RECYCLED PET

CONFIDENCE IN TEXTILES
Tested for harmful substances

STOOD

— Lucid

29848 black+wood/negro+madera

E27 MAX 15W LED ⊗ [17464]

Body Metal
Shade Cherry Tree Wood/Madera Cerezo

2 MT

29849 black+wood/negro+madera

5 E27 MAX 15W LED ⊗ [17464]

Body Metal
Shade Cherry Tree Wood/Madera Cerezo

2 MT





P.51 TABLE&FLOOR

P.134 WALL

CHERRY TREE WOOD

29567 black+wood/negro+madera

LED SMD 3x6W 2700K 1500lm CRI>80
Driver

Body Metal
Shade Cherry Tree Wood/Madera Cerezo

100-240V 50/60HZ 1.2 MT 350°



CHERRY TREE WOOD

LOOP

— Estudi Ribaudí

P.50
TABLE&FLOOR

P.135
WALL

20100 wood/wood

LED SMD 24W 2700K 2000lm CRI>80
Driver

Body Metal+Wood/Metal+Madera
Diff Polycarbonate/Policarbonato

DIM L 220-240V 50/60HZ 1.5 MT



PAULINE

— Nahtrang

20099 black+wood/negro+madera

LED SMD 24W 3000K 1700lm CRI>80
Driver

Body Metal+Wood/Metal+Madera
Diff Polycarbonate/Policarbonato

DIM L,C 200-240V 50/60HZ 1.2 MT



PHILL

— Nahtrang

20098 **NEW** black+wood/negro+madera

LED SMD 12W 3000K 750lm CRI>80
Driver

Body Metal+Wood/Metal+Madera
Diff Polycarbonate/Policarbonato

DIM L,C 200-240V 50/60HZ 2 MT



MINE — Nahtrang

Diff Opal Glass/Cristal Opal

- **28375** white/blanco
- **28376** dark grey/gris oscuro

Diff Polycarbonate/Policarbonato

- **28209** **NEW** white/blanco
- **28210** **NEW** dark grey/gris oscuro

E27 MAX 15W LED [17463]

Body Metal+Wood/Metal+Madera

3 MT 1 HOOK



P.45
TABLE

CUSTOMIZE YOUR MINE

N° OF LIGHTS/N° DE LUCES
MTS OF CABLE/MTS DE CABLE
N° OF HOOKS/N° DE GANCHOS

SEND YOUR DEMAND ON/ENVÍANOS TU PETICIÓN A
customize@faro.es

Diff Opal Glass/Cristal Opal

○ **28375-1L** white/blanco
● **28376-1L** dark grey/gris oscuro

Diff Polycarbonate/Policarbonato

○ **28209-1L NEW** white/blanco
● **28210-1L NEW** dark grey/gris oscuro

E27 MAX 15W LED ⊗ [17463]

2 MT 1 HOOK ✓

Diff Opal Glass/Cristal Opal

○ **28375-2L** white/blanco
● **28376-2L** dark grey/gris oscuro

Diff Polycarbonate/Policarbonato

○ **28209-2L NEW** white/blanco
● **28210-2L NEW** dark grey/gris oscuro

2 E27 MAX 15W LED ⊗ [17463]

4 MT 2 HOOK ✓

Diff Opal Glass/Cristal Opal

○ **28375-3L** white/blanco
● **28376-3L** dark grey/gris oscuro

Diff Polycarbonate/Policarbonato

○ **28209-3L NEW** white/blanco
● **28210-3L NEW** dark grey/gris oscuro

3 E27 MAX 15W LED ⊗ [17463]

6 MT 3 HOOK ✓



Diff Opal Glass/Cristal Opal

○ **28375-4L** white/blanco
● **28376-4L** dark grey/gris oscuro

Diff Polycarbonate/Policarbonato

○ **28209-4L NEW** white/blanco
● **28210-4L NEW** dark grey/gris oscuro

4 E27 MAX 15W LED ⊗ [17463]

8 MT 4 HOOK ✓



Diff Opal Glass/Cristal Opal

○ **28375-5L** white/blanco
● **28376-5L** dark grey/gris oscuro

Diff Polycarbonate/Policarbonato

○ **28209-5L NEW** white/blanco
● **28210-5L NEW** dark grey/gris oscuro

5 E27 MAX 15W LED ⊗ [17463]

10 MT 5 HOOK ✓

HOOK ACCESSORY NEW

○ **28373** white/blanco
● **28374** grey/gris

TANGO — Estudi Ribaudí

DT00062G grey/gris

DT00062N grey+black/gris+negro

E27 MAX 15W LED ⊗ [17463]

Body Metal
Shade Textile/Téxtil

1.5 MT



P.68 TABLE&FLOOR

P.153 WALL

SWEET — Estudi Ribaudí

29939 nickel+white/níquel+blanco

E27 MAX 15W LED ⊗ [17464]

Body Metal
Shade Textile/Téxtil

1 MT



P.72 TABLE&FLOOR



P.154 WALL

VESPER — Nahtrang

29986 white+beige/blanco+beige

29987 brown+beige/marrón+beige

2 E27 MAX 15W LED ⊗ [17463]

Body Metal
Shade Textile/Téxtil
Bottom Diff Textile/Téxtil

2 MT



VESPER — Nahtrang

29988 white+beige/blanco+beige

29989 brown+beige/marrón+beige

3 E27 MAX 15W LED ⊗ [17463]

Body Metal
Shade Textile/Téxtil
Bottom Diff Textile/Téxtil

2 MT



P.62 TABLE&FLOOR

P.152 WALL



LINDA — Estudi Ribaudí

29309 white/blanco

29313 black+white/negro+blanco

E27 MAX 15W LED [17464]

Body Steel/Acero
Shade Textile/Téxtil

1 MT



P.70
TABLE&FLOOR

P.167
WALL

TREE — Estudi Ribaudí

29864 black/negro

29865 white/blanco

E27 MAX 15W LED [17463]

Body Metal
Shade Textile/Téxtil

1.3 MT



P.71
TABLE&FLOOR

HOTEL — Àlex & Manel Lluscà

29944 chrome+white/cromo+blanco

29949 chrome+black/cromo+negro

3 E27 MAX 15W LED [17463]

Body Metal
Shade Textile/Téxtil
Bottom Diff Textile/Téxtil

1 MT



P.75
TABLE&FLOOR

P.150
WALL







ADJUSTABLE

FUSTA — Àlex & Manel Lluscà

28393 **NEW** black/negro

28394 white+wood/blanco+madera

E27 MAX 15W LED [17464]

Body Metal+Wood/Metal+Madera
Shade Textile/Téxtil

1.7 MT



P.153
WALL



THANA

68533 nickel+white/níquel+blanco

3 E27 MAX 15W LED ⊗ [17463]

Body Metal
Shade Textile/Téxtil



P.77
TABLE&FLOOR

P.155
WALL



SEVEN

◯ **68283** white/blanco

2 E27 MAX 15W LED ⊗ [17463]

Body Metal+PVC
Shade Textile/Téxtil

1 MT

SEVEN

◯ **68284** white/blanco

3 E27 MAX 15W LED ⊗ [17463]

Body Metal+PVC
Shade Textile/Téxtil

1 MT

PROSA

◯ **68535** white/blanco

3 E27 MAX 15W LED ⊗ [17463]

Body Metal
Shade Textile/Téxtil
Diff Opal Glass/Cristal Opal

1.3 MT



P.197
CEILING





SABA

68549 nickel+black/níquel+negro

3 E27 MAX 15W LED ⊗ [17464]

Body Metal
Shade (double) Textile/Téxtil

1.2 MT

P.80
TABLE&FLOOR

P.156
WALL



SABA

68548 nickel+black/níquel+negro

E27 MAX 15W LED ⊗ [17464]

Body Metal
Shade (double) Textile/Téxtil

1.2 MT



ESSENTIAL

29344 white/blanco

E27 MAX 15W LED ⊗ [17464]

Body Metal
Shade Textile/Téxtil

3 MT

P.81
FLOOR

P.156
WALL



AINA

64174 white/blanco

LED SMD 40W 2700K 3000lm CRI>80
Driver ✓

Body Opal Polycarbonate/Policarbonato Opal
Shade Textile/Téxtil

IP44 220-240V 50/60HZ 1.3 MT



DOLME — Xjer Studio

64098 black/negro

64099 white/blanco

LED SMD 24W 3000K 1260lm CRI>80
Driver

Body Metal
Diff Polycarbonate/Policarbonato

220-240V 50/60HZ 1.6 MT

P.190
CEILING



COCOTTE — Jordi Llopis

○ **64182** matt white/blanco mate

● **64183** shiny black/negro brillante

LED SMD 30W 3000K 1700lm CRI>80
Driver ✓

Body Metal+Aluminium/ Metal+Aluminio
Diff Opal PMMA/PMMA Opal

100-240V 50/60HZ



COCOTTE — Jordi Llopis

64180 matt white/blanco mate

T5 MAX 40W ⊗ [9724040] Ballast ✓

Body Metal
Diff Opal PMMA/PMMA Opal

COCOTTE NEW — Jordi Llopis

○ **64250** matt white/blanco mate

● **64251** shiny black/negro brillante

LED SMD 30W 3000K 1200lm CRI>80
Driver ✓

Body Metal+Aluminium/ Metal+Aluminio
Diff Opal PMMA/PMMA Opal

220-240V 50/60HZ



COCOTTE Ø550 SUSPENDED KIT

○ **64186** white/blanco

● **64187** black/negro

COCOTTE Ø430 SUSPENDED KIT

○ **64184** white/blanco

● **64185** black/negro

PLANET — Xjer Studio

65046 white/blanco

65047 copper/cobre

LED SMD 12W 3000K 780lm CRI>80 Driver

Body Metal+Aluminium/ Metal+Aluminio
Diff PMMA

100-240V 50/60HZ 1.5 MT



SIDE — Àlex & Manel Lluscà

62136 white/blanco

62137 white+nickel/blanco+níquel

62138 black+gold/negro+oro

62139 black+copper/negro+cobre

G9 MAX 6W LED [17443]

Body Metal
Diff Opal Glass/Cristal Opal

1.5 MT



P.189
WALL



ETNA — Pepe Llaudet

DV00035 wood/madera
DV00032 black wood/madera negra

GU 10 MAX 8W LED ⊗ [17330]

Body Metal+Wood+ Pyrex blown glass/ Metal+Madera+ Cristal soplado Pyrex

2 MT



ETNA — Pepe Llaudet

DV00036 wood/madera
DV00033 black wood/madera negra

GU 10 MAX 8W LED ⊗ [17330]

Body Metal+Wood+ Pyrex blown glass/ Metal+Madera+ Cristal soplado Pyrex

2 MT



ETNA — Pepe Llaudet

DV00037 wood/madera
DV00034 black wood/madera negra

GU 10 MAX 8W LED ⊗ [17330]

Body Metal+Wood+ Pyrex blown glass/ Metal+Madera+ Cristal soplado Pyrex

2 MT



ETER — Conillas

29816 transparent/transparente
DV00022 shiny black/negro brillante
DV00023 matt black/negro mate
DV00024 shiny white/blanco brillante
DV00025 matt white/blanco mate

QR 111 MAX 20W LED ⊗ [97684227-97684427]

Body Pyrex blown glass/Cristal soplado Pyrex

1 MT



PYREX BLOWN GLASS

P.162
WALL

FLASH — Estudi Ribaudí

○ **20201** white/blanco

● **20205** black/negro

LED SMD 10W 3000K 500lm CRI>80 Driver ✓

Body Die Cast Aluminium/ Aluminio inyectado
Diff Polyethylene/Polietileno

220-240V 50/60HZ 1.5 MT 90° 90°

FLASH — Estudi Ribaudí

○ **20202** white/blanco

● **20206** black/negro

LED 2 SMD 10W 3000K 500lm CRI>80 Driver ✓

Body Die Cast Aluminium/ Aluminio inyectado
Diff Polyethylene/Polietileno

220-240V 50/60HZ 1.5 MT 90° 90°

FLASH — Estudi Ribaudí

○ **20203** white/blanco

● **20207** black/negro

LED 4 SMD 10W 3000K 500lm CRI>80 Driver ✓

Body Die Cast Aluminium/ Aluminio inyectado
Diff Polyethylene/Polietileno

220-240V 50/60HZ 1.5 MT 90° 90°







PLUMA — Nahtrang

64170 white/blanco

64172 black+gold/negro+oro

LED SMD 6W 3000K 450lm CRI>80 Driver

Body Aluminium/Aluminio

100-240V 50/60HZ 1.5 MT



CONIK — Àlex & Manel Lluscà

64220 aluminium/aluminio

64221 white/blanco

LED SMD 32W 3000K 3200lm CRI>80 Driver

Body Aluminium/Aluminio
Diff PMMA

100-240V 50/60HZ 1.5 MT

P.171
WALL





RETRO — Àlex & Manel Lluscà

- **20016** beige/beige
- **20046** copper/cobre
- **20050** black+copper/negro+cobre

E 14 MAX 8W LED ⊗ [17461]

Body Metal

1.6 MT



MIX — Àlex & Manel Lluscà

- **29967** black/negro

E 14 MAX 8W LED ⊗ [17461]

Body Metal

1 MT



P.46 TABLE&FLOOR

P.157 WALL

MIX — Àlex & Manel Lluscà

- **29969** black+wood/negro+madera

2 E27 MAX 8W LED ⊗ [17463]

Body Metal



RETRO — Àlex & Manel Lluscà

- **20047** copper/cobre
- **20048** black+copper/negro+cobre
- **20051** black+gold/negro+oro

12 E 14 MAX 8W LED ⊗ [17461]

Body Metal

3 MT



20048

20051

P.56 TABLE&FLOOR

P.166 WALL



MAGMA

28398 white+silver/blanco+plata
28399 white+gold/blanco+oro
29468 black+gold/negro+oro

3 E27 MAX 15W LED [17464]

Body Fiber Glass/Fibra de Vidrio

FIBER GLASS
FIBRA VIDRIO
2 MT

MAGMA

29789 black+gold/negro+oro

5 E27 MAX 15W LED [17464]

Body Fiber Glass/Fibra de Vidrio

FIBER GLASS
FIBRA VIDRIO
2 MT





CRÁTER

68461 black+gold/negro+oro

3 E27 MAX 15W LED [17463]

Body Aluminium/Aluminio

1.5 MT



Project: Elena Castells Poch

ART

64137 old gold/oro envejecido
65134 **NEW** black/negro

E27 MAX 15W LED ⊗ [17425]

Body Metal

1.5 MT **64137** 2 MT **64134**



P.164
WALL



LIZ

65080 old gold/oro envejecido

E27 MAX 15W LED ⊗ [17428]

Body Metal
Diff Glass/Cristal

1.3 MT

CLARA

64128 black/negro

E27 MAX 15W LED ⊗ [17428]

Body Metal
Diff Glass/Cristal

2 MT



MARLIN

64133 gold+ black/oro+negro

E27 MAX 15W LED ⊗ [17428]

Body Metal

1.5 MT

HALITA

65071 old gold/oro envejecido

E27 MAX 15W LED ⊗ [17428]

Body Metal

1.5 MT



P.169
WALL





ROSE NEW

65082 black/negro

E27 MAX 15W LED [17429]

Body Metal
Diff Glass/Cristal

1.5 MT



ROSE

65081 black/negro

4 E27 MAX 15W LED [17429]

Body Metal
Diff Glass/Cristal



LANG

62804 black/negro
62805 green/verde

E27 MAX 15W LED ⊗ [17426]

Body Metal

ENAMEL ESMALTE 1.4 MT



LOU

62800 black/negro
62801 green/verde

E27 MAX 15W LED ⊗ [17463]

Body Metal

ENAMEL ESMALTE 1.3 MT



CLAIRE

62802 black/negro
62803 green/verde

E27 MAX 15W LED ⊗ [17426]

Body Metal

ENAMEL ESMALTE 1.4 MT

NINETTE

- **64163** yellow/amarillo
- **64164** blue/azul
- **64165** green/verde

E27 MAX 15W LED ⊗ [17414]

Body Metal

ENAMEL ESMALTE 0.7 MT



MOU

- **62806** black/negro

E27 MAX 15W LED ⊗ [17463]

Body Metal

ENAMEL ESMALTE 350°



PEPPER

- **64166** beige/beige
- **64167** black/negro

E27 MAX 15W LED ⊗ [17463]

Body Metal

0.7 MT



P.168
WALL

PLAT

- **68145** black/negro
- **68146** white/blanco

E27 MAX 15W LED ⊗ [17271 or 17429]

Body Metal

1.5 MT





COSMOS

64224 brass/latón

LED 5W 3000K 360lm CRI>80 Driver

Body Aluminium+Brass/Aluminio+Latón
Diff PMMA

100-240V 50/60HZ 1.4 MT 180°



DANKA

64222 nickel+black/níquel+negro

64223 gold+black/oro+negro

LED COB 6W 3000K 530lm CRI>80 Driver

Body Aluminium/Aluminio

100-240V 50/60HZ 1.2 MT 60°



PAM

64162 black+gold/negro+oro

LED SMD 24W 3000K 1875lm CRI>80 Driver

Body Aluminium/Aluminio
Diff PMMA

100-240V 50/60HZ 1.5 MT 120°



PAM

64159 white

64160 black+gold/negro+oro

LED SMD 11 W 3000K 900lm CRI>80 Driver

Body Aluminium/Aluminio
Diff PMMA

100-240V 50/60HZ 1.5 MT 120°



LISE

- **29886** white/blanco
- **29887** black/negro

LED COB 6W 2700K 370lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Optical glass/Cristal óptico

100-240V 50/60HZ 1.3 MT 80°



P.170
WALL

ORA

- **29894** white/blanco
- **29895** black/negro

LED SMD 4W 3000K 350lm CRI>80 Driver

Body Aluminium/Aluminio
Diff PMMA

100-240V 50/60HZ 1.5 MT 120°



P.170
WALL

NAN

- **64191** white/blanco
- **64194** **NEW** black/negro

GU10 MAX 8W LED [17324]

Body Aluminium/Aluminio

100-240V 50/60HZ 1.7 MT

P.195
CEILING



P.217
TRACK



P.170
WALL



FADA

- **66225** brown/marrón
- **66226** black/negro
- **66227** blue/azul
- **66228** pink/rosa

LED COB 5W 3000K 440lm CRI>80 Driver

Body Aluminium/Aluminio
Shade Leather/Piel

LEATHER PIEL 100-240V 50/60HZ 1.4 MT 60°



HELGA

- **66229** brown/marrón
- **66230** black/negro
- **66231** blue/azul
- **66232** pink/rosa

LED COB 5W 3000K 440lm CRI>80 Driver

Body Aluminium/Aluminio
Shade Leather/Piel

LEATHER PIEL 100-240V 50/60HZ 1.4 MT 60°



FAUNA

- **66233** brown/marrón
- **66234** black/negro
- **66235** blue/azul
- **66236** pink/rosa

LED COB 5W 3000K 440lm CRI>80 Driver

Body Aluminium/Aluminio
Shade Leather/Piel

LEATHER PIEL 100-240V 50/60HZ 1.4 MT 60°



PLEC — Àlex & Manel Lluscà

66210 old brown/marrón envejecido

66211 off white/blanco roto

LED SMD 15W 2700K 1200lm CRI>80
Driver

Body Steel/Acero
Diff PVC

IP44 220-240V 50/60HZ 1.5 MT

PLEC — Àlex & Manel Lluscà

66212 old brown/marrón envejecido

66213 off white/blanco roto

LED SMD 15W 2700K 1200lm CRI>80
Driver

Body Steel/Acero
Diff PVC

IP44 220-240V 50/60HZ

PLEC — Àlex & Manel Lluscà

66214 old brown/marrón envejecido

66215 off white/blanco roto

LED 2xSMD 15W 2700K 2400lm CRI>80
Driver

Body Steel/Acero
Diff PVC

IP44 220-240V 50/60HZ

P.167
WALL





WINCH — Àlex & Manel Lluscà

66204 brown/marrón

E27 MAX 15W LED ⊗ [17463]

Body Metal
Diff Glass/Cristal

1 MT



WINCH — Àlex & Manel Lluscà

66205 brown/marrón

E27 MAX 15W LED ⊗ [17463]

Body Metal
Diff Glass/Cristal

1.5 MT



P.167
WALL

LIANA

68569 wood brown

E27 MAX 15W LED ⊗ [17464]

Body Metal+Rattan

1.2 MT



NUDOS

68139 dark brown/marrón oscuro

E27 MAX 15W LED ⊗ [17462]

Body Metal
Diff Bubble Glass/Cristal Burbuja

1 MT



P.169
WALL



MARINA

60004 black/negro

E27 MAX 15W LED ⊗ [17428]

Body Metal
Diff Glass

1.5 MT



P.168
WALL

NIDO

68153 brown/marrón

E27 MAX 15W LED ⊗ [17464]

Body Cane/Caña

1.5 MT



LUCE

64176 chrome+ white/cromo+blanco

LED SMD LED 35W 2700K 2400lm CRI>80
Driver

Body Aluminium/Aluminio
Body PMMA

220-240V 50/60HZ 1.3 MT



MALI

66873 white/blanco

E27 MAX 15W LED [17464]

Body Metal
Diff PVC

1.5 MT

MARGOT

68561 black/negro

68564 **NEW** white/blanco

E27 MAX 15W LED [17464]

Body Aluminium+Wood/Aluminio+Madera

1.2 MT

MIA

64175 white/blanco

LED SMD LED 8W 3000K 600lm CRI>80
Driver

Body Metal
Diff Opal Glass/Cristal Opal

220-240V 50/60HZ 1.6 MT







TRANSFER

64131 grey/gris

E27 MAX 15W LED [17463]

Body Aluminium/Aluminio
Diff Glass/Cristal

0.6 MT



CHARLOTTE

68562 dark grey/gris oscuro
68563 white/blanco

E27 MAX 15W LED [17464]

Body Steel/Acero
Diff Opal Polycarbonate/Policarbonato Opal

1.2 MT



BONGO

64108 matt nickel/níquel mate

E27 MAX 15W LED [17464]

Body Aluminium/Aluminio

1.2 MT



SIRIA

64104 matt nickel/níquel mate

E27 MAX 15W LED [17464]

Body Aluminium/Aluminio
Diff Glass/Cristal

1.2 MT



WA
LL

NEW

MOY

— Nahtrang

BATH
BAÑO

40090 gold/oro
40091 chrome/cromo
40092 bronze/bronce

LED 4W 3000K 200 lm CRI>80 Driver

Body Metal
Diff Glass/Cristal

IP44 100-240V 50/60HZ



P.48
TABLE&FLOOR

P.84
SUSPENDED



NEW

LE VITA

— Nahtrang

29690 gold/oro

LED 6W 2700K 570lm CRI>80 Driver

Body Die Cast Aluminium/Aluminio inyectado
Diff Opal glass/Cristal Opal

100-240V 50/60HZ



NEW

WHIZZ

— Christoph Friedrich Wagner

20167 black+gold/negro+oro

20168 gold+black/oro+negro

E27 MAX 15W LED ⊗ [17426 or 17496]

Body Metal

2 MT



ADJUSTABLE

P.57
TABLE&FLOOR

P.86
SUSPENDED

20162+20165 black+gold/negro+oro
20163+20165 gold+black/oro+negro
E27 MAX 15W LED [17426 or 17496]
Body Metal

3 MT

20162

20163

20165



NEW

SLIM

— Àlex & Manel Lluscà

24502 white/blanco

24503 black+gold/negro+oro

LED 20W 3000K 1150lm CRI>80 Driver

Body Metal
Diff Opal Glass/Cristal Opal

220-240V 50/60HZ 1.9MT



P.88
WALL

HAN

— Goula/Figuera

01000 white/blanco

01001 black/negro

LED SMD 6W 2700K 500lm CRI>80 Driver

Body Metal+Aluminium/Acero+Aluminio
Diff Opal PMMA/PMMA Opal

100-240V 50/60HZ





HANGER

24527 white/blanco

24528 black/negro

LED SMD 6W 3000K 500lm CRI>80 Driver

Body Metal
Diff Transparent PMMA/PMMA Transparente

100-240V 50/60HZ 120°



NEW

PURE

— Nahtrang

20061 black+wood/negro+madera

LED 2x3W 3000K 67lm CRI>80 Driver

Body Wood/Madera

100-240V 50/60HZ SWITCH

20062 black+wood/negro+madera

LED 2x3W 3000K 67lm
Reader LED 2W 3000K 105lm CRI>80 Driver

Body Wood/Madera

REVERSIBLE 100-240V 50/60HZ DOUBLE SWITCH

20060 black+wood/negro+madera

LED 2W 3000K 105lm CRI>80 Driver

Body Wood/Madera

100-240V 50/60HZ 45° SWITCH





29844 black+wood/negro+madera

E27 MAX 15W LED ⊗ [17462]

Body Metal
Shade Cherry Tree Wood/Madera Cerezo

20°



29845 black+wood/negro+madera

E27 MAX 15W LED ⊗ [17462]

Body Metal
Shade Cherry Tree Wood/Madera Cerezo

2.4 MT

CHERRY TREE WOOD

STOOD

— Lucid



P.94
SUSPENDED



P.51
TABLE&FLOOR

LOOP

— Estudi Ribaudí

29566 black+wood/negro+madera

LED SMD 6W 2700K 500lm CRI>80 Driver

Body Metal
Shade Cherry Tree Wood/Madera Cerezo

DIM 100-240V 50/60HZ SWITCH 350°

29565 black+wood/negro+madera

LED SMD 6W 2700K 500lm CRI>80 Driver

Body Metal
Shade Cherry Tree Wood/Madera Cerezo

DIM 100-240V 50/60HZ SWITCH 350°

P.95
SUSPENDED

P.50
TABLE&FLOOR





NIKO

— Nahtrang

Diff Opal Glass/Cristal Opal

01014 white+wood/blanco+madera

Diff Polycarbonate/Policarbonato

01026 NEW white+wood/blanco+madera

LED SMD 7W 3000K 500lm CRI>80 Driver

Body Metal

100-240V 50/60HZ SWITCH

USB charger Wireless charger





1W 80lm 4W 250lm 7W 500lm

3 INTENSITIES

P.42
TABLE



Diff Opal Glass/Cristal Opal

01009 white+wood/blanco+madera

Diff Polycarbonate/Policarbonato

01027 **NEW** white+wood/blanco+madera

LED SMD 6W 3000K CRI>80 Driver

Body Metal

100-240V 50/60HZ SWITCH

USB charger Wireless charger



WIRELESS CHARGER

USB CHARGER

TOUCH DIMMER

GERMAN DESIGN AWARD SPECIAL 2019

NEW

INVITING

— Bohman&Folenius

57300 white/blanco
57301 black/negro
57302 yellow/amarillo
57309 grey/gris

LED COB 6W 2700K 4800K 410lm CRI>80
Driver

Body Aluminium/Aluminio
Diff PMMA

DIM 100-240V 50/60HZ



DIMMABLE
INTENSITY & COLOR TEMPERATURE

57303 white/blanco
57304 black/negro
57305 yellow/amarillo
57310 grey/gris

LED COB 6W 2700K 4800K 410lm CRI>80
Driver

Body Aluminium/Aluminio
Diff PMMA

DIM 100-240V 50/60HZ 1.9 MT

P.40
TABLE





STUDIO

— Nahtrang

WALL LAMP ACCESSORY

51129 black/negro

Body Metal



51133 black+creme/negro+crema

51134 chrome/cromo

51135 white/blanco

51136 grey/gris

E14 MAX 15W LED ⊗ [17461]

Body Metal

1.6 MT



*OPTIONAL SHADES
Shade options on page 647
Opciones de pantalla en página 647

2P02II white/blanco | **2P02I2** beige/beige | **2P02I3** black/negro

2P0III white/blanco | **2P0II2** beige/beige | **2P0II3** black/negro

ETERNA

— Lucid

P.64
TABLE&FLOOR



24005+2P02II

24005 chrome/cromo

E27 MAX 15W LED ⊗ [17463]

Body Metal

*Shade not incl. / Pantalla no incl.

24006+2P02II

24006 chrome/cromo

E27 MAX 15W LED ⊗ [17463]
LED HIGH POWER 1W 2700K 90 lm CRI>80
Driver ✓

Body Metal

*Shade not incl. / Pantalla no incl.

24007+2P02II

24007 chrome/cromo

E27 MAX 15W LED ⊗ [17463]
LED HIGH POWER 1W 2700K 90lm CRI>80
Driver ✓

Body Metal

*Shade not incl. / Pantalla no incl.





AUTOMATIC ON



AUTOMATIC ON

20170+2P0113

20170 matt nickel/níquel mate
20171 old gold/oro viejo

E27 MAX 15W LED ⊗ [17463]

Body Aluminium/Aluminio
Shade Textile/Téxtil

SWITCH

*Shade not incl. / Pantalla no incl.



20173+2P0111

20172 matt nickel/níquel mate
20173 old gold/oro viejo

E27 MAX 15W LED ⊗ [17463]
LED SMD 3W 3000K 100lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Shade Textile/Téxtil

100-240V 50/60HZ DOUBLE SWITCH

*Shade not incl. / Pantalla no incl.



*OPTIONAL SHADES
Shade options on page 647
Opciones de pantalla en página 647

2P0211	2P0212	2P0213
white/blanco	beige/beige	black/negro

2P0111	2P0112	2P0113
white/blanco	beige/beige	black/negro

MADE IN EUROPE

2P0411	2P0412	2P0413
white/blanco	beige/beige	black/negro

29682+2P0311

29682 matt nickel/níquel mate
29683 gold/oro

E27 MAX 15W LED [17463]
LED HIGH POWER 4W 3000K 120lm CRI>80
Driver

Body Metal
Shade Textile/Téxtil

100-240V 50/60HZ DOUBLE SWITCH

*Shade not incl. / Pantalla no incl.



29681+2P0313

29680 matt nickel/níquel mate
29681 gold/oro

E27 MAX 15W LED [17463]

Body Metal
Shade Textile/Téxtil

*Shade not incl. / Pantalla no incl.



P.66
TABLE&FLOOR



*OPTIONAL SHADES
Shade options on page 647
Opciones de pantalla en página 647

2P0211 white/blanco
2P0212 beige/beige
2P0213 black/negro

2P0111 white/blanco
2P0112 beige/beige
2P0113 black/negro

2P0311 white/blanco
2P0312 beige/beige
2P0313 black/negro

MADE IN EUROPE

2P0411 white/blanco
2P0412 beige/beige
2P0413 black/negro

*OPTIONAL SHADES
Shade options on page 647
Opciones de pantalla en página 647

2P02I1 white/blanco | **2P02I2** beige/beige | **2P02I3** black/negro

2P0III white/blanco | **2P0II2** beige/beige | **2P0II3** black/negro

MADE IN EUROPE

2P04I1 white/blanco | **2P04I2** beige/beige | **2P04I3** black/negro

P.63
TABLE&FLOOR

ARTIS

— Àlex & Manel Lluscà

68490+2P0III

68490 bronze/bronce
68491 chrome/cromo

E27 MAX 15W LED [17463]

Body Metal
Shade Textile/Téxtil

*Shade not incl. / Pantalla no incl.

68493+2P0III

68492 bronze/bronce
68493 chrome/cromo

E27 MAX 15W LED [17463]
LED 1W 3000K 140lm CRI>80 Driver

Body Metal
Shade Textile/Téxtil

100-240V 50/60HZ DOUBLE SWITCH

*Shade not incl. / Pantalla no incl.

68495+2P0I13

68494 bronze/bronce
68495 chrome/cromo

E27 MAX 15W LED [17463]

Body Metal
Shade Textile/Téxtil

*Shade not incl. / Pantalla no incl.







COTTON NEW

66403 beige/beige
66404 black/negro

E27 MAX 15W LED ⊗ [17463]

Body Metal
Shade Textile/Téxtil



COTTON NEW

66405 beige/beige
66406 black/negro

2 E27 MAX 15W LED ⊗ [17463]

Body Metal
Shade Textile/Téxtil



COTTON NEW

66407 beige/beige
66408 black/negro

E27 MAX 15W LED ⊗ [17463]

Body Metal
Shade Textile/Téxtil



COTTON NEW

66409 beige/beige
66410 black/negro

2 E27 MAX 15W LED ⊗ [17463]

Body Metal
Shade Textile/Téxtil



COTTON NEW

66411 beige/beige
66412 black/negro

E27 MAX 15W LED ⊗ [17463]

Body Metal
Shade Textile/Téxtil



COTTON NEW

66413 beige/beige
66414 black/negro

2 E27 MAX 15W LED ⊗ [17463]

Body Metal
Shade Textile/Téxtil



COTTON NEW

66415 beige/beige
66416 black/negro

2 E27 MAX 15W LED ⊗ [17463]

Body Metal
Shade Textile/Téxtil



LUPE — Jordi Busquets

29995 chrome+white/cromo+blanco

E27 MAX 15W LED [17462]

Body Metal
Shade Textile/Téxtil

SWITCH

LUPE — Jordi Busquets

29996 chrome+white/cromo+blanco

E27 MAX 15W LED [17462]
LED HIGH POWER 1W 3000K 100lm CRI>80
Driver

Body Metal
Shade Textile/Téxtil

100-240V 50/60HZ DOUBLE SWITCH





P.69
TABLE&FLOOR

SABANA — Pepe Llaudet

29993 nickel+beige/níquel+beige

E27 MAX 15W LED [17462]

Body Metal
Shade Textile/Téxtil

SWITCH



SABANA — Pepe Llaudet

29991 nickel+beige/níquel+beige

E27 MAX 15W LED [17462]
LED HIGH POWER 1W 4000K CRI>80
Driver

Body Metal
Shade Textile/Téxtil

100-240V 50/60HZ DOUBLE SWITCH



SABANA — Pepe Llaudet

29992 nickel+beige/níquel+beige

E27 MAX 15W LED [17462]
LED HIGH POWER 1W 4000K CRI>80
Driver

Body Metal
Shade Textile/Téxtil

100-240V 50/60HZ DOUBLE SWITCH



HANOI — Pepe Llaudet

DT00073 wood+grey/madera+gris

E27 MAX 15W LED [17485]

Body Metal+Wood/Metal+Madera
Shade Paper/Papel

DIM 2.6 MT



BLOME — Estudi Ribaudí

62099 white/blanco

62100 black/negro

LED SMD 3W 3000K 150lm CRI>90 Driver

Body Metal+Silicone/Metal+Silicona
Shade Textile/Téxtil
Diff Opal Glass/Cristal Opal

100-240V 50/60HZ SWITCH



ARTICULATED



ACADEMY — Nahtrang

28200 chrome/cromo

28201 white/blanco

28206 black/negro

LED SMD 6W 3000K 350lm CRI>80 Driver

Body Metal+Aluminium/Metal+Aluminium
Diff Opal PMMA/PMMA Opal

DIM 100-240V 50/60HZ 350° SWITCH



P.58
TABLE&FLOOR



28480 matt nickel/níquel mate
28481 white/blanco

LED SMD 11 W 2700K 800lm CRI>80
Driver

Body Metal
Diff PMMA Opal/Opal PMMA
Shade Textile/Téxtil

100-240V 50/60HZ SWITCH



NEW DESLIZ

— Estudi Ribaudí



HOTEL — Àlex & Manel Lluscà

29940 chrome+white/cromo+blanco

29945 chrome+black/cromo+negro

E27 MAX 15W LED [17463]

Body Metal
Shade Textile/Téxtil

SWITCH

P.103
SUSPENDED



P.75
TABLE&FLOOR



HOTEL — Àlex & Manel Lluscà

29941 chrome+white/cromo+blanco

29946 chrome+black/cromo+negro

E27 MAX 15W LED [17463]
LED HIGH POWER 1W 3500K CRI>80
Driver

Body Metal
Shade Textile/Téxtil

100-240V 50/60HZ DOUBLE SWITCH



VOLTA — Estudi Ribaudí

20021 nickel+white/níquel+blanco
20022 nickel+black/níquel+negro

E27 MAX 15W LED [17463]

Body Metal
Shade Textile/Téxtil

SWITCH



VOLTA — Estudi Ribaudí

20023 nickel+white/níquel+blanco
20024 nickel+black/níquel+negro

E27 MAX 15W LED [17463]
LED HIGH POWER 3W 3000K 200lm CRI>80
Driver

Body Metal
Shade Textile/Téxtil

100-240V 50/60HZ DOUBLE SWITCH

P.74
SUSPENDED



ROOM — Àlex & Manel Lluscà

29974 nickel+white/níquel+blanco
29975 nickel+black/níquel+negro

E27 MAX 15W LED [17463]

Body Metal
Shade Textile/Téxtil

SWITCH



ROOM — Àlex & Manel Lluscà

29976 nickel+white/níquel+blanco
29977 nickel+black/níquel+negro

1xE27 MAX 15W LED [17463]
LED HIGH POWER 3W 3000K CRI>80
Driver

Body Metal
Shade Textile/Téxtil

100-240V 50/60HZ DOUBLE SWITCH



BERNI — Nahtrang

- **29329** white/blanco
- **29330** black/negro
- **29331** matt nickel/níquel mate

E27 MAX 15W LED [17463]
LED HIGH POWER 3W 3000K 200lm CRI>80
Driver

Body Metal
Shade Textile/Téxtil

100-240V 50/60HZ DOUBLE SWITCH



P.73
TABLE&FLOOR



BERNI — Nahtrang

- **29326** white/blanco
- **29327** black/negro
- **29328** matt nickel/níquel mate

E27 MAX 15W LED [17463]

Body Metal
Shade Textile/Téxtil

SWITCH



VESPER — Nahtrang

- **29980** white+beige/blanco+beige
- **29981** brown+beige/marrón+beige

E14 MAX 8W LED [17461]

Body Metal
Shade Textile/Téxtil

SWITCH

P.101
SUSPENDED



P.62
TABLE&FLOOR



VESPER — Nahtrang

- **29982** white+beige/blanco+beige
- **29983** brown+beige/marrón+beige

E14 MAX 8W LED [17461]
LED HIGH POWER 1W 3000K 120lm CRI>80
Driver

Body Metal
Shade Textile/Téxtil

100-240V 50/60HZ DOUBLE SWITCH



TANGO — Estudi Ribaudí

DT00063G grey/gris

E14 MAX 8W LED ⊗ [17461]

Body Metal
Shade Textile/Téxtil

SWITCH

FUSTA — Àlex & Manel Lluscà

28390 white+wood/blanco+madera

E27 MAX 15W LED ⊗ [17463]

Body Metal+Wood/Metal+Madera
Shade Textile/Téxtil

SWITCH



FUSTA — Àlex & Manel Lluscà

28391 white+wood/blanco+madera

E27 MAX 15W LED ⊗ [17463]
LED HIGH POWER 3W 3000K 140lm CRI>80
Driver ✓

Body Metal+Wood/Metal+Madera
Shade Textile/Téxtil

100-240V 50/60HZ DOUBLE SWITCH



P.103
SUSPENDED



TANGO — Estudi Ribaudí

DT00064G grey/gris

E14 MAX 8W LED ⊗ [17461]
LED HIGH POWER 3W 2700K 100lm CRI>80
Driver ✓

Body Metal
Shade Textile/Téxtil

DOUBLE SWITCH



P.100
SUSPENDED

P.68
TABLE&FLOOR

SWEET — Estudi Ribaudí

29936 nickel+white/níquel+blanco
29952 white/blanco
29953 black/negro

E27 MAX 15W LED [17463]

Body Steel/Acero
Shade Textile/Téxtil

SWITCH

P.100
SUSPENDED



P.72
TABLE&FLOOR





SWEET — Estudi Ribaudí

29935 nickel+white/níquel+blanco
29950 white/blanco
29951 black/negro

E27 MAX 15W LED [17463]
LED HIGH POWER 1W 3000K 200lm CRI>80
Driver

Body Steel/Acero
Shade Textile/Téxtil

100-240V 50/60HZ DOUBLE SWITCH



HANNA NEW

64301 nickel+beige/níquel+beige

E27 MAX 15W LED [17463]

Body Metal
Shade Textile/Téxtil

SWITCH



MOMA

68504 chrome+white/cromo+blanco
68505 chrome+black/cromo+negro

E27 MAX 15W LED [17462]

Body Metal
Shade Textile/Téxtil

SWITCH

MOMA

68506 chrome+white/cromo+blanco
68507 chrome+black/cromo+negro

E27 MAX 15W LED [17462]
LED HIGH POWER 1W 6000K 80lm
Driver

Body Metal
Shade Textile/Téxtil

100-240V 50/60HZ DOUBLE SWITCH

HANNA NEW

64300 nickel+beige/níquel+beige

E27 MAX 15W LED [17463]
LED HIGH POWER 3W 3000K 250lm CRI>80
Driver

Body Metal
Shade Textile/Téxtil

100-240V 50/60HZ DOUBLE SWITCH



P.76
TABLE&FLOOR





THANA

68532 nickel+white/níquel+blanco

E14 MAX 8W LED ⊗ [17461]

Body Metal
Shade Textile/Téxtil



P.104
SUSPENDED

P.77
TABLE&FLOOR

HANDY — Jordi Blasi

28413 white/blanco

E27 MAX 15W LED ⊗ [17463]

Body Steel/Acero
Shade Textile/Téxtil



HANDY — Jordi Blasi

28415 white/blanco

E27 MAX 15W LED ⊗ [17463]
LED HIGH POWER 3W 3000K 140lm CRI>80
Driver ✓

Body Steel/Acero
Shade Textile/Téxtil

100-240V 50/60HZ DOUBLE SWITCH

USB charger



HANDY — Jordi Blasi

28414 white/blanco

E27 MAX 15W LED ⊗ [17463]
LED HIGH POWER 3W 3000K 140lm CRI>80
Driver ✓

Body Steel/Acero
Shade Textile/Téxtil

100-240V 50/60HZ DOUBLE SWITCH

USB charger



SAHARA

62705 chrome+linen/cromo+lino
62706 chrome+white/cromo+blanco

E27 MAX 15W LED [17463]

Body Metal
Shade Linen/Lino

SWITCH



ESSENTIAL

29340 nickel+white/níquel+blanco

E27 MAX 15W LED [17463]

Body Metal
Shade Textile/Téxtil

SWITCH



ESSENTIAL

29341 nickel+white/níquel+blanco

E27 MAX 15W LED [17463]
LED HIGH POWER 3W 2700K 200lm CRI>80
Driver

Body Metal
Shade Textile/Téxtil

100-240V 50/60HZ DOUBLE SWITCH

P.81
FLOOR

P.105
SUSPENDED



SABA

68544 nickel+black/níquel+negro

E27 MAX 15W LED [17463]

Body Metal
Shade (double) Textile/Téxtil

P.105
SUSPENDED

P.80
TABLE&FLOOR



MITIC

68420 nickel+brown/níquel+marrón

E14 MAX 8W LED [17461]

Body Metal
Shade Textile/Téxtil



P.80
TABLE&FLOOR



RODA

62988 nickel+white/níquel+blanco

E27 MAX 15W LED [17463]

Body Metal
Shade Textile/Téxtil



MIX — Àlex & Manel Lluscà

○ **29964** white/blanco
● **29965** black/negro

E27 MAX 15W LED ⊗ [17462]

Body Metal

SWITCH

P.112
SUSPENDED



P.46
TABLE&FLOOR



MIX — Àlex & Manel Lluscà

○ **29962** white/blanco
● **29963** black/negro

E27 MAX 15W LED ⊗ [17462]
LED HIGH POWER 3W CRI>80 Driver ✓

Body Metal

100-240V 50/60HZ DOUBLE SWITCH

ROB

● **68496** bronze/bronce
● **68498** matt nickel/níquel mate

E27 MAX 15W LED ⊗ [17463]
LED HIGH POWER 3W 3000K 160lm CRI>80 Driver ✓

Body Metal
Shade Polycarbonate/Policarbonato

220-240V 50/60HZ DOUBLE SWITCH 350° 90°



P.163
READER

NIT — Goula/Figuera

○ **01005** white/blanco
● **01006** black/negro

E27 MAX 15W LED ⊗ [17429 or 17464]

Body Metal

1.7 MT



JULIET

41025 chrome/cromo

LED HIGH POWER 3W 3000K 150lm CRI>80
Driver ✓

Body Aluminium+Metal/Aluminio+Metal

100-240V 50/60HZ 30° SWITCH

USB charger



BEL

41028 chrome/cromo

41029 white/blanco

41030 black/negro

LED HIGH POWER 3W 3000K 150lm CRI>80
Driver ✓

Body Aluminium+Silicone/Aluminio+Silicona

100-240V 50/60HZ 30° SWITCH



BOKEN

41031 white/blanco

41032 black/negro

LED HIGH POWER 3W 3000K 150lm CRI>80
Driver ✓

Body Aluminium+Silicone/Aluminio+Silicona

100-240V 50/60HZ 30° SWITCH



LESER

41026 matt nickel/níquel mate

LED 5W 3000K 300lm CRI>80
Driver ✓

Body Aluminium+Silicone/Aluminio+Silicona

100-240V 50/60HZ 36° SWITCH

LEAD NEW

62704 bronze/bronce

LED 3W 3000K 180lm CRI>80 Driver ✓

Body Metal+Leather/Metal+Piel

LEATHER PIEL 100-240V 50/60HZ 45° SWITCH

PIXIE NEW — Nahtrang

24015 white/blanco

24016 black/negro

LED HIGH POWER 2W 2700K 90lm CRI>80
Driver ✓

Body Metal

100-240V 50/60HZ 45°







LOKE

40994 chrome/cromo
41019 white/blanco
41020 black/negro

LED HIGH POWER 3W 3000K 150lm CRI>80
Driver ✓

Body Aluminium+Silicone/Aluminio+Silicona

100-240V 50/60HZ 30° SWITCH



LOKE

40996 chrome/cromo

LED HIGH POWER 3W 3000K 150lm CRI>80
Driver ✓

Body Aluminium/Aluminio

100-240V 50/60HZ 30° Ø60



SAMI

41023 white/blanco

LED HIGH POWER 3W 2700K 120lm CRI>80
Driver ✓

Body Aluminium+Silicone/Aluminio+Silicona

100-240V 50/60HZ 30° SWITCH



KALE

62703 black/negro

LED HIGH POWER 3W 3000K 180lm CRI>80
Driver ✓

Body Aluminium+Silicone/Aluminio+Silicona

100-240V 50/60HZ 45° SWITCH



LOKE

40995 chrome/cromo
41021 white/blanco

LED HIGH POWER 3W 3000K 120lm CRI>80
Driver ✓

Body Aluminium+Metal/Aluminio+Metal

100-240V 50/60HZ 30° 1.9 MT



LENA

52059 white/blanco
52061 black/negro

LED SMD 3W 4000K 300lm CRI>80 Driver ✓

Body Aluminium+Metal+Silicone/
Aluminio+Metal+Silicona

220-240V 50/60HZ 30° 1.7 MT



SUAU — Nahtrang

- **62126** matt nickel/níquel mate
- **62127** gold/oro
- **62128** black/negro
- **62129** **NEW** white/blanco

LED HIGH POWER 3W 3000K 140lm CRI>80
Driver

Body Steel/Acero

RECESSED 100-240V 50/60HZ 30°

SWITCH 350° 90° 255X80



SUAU — Nahtrang

- **62118** **NEW** black/negro
- **62120** white/blanco
- **62121** silver/plata

LED HIGH POWER 3W 3000K 140lm CRI>80
Driver

Body Steel/Acero

100-240V 50/60HZ 30° SWITCH

350° 90°



SUAU — Nahtrang

- **62122** white/blanco
- **62123** silver/plata

LED HIGH POWER 3W 3000K 140lm CRI>80
Driver

Body Steel/Acero

100-240V 50/60HZ 30° SWITCH

350° 90° USB charger



SUAU — Nahtrang

- **62124** white/blanco
- **62125** silver/plata

LED HIGH POWER 3W 3000K 140lm CRI>80
Driver

Body Steel/Acero

100-240V 50/60HZ 30° SWITCH

350° 90° USB charger



BOC NEW

- **62707** white/blanco
- **62708** black/negro
- **62709** matt nickel/níquel mate
- **62710** chrome/cromo
- **62711** bronze/bronce

LED HIGH POWER 3W 3000K 130lm CRI>80 Driver

Body Aluminium/Aluminio

100-240V 50/60HZ SWITCH 350° 90°



LE PETIT — Àlex & Manel Lluscà

- **62161** white/blanco
- **62162** black/negro

LED SMD 4W 3000K 130lm CRI>80 Driver

Body Metal

100-240V 50/60HZ 350° 45°



AUREA — Estudi Ribaudí

62115 white/blanco

LED SMD 6W 2700K 230lm CRI>80 Driver

Body Steel+Aluminium/Acero+Aluminio
Diff Polycarbonate/Policarbonato

100-240V 50/60HZ SWITCH

350° 90°



FLASH — Estudi Ribaudí

20200 white/blanco

20204 black/negro

LED SMD 10W 3000K 500lm CRI>80 Driver

Body Die Cast Aluminium/ Aluminio inyectado
Diff Polyethylene/Polietileno

220-240V 50/60HZ SWITCH 350° 90°

P.110
SUSPENDED



ROB

68497 bronze/bronce

68499 matt nickel/níquel mate

LED HIGH POWER 3W 3000K 160lm CRI>80 Driver

Body Metal

220-240V 50/60HZ SWITCH 350° 90°

SWING — Àlex & Manel Lluscà

62112 chrome/cromo

62113 white/blanco

LED COB 6W 3000K 160lm CRI>80 Driver

Body Metal

100-240V 50/60HZ 30° 350° 90°

SMILE — Jordi Busquets

62130 white/blanco

62131 black/negro

E27 MAX 15W LED [17463]

Body Metal

SWITCH 350° 90°



P.157
READER







TEN — Faro Team

- **62150** matt white/blanco mate
- **62151** matt black/negro mate
- **62152** old gold/oro viejo
- **62153** satin gold/oro satinado
- **62154** copper/cobre
- **62155** matt nickel/níquel mate

E27 MAX 15W LED ⊗ [17429 or 17464]

Body Aluminium/Aluminio

P.44
TABLE&FLOOR



ART

- **64138** old gold/oro envejecido

E27 MAX 15W LED ⊗ [17425]

Body Steel/Acero

WALL &CEILING

SERA NEW

- **62302** white/blanco
- **62303** black/negro

E27 MAX 15W ⊗ [17426]

Body Ceramic/Cerámica

CERAMICS CERÁMICA

KERA NEW

- **62300** white/blanco
- **62301** black/negro

E27 MAX 15W ⊗ [17426]

Body Ceramic/Cerámica

CERAMICS CERÁMICA



P.114
SUSPENDED





OVO — Estudi Ribaudí

62108 white/blanco

R7s 118mm MAX 15W LED [17497]

Body Metal

20° 20°





ERES NEW

64026 white/blanco

E27 MAX 15W [17463]

Body Metal



HOMS

63167 white/blanco

R7s 78mm MAX 8W LED [17488]

Body Metal

20° 20°



OVO — Estudi Ribaudí

62105 white/blanco

R7s 78mm MAX 8W LED [17488]

Body Metal

20° 20°

RETRO — Àlex & Manel Lluscà

20000 beige/beige
20002 red/rojo
20045 copper/cobre
20049 black+copper/negro+cobre

E14 MAX 8W LED [17461]

Body Metal

SWITCH 350° 270° 270°

P.112
SUSPENDED

P.56
TABLE&FLOOR





SAC — Àlex & Manel Lluscà

66191 brown+beige/marrón+beige

2 E14 MAX 8W LED [17461]

Body Metal
Shade Textile/Téxtil



LINDA — Estudi Ribaudí

29306 white/blanco
29310 black+white/negro+blanco

2 E27 MAX 15W LED [17463]

Body Steel/Acero
Diff Textile/Téxtil

P.102
SUSPENDED



P.70
TABLE&FLOOR

WINCH — Àlex & Manel Lluscà

66200 pale brown/marrón pardo

E27 MAX 15W LED [17463]

Body Metal
Diff Glass/Cristal



WINCH — Àlex & Manel Lluscà

66201 pale brown/marrón pardo

E27 MAX 15W LED [17463]

Body Metal
Diff Glass/Cristal



P.121
SUSPENDED



PLEC — Àlex & Manel Lluscà

66208 old brown/marrón envejecido
66209 off white/blanco roto

LED SMD 15W 3000K 1200lm CRI>80
Driver

Body Steel/Acero
Diff PVC

IP44 220-240V 50/60HZ



P.120
SUSPENDED

LOA

62809 black/negro

E27 MAX 15W LED ⊗ [17463]

Body Metal

ENAMEL
ESMALTE



HUDSON

62810 black/negro

E27 MAX 15W LED ⊗ [17463]

Body Metal
Diff Glass/Cristal

ENAMEL
ESMALTE



MARINA

60005 black/negro

E27 MAX 15W LED ⊗ [17428]

Body Metal
Diff Glass/Cristal



P.168
SUSPENDED

PEPPER

64168 beige/beige

64169 black/negro

E27 MAX 15W LED ⊗ [17462]

Body Metal

SWITCH
1.7 MT

RAS

62807 black/negro

E27 MAX 15W LED ⊗ [17463]

Body Metal

ENAMEL
ESMALTE
2 MT

PETRA

40062 chrome/cromo

E14 MAX 8W LED ⊗ [17461]

Body Metal







LIST

60000 black/negro

E27 MAX 15W LED [17463]

Body Metal





BOARD NEW

01040 black/negro

LED SMD 7W 2700K 1280lm CRI>80 Driver

Body Board/Pizarra
Diff PMMA

BLACKBOARD PIZARRA 100-240V 50/60HZ



BOARD NEW

01041 black/negro

LED SMD 12W 2700K 1900lm CRI>80 Driver

Body Board/Pizarra
Diff PMMA

BLACKBOARD PIZARRA 100-240V 50/60HZ



NUDOS

68138 dark brown/marrón oscuro

E27 MAX 15W LED [17462]

Body Metal+Wood/Metal+Madera
Diff Bubble Glass/Cristal Burbuja

MARLIN

65133 gold+black/ oro+negro

E27 MAX 15W LED [17429]

Body Metal

CELIA

40070 black/negro

E14 MAX 8W LED [17461]

Body Metal+Steel/Metal+Acero



P.121
SUSPENDED



P.114
SUSPENDED





LISE

○ **29888** white/blanco
● **29889** black/negro

LED 2COB 6W 2700K 740lm CRI>80 Driver ✓

Body Aluminium/Aluminio

220-240V 50/60HZ 80°



P.119
SUSPENDED



ORA

○ **29890** white/blanco
● **29891** black/negro

LED SMD 4W 3000K 350lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff PMMA

100-240V 50/60HZ 120° 350° 90°

P.119
SUSPENDED

DALLAS

○ **63199** white/blanco

LED COB 5W 3000K 435lm CRI>80 Driver ✓

Body Aluminium/Aluminio

100-240V 50/60HZ



NAN NEW

○ **62148** white/blanco
● **62149** black/negro

GU10 MAX 8W LED ⊗ [17324]

Body Aluminium/Aluminio

P.195
CEILING

P.119
SUSPENDED

P.217
TRACK





WALL

CEILING

P.111
SUSPENDED

CONIK — Àlex & Manel Lluscà

64218 aluminium/aluminio
64219 white/blanco

LED SMD 8W 3000K 800lm CRI>80 Driver

Body Aluminium/Aluminio
Diff PMMA

100-240V 50/60HZ



KAMEN

63311 beige/beige
63312 grey/gris

G9 MAX 6W LED [17466]

Body Concrete/Cemento

CONCRETE CEMENTO

NASH

62819 white/blanco

LED SMD 8W 3000K 450lm CRI>80 Driver

Body Aluminium/Aluminio

100-240V 50/60HZ

NASH

62820 white/blanco

LED SMD 16W 3000K 990lm CRI>80 Driver

Body Aluminium/Aluminio

100-240V 50/60HZ







CHERAS

◯ **63173** white/blanco

R7s JP78mm MAX 8W LED ⊗ [17488]

Body Plaster/Yeso

PLASTER YESO



CHERAS

◯ **63174** white/blanco

G9 MAX 6W LED ⊗ [17466]

Body Plaster/Yeso

PLASTER YESO





CHERAS

◯ **63175** white/blanco

R7s JP78mm MAX 8W LED ⊗ [17488]

Body Plaster/Yeso

PLASTER YESO





EACO

◯ **63176** white/blanco

G9 MAX 6W LED ⊗ [17466]

Body Plaster/Yeso

PLASTER YESO



EACO

◯ **63177** white/blanco

2 G9 MAX 6W LED ⊗ [17466]

Body Plaster/Yeso

PLASTER YESO



EACO

◯ **63178** white/blanco

R7s JP78mm MAX 8W LED ⊗ [17488]

Body Plaster/Yeso

PLASTER YESO



OLAF

63278 white/blanco

2 E14 MAX 8W LED [17461]

Body Plaster/Yeso
Diff Glass/Cristal

PLASTER YESO



ELSA

63279 white/blanco

LED SMD 8W 3000K 300lm CRI>80 Driver

Body Plaster/Yeso
Diff Translucent PMMA/PMMA Translúcido

PLASTER YESO 220-240V 50/60HZ



OSLO

63284 white/blanco

G9 MAX 6W LED [17466]

Body Plaster/Yeso

PLASTER YESO



SNOW

63285 white/blanco

E14 MAX 8W LED [17461]

Body Plaster/Yeso

PLASTER YESO



TERA

63184 white/blanco

LED SMD 6W 2700K 530lm CRI>80 Driver

Body Plaster/Yeso

PLASTER YESO 220-240V 50/60HZ



LUNA NEW

63225 white/blanco

LED SMD 5W 2700K 300lm CRI>80 Driver

Body Plaster/Yeso
Diff Opal PMMA/PMMA Opal

PLASTER YESO 220-240V 50/60HZ



MAGRITTE

61080 matt nickel/níquel mate

61083 **NEW** old gold/oro viejo

LED SMD 6W 3000K 380lm CRI>80 Driver

Body Steel/Acero

100-240V 50/60HZ 90° 90°



MAGRITTE

61081 matt nickel/níquel mate

61084 **NEW** old gold/oro viejo

LED SMD 8W 3000K 500lm CRI>80 Driver

Body Steel/Acero

100-240V 50/60HZ 90° 90°



MAGRITTE

61082 matt nickel/níquel mate

61085 **NEW** old gold/oro viejo

LED SMD 12W 3000K 750lm CRI>80 Driver

Body Steel/Acero

100-240V 50/60HZ 90° 90°



KLIMT

61048 matt nickel/níquel mate

61049 old gold/oro envejecido

LED SMD 6W 3000K 770lm CRI>80 Driver

Body Aluminium/Aluminio

220-240V 50/60HZ



HENLEIN

61064 matt nickel/níquel mate

LED SMD 3W 4100K 410lm CRI>80 Driver

Body Metal

100-240V 50/60HZ



LUMIERE

61066 matt nickel/níquel mate

2 G9 MAX 6W LED [17443]

Body Metal



AMBO

63186 pol. aluminium/aluminio pulido

E27 MAX 15W LED [17437]

Body Polished Aluminium/Aluminio Pulido
Diff Glass/Cristal



LIRIA

63156 matt nickel/níquel mate

E27 MAX 15W LED [17463]

Body Metal
Diff Opal Glass/Cristal Opal



DIULA

62986 matt nickel/níquel mate

2 E27 MAX 15W LED [17463]

Body Steel/Acero
Diff Glass/Cristal



DIULA

62987 matt nickel/níquel mate

E27 MAX 15W LED [17463]

Body Steel/Acero
Diff Glass/Cristal



BATH
BAÑO

40085 old gold/oro envejecido
40086 chrome/cromo
40087 bronze/bronce

G9 MAX 6W LED ⊗ [17443]

Body Metal
Diff Opal Glass/Cristal Opal

IP44 | 100-240V | 50/60HZ

NEW

PERLA

— Àlex & Manel Lluscà

BATH
BAÑO

40076 bronze/bronce

LED 3W 2700K 200 lm CRI>80 Driver

Body Metal
Diff Glass/Cristal

IP44 100-240V 50/60HZ



NEW BRUME

— Àlex & Manel Lluscà

P.201
CEILING



P.201
SUSPENDED

DOKA

BATH BAÑO

63323 chrome/cromo

2 E14 MAX 8W LED ⊗ [17460]

Body Steel/Acero
Diff Opal Glass/Cristal Opal

IP44



DOKA

BATH BAÑO

63322 chrome/cromo

E14 MAX 8W LED ⊗ [17460]

Body Steel/Acero
Diff Opal Glass/Cristal Opal

IP44



LAOS

BATH BAÑO

63320 chrome/cromo

E14 MAX 8W LED ⊗ [17460]

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP44



LAOS

BATH BAÑO

63321 chrome/cromo

2 E14 MAX 8W LED ⊗ [17460]

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP44



BATH BAÑO

GALA NEW

63504 chrome/cromo
63505 gold/oro

G9 MAX 6W LED ⊗ [17495]

Body Metal
Diff Glass/Cristal

IP44 100-240V 50/60HZ



BATH BAÑO

LAGO NEW

63503 chrome/cromo

G9 MAX 6W LED ⊗ [17495]

Body Metal
Diff Opal Glass/Cristal Opal

IP44 100-240V 50/60HZ



TERMA

BATH BAÑO

63148 chrome/cromo

LED SMD 7W 4000K 500lm CRI>80 Driver

Body Steel+Aluminium/Acero+Aluminio
Diff Translucent PMMA/PMMA Translúcido

IP44 100-240V 50/60HZ 0.5 MT



SIRET

BATH BAÑO

64177 chrome/cromo

LED SMD 8W 3000K 600lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44 100-240V 50/60HZ

RELAX

BATH BAÑO

63038 chrome/cromo

2 G9 MAX 6W LED [17466]

Body Metal
Diff Glass/Cristal

IP44

RELAX

BATH BAÑO

63043 chrome/cromo

2 G9 MAX 6W LED [17466]

Body Metal
Diff Glass/Cristal

IP44







BATH BAÑO

LASS

63008 mirror/espejo

4 G9 MAX 6W LED ⊗ [17466]

Body Metal
Diff Opal Glass/Cristal Opal

IP44



BATH BAÑO

LASS

63009 mirror/espejo

5 G9 MAX 6W LED ⊗ [17466]

Body Metal
Diff Opal Glass/Cristal Opal

IP44



VOLGA NEW

BATH BAÑO

63508 chrome/cromo

LED SMD 12W 3000K 850lm CRI>80
Driver

Body Aluminium/Aluminio
Diff PMMA

IP44 IK10 100-240V 50/60HZ



VOLGA NEW

BATH BAÑO

63509 chrome/cromo

LED SMD 18W 3000K 1300lm CRI>80
Driver

Body Aluminium/Aluminio
Diff PMMA

IP44 IK10 100-240V 50/60HZ



VOLGA NEW

BATH BAÑO

63507 chrome/cromo

LED SMD 5W 3000K 350lm CRI>80
Driver

Body Aluminium/Aluminio
Diff PMMA

IP44 IK10 100-240V 50/60HZ



DANUBIO NEW

BATH BAÑO

63600 chrome/cromo

LED SMD 9W 2700K 600Lm CRI>80
Driver

Body Metal
Diff Opal Glass/Cristal Opal

IP44 100-240V 50/60HZ



DANUBIO NEW

BATH BAÑO

63601 chrome/cromo

LED SMD 12W 2700K 800Lm CRI>80
Driver

Body Metal
Diff Opal Glass/Cristal Opal

IP44 100-240V 50/60HZ



DANUBIO NEW

BATH BAÑO

63602 chrome/cromo

LED SMD 18W 2700K 1080Lm CRI>80
Driver

Body Metal
Diff Opal Glass/Cristal Opal

IP44 100-240V 50/60HZ





LINE

BATH BAÑO

65139 aluminium/aluminio

LED SMD 10W 3000K 1300lm CRI90
Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP54 220-240V 50/60HZ



NILO

BATH BAÑO

63318 chrome/cromo

LED SMD 12W 3000K 950 lm CRI>80
Driver ✓

Body Aluminium/Aluminio
Diff PMMA

IP44 100-240V 50/60HZ



NILO

BATH BAÑO

63319 chrome/cromo

LED SMD 18W 3000K 1400lm CRI>80
Driver ✓

Body Aluminium/Aluminio
Diff PMMA

IP44 100-240V 50/60HZ





EDGE

BATH BAÑO

63501 chrome/cromo

LED SMD 12W 4000K 870lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44 100-240V 50/60HZ



EDGE

BATH BAÑO

63500 chrome/cromo

LED SMD 8W 4000K 500lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44 100-240V 50/60HZ



EDGE

BATH BAÑO

63502 chrome/cromo

LED SMD 18W 4000K 1300lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44 100-240V 50/60HZ





INDO

BATH BAÑO

63146 chrome/cromo

LED SMD 9W 4000K 600lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Polycarbonate/Policarbonato

IP44 100-240V 50/60HZ



B&C

CEILING

20094 black/negro

20095 white/blanco

LED SMD 24W 3000K 1900lm CRI>80
Driver

Body Metal+Wood/Metal+Madera
Diff Opal PMMA/PMMA Opal

100-240V 50/60HZ



NEW

TENDER

— Nahtrang

WALL



CEILING

SIDE — Àlex & Manel Lluscà

- **62132** white/blanco
- **62133** white+nickel/blanco+níquel
- **62134** black+gold/negro+oro
- **62135** black+copper/negro+cobre

G9 MAX 6W LED ⊗ [17443]

Body Metal
Diff Opal Glass/Cristal Opal

SIDE — Àlex & Manel Lluscà

- **62140** white/blanco
- **62141** white+nickel/blanco+níquel
- **62142** black+gold/negro+oro
- **62143** black+copper/negro+cobre

LED SMD 15W 3000K 1200lm CRI>80
Driver ✓

Body Metal
Diff Opal Glass/Cristal Opal

220-240V 50/60HZ

SIDE — Àlex & Manel Lluscà

- **62144** white/blanco
- **62145** white+nickel/blanco+níquel
- **62146** black+gold/negro+oro
- **62147** black+copper/negro+cobre

LED SMD 20W 3000K 1600lm CRI>80
Driver ✓

Body Metal
Diff Opal Glass/Cristal Opal

220-240V 50/60HZ

P.108
SUSPENDED













DOLME — Xjer Studio

64096 black/negro

64097 white/blanco

LED SMD 24W 3000K 1260lm CRI>80
Driver

Body Metal
Diff Polycarbonate/Policarbonato

220-240V 50/60HZ

P.106
SUSPENDED



COCOTTE — Jordi Llopis

○ **64182** matt white/blanco mate

● **64183** shiny black/negro brillante

LED SMD 30W 3000K 1700lm CRI>80
Driver ✓

Body Metal+Aluminium/ Metal+Aluminio
Diff Opal PMMA/PMMA Opal

100-240V 50/60HZ

ø550/21.6" 80/3.1"

COCOTTE NEW — Jordi Llopis

○ **64250** matt white/blanco mate

● **64251** shiny black/negro brillante

LED SMD 30W 3000K 1200lm CRI>80
Driver ✓

Body Metal+Aluminium/ Metal+Aluminio
Diff Opal PMMA/PMMA Opal

100-240V 50/60HZ

ø430/16.9" 85/3.34"

COCOTTE — Jordi Llopis

○ **64180** matt white/blanco mate

T5 MAX 40W ⊗ [9724040] Ballast ✓

Body Metal
Diff Opal PMMA/PMMA Opal

ø430/16.9" 80/3.1"

ORLEANS — Nahtrang

○ **43532** white/blanco
● **43533** black/negro
◐ **43534** chrome/cromo

2 GU 10 MAX 8W LED ⊗ [O 17309 ● 17324]

Body Metal

GU 10 LED

ORLEANS — Nahtrang

○ **43529** white/blanco
● **43530** black/negro
◐ **43531** chrome/cromo

GU 10 MAX 8W LED ⊗ [O 17309 ● 17324]

Body Metal

GU 10 LED

P.207
SPOT



P.214
TRACK





LINK — Estudi Ribaudí

○ **29877** white/blanco

● **29878** black/negro

GU10 MAX 8W LED ⊗ [○ 17316 ● 17324]

Body Steel/Acero

350° 90° 90°



LINK — Estudi Ribaudí

○ **29879** white/blanco

● **29880** black/negro

4 GU10 MAX 8W LED ⊗ [○ 17316 ● 17324]

Body Steel/Acero

350° 90° 90°



P.55
TABLE&FLOOR

P.210
SPOT

P.215
TRACK

TECTO

63270 white/blanco
63271 black/negro

GU 10 MAX 8W LED ⊗ [O 17320 ● 17324]

Body Aluminium/Aluminio



TECTO

63272 white/blanco
63273 black/negro

2 GU 10 MAX 8W LED ⊗ [O 17320 ● 17324]

Body Aluminium/Aluminio



TECTO AR 111

63276 white/blanco
63277 black/negro

2 AR 111 MAX 15W LED ⊗ [D01 447]
LED transformer ⊗ [98111020]

Body Aluminium/Aluminio

12V



TECTO AR 111

63274 white/blanco
63275 black/negro

AR 111 MAX 15W LED ⊗ [D01 447]
LED transformer ⊗ [98111020]

Body Aluminium/Aluminio

12V



SVEN

63268 white/blanco

GU 10 MAX 8W LED ⊗ [17316]

Body Plaster/Yeso



SVEN

63269 white/blanco

GU 10 MAX 8W LED ⊗ [17316]

Body Plaster/Yeso



SQUAD

63216 white/blanco

GU10 MAX 8W LED ⊗ [17316]

Body Aluminium+Steel/Aluminio+Acero

HARU

64206 white/blanco

64207 **NEW** black/negro

LED SMD 6W 3000K 350lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

100-240V 50/60HZ 120°

NATSU

64204 white/blanco

64205 black/negro

LED 30W 3000K 1275lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff PMMA

100-240V 50/60HZ 120°







NAN

64190 white/blanco

64189 **NEW** black/negro

GU10 MAX 8W LED ⊗ [17324]

Body Aluminium/Aluminio

P.119
SUSPENDED

P.217
TRACK

P.170
WALL



REL

64198 white/blanco

64199 black/negro

LED COB 15W 2700K 1340lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Glass/Cristal

100-240V 50/60HZ 60°

REL

64200 white/blanco

64201 black/negro

LED COB 25W 2700K 2230lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff PMMA

100-240V 50/60HZ 60°





SILK

62957 white/blanco

LED SMD 30W 3000K 2400lm CRI>80
Driver

Body Metal
Diff Acrylic textile/Téxtil acrílico

220-240V 50/60HZ



SILK

62958 white/blanco

LED SMD 50W 3000K 4000lm CRI>80
Driver

Body Metal
Diff Acrylic textile/Téxtil acrílico

220-240V 50/60HZ





SILK

62959 white/blanco

LED SMD 60W 3000K 4800lm CRI>80
Driver

Body Metal
Diff Acrylic textile/Téxtil acrílico

220-240V 50/60HZ



JANET

65137 white+gold/blanco+oro

E27 MAX 15W LED [17462]

Body Metal



POTE

63124 white/blanco

63125 black/negro

E27 MAX 15W LED [17463]

Body Aluminium/Aluminio



SEVEN

68323 white/blanco

LED SMD 20W CRI>80 Driver

Body Textile/Téxtil
Diff Opal Acrylic/Acrílico Opal

DIM 220-240V 50/60HZ

3000K 1313lm 4000K 1274lm 6000K 1234lm

3 INTENSITIES

ø400/15.75"

185/7.28"

P.104
SUSPENDED

SEVEN

68298 white/blanco

E27 MAX 15W LED [17463]

Body Textile/Téxtil
Diff Opal Acrylic/Acrílico Opal

ø400/15.75"

185/7.28"

SEVEN

68317 white/blanco

3 E27 MAX 15W LED [17463]

Body Textile/Téxtil
Diff Opal Acrylic/Acrílico Opal

ø500/15.75"

180/7.08"

SOGO

◯ **62961** white/blanco

LED SMD 25W 4000K 1800lm CRI>80
Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

220-240V 50/60HZ





SOGO

◯ **62962** white/blanco

LED SMD 30W 4000K 2350lm CRI>80
Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

220-240V 50/60HZ

SOGO

◯ **62963** white/blanco

LED SMD 50W 4000K 3500lm CRI>80
Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

220-240V 50/60HZ

SOGO

◯ **62964** white/blanco

LED SMD 60W 4000K 5100lm CRI>80
Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

220-240V 50/60HZ











IRIS

63393 grey/gris

LED SMD 15W 3000K 1200lm CRI>80
Driver ✓

Body Polypropylene/Polipropileno
Diff Opal PMMA/PMMA Opal

100-240V 50/60HZ



IRIS

63394 grey/gris

LED SMD 20W 3000K 1600lm CRI>80
Driver ✓

Body Polypropylene/Polipropileno
Diff Opal PMMA/PMMA Opal

100-240V 50/60HZ



IRIS

63395 grey/gris

LED SMD 30W 3000K 2400lm CRI>80
Driver ✓

Body Polypropylene/Polipropileno
Diff Opal PMMA/PMMA Opal

100-240V 50/60HZ



AMI

63397 white/blanco

63398 aluminium/aluminio

LED SMD 15W 2700K 1200lm CRI>80
Driver

Body Aluminium/Aluminio
Diff PVC

220-240V 50/60HZ



RONDA

63309 white/blanco

LED SMD 15W 4000K 850lm CRI>80
Driver

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

220-240V 50/60HZ



RONDA

63310 white/blanco

LED SMD 20W 4000K 1700lm CRI>80
Driver

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

220-240V 50/60HZ



BIC NEW

63408 white/blanco

LED SMD 60W 3000K 4000lm CRI>80
Driver

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

DIM C IP44 220-240V 50/60HZ



BIC

63406 white/blanco

LED SMD 100W 3000K 4800lm CRI>80
Driver

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

DIM C IP44 220-240V 50/60HZ



BATH
BAÑO

40077 bronze/bronce

LED SMD 3W 2700K 200lm CRI>80
Driver

Body Metal
Diff Glass/Cristal

IP44 100-240V 50/60HZ



NEW

BRUME

— Àlex & Manel Lluscà

40078 bronze/bronce

LED 3W 2700K 200lm CRI>80 Driver

Body Metal
Diff Glass/Cristal

IP44 100-240V 50/60HZ 2.6 MT



P.177
WALL

BATH BAÑO

CLOE

63403 chrome/cromo

LED SMD 24W 2700K 2000lm CRI>80 Driver ✓

Body Metal
Diff Opal Glass/Cristal Opal

IP44 100-240V 50/60HZ



BATH BAÑO

YUTAI NEW

63407 white/blanco

LED 15W 3000K 1200lm CRI>80 Driver ✓

Body Metal
Diff Opal Glass/Cristal Opal

MOVEMENT SENSOR IP44 100-240V 50/60HZ MOV



BATH BAÑO

ZON

63291 white/blanco

LED 18W 3000K 1600lm Driver ✓

Body Polycarbonate/Policarbonato
Diff Opal PMMA/PMMA Opal

DIM C IP54 220-240V 50HZ





BATH BAÑO

FORO

63404 white/blanco

63405 aluminium/aluminio

LED SMD 24W 3000K 2000lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44 100-240V 50/60HZ



BATH BAÑO

VUK

64188 white/blanco

LED SMD 40W 2700K 3000lm CRI>80 Driver ✓

Body Metal
Diff Opal Polycarbonate/Policarbonato Opal

IP44 220-240V 50/60HZ





BATH BAÑO

KAO

63399 chrome/cromo

LED SMD 35W 3000K 2800lm CRI>80 Driver ✓

Body Metal
Diff Opal PMMA/PMMA Opal

IP44 100-240V 50/60HZ





BATH BAÑO

LOGOS

62965 white/blanco

62980 aluminium/aluminio

E27 MAX 15W LED [17462]

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44





BATH BAÑO

LOGOS

62966 white/blanco

62981 aluminium/aluminio

2 E27 MAX 15W LED [17462]

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44



BATH BAÑO

TOLA

62968 white/blanco

62983 aluminium/aluminio

E27 MAX 15W LED [17462]

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44



BATH BAÑO

TOLA

62969 white/blanco

2 E27 MAX 15W LED [17462]

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44





SPOT
EL GRAN LIBRO DE LAS COCINAS

STONE — Àlex & Manel Lluscà

43500 grey/gris

GU 10 MAX 8W LED ⊗ [17324]

Body Metal+Concrete/
Metal+Cemento

GU 10 LED 350° 90° 90°

STONE — Àlex & Manel Lluscà

43501 grey/gris

2 GU 10 MAX 8W LED ⊗ [17324]

Body Metal+Concrete/
Metal+Cemento

GU 10 LED 350° 90° 90°

STONE — Àlex & Manel Lluscà

43502 grey/gris

3 GU 10 MAX 8W LED ⊗ [17324]

Body Metal+Concrete/
Metal+Cemento

GU 10 LED 350° 90° 90°







P.192 CEILING

P.214 TRACK

ORLEANS — Nahtrang

- **43520** white/blanco
- **43521** black/negro
- **43522** chrome/cromo

GU 10 MAX 8W LED ⊗ [O 17309 ● 17324]

Body Metal

GU 10 LED 350° 90° 90°

ORLEANS — Nahtrang

- **43523** white/blanco
- **43524** black/negro
- **43525** chrome/cromo

2 GU 10 MAX 8W LED ⊗ [O 17309 ● 17324]

Body Metal

GU 10 LED 350° 90° 90°

ORLEANS — Nahtrang

- **43526** white/blanco
- **43527** black/negro
- **43528** chrome/cromo

3 GU 10 MAX 8W LED ⊗ [O 17309 ● 17324]

Body Metal

GU 10 LED 350° 90° 90°







CUP — Àlex & Manel Lluscà

40580 copper/cobre
40581 matt nickel/níquel mate
40582 white/blanco

GU 10 MAX 8W LED ⊗ [17324]

Body Metal

GU 10 LED 350° 90° 90°



CUP — Àlex & Manel Lluscà

40583 copper/cobre
40584 matt nickel/níquel mate
40585 white/blanco

2 GU 10 MAX 8W LED ⊗ [17324]

Body Metal

GU 10 LED 350° 90° 90°



CUP — Àlex & Manel Lluscà

40586 copper/cobre
40587 matt nickel/níquel mate
40588 white/blanco

3 GU 10 MAX 8W LED ⊗ [17324]

Body Metal

GU 10 LED 350° 90° 90°



CUP — Àlex & Manel Lluscà

40589 copper/cobre
40590 matt nickel/níquel mate
40591 white/blanco

4 GU 10 MAX 8W LED ⊗ [17324]

Body Metal

GU 10 LED 350° 90° 90°



P.215
TRACK



RING — Àlex & Manel Lluscà

- **40550** white/blanco
- **40551** dark grey/gris oscuro
- **40552** matt nickel/níquel mate

GU 10 MAX 8W LED ⊗ [17324]

Body Metal

GU 10 LED 350° 90° 90°

P.214
TRACK



RING — Àlex & Manel Lluscà

- **40553** white/blanco
- **40554** dark grey/gris oscuro
- **40555** matt nickel/níquel mate

2 GU 10 MAX 8W LED ⊗ [17324]

Body Metal

GU 10 LED 350° 90° 90°



RING — Àlex & Manel Lluscà

- **40556** white/blanco
- **40557** dark grey/gris oscuro
- **40558** matt nickel/níquel mate

3 GU 10 MAX 8W LED ⊗ [17324]

Body Metal

GU 10 LED 350° 90° 90°



RING — Àlex & Manel Lluscà

- **40559** white/blanco
- **40560** dark grey/gris oscuro
- **40561** matt nickel/níquel mate

4 GU 10 MAX 8W LED ⊗ [17324]

Body Metal

GU 10 LED 350° 90° 90°



LAO — Nahtrang

- **29025** black+copper/negro+cobre
- **29033** white+copper/blanco+cobre
- **29039** black/negro
- **29040** white/blanco

LED SMD 4.5W 3000K 400lm CRI>80
Driver ✓

Body Metal
Diff ABS

220-240V 50/60HZ SWITCH 350° 90° 90°





LAO — Nahtrang

- **29026** black+copper/negro+cobre
- **29034** white+copper/blanco+cobre
- **29041** black/negro
- **29042** white/blanco

LED 2xSMD 4.5W 3000K 400lm CRI>80
Driver ✓

Body Metal
Diff ABS

220-240V 50/60HZ 350° 90° 90°



P.54
TABLE&FLOOR



LAO — Nahtrang

- **29027** black+copper/negro+cobre
- **29035** white+copper/blanco+cobre
- **29043** black/negro
- **29044** white/blanco

LED 3xSMD 4.5W 3000K 400lm CRI>80
Driver ✓

Body Metal
Diff ABS

220-240V 50/60HZ 350° 90° 90°



P.214
TRACK

LAO — Nahtrang

- **29028** black+copper/negro+cobre
- **29036** white+copper/blanco+cobre
- **29051** black/negro
- **29052** white/blanco

LED 3xSMD 4.5W 3000K 400lm CRI>80
Driver ✓

Body Metal
Diff ABS

220-240V 50/60HZ 350° 90° 90°



LINK — Estudi Ribaudí

- **29873** white/blanco
- **29874** black/negro
- **29897** **NEW** bronze/bronce

GU10 MAX 8W LED ⊗ [O 17316 ● 17324]

Body Steel/Acero

350° 90° 90°



P.55
TABLE&FLOOR



LINK — Estudi Ribaudí

- **29875** white/blanco
- **29876** black/negro

2 GU10 MAX 8W LED ⊗ [O 17316 ● 17324]

Body Steel/Acero

350° 90° 90°



P.215
TRACK

STAN NEW

○ **43726** white/blanco
● **43727** black/negro

LED 12W 2700K 1200lm CRI>90 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Polycarbonate/Policarbonato Transparente

100-240V 50/60HZ 350° 90° 90°





STAN NEW

○ **43722** white/blanco
● **43723** black/negro

GU10 MAX 8W LED ⊗ [○ 17316 ● 17324]

Body Aluminium/Aluminio

350° 90°

RING ACCESSORY

○ **43728**
● **43729**

DIFF HONEY COMB ACCESSORY

43730

LINEAR SPREAD LENS ACCESSORY

43731

SPREAD LENS ACCESSORY

43732

P.215
TRACK











TRA
CK



ORLEANS NEW — Nahtrang

43535 white/blanco
43536 black/negro

GU10 MAX 8W LED [O 17309 ● 17324]

Body Metal
Diff Glass/Cristal

GU10 LED 350° 90° 90°

P.192
CEILING

P.207
SPOT





LAO — Nahtrang

29031 black+copper
29032 white+copper
29045 black/negro
29046 white/blanco

LED SMD 4.5W 3000K 400lm CRI>80
Driver ✓

Body Metal
Diff ABS

220-240V 50/60HZ 350° 90° 90°



P.210
CEILING



P.54
TABLE&FLOOR



P.210
SPOT



RING — Àlex & Manel Lluscà

40562 white/blanco
40563 dark grey/gris oscuro
40564 matt nickel/níquel mate

GU10 MAX 8W LED [17324]

Body Metal

GU10 LED 350° 90° 90°



P.209
SPOT

LINK — Estudi Ribaudí

- **29871** white/blanco
- **29872** black/negro
- **29896** **NEW** bronze/bronce

GU10 MAX 8W LED ⊗ [O 17316 ● 17324]

Body Steel/Acero



P.193
CEILING

P.210
SPOT

P.55
TABLE&FLOOR



CUP — Àlex & Manel Lluscà

- **40592** copper/cobre
- **40593** matt nickel/níquel mate
- **40594** white/blanco

GU10 MAX 8W LED ⊗ [17324]

Body Metal

GU10 LED



P.208
SPOT

STAN NEW

◯ **43724** white/blanco

● **43725** black/negro

LED 12W 2700K 1200lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Polycarbonate/Policarbonato Transparente

100-240V 50/60HZ 350° 90° 90°





STAN NEW

◯ **43720** white/blanco

● **43721** black/negro

GU10 MAX 8W LED ⊗ [O 17316 ● 17324]

Body Aluminium/Aluminio

350° 90°

RING ACCESSORY

◯ **43728**

● **43729**

DIFF HONEY COMB ACCESSORY

43730

LINEAR SPREAD LENS ACCESSORY

43731

SPREAD LENS ACCESSORY

43732



P.211
SPOT











NAN

○ **64192** white/blanco
● **64193** black/negro

GU 10 MAX 8W LED ⊗ [17324]

Body Aluminium/Aluminio

P.195
CEILING

P.119
SUSPENDED

P.170
WALL





PLOT

○ **64202** white/blanco
● **64203** black/negro

GU 10 MAX 8W LED ⊗ [O 17316 ● 17324]

Body Metal



RAM

○ **40100** white/blanco
● **40101** black/negro

E27 MAX 15W LED ⊗ [O 17404 ● 17403]

Body Die Cast Aluminium/Aluminio inyectado





SURFACE TRACK KIT 1MT

○ **64210** white/blanco
● **64212** black/negro
● **64214** grey/gris

Body Metal



SURFACE TRACK KIT 2MTS

○ **64211** white/blanco
● **64213** black/negro
● **64215** grey/gris

Body Metal





RE
CES
SED

TROOP NEW

43700 white+black/blanco+negro

LED 2W 3000K 210lm CRI>90
Driver ⊗ [98310206E]

Body Aluminium/Aluminio

III 30° 36x36





TROOP NEW

43701 white+black/blanco+negro

LED 3x2W 3000K 630lm CRI>90
Driver ⊗ [98310206]

Body Aluminium/Aluminio

III 30° 83/36"







TROOP NEW

43702 white+black/blanco+negro

LED 5x2W 3000K 1050lm CRI>90
Driver ⊗ [98310225]

Body Aluminium/Aluminio

III 30° 130x36







TROOP NEW

43703 white+black/blanco+negro

LED 10x2W 3000K 2100lm CRI>90
Driver ⊗ [98310225]

Body Aluminium/Aluminio

III 30° 263x36





TROOP TRIMLESS NEW

43704 black/negro

LED 2W 3000K 210lm CRI>90
Driver ⊗ [98310206E]

Body Aluminium/Aluminio

III 30° 36x36





TROOP TRIMLESS NEW

43705 black/negro

LED 3x2W 3000K 630lm CRI>90
Driver ⊗ [98310206]

Body Aluminium/Aluminio

III 30° 83/36"







TROOP TRIMLESS NEW

43706 black/negro

LED 5x2W 3000K 1050lm CRI>90
Driver [98310225]

Body Aluminium/Aluminio

30° 130x36







TROOP TRIMLESS NEW

43707 black/negro

LED 10x2W 3000K 2100lm CRI>90
Driver [98310225]

Body Aluminium/Aluminio

30° 263x36





TROOP WALL WASHER NEW

43710 white+black/blanco+negro

LED 5x2W 3000K 1250lm CRI>90
Driver [98310225]

Body Aluminium/Aluminio

30° 130x36





HYDE NEW

40118 white/blanco
40119 black/negro

GU10 MAX 8W LED ⊗ [O 17316 ● 17324]
Socket GU10 ⊗ [43065]

Body Metal

ORIENTABLE ø83



HYDE NEW

40114 white/blanco
40115 black/negro

GU10 MAX 8W LED ⊗ [O 17316 ● 17324]
Socket GU10 ⊗ [43065]

Body Metal

IP44 ø83



HYDE NEW

40110 white/blanco
40111 black/negro

GU10 MAX 8W LED ⊗ [O 17316 ● 17324]
Socket GU10 ⊗ [43065]

Body Metal

ORIENTABLE 30° 30° ø83



HYDE NEW

40120 white/blanco
40121 black/negro

GU10 MAX 8W LED ⊗ [O 17316 ● 17324]
Socket GU10 ⊗ [43065]

Body Metal

ORIENTABLE 30° 30° 83x83



HYDE NEW

40116 white/blanco
40117 black/negro

GU10 MAX 8W LED ⊗ [O 17316 ● 17324]
Socket GU10 ⊗ [43065]

Body Metal

IP44 83x83



HYDE NEW

40112 white/blanco
40113 black/negro

GU10 MAX 8W LED ⊗ [O 17316 ● 17324]
Socket GU10 ⊗ [43065]

Body Metal

ORIENTABLE 30° 30° 83x83



HYDE NEW

40126 white/blanco
40127 black/negro

2 GU10 MAX 8W LED ⊗ [O 17316 ● 17324]
Socket GU10 ⊗ [43065]

Body Metal

ORIENTABLE 30° 30° 83x165

HYDE NEW

40124 white/blanco
40125 black/negro

2 GU10 MAX 8W LED ⊗ [O 17316 ● 17324]
Socket GU10 ⊗ [43065]

Body Metal

IP44 83x165

HYDE NEW

40122 white/blanco
40123 black/negro

2 GU10 MAX 8W LED ⊗ [O 17316 ● 17324]
Socket GU10 ⊗ [43065]

Body Metal

ORIENTABLE 30° 30° 83x165







NEU

◯ **63286** white/blanco

MR 16 35W ⊗ Gear ⊗ [98101050]
Socket MR 16 ✓

Body Plaster/Yeso

PLASTER YESO | III | 12V | 30° 30° | Ø81



YES

◯ **63280** white/blanco

AR 111 max 100W ⊗
Gear ⊗ [98101050]

Body Plaster/Yeso
Diff Aluminium/Aluminio

PLASTER YESO | III | 12 V | 224X224



NORD

◯ **63290** white/blanco

LED SMD 18W 3000K 1100lm CRI>80
Driver DC 350mA ⊗ [98310125]

Body Plaster/Yeso
Diff Opal PMMA/PMMA Opal

PLASTER YESO | III | Ø305

*Visit faro.es to consult how to install it.
Visita faro.es para consultar su instalación.



RADÓN

◯ **43396** white/blanco

GU 10 MAX 8W LED ⊗ [17316]
Socket GU 10 ⊗ [43065]

Body Aluminium/Aluminio

ORIENTABLE | 30° 30° | Ø80



RADÓN

◯ **43397** white/blanco

GU 10 MAX 8W LED ⊗ [17316]
Socket GU 10 ⊗ [43065]

Body Aluminium/Aluminio

ORIENTABLE | 30° 30° | 80X170



RADÓN

◯ **43398** white/blanco

GU 10 MAX 8W LED ⊗ [17316]
Socket GU 10 ⊗ [43065]

Body Aluminium/Aluminio

ORIENTABLE | 30° 30° | Ø80



ARGÓN

43402 white/blanco

GU10 MAX 8W LED ⊗ [17316]
Socket GU10 ⊗ [43065]

Body Aluminium/Aluminio

ORIENTABLE 60° 60° 100X100



ARGÓN

43401 white/blanco

GU10 MAX 8W LED ⊗ [17316]
Socket GU10 ⊗ [43065]

Body Aluminium/Aluminio

ORIENTABLE 60° 60° Ø100



ARGÓN

43403 white/blanco

2 GU10 MAX 8W LED ⊗ [17316]
Socket GU10 ⊗ [43065]

Body Aluminium/Aluminio

ORIENTABLE 60° 60° 220X102



NEÓN

43399 white/blanco

GU10 MAX 8W LED ⊗ [17320]
Socket GU10 ⊗ [43065]

Body Aluminium/Aluminio

Ø65



NEÓN

43400 white/blanco

GU10 MAX 8W LED ⊗ [17320]
Socket GU10 ⊗ [43065]

Body Aluminium/Aluminio

70X70



GAS

43404 white/blanco

GU10 MAX 8W LED ⊗ [17320]
Socket GU10 ⊗ [43065]

Body Metal

Ø76



KOI

42921 white/blanco

LED SMD 6W 3000K 400lm CRI>80 Driver

Body Polycarbonate/Policarbonato
Diff PVC

ORIENTABLE | 100-240V | 50/60HZ | 15° 15° | Ø81



LED MINI

42910 white/blanco
42911 chrome/cromo

LED HIGH POWER 3,5W 3000K 200lm CRI>80 Driver [98310110]

Body Metal
Diff Translucent Polycarbonate/Policarbonato Translúcido

III | 350 MA | Ø58

*Visit faro.es to consult how to install it.
Visita faro.es para consultar su instalación.



EBBA

42919 silver/plata

LED SMD 4W 3000K 304lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal PMMA+Transparent PMMA/ PMMA Opal+PMMA Transparente

IP44 | 220-240V | 50/60HZ | Ø63



BOL

65138 white/blanco

LED SMD 15W 2700K 800lm CRI90 Driver

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

ORIENTABLE | 100-240V | 50/60HZ | 45° | Ø127



MÓVIL

43056 white/blanco
43057 matt nickel/níquel mate
43058 old gold/oro envejecido
43059 aluminium/aluminio

GU10 MAX 8W LED
Socket GU10 [43065]

Body Zamac/Zamac

ORIENTABLE | 50° | Ø74



NUSA

0209020I white/blanco

LED COB 7W 4000K 550lm CRI>80 350mA Driver

Body Aluminium/Aluminio

100-240V | 38° | Ø78 | 0° 20°



FOX WITH FRAME

02101001 white/blanco

LED COB 3-5W 2700K 200-500lm CRI>80
Driver
[350 mA **98310103**]
[**TRIAC** 500 mA **98310310**]

Body Aluminium/Aluminio

DIM III 25° Ø36



FOX TRIMLESS

02101101 white/blanco

LED COB 3-5W 2700K 200-500lm CRI>80
Driver
[350 mA **98310103**]
[**TRIAC** 500 mA **98310310**]

Body Aluminium/Aluminio

DIM III 25° Ø45



FOX ORIENTABLE NEW

02101301 white/blanco

LED COB 3-5W 2700K 200-500lm CRI>80
Driver
[350 mA **98310103**]
[**TRIAC** 500 mA **98310310**]

Body Aluminium/Aluminio

DIM III 25° Ø36



CLEAR

02100201 white/blanco

LED COB 3W 3000K 256lm CRI>80 350mA
Driver [98310110]

Body Metal
Diff Transparent Glass/Cristal Transparente

DIM IP65 III 36° Ø49



CLEAR

02100301 white/blanco

LED COB 3W 3000K 403lm CRI>80 350mA
Driver [98310110]

Body Metal
Diff Transparent Glass/Cristal Transparente

DIM IP65 III 36° Ø60



AIM

02100401 white/blanco

LED COB 3W 3000K 256lm CRI>80 350mA
Driver [98310110]

Body Metal
Diff Transparent Glass/Cristal Transparente

DIM IP65 III 36° Ø49



FRESH

02100501 white/blanco
02100502 black/negro
02100503 gold/oro

GU 10 MAX 8W LED ⊗ [17316]

Body Die Cast Aluminium/Aluminio inyectado

220-240V 50/60HZ Ø83



FRESH WALL WASHER

02100601 white/blanco
02100602 black/negro
02100603 gold/oro

GU 10 MAX 8W LED ⊗ [17316]

Body Die Cast Aluminium/Aluminio inyectado

100-240V 50/60HZ Ø83



FRESH IP44

02200501 white/blanco
02200502 black/negro
02200503 gold/oro

GU 10 MAX 8W LED ⊗ [17316]

Body Die Cast Aluminium/Aluminio inyectado

IP44 Ø83



FRESH TRIMLESS

02100701 white/blanco

GU 10 MAX 8W LED ⊗ [17316]

Body Die Cast Aluminium/Aluminio inyectado

100-240V 50/60HZ Ø90

FRESH IP65 NEW

02101401 white/blanco

GU 10 MAX 8W LED ⊗ [17316]

Body Die Cast Aluminium/Aluminio inyectado

IP65 Ø83



WET

02100801 white/blanco

LED **GU 10** MAX 8W LED ⊗ [17316]

Body Metal
Diff Transparent Glass/Cristal Transparente

IP44 100-240V 50/60HZ Ø65



MOIST

02100901 white/blanco

GU10 MAX 8W LED ⊗ [17316]

Body Metal
Diff Transparent Glass/Cristal Transparente

IP44 | 100-240V | 50/60HZ | 78X78



COMPACT

02080101 white/blanco

LED COB 15W 3000K 1000lm CRI>80 350mA
Driver ⊗ [98310125] [**DALI** 98310599]

Body Aluminium/Aluminio

DIM | IP65 | III | 36° | 80X80



COMPACT

02070101 white/blanco

LED COB 15W 3000K 1000lm CRI>80 350mA
Driver ⊗ [98310125] [**DALI** 98310599]

Body Aluminium/Aluminio

DIM | IP65 | III | 36° | Ø80



BOW

02150101 white/blanco

LED COB 7W 2700K 520lm CRI>90 350mA
Driver ⊗ [**TRIAC** 98310110]

Body Aluminium/Aluminio

DIM | III | 36° | Ø45



BOW

02150201 white/blanco

LED COB 10W 2700K 655lm CRI>90 500mA
Driver ⊗ [**TRIAC** 98310110]

Body Aluminium/Aluminio

DIM | III | 36° | Ø65



BOW

02150301 white/blanco

LED COB 18W 2700K 1575lm CRI>90 500mA
Driver ⊗ [**TRIAC** 98310325R]

Body Aluminium/Aluminio

DIM | III | 36° | Ø80



FALCON WITH FRAME

03020401 white/blanco
03020402 black/negro
03020403 grey/gris

GU 10 MAX 8W LED ⊗ [17316]

Body Steel/Acero

ORIENTABLE 30° 30° 30° 91 X 100



FALCON WITH FRAME

03020501 white/blanco
03020502 black/negro
03020503 grey/gris

GU 10 MAX 8W LED ⊗ [17316]

Body Steel/Acero

ORIENTABLE 30° 30° 30° 180X 100



GINGKO QR III WITH FRAME

03030101 white/blanco
03030102 black/negro
03030103 grey/gris

G53 MAX 15W LED ⊗ [97684427]
Transformer ⊗ [98111020]

Body Steel/Acero

ORIENTABLE III 12V 30° 30° 30° 170X 175



FALCON TRIMLESS

03100401 white/blanco
03100402 black/negro

GU 10 MAX 8W LED ⊗ [○ 17316 ● 17324]

Body Steel/Acero

ORIENTABLE 30° 30° 30° 118X 100



FALCON TRIMLESS

03100501 white/blanco
03100502 black/negro

2 GU 10 MAX 8W LED ⊗ [○ 17316 ● 17324]

Body Steel/Acero

ORIENTABLE 30° 30° 30° 201 X 100



GINGKO QR III TRIMLESS

03040102 black/negro

G53 MAX 15W LED ⊗ [97684427]
Transformer ⊗ [98111020]

Body Steel/Acero

ORIENTABLE III 12V 30° 30° 30° 164X 164



GINGKO QR III WITH FRAME

○ **03030201** white/blanco
● **03030202** black/negro
● **03030203** grey/gris

2 G53 MAX 15W LED ⊗ [97684427]
Transformer ⊗ [2x98III020]

Body Steel/Acero

ORIENTABLE III 12V 30° 30° 30° 313X169



GINGKO QR III TRIMLESS

● **03040202** black/negro

2 G53 MAX 15W LED ⊗ [97684427]
Transformer ⊗ [2x98III020]

Body Steel/Acero

ORIENTABLE III 12V 30° 30° 30° 314X164



SON

42928 white/blanco

LED SMD 8W 2700K 580lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff PMMA/PMMA

220-240V 50/60HZ Ø100



SON

42929 white/blanco

LED SMD 24W 2700K 2000lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff PMMA/PMMA

220-240V 50/60HZ Ø205



SON

42930 white/blanco

LED SMD 24W 4000K 2000lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff PMMA/PMMA

220-240V 50/60HZ Ø205



LUAN

42931 white/blanco

LED SMD 40W 3000K 3200lm CRI>80 Driver ✓

Body Metal
Diff Opal PMMA/PMMA Opal

IP44 100-240V 50/60HZ Ø375





TED

42926 white/blanco

LED SMD 15W 3000K 1200lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff PMMA/PMMA

IP44 220-240V 50/60HZ 160° Ø150



TOD

42927 white/blanco

LED SMD 24W 3000K 2000lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff PMMA/PMMA

IP44 220-240V 50/60HZ 160° Ø195





SIGNAL ASIMETRIC

02100101 grey/gris

LED COB 3W 3000K 102lm CRI>80 350mA Driver ⊗ [98310110]

Body Die Cast Aluminium/Aluminio inyectado

DIM IP65 III 36° Ø49

Recessed box ⊗ [02 100101 C]



PLAS

63283 white/blanco

LED HIGH POWER 1W 3000K 112lm CRI>80 Driver 350mA ⊗ [46060]

Body Plaster/Yeso

PLASTER YESO III 155X110

*Visit faro.es to consult how to install it.
Visita faro.es para consultar su instalación.



PLAS

63281 white/blanco

LED HIGH POWER 1W 3000K 112lm CRI>80 Driver 350mA ⊗ [46060]

Body Plaster/Yeso

PLASTER YESO III 175X110

*Visit faro.es to consult how to install it.
Visita faro.es para consultar su instalación.



PLAS

63282 white/blanco

LED HIGH POWER 1W 3000K 112lm CRI>80 Driver 350mA ⊗ [46060]

Body Plaster/Yeso

PLASTER YESO III 231X85

*Visit faro.es to consult how to install it.
Visita faro.es para consultar su instalación.



DE
SK

SERP

50065 black/negro
50066 matt nickel/níquel mate
50067 copper/cobre

LED SMD 4W 3000K 220lm CRI>80 Driver

Body Metal

100-240V 50/60HZ 1.7 MT



REMAKE

50120 white/blanco
50121 black/negro
50122 chrome/cromo

E27 MAX 15W LED [17463]

Body Metal

SWITCH



OTTO

52064 black/negro
52065 white/blanco

LED SMD 6W 4000K 550lm CRI>80 Driver

Body Metal+Polycarbonate+Silicone/
Metal+Policarbonato+Silicona

DIM 100-240V 50/60HZ 1.7 MT



GRETA

52072 white/blanco
52077 grey/gris

LED SMD 4W 3000K 430lm CRI>80 Driver

Body Aluminium+Silicone+Polycarbonate/
Aluminio+Silicona+Policarbonato

DIM 100-240V 50/60HZ 1,8 MT SWITCH



LENA

52057 white/blanco
52058 black/negro

LED SMD 3W 4000K 300lm CRI>80 Driver

Body Aluminium+Polycarbonate+Silicone/
Aluminio+Policarbonato+Silicona
Diff Glass/Cristal

220-240V 50/60HZ 70° 1.8 MT

Electronic Adaptateur
11 V 350mA

SWITCH



MEIER

52069 black/negro

LED SMD 9W 3000K 550lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Polycarbonate/Policarbonato

220-240V 50/60HZ 1.7 MT



ITO

52071 black/negro

LED SMD 5W 3000K 390lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

DIM 220-240V 50/60HZ 1.8 MT CLIP

ANOUK

53414 white/blanco
53415 black/negro

LED SMD 8W 4000K 530lm CRI>80 Driver

Body ABS

DIM 220-240V 50/60HZ 1.5 MT USB charger

GRU

51916 white/blanco
51917 black/negro

E27 MAX 15W LED [17463]

Body Metal

1.7 MT







BAOBAB

51908 white/blanco
51909 black/negro
51910 grey/gris

E14 MAX 8W LED [17461]

Body Metal

1.7 MT



OUTDOOR


PORTABLE

HUE — Nahtrang

71567 grey+white/gris+blanco

E27 MAX 15W LED [17463]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal PEMD/PEMD Opal

IP65 2 MT

HUE — Nahtrang

71566 grey+white/gris+blanco

E27 MAX 15W LED [17463]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal PEMD/PEMD Opal

IP65 3 MT



P.318
SUSPENDED

VERSUS — Pepe Llaudet

74423 white/blanco

E27 MAX 15W LED [17463]

Body Opal PEMD/PEMD Opal

IP44 3 MT



SMALL STRUCTURE ACCESSORY

74422 black/negro

Body Steel/Acero

LARGE STRUCTURE ACCESSORY

74424 black/negro

Body Steel/Acero





CAT — Nahtrang

● **71562** black/negro
○ **71563** white/blanco
● **71564** red/rojo

E27 MAX 15W LED ⊗ [17463]

Body Aluminium/Aluminio
Diff PEMD/PEMD

IP54 ⊡ 5 MT

WALL ACCESSORY

● **71556** black/negro

Body Steel/Acero



BALDA

70498 white/blanco

E27 MAX 15W LED ⊗ [17463]

Body Opal Polyethylene/Polietileno Opal

IP55 □ 2 MT

BALDA

70499 white/blanco

E27 MAX 15W LED ⊗ [17463]

Body Opal Polyethylene/Polietileno Opal

IP55 □ 2 MT

JARRET—Àlex & Manel Lluscà

70477 orange/naranja

70478 green/verde

70479 grey/gris

70480 fuchsia/fúcsia

E27 MAX 15W LED ⊗ [17463]

Body Opal PEMD/PEMD Opal

IP44 □ 2.5 MT



NEW

LAMPANOT

— Cristina Borràs

PREMIS TALENT SOUVENIR BARCELONA

70496 white/blanco

LED SMD 1W 3000K 80lm CRI>80 Driver

Body Opal PEMD/PEMD Opal

IP54 DC5V 1A USB WIRE

BATTERY 4H WORKTIME 1-2H CHARGE

3 INTENSITIES



3 INTENSITIES

BOO

70492 white/blanco

LED SMD 3W 3000K CRI>80

Body Opal ABS/ABS Opal

PRESS LAMP DIM IP44 6V

BATTERY 4XAA

TOC

70775 white/blanco
70776 black/negro
70777 grey/gris
70778 yellow/amarillo

LED SMD 2W 3000K 150lm

Body Aluminium/Aluminio
Diff Polycarbonate/Policarbonato

TOUCH LAMP | IP54 | DC5V 1A

9H WORKTIME 5H CHARGE | BATTERY ✓ | USB WIRE ✓



P.289
WALL

LOUD

70493 white+orange/blanco+naranja

LED SMD 1W 3000K max 55lm CRI>80 Driver ✓

Body PVC

DIM | IP44 | DC5V 1A

BATTERY ✓ | USB WIRE ✓



ARGUS NEW

70784 dark grey/gris oscuro

LED SMD 2W 3000K 220lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

TOUCH LAMP | IP54 | DC5V 1A

9H WORKTIME 5H CHARGE | BATTERY ✓

USB CHARGER ✓



KERALA

74454 dark grey/gris oscuro

LED SMD 5W 3000K 400lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Glass/Cristal

TOUCH LAMP | DIM | IP54 | DC5V 1A

6H WORKTIME 6/8H CHARGE | BATTERY ✓ | USB WIRE ✓

100lm | 250lm | 400lm



BOLLARDS

NEW

BLOCK

— Àlex&Manel Lluscà

CONCRETE

P.284
WALL

74141 grey/gris

E27 MAX 15W LED ⊗ [17463]

Body Concrete/Cemento
Diff Opal Polycarbonate/Policarbonato Opal

SEA SIDE SUITABLE | IP65 | IK10



74142 grey/gris

E27 MAX 15W LED ⊗ [17463]

Body Concrete/Cemento
Diff Opal Polycarbonate/Policarbonato Opal

SEA SIDE SUITABLE | IP65 | IK10



NEW

LOTUS

— Estudi Ribaudí

71225 dark grey/gris oscuro

LED COB 18W 3000K 1120lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Polycarbonate/Policarbonato

IP65 IK08 100-240V 50/60HZ





71224 dark grey/gris oscuro

LED COB 18W 3000K 1120lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Polycarbonate/Policarbonato

IP65 IK08 100-240V 50/60HZ

P.285
WALL





NEW TWIST

— Estudi Ribaudí

71286 dark grey/gris oscuro

LED SMD 10W 3000K 350lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP65 100-240V 50/60HZ





71287 dark grey/gris oscuro

LED SMD 10W 3000K 350lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP65 100-240V 50/60HZ





P.284
WALL



STICKER — Lucid

75541 dark grey/gris oscuro

LED SMD 10W 3000K 623lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP65 100-240V 50/60HZ



P.295
WALL

TRAM — Estudi Ribaudí

75530 dark grey/gris oscuro

E27 MAX 15W LED ⊗ [17463]

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP65



TRAM — Estudi Ribaudí

75531 dark grey/gris oscuro

E27 MAX 15W LED ⊗ [17463]

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP65



P.286 WALL



P.254 POLE

P.286
WALL



SHELBY — Conillas

75538 dark grey/gris oscuro

LED SMD 10W 3000K 600lm CRI>80 Driver

Body Die Cast Aluminium/Aluminio Inyectado
Diff Polycarbonate/Policarbonato

IP65 220-240V 50/60HZ



SHELBY — Conillas

75537 dark grey/gris oscuro

LED SMD 10W 3000K 600lm CRI>80 Driver

Body Die Cast Aluminium/Aluminio Inyectado
Diff Polycarbonate/Policarbonato

IP65 220-240V 50/60HZ



DATNA—Àlex & Manel Lluscà

74441 dark grey/gris oscuro

E27 MAX 15W LED [17463]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Polycarbonate/Policarbonato Opal

IP44

DATNA—Àlex & Manel Lluscà

74442 dark grey/gris oscuro

E27 MAX 15W LED [17463]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Polycarbonate/Policarbonato Opal

IP44





P.276
POLE

P.289
WALL

TAU —Àlex & Manel Lluscà

74446 dark grey/gris oscuro

E27 MAX 15W LED [17437]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Polycarbonate/Policarbonato Opal

IP44



TAU —Àlex & Manel Lluscà

74448 dark grey/gris oscuro

E27 MAX 15W LED [17437]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Polycarbonate/Policarbonato Opal

IP44



PLIM NEW

71299 dark grey/gris oscuro

LED SMD 10W 3000K 250lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Polycarbonate/Policarbonato

IP65 100-240V 50/60HZ IK10



PLIM NEW

71300 dark grey/gris oscuro

LED SMD 10W 3000K 250lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Polycarbonate/Policarbonato

IP65 100-240V 50/60HZ IK10

PLIM NEW

71301 dark grey/gris oscuro

LED SMD 10W 3000K 250lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Polycarbonate/Policarbonato

IP65 100-240V 50/60HZ IK10



P.287
WALL

MUGA

75604 dark grey/gris oscuro

LED SMD 9W 3000K 810lm CRI>80 Driver

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Polycarbonate/Policarbonato Opal

IP65 100-240V 50/60HZ



MUGA

75603 dark grey/gris oscuro

LED SMD 9W 3000K 810lm CRI>80 Driver

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Polycarbonate/Policarbonato Opal

IP65 100-240V 50/60HZ

GIZA

70767 dark grey/gris oscuro

LED COB 15W 3000K 500lm CRI>80 Driver

Body Die Cast Aluminium/Aluminio Inyectado
Diff Trans. Polycarbonate/Policarbonato Trans.

IP54 100-240V 50/60HZ

GIZA

70768 dark grey/gris oscuro

LED COB 15W 3000K 500lm CRI>80 Driver

Body Die Cast Aluminium/Aluminio Inyectado
Diff Trans. Polycarbonate/Policarbonato Trans.

IP54 100-240V 50/60HZ





P.286
WALL



BERET

75522 dark grey/gris oscuro

LED SMD 8W 4000K 350lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP54 220-240V 50/60HZ



P.280
POLE

BERET

75523 dark grey/gris oscuro

LED SMD 8W 4000K 350lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP54 220-240V 50/60HZ



GROP

75600 dark grey/gris oscuro

LED SMD 12.5W 3000K 500lm CRI>80 Driver

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Polycarbonate/Policarbonato Opal

IP54 100-240V 50/60HZ



P.280
POLE

GROP

75601 dark grey/gris oscuro

LED SMD 18W 3000K 870lm CRI>80 Driver

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Polycarbonate/Policarbonato Opal

IP54 100-240V 50/60HZ



NANDA

71216 dark grey/gris oscuro

LED SMD 12.5W 3000K 500lm CRI>80
Driver

Body Die Cast Aluminium/Aluminio Inyectado
Diff Polycarbonate/Policarbonato

IP54 100-240V 50/60HZ





NANDA

71217 dark grey/gris oscuro

LED SMD 12.5W 3000K 500lm CRI>80
Driver

Body Die Cast Aluminium/Aluminio Inyectado
Diff Polycarbonate/Policarbonato

IP54 100-240V 50/60HZ



LOGAR

75605 dark grey/gris oscuro

LED SMD 12W 3000K 580lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP54 100-240V 50/60HZ



LOGAR

75606 dark grey/gris oscuro

LED SMD 23W 3000K 1340lm CRI>80
Driver

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP54 100-240V 50/60HZ

P.319
SUSPENDED

P.288
WALL

MOON — Faro Team

74433+74437 dark grey/gris oscuro

E27 MAX 15W LED ⊗ [17437]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal PMMA/PMMA Opal

IP44

MOON — Faro Team

74434+74437 dark grey/gris oscuro

E27 MAX 15W LED ⊗ [17437]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal PMMA/PMMA Opal

IP44



BLUB'S — Estudi Ribaudí

74433+74430 dark grey/gris oscuro

E27 MAX 15W LED [17437]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal PMMA/PMMA Opal

IP44



P.319
SUSPENDED

P.288
WALL

MISTU — Faro Team

74433+74428 dark grey/gris oscuro

E27 MAX 15W LED [17437]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal PMMA/PMMA Opal

IP44



P.319
SUSPENDED

P.288
WALL

MUFFIN — Àlex & Manel Lluscà

74433+74429 dark grey/gris oscuro

E27 MAX 15W LED [17437]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal PMMA/PMMA Opal

IP44



P.319
SUSPENDED

P.288
WALL

BLUB'S — Estudi Ribaudí

74434+74430 dark grey/gris oscuro

E27 MAX 15W LED [17437]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal PMMA/PMMA Opal

IP44



P.279
POLE



MISTU — Faro Team

74434+74428 dark grey/gris oscuro

E27 MAX 15W LED [17437]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal PMMA/PMMA Opal

IP44



P.278
POLE

MUFFIN — Àlex & Manel Lluscà

74434+74429 dark grey/gris oscuro

E27 MAX 15W LED [17437]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal PMMA/PMMA Opal

IP44



P.278
POLE



WILMA

● **75001** dark grey/gris oscuro

E27 MAX 15W LED ⊗ [17463]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Polycarbonate/Policarbonato

IP44



P.319
SUSPENDED

P.289
WALL

WILMA

● **74997** dark grey/gris oscuro

E27 MAX 15W LED ⊗ [17463]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Polycarbonate/Policarbonato

IP44



WILMA

● **74999** dark grey/gris oscuro

E27 MAX 15W LED ⊗ [17463]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Polycarbonate/Policarbonato

IP44



WILMA

● **75003** dark grey/gris oscuro

E27 MAX 15W LED ⊗ [17463]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Polycarbonate/Policarbonato

IP44



ARISTO

73196 black/negro

G24d-3 26W
Magnetic Gear

Body Die Cast Aluminium/Aluminio Inyectado
Diff Polycarbonate/Policarbonato

IP44



VERNO

73450 black/negro

E27 MAX 15W LED [17463]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Polycarbonate/Policarbonato

IP44

VERNO

73440 black/negro

E27 MAX 15W LED [17463]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Polycarbonate/Policarbonato

IP44



VERNO

73460 black/negro

E27 MAX 15W LED [17463]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Polycarbonate/Policarbonato

IP44



SETE

75521 dark grey/gris oscuro

LED SMD 6W 3000K 155lm CRI>80 Driver

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Polycarbonate/Policarbonato Opal

IP54 100-240V 50/60HZ



MILA

70771 dark grey/gris oscuro

LED SMD 18W 4000K 500lm CRI>80 Driver

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Polycarbonate/Policarbonato Opal

IP65 220-240V 50/60HZ

NALA

70772 dark grey/gris oscuro

E27 MAX 15W LED [17463]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Transparent Glass/Cristal Transparente

IP54

SURAT

72310 dark grey/gris oscuro

E27 MAX 15W LED [17463]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Striped Glass/Cristal Rallado

IP54





P.307
WALL



CROSS — Àlex & Manel Lluscà

74357 dark grey/gris oscuro

E27 MAX 15W LED [17463]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Polycarbonate/Policarbonato Opal

IP44



P.276
POLE

ONZE

70761 dark grey/gris oscuro

E27 MAX 15W LED [17437]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Polycarbonate/Policarbonato Opal

IP54



P.287
WALL

TARRACO

73261 grey/gris

E27 MAX 15W LED [17463]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Polycarbonate/Policarbonato Opal

IP44



P.287
WALL

ROY

72351 dark grey/gris oscuro

E27 MAX 15W LED [17462]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Polycarbonate/Policarbonato Opal

IP44



P.286
WALL

FLOWERPOT ACCESSORY

71208 dark grey/gris oscuro

Body Polycarbonate/
Policarbonato



GROW — Estudi Ribaudí

71206 dark grey/gris oscuro

LED SMD 9W 3000K 720lm CRI>80 Driver

Body Die Cast Aluminium/Aluminio Inyectado
Diff Polycarbonate/Policarbonato

IP65 100-240V 50/60HZ



GROW — Estudi Ribaudí

71207 dark grey/gris oscuro

LED SMD 9W 3000K 720lm CRI>80 Driver

Body Die Cast Aluminium/Aluminio Inyectado
Diff Polycarbonate/Policarbonato

IP65 100-240V 50/60HZ



P.294
WALL

Casacor, Paraguay

BU-OH! — Estudi Ribaudí

71213 dark grey/gris oscuro

LED SMD 12W 3000K 310lm CRI>80 Driver

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Polycarbonate/Policarbonato Opal

IP65 100-240V 50/60HZ



BU-OH! — Estudi Ribaudí

71214 dark grey/gris oscuro

LED SMD 12W 3000K 310lm CRI>80 Driver

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Polycarbonate/Policarbonato Opal

IP65 100-240V 50/60HZ



P.294
WALL

P.277
POLE

NAYA

71199 dark grey/gris oscuro

LED SMD 8W 3000K 180lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP54 100-240V 50/60HZ 120°



NAYA

71198 dark grey/gris oscuro

LED SMD 8W 3000K 180lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP54 100-240V 50/60HZ 120°



AGRA

70755 dark grey/gris oscuro

70756 rust brown/marrón óxido

LED COB 10W 3000K 420lm CRI>80 Driver

Body Die Cast Aluminium/Aluminio Inyectado
Diff Transparent Glass/Cristal Transparente

IP54 100-240V 50/60HZ



AGRA

70753 dark grey/gris oscuro

70754 rust brown/marrón óxido

LED COB 10W 3000K 420lm CRI>80 Driver

Body Die Cast Aluminium/Aluminio Inyectado
Diff Transparent Glass/Cristal Transparente

IP54 100-240V 50/60HZ



ALP

74451 dark grey/gris oscuro

LED SMD 8W 3000K 220lm CRI>80 Driver

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Polycarbonate/Policarbonato Opal

IP54 100-240V 50/60HZ 180°

ALP

74452 dark grey/gris oscuro

LED SMD 8W 3000K 220lm CRI>80 Driver

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Polycarbonate/Policarbonato Opal

IP54 100-240V 50/60HZ 180°

DAS

75519 dark grey/gris oscuro

LED COB 8W 3000K 480lm CRI>80 Driver

Body Die Cast Aluminium/Aluminio Inyectado
Diff Transparent Glass/Cristal Transparente

IP54 100-240V 50/60HZ 180°



P.293
WALL





DAS

75520 dark grey/gris oscuro

LED COB 8W 3000K 480lm CRI>80 Driver

Body Die Cast Aluminium/Aluminio Inyectado
Diff Transparent Glass/Cristal Transparente

IP54 100-240V 50/60HZ 180°



P.293
WALL

SPY-1 NEW

70782 dark grey/gris oscuro

LED COB 6W 3000K 500lm CRI>80
Driver ✓

Body Aluminium/Aluminio
Diff Glass/Cristal

IP65 220-240V 50HZ 30°







SPY-2 NEW

70783 dark grey/gris oscuro

LED COB 6W 3000K 500lm CRI>80
Driver ✓

Body Aluminium/Aluminio
Diff Glass/Cristal

IP65 220-240V 50HZ 30°



NOBORU NEW

70576 dark grey/gris oscuro

LED COB 16W 3000K 690lm CRI>80
Driver ✓

Body Aluminium/Aluminio
Diff Glass/Cristal

IP65 IK08 100-240V 50/60HZ 36°





SHADOW— Àlex&Manel Lluscà

72311 dark grey/gris oscuro

LED SMD 10W 3000K 800lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal glass/Cristal Opal

IP65 100-240V 50/60HZ



CHANDRA

72298 dark grey/gris oscuro

LED COB 7W 3000K 195lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Tempered Glass/Cristal Templado

IP54 100-240V 50/60HZ 30°

GINA

71352 dark grey/gris oscuro

GU10 MAX 8W LED [17324]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Transparent Glass/Cristal Transparente

IP44



P.303
WALL

KLAMP — Àlex & Manel Lluscà

74411 dark grey/gris oscuro

E27 MAX 15W LED [17463]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Glass/Cristal Opal

IP44



P.293
WALL

SOLAR

SPIKE INCLUDED

SAURA

70774 dark grey/gris oscuro

LED SMD 2W 3000K 150lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Polycarbonate/Policarbonato

SOLAR IP54 III 120° 6MT 180°

2.5H WORKTIME
6/8H CHARGE

LITHIUM BATTERY



SOLAR

SOLEIL NEW

70785 dark grey/gris oscuro

LED SMD 2W 3000K 140lm CRI>80 Driver

Body Aluminium/Aluminio
Diff PMMA

SOLAR | IP54 | III | 3H WORKTIME 7H CHARGE | IK10



P.254
BOLLARD

P.286
WALL

TRAM — Estudi Ribaudí

75532 dark grey/gris oscuro

LED SMD 36W 3000K 2700lm CRI>80
Driver

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP65 100-240V 50/60HZ







P.267
BOLLARD

CROSS —Àlex & Manel Lluscà

74358 dark grey/gris oscuro

PL2G II 55W 5000K Ballast

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Polycarbonate/Policarbonato Opal

IP44

P.256
BOLLARD

P.289
WALL

DATNA — Àlex & Manel Lluscà

74444E dark grey/gris oscuro

LED SMD 36W 3000K 2700lm CRI85 Driver

74444 dark grey/gris oscuro

2G II 55W

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Polycarbonate/Policarbonato Opal

IP65 220-240V 50/60HZ



P.269
BOLLARD

P.294
WALL

BU-OH! — Estudi Ribaudí

71209 dark grey/gris oscuro

LED 4xSMD 10W 3000K 2700lm CRI>80
Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal PMMA/PMMA Opal

IP65 100-240V 50/60HZ



P.263
BOLLARD

P.319
SUSPENDED

P.288
WALL

MISTU — Faro Team

74435+74428[2] dark grey/gris oscuro

2 E27 MAX 15W LED [17437]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal PMMA/PMMA Opal

IP44



MISTU — Faro Team

74436+74428[3] dark grey/gris oscuro

3 E27 MAX 15W LED [17437]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal PMMA/PMMA Opal

IP44

P.263
BOLLARD



P.319
SUSPENDED

P.288
WALL

MUFFIN — Àlex & Manel Lluscà

74435+74429[2] dark grey/gris oscuro

2 E27 MAX 15W LED [17437]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal PMMA/PMMA Opal

IP44



P.263
BOLLARD



P.319
SUSPENDED

P.288
WALL

MUFFIN — Àlex & Manel Lluscà

74436+74429[3] dark grey/gris oscuro

3 E27 MAX 15W LED [17437]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal PMMA/PMMA Opal

IP44



BLUB'S — Estudi Ribaudí

74435+74430[2] dark grey/gris oscuro

2 E27 MAX 15W LED [17437]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal PMMA/PMMA Opal

IP44



BLUB'S — Estudi Ribaudí

74436+74430[3] dark grey/gris oscuro

3 E27 MAX 15W LED [17437]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal PMMA/PMMA Opal

IP44



P.260
BOLLARD

BERET

75524 dark grey/gris oscuro

LED SMD 16W 4000K 950lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP54 100-240V 50/60HZ



P.260
BOLLARD

GROP

75602 dark grey/gris oscuro

LED SMD 27W 3000K 1300lm CRI>80 Driver

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Polycarbonate/Policarbonato Opal

IP54 100-240V 50/60HZ



PLAZA NEW

75607 black/negro

LED SMD 24W 3000K 1120lm CRI>80 Driver

Body Metal
Diff Glass/Cristal

IP54 IK08 100-240V 50/60HZ





P.321
SUSPENDED



P.290
WALL

NÁUTICA

71116 rust brown/marrón óxido

E27 MAX 15W LED ⊗ [17463]

Body Metal
Diff Bubble Glass/Cristal Burbuja

IP33



NÁUTICA

71117 rust brown/marrón óxido

2 E27 MAX 15W LED ⊗ [17463]

Body Metal
Diff Bubble Glass/Cristal Burbuja

IP33



NÁUTICA

71118 rust brown/marrón óxido

3 E27 MAX 15W LED ⊗ [17463]

Body Metal
Diff Bubble Glass/Cristal Burbuja

IP33





WA
LL

71285 dark grey/gris oscuro

LED 10W 3000K 350lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP65 100-240V 50/60HZ





P.252
BOLLARDS



74139 grey/gris

E27 MAX 15W LED ⊗ [17463]

Body Concrete/Cemento
Diff Opal Polycarbonate/Policarbonato Opal

IP65 IK10 SEA SIDE SUITABLE





P.250
BOLLARDS

NEW

LOTUS

— Estudi Ribaudí

71222 white/blanco

71223 dark grey/gris oscuro

LED 18W 3000K 1120lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Polycarbonate/Policarbonato

IP65 IK08 100-240V 50/60HZ

P.251
BOLLARDS





SHELBY — Conillas

75536 dark grey/gris oscuro

LED SMD 10W 3000K 600lm CRI>80 Driver

Body Die Cast Aluminium/Aluminio Inyectado
Diff Polycarbonate/Policarbonato

IP44 100-240V 50/60HZ



P.255
BOLLARD

GIZA

70766 dark grey/gris oscuro

LED COB 15W 3000K 500lm CRI>80 Driver

Body Die Cast Aluminium/Aluminio Inyectado
Diff Polycarbonate/Policarbonato

IP54 100-240V 50/60HZ

TRAM — Estudi Ribaudí

75529 dark grey/gris oscuro
75533 white/blanco

E27 MAX 15W LED [17463]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Polycarbonate/Policarbonato Opal

IP44

ROY

72350 dark grey/gris oscuro

E27 MAX 15W LED [17462]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Polycarbonate/Policarbonato Opal

IP44



P.259
BOLLARD



P.254
BOLLARD



P.267
BOLLARD

PLIM NEW

71295 dark grey/gris oscuro

LED SMD 10W 3000K 250lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Polycarbonate/Policarbonato

IP65 100-240V 50/60HZ IK10







PLIM NEW

71296 dark grey/gris oscuro

LED SMD 10W 3000K 250lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Polycarbonate/Policarbonato

IP65 100-240V 50/60HZ

PLIM NEW

71297 dark grey/gris oscuro

LED SMD 10W 3000K 250lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Polycarbonate/Policarbonato

IP65 100-240V 50/60HZ IK10



P.258
BOLLARD

KERALA

74453 dark grey/gris oscuro

LED SMD 13W 3000K 600lm CRI>80 Driver

Body Die Cast Aluminium/Aluminio Inyectado
Diff Glass/Cristal

IP54 100-240V 50/60HZ

ONZE

70760 dark grey/gris oscuro

E27 MAX 15W LED [17437]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Polycarbonate/Policarbonato Opal

IP54

TARRACO

73260 grey/gris

E27 MAX 15W LED [17463]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Polycarbonate/Policarbonato Opal

IP44



P.247
PORTABLE



P.267
BOLLARD



P.267
BOLLARD

MOON — Faro Team

74432+74437 dark grey/gris oscuro

E27 MAX 15W LED ⊗ [17437]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal PMMA/PMMA Opal

IP44

P.262
BOLLARD

P.319
SUSPENDED



MUFFIN — Àlex&Manel Lluscà

74432+74429 dark grey/gris oscuro

E27 MAX 15W LED ⊗ [17437]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal PMMA/PMMA Opal

IP44

P.263-278
BOLLARDS



P.319
SUSPENDED



MISTU — Faro Team

74432+74428 dark grey/gris oscuro

E27 MAX 15W LED ⊗ [17437]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal PMMA/PMMA Opal

IP44

P.263-278
BOLLARDS



P.319
SUSPENDED



BLUB'S — Estudi Ribaudí

74432+74430 dark grey/gris oscuro

E27 MAX 15W LED ⊗ [17437]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal PMMA/PMMA Opal

IP44

P.263-279
BOLLARDS



P.319
SUSPENDED



WILMA

74998 dark grey/gris oscuro

E27 MAX 15W LED [17463]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Polycarbonate/Policarbonato

IP44



P.264
BOLLARD

WILMA

75000 dark grey/gris oscuro

E27 MAX 15W LED [17463]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Polycarbonate/Policarbonato

IP44



P.319
SUSPENDED

TOC

70780 white/blanco

70781 black/negro

LED SMD 8W 3000K 600lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Polycarbonate/Policarbonato

IP65 220-240V 50/60HZ



P.247
PORTABLES



WALL

DATNA — Àlex&Manel Lluscà

74440 dark grey/gris oscuro

1xE27 MAX 15W LED [17463]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Polycarbonate/Policarbonatoo Opal

IP44



P.256
BOLLARD

PLEC — Àlex&Manel Lluscà

66208 old brown/marrón envejecido

66209 off white/blanco roto

LED SMD 15W 2700K 1200lm CRI>80 Driver

Body Steel/Acero
Diff PVC

IP44 220-240V 50/60HZ



P.320
SUSPENDED

ESTORIL

71140 rust brown/marrón óxido

E27 MAX 15W LED ✕ [17463]

Body Metal
Diff Bubble Glass/Cristal Burbuja

IP33



P.321
SUSPENDED



ESTORIL

71141 rust brown/marrón óxido

E27 MAX 15W LED ✕ [17463]

Body Metal
Diff Bubble Glass/Cristal Burbuja

IP33



WALLY

74261 rust brown/marrón óxido

E27 MAX 13W LED ✓

Body Metal
Diff Transparent Glass/Cristal Transparente

IP44

NÁUTICA

71107 brown+copper/marrón+cobre
71110 rust brown/marrón óxido

E27 MAX 15W LED ✕ [17463]

Body Metal
Diff Bubble Glass/Cristal Burbuja

IP33



NÁUTICA

71128 rust brown/marrón óxido

E27 MAX 15W LED ✕ [17463]

Body Metal
Diff Bubble Glass/Cristal Burbuja

IP33



P.321
SUSPENDED



NÁUTICA

71129 rust brown/marrón óxido

E27 MAX 15W LED ✕ [17463]

Body Metal
Diff Bubble Glass/Cristal Burbuja

IP33



P.281
POLE

NEWPORT — Estudi Ribaudí

71152 green/verde
71153 bordeaux/burdeos

E27 MAX 15W LED [17463]

Body Metal
Diff Opal Glass/Cristal Opal

IP44



SOREN

71614 black negro

E27 PAR 30 MAX 15W LED [17403]

Body Metal
Diff Transparent ABS/ABS Transparente

IP54

HONEY NEW

73695 black/negro

E27 MAX 15W LED [17433]

Body Metal
Diff Glass/Cristal

IP44

DADO

71606 rust brown/marrón óxido

E27 MAX 15W LED [17463]

Body Metal
Diff Glass/Cristal

IP23





P.321
SUSPENDED



NORAY

70999 brass/latón

E27 MAX 15W LED ⊗ [17463]

Body Brass/Latón
Diff Striped Glass/Cristal Rallado

SEA SIDE SUITABLE | MADE IN EU | IP65



TIMON

70996 brass/latón

E27 MAX 15W LED ⊗ [17463]

Body Brass/Latón
Diff Striped Glass/Cristal Rallado

SEA SIDE SUITABLE | MADE IN EU | IP44



NAHIR

70992 brass/latón

E27 MAX 15W LED ⊗ [17463]

Body Brass/Latón
Diff Striped Glass/Cristal Rallado

SEA SIDE SUITABLE | MADE IN EU | IP44



BORDA

70997 brass/latón

E27 MAX 15W LED ⊗ [17463]

Body Brass/Latón
Diff Striped Glass/Cristal Rallado

SEA SIDE SUITABLE | MADE IN EU | IP44



CABO

70998 brass/latón

E27 MAX 15W LED ⊗ [17463]

Body Brass/Latón
Diff Striped Glass/Cristal Rallado

SEA SIDE SUITABLE | MADE IN EU | IP65



NINE NEW

○ **72082** white/blanco

● **72083** dark grey/gris oscuro

LED SMD 6W 3000K 280lm CRI>80 Driver ✓

Body CNC Aluminium/Aluminio CNC
Diff Glass/Cristal

IP65 IK10 100-240V 50/60HZ



BRACKET

● **72272** dark grey/gris oscuro

LED SMD 6W 3000K 270lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP44 220-240V 50/60HZ



KLAMP — Àlex&Manel Lluscà

● **74409** dark grey/gris oscuro

E27 MAX 15W LED ⊗ [17463]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Glass/Cristal Opal

IP44





P.273
BOLLARDS

ALP

● **74450** dark grey/gris oscuro

LED COB 8W 3000K 480lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Polycarbonate/Policarbonato Opal

IP54 100-240V 50/60HZ

AXEL NEW

○ **71272** white/blanco

● **71273** dark grey/gris oscuro

LED 6W 3000K 360lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP65 IK07 100-240V 50/60HZ

DAS

● **75518** dark grey/gris oscuro

LED COB 8W 3000K 480lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Transparent Glass/Cristal Transparente

IP54 100-240V 50/60HZ



P.271
BOLLARDS







P.271
BOLLARDS

BU-OH! — Estudi Ribaudí

71212 dark grey/gris oscuro
71215 white/blanco

LED SMD 12W 3000K 310lm CRI>80 Driver

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Polycarbonate/Policarbonato Opal

IP65 100-240V 50/60HZ



P.269
BOLLARD

P.277
POLE



GROW — Estudi Ribaudí

71205 dark grey/gris oscuro

LED SMD 9W 3000K 720lm CRI>80 Driver

Body Die Cast Aluminium/Aluminio Inyectado
Diff Polycarbonate/Policarbonato

IP65 100-240V 50/60HZ

FUTURE — Estudi Ribaudí

71516 white/blanco
71517 dark grey/gris oscuro

E27 MAX 15W LED [17437]

Body Polycarbonate/Policarbonato
Diff Opal Polycarbonate/Policarbonato Opal

SEA SIDE SUITABLE IP44

ÁNCORA—Àlex&Manel Lluscà

74401 dark grey/gris oscuro

E27 MAX 15W LED [17463]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Polycarbonate/Policarbonato Opal

IP44



P.268
BOLLARD





STICKER — Lucid

75540 dark grey/gris oscuro

LED SMD 20W 3000K 1350lm CRI>80
Driver

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP65 100-240V 50/60HZ





P.253
BOLLARD



CLAUSS

70262 white/blanco
70263 dark grey/gris oscuro

LED SMD 7W 3000K 480lm CRI>80 Driver

Body Die Cast Aluminium/Aluminio Inyectado

IP54 IK08 220-240V 50/60HZ





QUART

70579 dark grey/gris oscuro

LED SMD 30W 3000K 1200lm CRI>80
Driver

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Glass/Cristal Opal

IP54 220-240V 50/60HZ



DRAGMA NEW Àlex&Manel Lluscà

71362L dark grey/gris oscuro

LED SMD 15W 3000K 300lm CRI>80 Driver

Body Die Cast Aluminium/Aluminio Inyectado
Diff Translucent Glass/Cristal Translúcido

IP65 100-240V 50/60HZ



VIEW — Estudi Ribaudí

71519 dark grey/gris oscuro

E27 MAX 15W LED [17463]

Body Polycarbonate/Policarbonato
Diff ABS

SEA SIDE SUITABLE | IP54



TAKUA NEW

71277 dark grey/gris oscuro

LED SMD 10W 3000K 450lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP65 IK06 100-240V 50/60HZ

OVAL NEW

71276 black/negro

LED COB 10W 3000K 450lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP65 IK06 100-240V 50/60HZ

TANE

72269 dark grey/gris oscuro

LED HIGH POWER 6W 3000K 315lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Translucent Glass/Cristal Translúcido

IP44 220-240V 50/60HZ











ADAY

70644 white/blanco

70645 dark grey/gris oscuro

LED SMD 6W 3000K 450lm CRI>80 Driver

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Polycarbonate/Policarbonato Opal

IP54 IK08 220-240V 50/60HZ



ADAY

70646 white/blanco

70647 dark grey/gris oscuro

LED SMD 12W 3000K 950lm CRI>80 Driver

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Polycarbonate/Policarbonato Opal

IP54 IK08 220-240V 50/60HZ



WEST

70899 dark grey/gris oscuro

E27 MAX 15W LED [17437]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Translucent Glass/Cristal Translúcido

IP54



KAULA

70405 matt nickel/níquel mate

LED SMD 9W 3000K 400lm CRI>80 Driver

Body 316 Stainless Steel/Acero Inox 316
Diff Opal PMMA/PMMA Opal

SEA SIDE SUITABLE IP44 220-240V 50/60HZ



KAULA

70406 matt nickel/níquel mate

LED SMD 16W 3000K 650lm CRI>80 Driver

Body 316 Stainless Steel/Acero Inox 316
Diff Opal PMMA/PMMA Opal

SEA SIDE SUITABLE IP44 220-240V 50/60HZ



WEST

70888 dark grey/gris oscuro

E27 MAX 15W LED [17437]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Translucent Glass/Cristal Translúcido

IP54



TOLUCA

- **71050** dark grey/gris oscuro
- **71051** white/blanco
- **71052** aluminium/aluminio
- **71053** **NEW** rust brown/marrón oxido

LED SMD 16W 3000K 1000lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Tempered Glass/Cristal Templado

IP65 IK08 220-240V 50/60HZ



TACANA

- **71046** **NEW** rust brown/marrón oxido
- **71047** white/blanco
- **71048** dark grey/gris oscuro
- **71049** aluminium/aluminio

LED SMD 27W 3000K 1700lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Tempered Glass/Cristal Templado

IP65 100-240V 50/60HZ



TACOS **NEW**

- **71062** dark grey/gris oscuro
- **71063** white/blanco
- **71064** aluminium/aluminio
- **71065** rust brown/marrón oxido

LED SMD 30W 3000K 2300lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Tempered Glass/Cristal Templado

IP65 220-240V 50/60HZ





LACE

70811 dark grey/gris oscuro

LED HIGH POWER 6W 4000K 315lm CRI>80
Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Transparent Glass/Cristal Transparente

IP54 100-240V 50/60HZ 110°



BRUC

70828 dark grey/gris oscuro

LED 2xSMD 7W 3000K 830lm CRI>80
Driver ✓

Body Aluminium/Aluminio
Diff Glass/Cristal

IP54 100-240V 50/60HZ



LING

70812 dark grey/gris oscuro
70813 white/blanco

LED HIGH POWER 6W 4000K 315lm CRI>80
Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Transparent Glass/Cristal Transparente

IP54 100-240V 50/60HZ 110°



LACRE

70802 dark grey/gris oscuro

E27 MAX 15W LED ⊗ [17463]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Transparent Glass/Cristal Transparente

IP54



LOG

70264 dark grey/gris oscuro

LED SMD 9W 3000K 600lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Polycarbonate/Policarbonato Opal

IP54 220-240V 50/60HZ





BLIND

70267 **NEW** white/blanco
70268 **NEW** brown/marrón
70634 dark grey/gris oscuro

LED 6W 3000K 2x90lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Transparent Glass/Cristal Transparente

IP54 110-240V 50/60HZ





OLAN

70269 **NEW** white/blanco
70270 **NEW** brown/marrón
70637 dark grey/gris oscuro

LED 6W 3000K 2x100lm CRI>80 Driver

Body Die Cast Aluminium/Aluminio Inyectado
Diff Transparent Glass/Cristal Transparente

IP54 100-240V 50/60HZ







SUNSET

70686 white/blanco
70687 dark grey/gris oscuro

LED 2xSMD 3W 3000K 250lm CRI>80 Driver

Body Die Cast Aluminium/Aluminio Inyectado
Diff Glass/Cristal

IP54 100-240V 50/60HZ

COBO

70404 dark grey/gris oscuro

LED COB 12W 4000K 600lm CRI>80 Driver

Body Die Cast Aluminium/Aluminio Inyectado
Diff Glass/Cristal

IP65 220-240V 50/60HZ 40°

STEPS Estudi Ribaudí

75502 white/blanco
75503 dark grey/gris oscuro

4 GU10 MAX 8W LED [17317]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Tempered Glass/Cristal Templado

IP44 2 Caps/2 Tapas

STEPS Estudi Ribaudí

75500 white/blanco
75501 dark grey/gris oscuro

2 GU10 MAX 8W LED [17317]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Tempered Glass/Cristal Templado

IP44 1 Cap/1 Tapa

PISTÓN

70808 grey/gris

2 GU10 MAX 8W LED [17316]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Transparent Glass/Cristal Transparente

IP44







KLAMP — Àlex&Manel Lluscà

74408 dark grey/gris oscuro

2 GU10 MAX 8W LED ⊗ [17317]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Glass/Cristal

IP44

KLAMP — Àlex&Manel Lluscà

74407 dark grey/gris oscuro

GU10 MAX 8W LED ⊗ [17317]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Glass/Cristal

IP44

PROA — Àlex&Manel Lluscà

74400 dark grey/gris oscuro

GU10 MAX 8W LED ⊗ [17325]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Glass/Cristal

IP44



P.273
BOLLARDS





BRONX — Àlex&Manel Lluscà

71194 brown/marrón
71195 white/blanco
71196 dark grey/gris oscuro

GU10 MAX 8W LED ⊗ [17324]

Body Aluminium/Aluminio
Diff Glass/Cristal

IP44



KALA

70582 white/blanco

70583 dark grey/gris oscuro

LED SMD 16W 2700K 1200lm CRI>80
Driver

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP54 220-240V 50/60HZ



TORE

70648 dark grey/gris oscuro

LED COB 30W 3000K 2000lm CRI>80
Driver

Body Die Cast Aluminium/Aluminio Inyectado
Diff Translucent Glass/Cristal translúcido

IP54 100-240V 50/60HZ



NAIROBI NEW

70830 white/blanco

70831 dark grey/gris oscuro

70832 rust brown/marrón oxido

LED SMD 6W 3000K 2x190lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Glass/Cristal

IP54 100-240V 50/60HZ





SUMA

70749 dark grey/gris oscuro

2 E27 MAX 15W LED [17463]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Translucent Glass/Cristal Translúcido

IP44



CANON

70566N dark grey/gris oscuro

70567N white/blanco

LED HIGH POWER 4W 3000K 130lm CRI>80
Driver

Body Die Cast Aluminium/Aluminio Inyectado
Diff Tempered Glass/Cristal Templado

IP44 100-240V 50/60HZ 120°





GUIZA NEW

71278 dark grey/gris oscuro

LED SMD 10W 3000K 400lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Glass/Cristal

IP65 IK06 100-240V 50/60HZ





GINA

71363 dark grey/gris oscuro
71366 white/blanco
71367 black/negro

GU10 MAX 8W LED [17324]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Glass/Cristal

IP44

TINIA

71353 dark grey/gris oscuro

E27 MAX 15W LED [17063]

Body Aluminium/Aluminio
Diff Polycarbonate/Policarbonato

IP44

TAIMA

71388 dark grey/gris oscuro

LED SMD 6W 3000K 310lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP54 220-240V 50/60HZ 360°

P.273
BOLLARD









ELE

74419 dark grey/gris oscuro

LED SMD 6W 3000K 450lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Polycarbonate/Policarbonato

IP54 220-240V 50/60HZ 95°





KEENAN

70564 nickel/níquel

LED SMD 1W 6500K 80lm CRI>80
Gear ⊗ [98101050 ELT 50W]
Magnetic Transformer ⊗

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP67 IK08 III 12V



KEENAN

70546 nickel/níquel

LED SMD 0,5W 6500K 20lm CRI>80
Gear ⊗ [98101050 ELT 50W]
Magnetic Transformer ⊗

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP67 IK08 III 12V



KEENAN

70547 nickel/níquel

LED SMD 0,8W 6500K 40lm CRI>80
Gear ⊗ [98101050 ELT 50W]
Magnetic Transformer ⊗

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP67 IK08 III 12V



PILL

70824 white/blanco
70825 dark grey/gris oscuro
70826 rust brown/marrón oxido

LED CREE 4W 3000K 110lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Glass/Cristal

IP54 100-240V 50/60HZ

DRAK

72330 brass/latón

LED 6W 3000K 220lm CRI>80 Driver ✓

Body brass/latón
Diff transparent PMMA/PMMA transparente

IP44 100-240V 50/60HZ IK08

BROW

70408 white/blanco
70409 dark grey/gris oscuro

LED SMD 3W 3000K 250lm CRI>80 Driver ✓

Body Polycarbonate/Policarbonato
Diff Opal PMMA/PMMA Opal

IP44 220-240V 50HZ









GRANT

70655 dark grey/gris oscuro

LED SMD 1W 3000K 65lm CRI>80 Driver

Body ABS
Diff Polycarbonate/Policarbonato

SEA SIDE SUITABLE | IP65 | IK10 | 100-240V | 50/60HZ | 120°





GRANT

70656 dark grey/gris oscuro

LED SMD 1W 3000K 65lm CRI>80 Driver

Body ABS
Diff Polycarbonate/Policarbonato

SEA SIDE SUITABLE | IP65 | 100-240V | 50/60HZ | 120°





PATH

70508 dark grey/gris oscuro

LED SMD 9W 3000K 390lm CRI>80 Driver

Body Die Cast Aluminium/Aluminio Inyectado
Diff Polycarbonate/Policarbonato

IP44 | 100-240V | 50/60HZ



MUST

70657 dark grey/gris oscuro

LED SMD 2W 3000K 80lm CRI>80 Driver

Body ABS
Diff Polycarbonate/Policarbonato

SEA SIDE SUITABLE | IP65 | IK10 | 220-240V | 50/60HZ



MUST

70658 dark grey/gris oscuro

LED SMD 3W 3000K 220lm CRI>80 Driver

Body ABS
Diff Polycarbonate/Policarbonato

SEA SIDE SUITABLE | IP65 | IK10 | 220-240V | 50/60HZ



MUST

70659 dark grey/gris oscuro

LED SMD 4W 3000K 240lm CRI>80 Driver

Body ABS
Diff Polycarbonate/Policarbonato

SEA SIDE SUITABLE | IP65 | IK10 | 220-240V | 50/60HZ



HALF — Nahtrang

◯ **71536** white/blanco

● **71537** dark grey/gris oscuro

LED SMD 20W 3000K 1350lm CRI>80
Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Glass/Cristal Opal

IP65 ⏚ 100-240V 50/60HZ





TONE — Nahtrang

◯ **71538** white/blanco

● **71539** dark grey/gris oscuro

LED SMD 20W 3000K 1200lm CRI>80
Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Glass/Cristal Opal

IP65 ⏚ 100-240V 50/60HZ

HIKARI NEW

● **71274** dark grey/gris oscuro

LED SMD 10W 3000K 400lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP65 ⏚ IK 10 100-240V 50/60HZ

KUBICK

● **70689** dark grey/gris oscuro

● **70715** grey/gris

E27 MAX 15W LED ⊗ [17463]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal PVC/PVC Opal

IP44 ⏚











MARE

70635 dark grey/gris oscuro

LED COB 3W 3000K 150lm CRI>80 Driver

Body Die Cast Aluminium/Aluminio Inyectado
Diff Transparent Glass/Cristal Transparente

IP54 220-240V 50/60HZ

LUR

70827 dark grey/gris oscuro

LED SMD 12W 3000K 950lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP54 100-240V 50/60HZ

POL

70829 dark grey/gris oscuro

LED SMD 8W 3000K 550lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP54 100-240V 50/60HZ















NALA

70773 dark grey/gris oscuro

E27 MAX 15W LED [17426]

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP54

TAMASHI NEW

71303 dark grey/gris oscuro

E27 MAX 15W LED [17428]

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP65



P.266
BOLLARD



FRED

● **70663** black/negro
○ **70664** white/blanco

LED SMD 7W 3000K 400lm Driver ✓

Body Polycarbonate/Policarbonato
Diff Opal Polycarbonate/Policarbonato Opal

IP65 IK10 100-240V 50/60HZ



TOM NEW

○ **70665** white/blanco
● **70666** black/negro

LED SMD 7W 3000K 400lm CRI>80 Driver ✓

Body Polycarbonate/Policarbonato
Diff Opal Polycarbonate/Policarbonato Opal

IP65 IK10 100-240V 50/60HZ



SUN

● **70823** dark grey/gris oscuro

LED SMD 5W 3000K 275lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP54 100-240V 50/60HZ





FRED XL NEW

● **70667** black/negro
○ **70668** white/blanco

LED SMD 11W 3000K 600lm CRI>80 Driver ✓

Body Polycarbonate/Policarbonato
Diff Opal Polycarbonate/Policarbonato Opal

IP65 IK10 100-240V 50/60HZ

TOM XL NEW

● **70682** black/negro
○ **70683** white/blanco

LED SMD 11W 3000K 600lm CRI>80 Driver ✓

Body Polycarbonate/Policarbonato
Diff Opal Polycarbonate/Policarbonato Opal

IP65 IK10 100-240V 50/60HZ

BACO

● **70819** grey/gris

LED SMD 6W 4000K 620lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP54 100-240V 50/60HZ









MOL

70720 dark grey/gris oscuro

E27 MAX 15W LED ⊗ [17463]

Body Die Cast Aluminium/Acero Inoxidable
Diff Opal Polycarbonate/Policarbonato Opal

IP44



NATRON

70887 dark grey/gris oscuro

E27 MAX 15W LED ⊗ [17437]

Body Die Cast Aluminium/Acero Inoxidable
Diff Transparent Glass/Cristal Transparente

IP54



TEJO

70573 dark grey/gris oscuro

E27 MAX 15W LED ⊗ [17463]

Body Die Cast Aluminium/Acero Inoxidable
Diff Polycarbonate/Policarbonato

IP54



FEDON

70714 matt nickel/níquel mate

E27 MAX 15W LED ⊗ [17463]

Body Stainless Steel/Acero Inoxidable
Diff Opal PVC/PVC Opal

IP54



CELA

72280 matt nickel/níquel mate

E27 MAX 15W LED ⊗ [17463]

Body Stainless Steel/Acero Inoxidable
Diff Opal Polycarbonate/Policarbonato Opal

IP54



CELA

72281 matt nickel/níquel mate

E27 MAX 15W LED ⊗ [17463]

Body Stainless Steel/Acero Inoxidable
Diff Opal Polycarbonate/Policarbonato Opal

IP54



CERES — Àlex&Manel Lluscà

● **71607** black/negro

E27 MAX 15W LED ⊗ [17437]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Polycarbonate/Policarbonato

IP44



CERES — Àlex&Manel Lluscà

● **71608** black/negro

2 E27 MAX 15W LED ⊗ [17437]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Polycarbonate/Policarbonato

IP44



ARGOT

● **71424** rust brown/marrón óxido

E27 MAX 15W LED ⊗ [17463]

Body Steel/Acero
Diff Bubble Glass/Cristal Burbuja

IP44



NEGUS

● **70696** grey/gris

E27 MAX 15W LED ⊗ [17463]

Body Die Cast Aluminium/Acero Inoxidable
Diff Opal Polycarbonate/Policarbonato Opal

IP54 IK08

BONN

● **70697** dark grey/gris oscuro

E27 MAX 15W LED ⊗ [17463]

Body Die Cast Aluminium/Acero Inoxidable
Diff PVC

IP44

ASKOT

○ **72020** white/blanco

E27 MAX 15W LED ⊗ [17463]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Translucent Glass/Cristal Translúcido

IP44





DERBY

◯ **72000** white/blanco
● **72001** black/negro

E27 MAX 15W LED ⊗ [17463]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Translucent Glass/Cristal Translúcido

IP44



ESTAY

◯ **72010** white/blanco
● **72011** black/negro

E27 MAX 15W LED ⊗ [17463]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Translucent Glass/Cristal Translúcido

IP44



CRIPTA

◯ **71002** white/blanco
● **71003** black/negro
● **71004** grey/gris

E27 MAX 15W LED ⊗ [17463]

Body PVC
Diff Striped Glass/Cristal Rallado

IP44



DERBY

◯ **72002** white/blanco

E27 MAX 15W LED ⊗ [17463]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Translucent Glass/Cristal Translúcido

IP44



RONDO

◯ **71010B** white/blanco
● **71011 N** black/negro

E27 MAX 15W LED ⊗ [17463]

Body ABS
Diff Translucent Glass/Cristal Translúcido

IP44



ÓVALO

◯ **71000** white/blanco
● **71001** black/negro

E27 MAX 15W LED ⊗ [17463]

Body PVC
Diff Striped Glass/Cristal Rallado

IP44



CEILING

TAMI

70799 dark grey/gris oscuro

LED COB 12W 3000K 960Lm CRI>80
Driver

Body Die Cast Aluminium/Aluminio Inyectado
Diff Transparent Glass/Cristal Transparente

IP54 100-240V 50/60HZ 40°



DAKYU

70719 white/blanco

E27 MAX 15W LED [17463]

Body ABS
Diff Opal Polycarbonate/Policarbonato Opal

SEA SIDE SUITABLE IP66 IK10



GOZ

70575 dark grey/gris oscuro

LED COB 8W 3000K 500lm CRI>80 Driver

Body Die Cast Aluminium/Aluminio Inyectado
Diff Glass/Cristal

IP54 100-240V 50/60HZ 40°



DAKRON

70722 white/blanco

E27 MAX 15W LED [17463]

Body ABS
Diff Opal Polycarbonate/Policarbonato Opal

SEA SIDE SUITABLE IP65 IK10

OLOT

71372 white/blanco

71374 dark grey/gris oscuro

GU10 MAX 8W LED [17317]

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP44



YEN

70690 grey/gris

E27 MAX 15W LED [17463]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Polycarbonate/Policarbonato Opal

IP54



TASA

70806 dark grey/gris oscuro

70821 white/blanco

E27 MAX 15W LED [17403]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Transparent Glass/Cristal Transparente

IP44



HELMET— Àlex&Manel Lluscà

71158 off white/blanco roto

71159 old brown/marrón envejec.

2 E27 MAX 15W LED [17437]

Body Metal
Diff Opal Glass/Cristal Opal

IP44



MAUREN

70993 brass/latón

E27 MAX 15W LED [17463]

Body Brass/Latón
Diff Striped Glass/Cristal Rallado

SEA SIDE SUITABLE | MADE IN EU | IP44

P.278
WALL

SUS
PEN
DED

HUE

— Nahtrang



OPAL PEMD

71568 grey+white/gris+blanco

E27 MAX 15W LED [17463]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal PEMD/PEMD Opal

IP44 1.2 MT



P.242 FLOOR

P.242 PORTABLE

MOON — Faro Team

74427+74437 dark grey/gris oscuro

E27 MAX 15W LED ⊗ [17437]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal PMMA/ PMMA Opal

IP44 1.5 MT



P.262
BOLLARD

P.288
WALL

BLUB'S — Estudi Ribaudí

74427+74430 dark grey/gris oscuro

E27 MAX 15W LED ⊗ [17437]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal PMMA/ PMMA Opal

IP44 1.5 MT



P.263-279
BOLLARDS

P.288
WALL

MISTU — Faro Team

74427+74428 dark grey/gris oscuro

E27 MAX 15W LED ⊗ [17437]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal PMMA/ PMMA Opal

IP44 1.5 MT



P.263-278
BOLLARDS

P.288
WALL

MUFFIN — Àlex&Manel Lluscà

74427+74429 dark grey/gris oscuro

E27 MAX 15W LED ⊗ [17437]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal PMMA/ PMMA Opal

IP44 1.5 MT



P.263-278
BOLLARDS



P.288
WALL

WILMA

74996 dark grey/gris oscuro

E27 MAX 15W LED ⊗ [17463]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Translucent Poly./Pol. Translúcido

IP44 1.5 MT



P.289
WALL

WILMA

75002 dark grey/gris oscuro

E27 MAX 15W LED ⊗ [17463]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Translucent Poly./Pol. Translúcido

IP44 1.5 MT



P.264
BOLLARD

PLEC — Àlex&Manel Lluscà

66214 old brown/marrón envejecido

66215 off white/blanco roto

LED 2xSMD 15W 2700K 2400lm CRI>80
Driver

Body Steel/Acero
Diff PVC

IP44 220-240V 50/60HZ



P.289
WALL

PLEC — Àlex&Manel Lluscà

66210 old brown/marrón envejecido

66211 off white/blanco roto

LED SMD 15W 2700K 2400lm CRI>80
Driver

Body Steel/Acero
Diff PVC

IP44 220-240V 50/60HZ 1,5 MT

PLEC — Àlex&Manel Lluscà

66212 old brown/marrón envejecido

66213 off white/blanco roto

LED SMD 15W 2700K 2400lm CRI>80
Driver

Body Steel/Acero
Diff PVC

IP44 220-240V 50/60HZ



HONEY NEW

73696 black/negro

E27 MAX 15W LED [17463]

Body Aluminium/Aluminio
Diff Striped Glass/Cristal Rallado

IP44 0.7 MT



P.291
WALL



NÁUTICA

71106 white+copper/blanco+cobre
71108 brown+copper/marrón+cobre
71138 rust brown/marrón óxido
71139 rust brown/marrón óxido

E27 MAX 15W LED ⊗ [17463]

Body Metal
Diff Bubble Glass/Cristal Burbuja

IP33 1 MT



NÁUTICA

71111 rust brown/marrón óxido

2 E27 MAX 15W LED ⊗ [17463]

Body Metal
Diff Bubble Glass/Cristal Burbuja

IP33 1 MT



P.281
POLE

NÁUTICA

71112 rust brown/marrón óxido

3 E27 MAX 15W LED ⊗ [17463]

Body Metal
Diff Bubble Glass/Cristal Burbuja

IP33 0.7 MT



P.290
WALL

SUSPENDED

NÁUTICA

71113 rust brown/marrón óxido

2 E27 MAX 15W LED ⊗ [17463]

Body Metal
Diff Bubble Glass/Cristal Burbuja

IP33 0.7 MT



NÁUTICA

71114 rust brown/marrón óxido

3 E27 MAX 15W LED ⊗ [17463]

Body Metal
Diff Bubble Glass/Cristal Burbuja

IP33 0.7 MT



ESTORIL

71142 rust brown/marrón óxido
71143 rust brown/marrón óxido

E27 MAX 15W LED ⊗ [17463]

Body Metal
Diff Bubble Glass/Cristal Burbuja

IP33 0.7 MT



P.290
WALL



OUTDOOR

PROJECTORS & SPIKES



70038 black/negro

LED 14W 3000K 830lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Glass/Cristal

IP65 100-240V 50/60HZ IK08 25° 1 MT

70036 black/negro

LED 14W 3000K 830lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Glass/Cristal

IP65 100-240V 50/60HZ IK08 25°

70037 black/negro

LED 14W 3000K 830lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Glass/Cristal

IP65 100-240V 50/60HZ IK08 25° 1 MT

70035 black/negro

LED 14W 3000K 830lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Glass/Cristal

IP65 100-240V 50/60HZ IK08 25°







NEW
SLOT
— Lucid

FLOW — Alegre Design

● **71546** black/negro

● **71547** beige/beige

GU 10 MAX 8W LED ⊗ [● 17324 ● 17330]

Body Polycarbonate/Policarbonato
Diff PMMA

SEA SIDE SUITABLE

IP65 2.5 MT

160° 180°



SPIKE ACCESSORY



● **71548** black/negro

● **71549** beige/beige

Body Metal



WALL



SPIKE

TONI — Alegre Design

71528 black/negro

GU10 MAX 8W LED [17330]

Body PMMA
Diff Polycarbonate/Policarbonato

SEA SIDE SUITABLE

IP65 2.5 MT 160° 180°



ALFA — Àlex&Manel Lluscà

70025 dark grey/gris oscuro

70026 **NEW** dark grey/gris oscuro

LED COB 14W CRI>80 Driver
3000K [70025] 900lm
4000K [70026] 1000lm **NEW**

Body Die Cast Aluminium/Aluminio Inyectado
Diff Transparent Glass/Cristal Transparente

IP65 100-240V 50/60HZ 80° 160° 180°







PROJECT — Àlex&Manel Lluscà

71382 grey/gris

71389 dark grey/gris oscuro

E27 PAR 38 MAX 15W LED ✕ [17400]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Transparent Glass/Cristal Transparente

IP65 95° 340°



MINIPROJECT — Àlex&Manel Lluscà

71383 grey/gris

71390 dark grey/gris oscuro

GU10 MAX 8W LED ✕ [17317]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Transparent Glass/Cristal Transparente

IP65 90° 95° 340°

OKI NEW

70160 dark grey/gris oscuro

LED COB 2W 3000K 110lm CRI>80
Driver ✕ [98324015] [IP67:98111031]
Spike ✕ [70525]

Body Aluminium/Aluminio
Diff Glass/Cristal

IP65 III DC 12/24V 0.5 MT 30°

OKO NEW

70161 dark grey/gris oscuro

LED COB 20W 3000K 1500lm CRI>80
Driver ✓ Spike ✕ [70525]

Body Aluminium/Aluminio
Diff Glass/Cristal

IP65 IK08 220-240V 50/60HZ 30°











LIT

70260 dark grey/gris oscuro

GU10 MAX 8W LED ✕ [17317]

Body Aluminium/Aluminio
Diff Glass/Cristal

IP54 | 100-240V | 50/60HZ | 20° | 90° 90°



FOC

70156 dark grey/gris oscuro

LED COB 15W 3000K 800lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Glass/Cristal

IP65 | 220-240V | 50/60HZ | 36° | 90° 180°



FOC

70157 dark grey/gris oscuro

LED COB 15W 3000K 800lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Glass/Cristal

IP65 | 220-240V | 50/60HZ | 36° | 90° 180°



TORAN

70140 dark grey/gris oscuro

LED SMD 5W 4000K 345lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Transparent Glass/Cristal Transparente

IP44 | IK08 | 220-240V | 50/60HZ | 115° | 50° 50° | 2 MT



SHOW NEW

71095 dark grey/gris oscuro

LED 12W 3000K 500lm CRI>80 Driver ✓
Spike ✕ [70525]

Body Aluminium/Aluminio
Diff Glass/Cristal

IP67 | 10°-60° | 1 MT | 100-240V | 50/60HZ







KEW

70407 grey/gris

LED 6W 4000K 420lm CRI>80
Driver ✕ [98111031]

Body 316 Stainless Steel/Acero Inox 316
Diff Transparent PMMA/PMMA Transparente

IP68 | III | 12V | 90° 90°

Visit faro.es to consult how to install it.
Visita faro.es para consultar su instalación.



FLUX

70649 dark grey/gris oscuro

LED SMD 10W 3000K 450lm CRI>80 Driver ✓
Spike ✗ [70525]

Body Aluminium/Aluminio
Diff Opal Polycarbonat/Policarbonato Opal

IP54 IK08 220-240V 50/60HZ 90° 160° 180° 2 MT



KARL

70261 dark grey/gris oscuro

LED SMD 12W 3000K 1100lm CRI>80
Driver ✓

Body Aluminium/Aluminio
Diff Tempered Glass/Cristal Templado

IP65 220-240V 50/60HZ 110°



VIC

70581 dark grey/gris oscuro

LED SMD 52W 3000K 2400lm CRI>80
Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Transparent Glass/Cristal Transparente

IP65 IK07 100-240V 50/60HZ 25° 90° 180°





SOBEK

70151 black/negro

LED COB 7W 3000K 550lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Transparent Glass/Cristal Transparente

IP65 100-240V 50/60HZ 50° 0.2 MT ✓



BALDER

70469 black/negro

LED SMD 3W 3000K 110lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP67 100-240V 50/60HZ 50° 2 MT ✓



NEW PICCOLA

— Faro Team

70245 black/negro

70246 white/blanco

LED SMD 6W 2700K 360lm CRI>80

Driver

Body Metal

Diff Opal PMMA/PMMA Opal

IP65 100-240V 50/60HZ IK10 1.5 MT





SETH-60

70226 black/negro

LED SMD 6W 2700K 450lm CRI>80 Driver

Body Aluminium/Aluminio
Diff PMMA

IP44 220-240V 50/60HZ 40° 2 MT



SETH-28

70227 black/negro

LED SMD 6W 2700K 450lm CRI>80 Driver

Body Aluminium/Aluminio
Diff PMMA

IP44 220-240V 50/60HZ 40° 2 MT



FOC

70158 dark grey/gris oscuro

LED COB 15W 3000K 800lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP65 220-240V 50/60HZ 36° 90° 180° 0.5 MT



TONO

73150 black/negro

GU10 MAX 8W LED [17325]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Transparent Glass/Cristal Transparente

IP44 1.8 MT



FOC

70159 dark grey/gris oscuro

LED COB 15W 3000K 800lm CRI>80 Driver

Body Die Cast Aluminium/Aluminio Inyectado
Diff Glass/Cristal

IP65 220-240V 50/60HZ 36° 90° 180° 0.5 MT

GARTEN-1

73100 black/negro

Body Heat-Resistant ABS/
ABS Termoresistente

IP44 100-240V 50/60HZ 2 MT

GARTEN-4

73111 black/negro

E27 PAR 38 MAX 15W LED [17400]

Body Heat-Resistant ABS/
ABS Termoresistente

IP44 100-240V 50/60HZ 2.5 MT







RE
CES
SED

GALO

70265 white/blanco

LED CREE 3W 3000K 200lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Tempered Glass/Cristal Templado

IP54 IK05 100-240V 50/60HZ 73X73





GALO

70266 white/blanco

LED CREE 3W 3000K 200lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Tempered Glass/Cristal Templado

IP54 IK05 100-240V 50/60HZ 73X73





DANG

70446 black/negro

LED CREE 3W 3000K 200lm CRI>80 Driver [98324015]

Body Aluminium+316 Stainless Steel/ Aluminio+Acero Inox 316

SEA SIDE SUITABLE IP67 IK05 24 VDC 40°

Visit faro.es to consult how to install it.
Visita faro.es para consultar su instalación.



NASE

70395 white/blanco

70398 dark grey/gris oscuro

LED SMD 3W 3000K 100lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Polycarbonate/Policarbonato

IP44 220-240V 50/60HZ 120°

92X87X80



NASE

70396 white/blanco

70399 dark grey/gris oscuro

LED SMD 3W 3000K 100lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Polycarbonate/Policarbonato

IP44 220-240V 50/60HZ 120°

132X90X80



UVE

70397 dark grey/gris oscuro

LED SMD 2W 3000K 70lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Polycarbonate/Policarbonato

IP44 IK08 220-240V 50/60HZ 120°

Ø78



SPARK NEW

● **70162** dark grey/gris oscuro
○ **70163** white/blanco

LED SMD 5W 3000K 190lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Polycarbonate/Policarbonato

IP65 100-240V 50/60HZ ✓







STRIPE NEW

● **72092** dark grey/gris oscuro
○ **72093** white/blanco

LED SMD 5W 3000K 50lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Polycarbonate/Policarbonato

IP54 IK07 100-240V 50/60HZ ✓

LISO

○ **71490** white/blanco
● **71491** black/negro

E27 MAX 15W LED ✗ [17463]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Polycarbonate/Policarbonato

IP44 ✗ 71482 230X89

RECESSED BOX

71482 ●



SPARK NEW

● **70164** dark grey/gris oscuro
○ **70165** white/blanco

LED SMD 5W 3000K 60lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Polycarbonate/Policarbonato

IP65 100-240V 50/60HZ ✓







STRIPE NEW

○ **72094** white/blanco
● **72095** dark grey/gris oscuro

LED SMD 5W 3000K 70lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Polycarbonate/Policarbonato

IP54 IK07 100-240V 50/60HZ ✓

ESCA

○ **71480** white/blanco
● **71481** black/negro

E27 MAX 15W LED ✗ [17463]

Body Metal/Metal
Diff Polycarbonate/Policarbonato

IP44 ✗ 71482 230X89

RECESSED BOX

71482 ●



SOUN

70900 dark grey/gris oscuro

LED SMD 6W 3000K 472lm CRI>80 Driver

Body Die Cast Aluminium/Aluminio Inyectado
Diff Tempered Glass/Cristal Templado

IP65 IK08 100-240V 50/60HZ 120°

183X225X70





SOUN NEW

70833 dark grey/gris oscuro

70834 white/blanco

LED SMD 5W 3000K 290lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Glass/Cristal

IP65 IK08 100-240V 50/60HZ 120°

220X950655





FILTER

70450 dark grey/gris oscuro

LED 2W 2700K 75lm CRI>80 Driver

Body Die Cast Aluminium/Aluminio Inyectado
Diff Tempered Glass/Cristal Templado

IP65 IK10 100-240V 50/60HZ 120°

98X160X85



STORE

70451 dark grey/gris oscuro

LED SMD 2W 2700K 90lm CRI>80 Driver

Body Die Cast Aluminium/Aluminio Inyectado
Diff Tempered Glass/Cristal Templado

IP65 IK10 100-240V 50/60HZ 120°

98X160X85

MINI CARTER

70402 dark grey/gris oscuro

LED SMD 1W 4000K 30lm CRI>80 Driver

Body Die Cast Aluminium/Aluminio Inyectado
Diff Transparent PVC/PVC Transparente

IP44 IK08 220-240V 50/60HZ 45°

Ø76





MINI RACING

70403 dark grey/gris oscuro

LED SMD 1W 4000K 30lm CRI>80 Driver

Body Die Cast Aluminium/Aluminio Inyectado
Diff Transparent PVC/PVC Transparente

IP44 IK08 220-240V 50/60HZ 45°

Ø76





SEDNA

70146 dark grey/gris oscuro

LED SMD 1W 3000K 22lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Glass/Cristal

IP65 IK08 100-240V 50/60HZ 70°

80X75



SEDNA

70147 dark grey/gris oscuro

LED SMD 3W 3000K 93lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Glass/Cristal

IP65 IK08 100-240V 50/60HZ 70°

125X58





SEDNA

70148 dark grey/gris oscuro

LED SMD 3W 3000K 122lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Glass/Cristal

IP65 IK08 100-240V 50HZ 70°

128X112



NAT

70638 dark grey/gris oscuro
70271 **NEW** white/blanco

LED SMD 8W 3000K 330lm CRI>80 Driver

Body Die Cast Aluminium/Aluminio Inyectado

IP65 IK08 100-240V 50/60HZ 120°

215X65X70





HORUS

70155 grey/gris

LED SMD 4W 3000K 55lm CRI>80 Driver

Body Die Cast Aluminium/Aluminio Inyectado
Diff Polycarbonate/Policarbonato

IP65 100-240V 50/60HZ 50° 62X98





HORUS

70154 grey/gris

LED SMD 4W 3000K 50lm CRI>80 Driver

Body Die Cast Aluminium/Aluminio Inyectado
Diff Trans. Polycarbonate/Policarbonato Trans.

IP65 IK08 100-240V 50/60Hz 50°

62X98





GRUND

70726 matt nickel/níquel mate

LED COB 2W 3000K 152lm CRI>90
Driver ⊗ [98310206E]

Body Aluminium+Stainless Steel 316/
Aluminio+Acero Inoxidable 316

SEA SIDE SUITABLE | IP67 | IK08 | III

700 mA | 15° | 1000KG. 2204LB. | Ø32

Visit faro.es to consult how to install it.
Visita faro.es para consultar su instalación.



GRUND

70728 matt nickel/níquel mate

LED COB 7W 3000K 420lm CRI>90
Driver ⊗ [98310110]

Body Aluminium+Stainless Steel 316/
Aluminio+Acero Inoxidable 316

SEA SIDE SUITABLE | IP67 | IK08 | III

350 mA | 36° | 1000KG. 2204LB. | Ø60

Visit faro.es to consult how to install it.
Visita faro.es para consultar su instalación.



GRUND

70729 matt nickel/níquel mate

LED COB 13W 3000K 846lm CRI>90
Driver ⊗ [98310125]

Body Aluminium+Stainless Steel 316/
Aluminio+Acero Inoxidable 316

SEA SIDE SUITABLE | IP67 | IK08 | III

350 mA | 36° | 1000KG. 2204LB. | Ø68

Visit faro.es to consult how to install it.
Visita faro.es para consultar su instalación.



KANE

70660 matt nickel/níquel mate

LED 3W 3000K 120lm CRI>80
Driver ⊗ [98324015]

Body 316 Stainless Steel/Acero Inox 316
Diff Glass/Cristal

SEA SIDE SUITABLE | IP67 | IK08 | III | 24 VDC

1000KG. 2204LB. | 120° | Ø40

Visit faro.es to consult how to install it.
Visita faro.es para consultar su instalación.





KANE

70661 matt nickel/níquel mate

LED 3W 3000K 120lm CRI>80
Driver ⊗ [98324015]

Body 316 Stainless Steel/Acero Inox 316
Diff Glass/Cristal

SEA SIDE SUITABLE | IP67 | IK08 | III | 24 VDC

1000KG. 2204LB. | 120° | Ø40

Visit faro.es to consult how to install it.
Visita faro.es para consultar su instalación.





KANE

70662 matt nickel/níquel mate

LED 3W 3000K 120lm CRI>80
Driver ⊗ [98324015]

Body 316 Stainless Steel/Acero Inox 316
Diff Glass/Cristal

SEA SIDE SUITABLE | IP67 | IK08 | III | 24 VDC

1000KG. 2204LB. | 120° | Ø40

Visit faro.es to consult how to install it.
Visita faro.es para consultar su instalación.





FRUM

70445 black/negro

LED CREE 6W 3000K 200lm CRI>80
Driver [98324015]

Body Aluminium+316 Stainless Steel/ Aluminio+Acero Inox 316

SEA SIDE SUITABLE | IP67 | IK05 | 24 VDC | 24°

Visit faro.es to consult how to install it.
Visita faro.es para consultar su instalación.



CROSBY

70458N matt nickel/níquel mate

LED HIGH POWER 2W 6000K 85lm CRI>80
Driver

Body 316 Stainless Steel/Acero Inox 316
Diff Glass/Cristal

SEA SIDE SUITABLE | IP67 | IK08 | 120-240V | 50/60HZ

120°



CROSBY

70459N matt nickel/níquel mate

LED HIGH POWER 2W 3000K 77lm CRI>80
Driver

70453 matt nickel/níquel mate

LED HIGH POWER 2W 3000K 77lm CRI>80
Driver [98324015]

Body 316 Stainless Steel/Acero Inox 316
Diff Glass/Cristal

SEA SIDE SUITABLE | IP67 | IK08 | 100-240V | 50/60HZ

120°



CURTIS

70462N matt nickel/níquel mate

LED HIGH POWER 2W 3000K 77lm CRI>80
Driver

Body 316 Stainless Steel/Acero Inox 316
Diff Glass/Cristal

SEA SIDE SUITABLE | IP67 | IK08 | 100-240V | 50/60HZ

45°



FROL

70135 matt nickel/níquel mate

LED SMD 0,8W 3000K 55lm CRI>80 Driver

Body 304 Stainless Steel/Acero Inox 304
Diff Polycarbonate/Policarbonato

IP65 220-240V 50/60HZ 92X92X50





GRON

70134 matt nickel/níquel mate

LED SMD 1W 3000K 70lm CRI>80 Driver

Body 304 Stainless Steel/Acero Inox 304
Diff Polycarbonate/Policarbonato

IP65 220-240V 50/60HZ 105X66X50





LED -18

71498N matt nickel/níquel mate

LED HIGH POWER 3W 3000K 40lm CRI>80 Driver

Body 316 Stainless Steel/Acero Inox 316
Diff Opal Glass/Cristal Opal

SEA SIDE SUITABLE IP67 IK08 100-240V 50/60HZ

1000KG. 2204LB.



LED -18

71499N matt nickel/níquel mate

LED HIGH POWER 3W 3000K 30lm CRI>80 Driver

Body 316 Stainless Steel/Acero Inox 316
Diff Opal Glass/Cristal Opal

SEA SIDE SUITABLE IP67 IK08 220-240V 50/60HZ

1000KG. 2204LB.

LED -18

71497N matt nickel/níquel mate

LED HIGH POWER 3W 6000K 40lm CRI>80 Driver

Body 316 Stainless Steel/Acero Inox 316
Diff Opal Glass/Cristal Opal

SEA SIDE SUITABLE IP67 IK08 220-240V 50/60HZ

1000KG. 2204LB.

LED -18

71496N matt nickel/níquel mate

LED HIGH POWER 3W 6000K 50lm CRI>80 Driver

Body 316 Stainless Steel/Acero Inox 316
Diff Opal Glass/Cristal Opal

SEA SIDE SUITABLE IP67 IK08 100-240V 50/60HZ

1000KG. 2204LB.

GEISER NEW

70302 matt nickel/níquel mate

70303 matt nickel/níquel mate

LED COB 7W 3000K 400lm Driver
10° [70302] 38° [70303]

Cover 316 Stainless Steel/Acero Inox 316
Body Aluminium/Aluminio
Diff Temepered Glass/Cristal Templado

SEA SIDE SUITABLE | ORIENTABLE | IP67

100-240V 50/60HZ IK08 10° 38° -20° 20°

2000KG. 4409LB.





GEISER NEW

70305 matt nickel/níquel mate

LED COB 7W 3000K 400lm Driver

Cover 316 Stainless Steel/Acero Inox 316
Body Aluminium/Aluminio
Diff Temepered Glass/Cristal Templado

SEA SIDE SUITABLE | ORIENTABLE

IP67 100-240V 50/60HZ IK08 38° -20° 20°

2000KG. 4409LB.



GEISER NEW

70304 matt nickel/níquel mate

GU10 MAX 8W [17324]

Cover 316 Stainless Steel/Acero Inox 316
Body Aluminium/Aluminio
Diff Temepered Glass/Cristal Templado

SEA SIDE SUITABLE | ORIENTABLE

IP67 100-240V 50/60HZ IK08 -20° 20°

2000KG. 4409LB.



GEISER NEW

70306 matt nickel/níquel mate

70307 matt nickel/níquel mate

LED COB 32W 3000K 2300lm Driver
10° [70306] 38° [70307]

Cover 316 Stainless Steel/Acero Inox 316
Body Aluminium/Aluminio
Diff Temepered Glass/Cristal Templado

SEA SIDE SUITABLE | ORIENTABLE | IP67

100-240V 50/60HZ IK08 10° 38° -25° 25°

2000KG. 4409LB.





SURIA-3

70592N matt nickel/níquel mate

LED COB 3W 3000K 175lm CRI>80 Driver

Body 316 Stainless Steel/Acero Inox 316
Diff Glass/Cristal

SEA SIDE SUITABLE | IP67 | IK08 | 100-240V | 50/60HZ

1000KG. 2204LB. | 60°











SURIA-12

70589 matt nickel/níquel mate

LED COB 12W 3000K 870lm CRI>80 Driver

Body 316 Stainless Steel/Acero Inox 316
Diff Glass/Cristal

SEA SIDE SUITABLE | IP67 | IK08 | 100-240V | 50/60HZ

1000KG. 2204LB. | 24°

SURIA-12

70593N matt nickel/níquel mate

LED COB 12W 3000K 970lm CRI>80 Driver

Body 316 Stainless Steel/Acero Inox 316
Diff Glass/Cristal

SEA SIDE SUITABLE | IP67 | IK08 | 100-240V | 50/60HZ

1000KG. 2204LB. | 60°

SURIA-3

70588 matt nickel/níquel mate

LED COB 3W 3000K 190lm CRI>80 Driver

Body 316 Stainless Steel/Acero Inox 316
Diff Glass/Cristal

SEA SIDE SUITABLE | IP67 | IK08 | 100-240V | 50/60HZ

1000KG. 2204LB. | 24°



SURIA-24

70586 matt nickel/níquel mate

LED COB 24W 3000K 1290lm CRI>80 Driver

Body 316 Stainless Steel/Acero Inox 316
Diff Glass/Cristal

SEA SIDE SUITABLE | IP67 | IK08 | 100-240V | 50/60HZ

1000KG. 2204LB. | 24°





SURIA-24

70587 matt nickel/níquel mate

LED COB 24W 3000K 1270lm CRI>80 Driver

Body 316 Stainless Steel/Acero Inox 316
Diff Glass/Cristal

SEA SIDE SUITABLE | IP67 | IK08 | 100-240V | 50/60HZ

1000KG. 2204LB. | 60°





SALT ASIMETRIC

70591 matt nickel/níquel mate

LED COB 9W 3000K 500lm CRI90 Driver

Body 316 Stainless Steel/Acero Inox 316
Diff Glass/Cristal

SEA SIDE SUITABLE | IP67 | IK08 | 100-240V | 50/60HZ

2000KG. 4409LB. | 45°



TARO

70449 matt nickel/níquel mate

LED COB 7W 3000K 280lm CRI>80 Driver

Body 316 Stainless Steel/Acero Inox 316
Diff Glass/Cristal

SEA SIDE SUITABLE | IP67 | IK08 | 100-240V | 50/60HZ

600KG. 1322LB. | 30°



EDEL

70455 matt nickel/níquel mate

LED HIGH POWER 18W 4000K 900lm CRI>80
Driver [46067]

Body 316 Stainless Steel/Acero Inox 316
Diff Glass/Cristal

SEA SIDE SUITABLE | IP68 | IK08 | 24 VDC | 50/60HZ

1000KG. 2204LB. | 25° | Ø156

Very important: to be used only underwater
Importante: uso exclusivo sólo bajo el agua

Visit faro.es to consult how to install it.
Visita faro.es para consultar su instalación.



EDEL RGB

70456 matt nickel/níquel mate

LED HIGH POWER 18W CRI>80
Driver [46067]

Body 316 Stainless Steel/Acero Inox 316
Diff Glass/Cristal

SEA SIDE SUITABLE | IP68 | IK08 | 24 VDC | 50/60HZ

1000KG. 2204LB. | 25° | Ø156

Very important: to be used only underwater
Importante: uso exclusivo sólo bajo el agua

Visit faro.es to consult how to install it.
Visita faro.es para consultar su instalación.



RGB ACCESSORIES

46067 24V 20W
70472 LED RGB MASTER 24V 72W
70474 Control remoto IR RGB
70475 Receptor IR RGB
70476 LED RGB SLAVE 24V 72W

TECNO-1

71483 matt nickel/níquel mate

E27 MAX 15W LED [17463]

Body 316 Stainless Steel/Acero Inox 316
Diff Glass/Cristal

SEA SIDE SUITABLE | IP67 | IK08

2000KG. 4409LB.



TECNO-6

71489N matt nickel/níquel mate

GU10 MAX 8W LED [17324]

Body 316 Stainless Steel/Acero Inox 316
Diff Glass/Cristal

SEA SIDE SUITABLE | IP67 | IK08

2000KG. 4409LB.



LIO

71495 matt nickel/níquel mate

GX53 6W 3000K 330lm [17340]

Body 316 Stainless Steel/Acero Inox 316
Diff Glass/Cristal

SEA SIDE SUITABLE | IP67 | IK10

2000KG. 4409LB.



GRAVA

70447 matt nickel/níquel mate

LED 22W 3000K 900lm CRI>80
Transformer [98324076]

Body 316 Stainless Steel/Acero Inox 316
Diff Glass/Cristal

SEA SIDE SUITABLE | IP67 | IK07 | III | 24 VDC

1000KG. 2204LB. | 30° | 528X70X80



GRAVA

70448 matt nickel/níquel mate

LED 42W 3000K 2000lm CRI>80
Transformer [98324076]

Body 316 Stainless Steel/Acero Inox 316
Diff Glass/Cristal

SEA SIDE SUITABLE | IP67 | IK07 | III | 24 VDC

1000KG. 2204LB. | 22° | 1008X70X80



FAN

HOW TO CHOOSE YOUR CEILING FAN
CÓMO ELEGIR TU VENTILADOR

STEP 1
SIZE/TAMAÑO

XL
EXTRA LARGE
EXTRA GRANDE

> 28 m2

≥ø165 cm

L
LARGE
GRANDE

> 17,6-28 m2

≥ø132 cm

M
MEDIUM
MEDIANO

13 - 17,6 m2

ø107-132 cm

S
SMALL
PEQUEÑO

< 13 m2

≤ø107 cm

STEP 2
LIGHT/LUZ

WITH LIGHT
CON LUZ



ADDITIONAL LIGHT
LUZ ADICIONAL

WITHOUT LIGHT
SIN LUZ

STEP 3
DESIGN/DISEÑO

WHY CHOOSE A FARO'S FAN
POR QUÉ ELEGIR UN VENTILADOR FARO

ALL
YEAR ROUND

ALL YEAR ROUND
TODO EL AÑO

Reverse function
Función inversa

15
YEARS

ENGINE GUARANTEE
GARANTÍA DEL MOTOR

Engine guaranteed for 15 years
Motor con garantía de 15 años

HIGH PERFORMANCE
ALTA CALIDAD

Quality control at our laboratory
Control de calidad en nuestro propio laboratorio

ENERGY SAVING
AHORRO

Over 50% energy saving
Más del 50% de ahorro energético

MOTOR DC ADVANTAGES
VENTAJAS MOTOR DC

UP TO
70%
LESS ELECTRICITY

ENERGY SAVING
AHORRO

LIGHT WEIGHT
MÁS LIGERO

NOISELESS
SILENCIOSO

6
SPEEDS

6 SPEEDS
6 VELOCIDADES

LONG LIFE
MAYOR VIDA

COMPARATIVE CHART

	DIMENSIONS				TECHNOLOGY			STYLE		LIGHT			ACCESSORIES					
MODEL	S	M	L	XL	Motor DC	IP44	Summer Winter	Class,	Mod,	With light	Without light	LED	Control remote	Wall control	Chain	Kit luz	Without rod	Inclining roof
Alo (Light)													✓					
Alo																		
Aloha													✓					
Andros													✓					
Aoba NEW													✓					
Bahamas													✓					
Cebu													✓					
Century													✓					
Chicago													✓					
Cies NEW													✓					
Cocos													✓					
Corso													✗		✓			
Cuba													✗		✓			
Disc													✓					
Easy													✓					
Eco Indus													✗	✓				
Eterfan													✓			✓		
Factory															✓			
Faretto													✓					
Feroe													✓					
Fogo													✓					
Galápago													✗		✓			
Grid NEW													✓					
Ibiza													✓					
Icaria													✓					
Ice													✓					
Indus														✓				
Itaca													✓					
Izaro NEW													✓					
Just Fan NEW													✓					
Just Fan													✓			✓		
Just Fan G NEW													✓					
Keiki														✓				
Komodo NEW															✓			
Lama													✓					
Lantau													✓					
Lantau-G													✓					
Lantau-G (Light)													✓					
Leyte													✓					
Lisboa													✗		✓			
Lombok													✗		✓			
Luzon													✓					
Mallorca													✓					
Malvinas														✓				

	DIMENSIONS				TECHNOLOGY			STYLE		LIGHT			ACCESSORIES					
MODEL	S	M	L	XL	Motor DC	IP44	Summer Winter	Class,	Mod,	With light	Without light	LED	Control remote	Wall control	Chain	Kit luz	Without rod	Inclining roof
Manhattan NEW				■	■		■		■	■		■	✓					■
Manila			■				■	■		■			✗		✓		■	■
Mediterráneo	■								■	■					✓			
Meno NEW				■			■		■		■		✓					■
Mini Eterfan		■			■		■		■		■		✓			■		
Mini Icaria	■						■		■	■			✓					■
Mini Indus	■								■		■			✓				
Mini Lantau NEW	■						■	■			■		✓					■
Mini Mallorca	■								■		■		✓					■
Mini Tube		■							■		■		✓					
Mini Ufo	■						■		■	■			✓					
Molokai		■			■		■		■				✓			■		■
Morea NEW			■		■		■	■			■		✓					■
Nassau		■			■		■		■		■		✓					■
Nias			■		■		■		■		■		✓					
Nisos				■			■		■		■		✗		✓		■	■
Nova			■				■		■				✓			■		■
Nu NEW			■		■		■		■		■		✓					■
Nu (Light) NEW			■		■		■		■	■		■	✓					■
Oboe	■						■		■		■							■
Ovni			■				■	■		■			✓					■
Palao	■						■	■		■			✗		✓		■	■
Palk			■		■		■		■	■			✓					■
Panay		■							■	■			✓					■
Pemba			■		■		■		■		■		✓					
Phuket		■					■		■	■		■	✓					■
Polaris			■		■		■			■		■	✓					■
Polea NEW			■		■		■	■			■		✓					■
Sioux			■		■	■	■				■		✓					■
Tabarca NEW			■				■		■	■		■	✓					■
Tilos				■	■		■		■	■			✓					■
Timor			■				■	■		■		■	✓					
Tonic			■		■		■		■		■	■	✓					■
Tonsay			■				■		■	■			✓					
Tube			■						■		■		✓					
Typhoon			■		■	■	■		■				✓			■		■
Vanu			■				■		■	■			✓				■	■
Vedra	■								■		■		✗	✓				■
Veneto	■						■		■	■			✗		✓		■	■
Vulcano			■		■		■		■	■		■	✓					■
Winch			■				■	■		■			✓				■	■
Winche			■		■	■	■		■				✓			■		■
Wind			■				■		■	■			✓					
Yakarta		■					■	■			■		✗		✓		■	■

XL

MANHATTAN NEW

244 96 INCH | DC MOTOR | ALL YEAR ROUND | REMOTE CONTROL | INCLINING ROOF

FINISHES/ACABADOS

Ref.	Body	Blades
33496 NEW	matt nickel/ níquel mate	matt nickel/ níquel mate

LED LIGHT SOURCE/FUENTE DE LUZ LED

LED SMD 16W 3000K 800lm CRI>80 Driver
Diff Polycarbonate/Policarbonato

GENERAL FEATURES/INFO GENERAL

Body Steel/Acero
Blades (9) Aluminium/Aluminio

MOTOR FEATURES/INFO MOTOR

W 15-20-25-30-35-56
RPM 50-55-60-65-70-78
Airflow 269,12 m³ min/9500 CFM
Voltage (V/Hz) 220-240/50-60

OPT. DOWNROD/TIJAS OPC. P. 541

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
360/14,17"	325/12,79"	200/7,87"	130/5,12"	55/2,16"	130/5,12"	2440/96"	1160/45,67"

EXTRA LARGE

33463

33505

LANTAU

168
66 INCH

ALL
YEAR ROUND

REMOTE CONTROL

INCLINING ROOF

FINISHES/ACABADOS

Ref.	Body	Blades
33463	 matt nickel níquel mate	dark walnut nogal oscuro
33505	 matt nickel níquel mate	pine/pino

LED LIGHT SOURCE/FUENTE DE LUZ LED

LED SMD 12W 3000K 1000lm CRI>80 Driver
Diff Opal PMMA/PMMA Opal

GENERAL FEATURES/INFO GENERAL

Body Steel/Acero
Blades (3) Natural Wood/Madera Natural

MOTOR FEATURES/INFO MOTOR

W 25-47-90
RPM 70-100-140
Airflow 261,6 m³ min/9235 CFM
Voltage (V/Hz) 220-240/50

OPT. DOWNROD/TIJAS OPC. P. 541

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
410/16,1"	335/13,2"	250/9,82"	180/7,05"	70/2,79"	ø150/5,9"	ø1680/66,1"	840/33"

EXTRA LARGE

P.377 XL
P.459 L
P.511 S

TILOS

168 66 INCH | DC MOTOR | ALL YEAR ROUND | REMOTE CONTROL | INCLINING ROOF

FINISHES/ACABADOS

Ref.	Body	Blades
33466	dark brown marrón oscuro	dark brown marrón oscuro

LIGHT SOURCE/FUENTE DE LUZ

2 E27 MAX 15W LED ⊗ [17463]
Diff Opal Glass/Cristal Opal

GENERAL FEATURES/INFO GENERAL

Body Steel/Acero
Blades (8) MDF ABS

MOTOR FEATURES/INFO MOTOR

W 4-6-9-14-21-35
RPM 31-43-55-67-78-95
Airflow 264,05 m³ min/9325 CFM
Voltage (V/Hz) 220-240/50-60

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
500/19,6"	440/17,3"	290/11,4"	220/8,6"	60/2,3"	ø140/5,51"	ø1685/66,3"	750/29,5"

OPTIONAL DOWNROD (not included)

34005		1220mm/4,8"	dark brown marrón oscuro
34004		900mm/3,5"	dark brown marrón oscuro
34003		600mm/2,3"	dark brown marrón oscuro

33553

33554

CENTURY

165
65 INCH

DC
MOTOR

ALL
YEAR ROUND

REMOTE CONTROL

INCLINING ROOF

FINISHES/ACABADOS

Ref.	Body	Blades
33553	white/blanco	white/blanco
33554	 matt nickel/ níquel mate	grey/gris

LED LIGHT SOURCE/FUENTE DE LUZ LED

LED SMD 15W 3000K 1200lm CRI>80 Driver
Diff Opal PMMA/PMMA Opal

GENERAL FEATURES/INFO GENERAL

Body Steel/Acero
Blades (8) MDF Wood/Madera MDF

MOTOR FEATURES/INFO MOTOR

W 5-8-12-17-25-35
RPM 60-80-95-110-125-140
Airflow 233,41 m³ min/8243 CFM
Voltage (V/Hz) 220-240/50-60

OPT. DOWNROD/TIJAS OPC. P. 541

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
330/12,6"	250/9,8"	170/6,7"	150/5,9"	50/1,96"	ø130/5,11"	ø1650/64,9"	750/29,5"


JUSTFAN
— Conillas

JUSTFAN NEW

178 70 INCH | DC MOTOR | OPTIONAL LED DOWNLIGHT | ALL YEAR ROUND | REMOTE CONTROL | INCLINING ROOF

FINISHES/ACABADOS

Ref.	Body	Blades
33430 NEW	matt black/ negro mate	dark walnut/ nogal oscuro

GENERAL FEATURES/INFO GENERAL

Body Metal
Blades (3) ABS

MOTOR FEATURES/INFO MOTOR

DC MOTOR
W 4-6-9-13-22-32
RPM 51-77-103-129-155-185
Airflow 145,66 m3 min/5144 CFM
Voltage (V/Hz) 220-240/50-60

OPTIONAL DOWNROD

Downrods (3) Included

100mm/3,9" | 200mm/7,8" | 450mm/17,7"

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
640/25,2"	630/24,8"	180/7,05"	ø130/5,1"	55/2,1"	ø130/5,1"	ø1780/70"	890/35"

EXTRA LARGE

OPTIONAL LED LIGHT SOURCE/FUENTE DE LUZ LED

33391		black/ negro	SMD LED 13W 3000K, 600 Lm, CRI>80 Driver ✓ **Body** Metal **Diff** Opal Glass

P.487 M


P.527 S



33461

33462

33465

ANDROS

213 84 INCH | DC MOTOR | ALL YEAR ROUND | REMOTE CONTROL | INCLINING ROOF

FINISHES/ACABADOS

Ref.	Body	Blades
33461	white/blanco	white/blanco
33462	 brown/marrón	brown/marrón
33465	matt nickel níquel mate	aluminium aluminio

GENERAL FEATURES/INFO GENERAL

Body Steel/Acero
Blades (3) Aluminium/Aluminio

MOTOR FEATURES/INFO MOTOR

W 4-6-10-15-22-35
RPM 30-41-53-64-74-88
Airflow 406,40 m³ min/14352 CFM
Voltage (V/Hz) 220-240/50-60

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
460/18,1"	425/16,7"	220/8,6"	240/9,4"	50/2"	ø150/5,9"	ø2133/83,9"	950/37,4"

OPTIONAL DOWNROD (not included)

	34002	1220mm/4,8in	matt nickel níquel mate
	34008	1220mm/4,8in	brown marrón
	34011	1220mm/4,8in	white blanco
	34001	900mm/3,5in	matt nickel níquel mate
	34007	900mm/3,5in	brown marrón
	34010	900mm/3,5in	white blanco
	34000	600mm/2,3in	matt nickel níquel mate
	34006	600mm/2,3in	brown marrón
	34009	600mm/2,3in	white blanco

CIES NEW

210 83 INCH | DC MOTOR | ALL YEAR ROUND | REMOTE CONTROL | INCLINING ROOF

FINISHES/ACABADOS

Ref.	Body	Blades
33512	shiny white blanco brillo	white blanco

GENERAL FEATURES/INFO GENERAL

Body Steel/Acero
Blades (6) ABS

MOTOR FEATURES/INFO MOTOR

W 6/9/15/28/44
RPM 54/67/79/98/112
Airflow 344,4 m³ min/12159 CFM
Voltage (V/Hz) 220-240/50-60

OPT. DOWNROD/TIJAS OPC. P. 541

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
430/16,92"	380/14,96"	250/9,84"	230/9,05"	50/1,96"	140/5,51"	2120/83"	930/36,61"

OPTIONAL LED LIGHT SOURCE/FUENTE DE LUZ LED

33513 NEW		white/ blanco	SMD LED 18W 3000K, 900lm, CRI>80 Driver ⊗ **Diff** ABS+Polycarbonate /ABS+Policarbonato

EXTRA LARGE

MENO NEW

136
53 INCH

ALL
YEAR ROUND

REMOTE CONTROL

INCLINING ROOF

FINISHES/ACABADOS

Ref.	Body	Blades
33782	white/blanco	white/blanco

GENERAL FEATURES/INFO GENERAL

Body Steel/Acero
Blades (5) ABS

MOTOR FEATURES/INFO MOTOR

W 22-43-85
RPM 108-162-235
Airflow 192 m³ min/6795 CFM
Voltage (V/Hz) 220-240/50

OPT. DOWNROD/TIJAS OPC. P. 541

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
320/12,59"	275/10,82"	160/6,29"	26010,23"	60/2,36"	150/5,9"	1360/53,54"	540/21,25"

AOBA NEW

178
83 INCH

ALL
YEAR ROUND

REMOTE CONTROL

FINISHES/ACABADOS

Ref.	Body	Blades
33349 NEW	black/negro	wood/madera

GENERAL FEATURES/INFO GENERAL

Body Steel/Acero
Blades (3) Wood/Madera

MOTOR FEATURES/INFO MOTOR

W 30-70-88
RPM 74-125-152
Airflow 57 m³ min/2045 CFM
Voltage (V/Hz) 220-240/50

OPTIONAL DOWNROD

Downrods (3) Included

203mm/8"

305mm/12"

510mm/20"

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
520/20,47"	410/16,14"	200/,87"	230/9,05"	145/5,70"	160/6,29"	1800/70,86"	780/30,70"

EXTRA LARGE

NISOS

178
70 INCH

ALL
YEAR ROUND

REMOTE CONTROL

INCLINING ROOF

DIRECT CEILING MOUNTING

CONTROLLED BY CHAINS

FINISHES/ACABADOS

Ref.	Body	Blades
33363	dark brown/ marrón oscuro	cherry+dark walnut/ cerezo+nogal oscuro

GENERAL FEATURES/INFO GENERAL

Body Aluminium/Aluminio
Reversible Blades (5) MDF Wood/Madera MDF
Controlled by chains/Accionado con cadenas
Remote control [33929/33937] not included

MOTOR FEATURES/INFO MOTOR

W 40-60-90
RPM 60-85-120
Voltage (V/Hz) 220-240/50

OPT. DOWNROD/TIJAS OPC. P. 541

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
860/33,8"	820/31,6"	200/7,87"	300/11,8"	60/2,35"	ø130/5,1"	ø1780/70,1"	750/ 29,5"

DIRECT CEILING MOUNTING/DIRECTO A TECHO



A	A1	B	C	D	E	F	G
260/10,2"	230/9"	200/7,87"	300/11,8"	60/2,35"	ø130/5,1"	ø1780/70,1"	750/ 29,5"

33464

33504

LANTAU

168
66 INCH

ALL
YEAR ROUND

REMOTE CONTROL

INCLINING ROOF

FINISHES/ACABADOS

Ref.	Body	Blades
33464	 matt nickel níquel mate	dark walnut nogal oscuro
33504	 matt nickel níquel mate	pine/pino

GENERAL FEATURES/INFO GENERAL

Body Steel/Acero
Blades (3) Natural Wood/Madera Natural

MOTOR FEATURES/INFO MOTOR

W 25-50-90
RPM 70-100-140
Airflow 261,6 m³ min/9235 CFM
Voltage (V/Hz) 220-240/50

OPT. DOWNROD/TIJAS OPC. P. 541

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
410/16,1"	335/13,2"	180/7,05"	180/7,05"	70/2,79"	ø150/5,9"	ø1680/66,1"	840/33"

EXTRA LARGE

P.359
XL

P.459
L

P.511
S


L

ALO

152
60 INCH

ALL
YEAR ROUND

REMOTE CONTROL

INCLINING ROOF

FINISHES/ACABADOS

Ref.	Body	Blades
33719	black/negro	wood/madera

LED LIGHT SOURCE/FUENTE DE LUZ LED

LED SMD 17W 3000K 600lm CRI>80 Driver
Diff Opal Glass/Cristal Opal

GENERAL FEATURES/INFO GENERAL

Body Steel/Acero
Blades (3) Wood/Madera

MOTOR FEATURES/INFO MOTOR

W 14-30-56
RPM 80-113-155
Airflow 129,29 m³ min/4564 CFM
Voltage (V/Hz) 220-240/50

OPT. DOWNROD/TIJAS OPC. P. 541

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
380/14.9"	335/13,2"	210/8,26"	ø160/6,3"	60/23,6"	ø130/5,1"	ø1520/59,8"	685/27"

LARGE

P.441
L



VULCANO

152
60 INCH

DC MOTOR

ALL YEAR ROUND

REMOTE CONTROL

INCLINING ROOF

DIM

FINISHES/ACABADOS

Ref.	Body	Blades
33549	white/blanco	white/blanco

LED LIGHT SOURCE/FUENTE DE LUZ LED

LED SMD 25W 3000K 2000lm CRI>80 Driver
Diff Opal Glass/Cristal Opal

GENERAL FEATURES/INFO GENERAL

Body Steel/Acero
Blades (3) ABS

MOTOR FEATURES/INFO MOTOR

W 4-9-13-18-20-35
RPM 80-106-127-147-161-181
Airflow 189,01 m³ min/6675 CFM
Voltage (V/Hz) 220-240/50-60

OPT. DOWNROD/TIJAS OPC. P. 541

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
310/12,2"	250/9,8"	180/7,05"	290/11,4	60/2,35"	ø150/5,11"	ø1520/51,8"	870/34,2"

LARGE

COCOS

137
54 INCH

DC
MOTOR

ALL
YEAR ROUND

REMOTE CONTROL

INCLINING ROOF

FINISHES/ACABADOS

Ref.	Body	Blades
33548	white/blanco	white/blanco

LED LIGHT SOURCE/FUENTE DE LUZ LED

LED SMD 20W 3000K 1600lm CRI>80 Driver
Diff Opal Polycarbonate/Policarbonato Opal

GENERAL FEATURES/INFO GENERAL

Body Steel/Acero
Blades (5) ABS

MOTOR FEATURES/INFO MOTOR

W 7-10-13-17-24-29
RPM 66-88-104-115-138-146
Airflow 234 m³ min/8266 CFM
Voltage (V/Hz) 230/50

OPT. DOWNROD/TIJAS OPC. P. 541

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
500/19,6"	260/10,2"	140/5,5"	200/78,7"	55/21,6"	ø140/5.5"	ø1370/52"	585/23"

LARGE

TONIC

152
60 INCH

DC
MOTOR

ALL
YEAR ROUND

REMOTE CONTROL

INCLINING ROOF

FINISHES/ACABADOS

Ref.	Body	Blades
33552	dark brown marrón oscuro	dark brown marrón oscuro

LED LIGHT SOURCE/FUENTE DE LUZ LED

LED SMD 15W 3000K 1200lm CRI>80 Driver
Diff Polycarbonate/Policarbonato

GENERAL FEATURES/INFO GENERAL

Body Steel/Acero
Blades (3) ABS

Accessory cap/Tapa accesorio

MOTOR FEATURES/INFO MOTOR

W 5-7-9-11-14-18
RPM 100-120-140-160-180-200
Airflow 180,57 m³ min/6377 CFM
Voltage (V/Hz) 220-240/50-60

OPT. DOWNROD/TIJAS OPC. P. 541

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
310/12,2"	250/9,8"	190/,5,51"	180/7,05"	50/1,9"	ø130/5,11"	ø1520/59,8"	870/34,2"

BAHAMAS

141
56 INCH

DC
MOTOR

ALL
YEAR ROUND

REMOTE CONTROL

INCLINING ROOF

FINISHES/ACABADOS

Ref.	Body	Blades
33485	white/blanco	white/blanco

LED LIGHT SOURCE/FUENTE DE LUZ LED

LED SMD 19W 2700K 850lm CRI>80 Driver
Diff Polycarbonate/Policarbonato

GENERAL FEATURES/INFO GENERAL

Body Steel/Acero
Blades (3) ABS

Accessory cap/Tapa accesorio

MOTOR FEATURES/INFO MOTOR

W 2-4-7-13-20-32
RPM 50-70-87-107-126-148
Airflow 226,12 m³ min/7982 CFM
Voltage (V/Hz) 220-240/50-60

OPT. DOWNROD/TIJAS OPC. P. 541

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
345/13,6"	305/12"	180/7,05"	200/7,87"	60/2,35"	ø150/5,9"	ø1410/55,5"	615/24,2"

LEYTE

137
54 INCH

DC
MOTOR

ALL
YEAR ROUND

WITH PROGRAMMER

INCLINING ROOF

FINISHES/ACABADOS

Ref.	Body	Blades
33780	brown/marrón	brown/marrón

LED LIGHT SOURCE/FUENTE DE LUZ LED

LED SMD 20W CRI>80 Driver
Diff Opal Glass/Cristal Opal
3 intensities

3000K 990lm 4000K 2250lm 6000K 1400lm

3 INTENSITIES

GENERAL FEATURES/INFO GENERAL

Body Steel/Acero
Blades (5) ABS
With timer/Con temporizador 1-4-8hr,

MOTOR FEATURES/INFO MOTOR

W 6-10-15-23-39
RPM 81-102-122-140-165
Airflow 166,32 m³ min/5803 CFM

OPT. DOWNROD/TIJAS OPC. P. 541

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
380/14,9"	270/10,6"	240/94,4"	350/13,7"	60/23,6"	ø170/6,7"	ø1380/54,3"	590/11,4"

NU
— Estudi Ribaudí

NU NEW

132 52 INCH | DC MOTOR | ALL YEAR ROUND | REMOTE CONTROL | INCLINING ROOF

FINISHES/ACABADOS

Ref.	Body	Blades
33722 NEW	matt white/ blanco mate	matt white/ blanco mate

LED LIGHT SOURCE/FUENTE DE LUZ LED

LED SMD 18W 3000K 700lm CRI>80 Driver
Diff Steel+Acrylic/Acero+Acrílico

GENERAL FEATURES/INFO GENERAL

Body Steel/Acero
Blades (3) ABS

MOTOR FEATURES/INFO MOTOR

W 5-8-11-14-21-35
RPM 91-107-119-134-157-178
Airflow 96.7 m³ min/3414 CFM
Voltage (V/Hz) 220-240/50-60

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
330/12,99"	290/11,41"	160/6,29"	110/4,33"	55/2,16"	130/5,12"	1320/51,96"	600/23,62"

LARGE

P.451
L



IZARO NEW

132 52 INCH | DC MOTOR | ALL YEAR ROUND | REMOTE CONTROL | INCLINING ROOF

FINISHES/ACABADOS

Ref.	Body	Blades
33514 NEW	shiny white/ blanco brillo	white/blanco plywood/madera ply

LED LIGHT SOURCE/FUENTE DE LUZ LED

LED SMD 15W 3000K 850lm CRI>80 Driver
Diff Glass/Cristal

GENERAL FEATURES/INFO GENERAL

Body Steel/Acero
Blades (5) Plywood/Madera Ply

MOTOR FEATURES/INFO MOTOR

W 5-10-16-25-37
RPM 100-142-165-192-226
Airflow 190,12 m³ min/6711 CFM
Voltage (V/Hz) 220-240/50-60

OPT. DOWNROD/TIJAS OPC. P. 541

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
420/16,53"	270/10,62"	260/10,23"	230/9,05"	70/2,75"	150/5,90"	1300/51,18"	540/21,25"

LARGE

KOMODO NEW

132
52 INCH

ALL
YEAR ROUND

INCLINING ROOF


CONTROLLED BY CHAINS

FINISHES/ACABADOS

Ref.	Body	Blades
33723 NEW	matt black/ negro mate	black/negro walnut/nogal

LIGHT SOURCE/FUENTE DE LUZ

2 E14 MAX 8W LED ⊗ [17461]
Diff PMMA/PMMA

GENERAL FEATURES/INFO GENERAL

Body Steel/Acero
Blades (3) Plywood/Madera Ply
Controlled by chains / Accionado con cadenas

MOTOR FEATURES/INFO MOTOR

W 15-24-46
RPM 63-191-250
Airflow 61,46 m³ min/2833 CFM
Voltage (V/Hz) 220-240/50-60

OPT. DOWNROD/TIJAS OPC. P. 541

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
370/14,56"	220/8,66"	200/7,87"	225/8,85"	60/2,36"	130/5,12"	1060/41,73"	450/17,71"

LARGE

POLARIS

132
52 INCH

DC
MOTOR

ALL
YEAR ROUND

WITH PROGRAMMER

INCLINING ROOF

FINISHES/ACABADOS

Ref.	Body	Blades
33346	white/blanco	white/blanco

LED LIGHT SOURCE/FUENTE DE LUZ LED

LED SMD 18W 2700K 1500lm CRI>80 Driver
Diff Polycarbonate/Policarbonato

GENERAL FEATURES/INFO GENERAL

Body Steel/Acero
Blades (3) ABS

MOTOR FEATURES/INFO MOTOR

W 4-9-16-23-35
RPM 86-108-130-145-175
Airflow 163 m³ min/4900 CFM
Voltage (V/Hz) 220-240/50-60

OPT. DOWNROD/TIJAS OPC. P. 541

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
350/13,7"	275/10,8"	180/7,1"	170/7"	50/2"	ø130/5,1"	ø1320/51,9"	555/21,8"

LARGE

ICE

— Estudi Ribaudí

33459

33460

ICE

132
52 INCH

ALL
YEAR ROUND

REMOTE CONTROL

INCLINING ROOF

FINISHES/ACABADOS

Ref.	Body	Blades
33459	white/blanco	white+maple/ blanco+arce
33460 WIRELESS SPEAKER	white/blanco	white+maple/ blanco+arce

WIRELESS SPEAKER

LED LIGHT SOURCE/FUENTE DE LUZ LED

LED SMD 15W 3000K CRI>80 Driver
Diff Opal Glass/Cristal Opal

GENERAL FEATURES/INFO GENERAL

Wireless Speaker/Altavoz inalámbrico (Max, 90db)
Body Steel/Acero
Reversible Blades (3) MDF Wood/Madera MDF

MOTOR FEATURES/INFO MOTOR

W 12-29-53 (**33459**)
W 13-25-55 (**33460**)
RPM 75-135-180
Airflow 157,52 m³ min/5563 CFM
Voltage (V/Hz) 220-240/50

OPT. DOWNROD/TIJAS OPC. P. 541

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
385/15,1"	270/10,6"	210/8,24"	230/7,68"	65/2,51"	ø150/5,9"	ø1320/51,9"	555/21,9"

DISC
— Conillas

DISC

132 52 INCH | DC MOTOR | ALL YEAR ROUND | WITH PROGRAMMER | INCLINING ROOF

FINISHES/ACABADOS

Ref.	Body	Blades
33397	white/blanco	white+maple blanco+arce

LED LIGHT SOURCE/FUENTE DE LUZ LED

LED SMD 19W 2700K CRI>80 Driver
Diff Polycarbonate/Policarbonato

LIGHT DOWN
22W 962Lm

LIGHT UP
11W 396Lm


LIGHT UP & DOWN
33W 1351Lm

GENERAL FEATURES/INFO GENERAL

Body Steel/Acero
Reversible Blades (4) MDF Wood/Madera MDF

MOTOR FEATURES/INFO MOTOR

W 6-10-13-23-37
RPM 100-135-160-195-230
Airflow 211,72 m³ min/7477 CFM
Voltage (V/Hz) 220-240/50-60

OPT. DOWNROD/TIJAS OPC. P. 541

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
460/18,1"	330/13"	280/11"	ø145/5,7"	55/2,1"	ø150/5,9"	ø1320/51,9"	576/22,7"

WIND

— Jordi Busquets

WIND

132
52 INCH

ALL
YEAR ROUND

WITH PROGRAMMER

FINISHES/ACABADOS

Ref.	Body	Blades
33392	white/blanco	white/blanco

LIGHT SOURCE/FUENTE DE LUZ

2 E27 MAX 15W LED ⊗ [17463]

GENERAL FEATURES/INFO GENERAL

Body Steel/Acero
Diff Opal Glass/Cristal Opal
Blades (4) MDF Wood/Madera MDF

MOTOR FEATURES/INFO MOTOR

W 16-34-62
RPM 96-146-190
Airflow 166,42 m³ min/5877 CFM
Voltage (V/Hz) 220-240/50

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
590/23,2"	450/17,7"	170/6,7"	ø300/11,8"	80/3,1"	ø130/5,1"	ø1320/51,9"	545/21,4"

FARETTO
— Conillas

FARETTO

132
52 INCH

ALL
YEAR ROUND

REMOTE CONTROL

INCLINING ROOF

FINISHES/ACABADOS

Ref.	Body	Blades
33389	white/blanco	transparent transparente

LIGHT SOURCE/FUENTE DE LUZ

2 E27 MAX 15W LED ⊗ [17463]

GENERAL FEATURES/INFO GENERAL

Body Metal
Diff Transp. Glass/Cristal Transp.
Blades (4) Polycarbonate/Policarbonato

MOTOR FEATURES/INFO MOTOR

W 13-27-46
RPM 60-90-120
Airflow 184,14 m³ min/6503 CFM
Voltage (V/Hz) 220-240/50

OPT. DOWNROD/TIJAS OPC. P. 541

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
500/19,7"	460/18,1"	440/17,32"	ø280/11"	60/2,35"	ø145/5,72"	ø1320/51,9"	520/20,4"

LARGE

WINCH
— Conillas

WINCH

132
52 INCH

ALL
YEAR ROUND

REMOTE CONTROL

INCLINING ROOF

DIRECT CEILING MOUNTING

FINISHES/ACABADOS

Ref.	Body	Blades
33396	dark brown marrón oscuro	dark brown marrón oscuro

LIGHT SOURCE/FUENTE DE LUZ

2 E27 MAX 15W LED ⊗ [17462]

GENERAL FEATURES/INFO GENERAL

Body Steel/Acero
Diff Opal glass/Cristal opal
Blades (3) MDF Wood/Madera MDF

MOTOR FEATURES/INFO MOTOR

W 15-30-60
RPM 90-145-190
Airflow 151,38 m³ min/5346 CFM
Voltage (V/Hz) 220-240/50

OPT. DOWNROD/TIJAS OPC. P. 541

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
520/20,4"	370/14,5"	350/13,7"	ø400/16"	60/2,4"	ø130/5,1"	ø1320/51,9"	560/22"

LARGE

DIRECT CEILING MOUNTING/DIRECTO A TECHO



A	A1	B	C	D	E	F	G
500/19,7"	330/13"	350/13,7"	ø400/16"	60/2,4"	ø130/5,1"	ø1320/51,9"	560/22"

33752

33753

TABARCA NEW

132
52 INCH

ALL
YEAR ROUND

REMOTE CONTROL

INCLINING ROOF

FINISHES/ACABADOS

Ref.	Body	Blades
33752 NEW	shiny white/ blanco brillo	white+maple/ blanco+arce
33753 NEW	shiny grey/ gris brillo	grey+maple/ gris+arce

LIGHT SOURCE/FUENTE DE LUZ

2 E27 MAX 15W LED ⊗ [17463]

GENERAL FEATURES/INFO GENERAL

Body Steel/Acero
Diff Glass/Cristal
Blades (3) Plywood/Madera Ply

MOTOR FEATURES/INFO MOTOR

W 23-34-50
RPM 125-160-200
Airflow 141,95 m³ min/5011 CFM
Voltage (V/Hz) 220-240/50-60

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
440/17,32"	305/12"	300/11,81"	220/8,66"	60/2,36"	130/5,12"	130/5,12"	540/21,25"

LARGE

TIMOR

132
52 INCH

ALL
YEAR ROUND

WITH PROGRAMMER

FINISHES/ACABADOS

Ref.	Body	Blades
33372	white/blanco	white+maple blanco+arce

LED LIGHT SOURCE/FUENTE DE LUZ LED

LED SMD 12W 2300K 900lm CRI>80 Driver
Diff Opal PMMA/PMMA Opal

GENERAL FEATURES/INFO GENERAL

Body Steel/Acero
Reversible Blades (4) MDF Wood/Madera MDF

MOTOR FEATURES/INFO MOTOR

W 17-30-50
RPM 90-130-170
Airflow 134,28 m³ min/4742 CFM
Voltage (V/Hz) 220-240/50

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
270/10,6"	240/9.4"	80/3,11"	ø175/6,88"	50/1,9"	ø175/6,9"	ø1320/51,9"	570/22,4"

33384

33385

33386

TONSAY

132
52 INCH

ALL
YEAR ROUND

REMOTE CONTROL

FINISHES/ACABADOS

Ref.	Body	Blades
33384	white/blanco	white+maple blanco+arce
33385	matt nickel níquel mate	grey+mahogany gris+caoba
33386	dark brown marrón oscuro	cedar+wenge cedro+wengué

LIGHT SOURCE/FUENTE DE LUZ

2 E27 MAX 15W LED ⊗ [17463]

GENERAL FEATURES/INFO GENERAL

Body Steel/Acero
Diff Opal glass/Cristal opal
Reversible Blades (3) MDF Wood/Madera MDF

MOTOR FEATURES/INFO MOTOR

W 10-24-46
RPM 83-132-180
Airflow 145,63 m³ min/5143 CFM
Voltage (V/Hz) 220-240/50

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
305/12"	270/10,6"	300/11,8"	ø238/9,34"	-	ø190/7,5"	ø1320/51,9"	535/20,06"

PALK

132
52 INCH

DC
MOTOR

ALL
YEAR ROUND

REMOTE CONTROL

INCLINING ROOF

FINISHES/ACABADOS

Ref.	Body	Blades
33470	matt nickel níquel mate	maple/arce

LIGHT SOURCE/FUENTE DE LUZ

2 E14 MAX 8W LED ⊗ [17461]

GENERAL FEATURES/INFO GENERAL

Body Steel/Acero
Diff Opal Glass/Cristal Opal
Blades (4) MDF Wood/Madera MDF

MOTOR FEATURES/INFO MOTOR

W 3-5-8-13-21-32
RPM 50-77-104-131-158-185
Airflow 198,22 m³ min/7000 CFM
Voltage (V/Hz) 220-240/50-60

OPT. DOWNROD/TIJAS OPC. P. 541

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
390/15,3"	325/12,8"	140/5,51"	ø150/5,9"	60/2,35"	ø130/5,1"	ø1320/51,9"	570/22,4"

LARGE

33700 33701 33702

ICARIA

132
52 INCH

ALL
YEAR ROUND

REMOTE CONTROL

INCLINING ROOF

FINISHES/ACABADOS

Ref.	Body	Blades
33700	white/blanco	white/blanco
33701	aluminium aluminio	grey+maple gris+arce
33702	brown marrón	brown+mahogany marrón+caoba

LIGHT SOURCE/FUENTE DE LUZ

2 E27 MAX 15W LED ⊗ [17463]

GENERAL FEATURES/INFO GENERAL

Body Steel/Acero
Diff Opal Glass/Cristal Opal
Reversible Blades (4) MDF Wood/Madera MDF

MOTOR FEATURES/INFO MOTOR

W 15-30-56
RPM 100-150-205
Airflow 155,62 m³ min/5496 CFM
Voltage (V/Hz) 220-240/50

OPT. DOWNROD/TIJAS OPC. P. 541

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
415/16.3"	330/12,9"	280/11"	ø270/10,6"	50/2"	ø150/5,9"	ø1320/51,9"	520/20,5"

LARGE

P.503
S

VANU

132
52 INCH

ALL
YEAR ROUND

REMOTE CONTROL

INCLINING ROOF

DIRECT CEILING MOUNTING

FINISHES/ACABADOS

Ref.	Body	Blades
33314	dark brown marrón oscuro	dark walnut nogal oscuro

LIGHT SOURCE/FUENTE DE LUZ

E27 MAX 15W LED ⊗ [17463]

GENERAL FEATURES/INFO GENERAL

Body Metal
Diff Opal Glass/Cristal Opal
Blades (5) Plywood/Madera Ply

MOTOR FEATURES/INFO MOTOR

W 13-33-64
RPM 75-125-175
Airflow 163,61 m³ min/5778 CFM
Voltage (V/Hz) 220-240/50

OPT. DOWNROD/TIJAS OPC. P. 541

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
430/16,9''	300/11,8''	220/8,63''	240/9,43''	60/2,35''	ø130/5,1''	ø1320/51,9''	540/21,2''

LARGE

DIRECT CEILING MOUNTING/DIRECTO A TECHO



A	A1	B	C	D	E	F	G
280/11''	190/7.5''	220/8,63''	240/9,43''	60/2,35''	ø130/5,1''	ø1320/51,9''	540/21,2''

33190

33192

MANILA

132
52 INCH

ALL
YEAR ROUND

INCLINING ROOF | DIRECT CEILING MOUNTING | CONTROLLED BY CHAINS

FINISHES/ACABADOS

Ref.	Body	Blades
33190	off white blanco roto	off white+maple blanco roto+arce
33192	brown marrón	wenge+reddish mahogany wengué+caoba rojizo

LIGHT SOURCE/FUENTE DE LUZ

2 E14 MAX 8W LED ⊗ [17461]

GENERAL FEATURES/INFO GENERAL

Body Steel/Acero
Diff Translucent Glass/Cristal Translúcido
Reversible Blades (5) MDF Wood/Madera MDF
Controlled by chains/Accionado con cadenas
Remote control [**33929/33937**] ⊗

MOTOR FEATURES/INFO MOTOR

W 25-36-56
RPM 80-130-180
Airflow 160,86 m³ min/5681 CFM
Voltage (V/Hz) 220-240/50

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
410/16,1"	265/10,4"	220/8,63"	295/11,6"	60/2,35"	ø130/5,1"	ø1320/51,9"	410/16,1"

LARGE

DIRECT CEILING MOUNTING/DIRECTO A TECHO



A	A1	B	C	D	E	F	G
280/11"	160/6.3"	220/8,63"	295/11,6"	60/2,35"	ø130/5,1"	ø1320/51,9"	410/16,1"

33135

33136

33137

OVNI

132
52 INCH

ALL
YEAR ROUND

REMOTE CONTROL

INCLINING ROOF

FINISHES/ACABADOS

Ref.	Body	Blades
33135	white/blanco	white/blanco
33136	antique brass/ oro envejecido	reddish mahogany/ caoba rojizo
33137	matt nickel/ níquel mate	bleached oak/ roble emblanquecido

LIGHT SOURCE/FUENTE DE LUZ

2 E27 MAX 15W LED ⊗ [17463]

GENERAL FEATURES/INFO GENERAL

Body Steel/Acero
Diff Opal glass/Cristal opal
Blades (5) MDF Wood/Madera MDF

MOTOR FEATURES/INFO MOTOR

W 16-31-77
RPM 90-140-200
Airflow 182,67 m³ min/6451 CFM
Voltage (V/Hz) 220-240/50

OPT. DOWNROD/TIJAS OPC. P. 541

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
450/17,7"	305/12"	200/7,87"	300/11,8"	65/2,51"	ø150/5,9"	ø1320/51,9"	510/20,1"

LARGE

CORSO

132
52 INCH

ALL
YEAR ROUND

INCLINING ROOF | DIRECT CEILING MOUNTING | CONTROLLED BY CHAINS

FINISHES/ACABADOS

Ref.	Body	Blades
33274	dark brown marrón oscuro	reddish mahogany+ pickled oak/ caoba rojizo+ roble envejecido

LIGHT SOURCE/FUENTE DE LUZ LED

4 E27 MAX 15W LED ⊗ [17463]

GENERAL FEATURES/INFO GENERAL

Body Metal
Diff Translucent Glass/Cristal Translúcido
Reversible Blades (5) Plywood/Madera Ply
Controlled by chains/Accionado con cadenas
Remote control [**33929/33937**] ⊗

MOTOR FEATURES/INFO MOTOR

W 23-34-57
RPM 87-135-198
Airflow 1161,92 m³ min/57 18 CFM
Voltage (V/Hz) 220-240/50

OPT. DOWNROD/TIJAS OPC. P. 541

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
520/20,5''	290/11,4''	400/15,74"	360/14,17"	60/2,35"	ø130/5,1''	ø1320/51,9''	525/20,7 ''

DIRECT CEILING MOUNTING/DIRECTO A TECHO



A	A1	B	C	D	E	F	G
460/18,1''	210/8.2''	400/15,74"	360/14,17"	60/2,35"	ø130/5,1''	ø1320/51,9''	525/20,7 ''

LOMBOK

132
52 INCH

ALL
YEAR ROUND

INCLINING ROOF


CONTROLLED BY CHAINS

FINISHES/ACABADOS

Ref.	Body	Blades
33019	dark brown/ marrón oscuro	rustic pine/ pino rústico

LIGHT SOURCE/FUENTE DE LUZ

2 E27 MAX 15W LED ⊗ [17463]

GENERAL FEATURES/INFO GENERAL

Body Metal
Diff Opal glass/Cristal opal
Blades (4) Wood/Madera
Controlled by chains/Accionado con cadenas
Remote control [**33929/33937**] not included

MOTOR FEATURES/INFO MOTOR

W 14-29-58
RPM 85-135-185
Airflow 123,72 m³ min/4369 CFM
Voltage (V/Hz) 220-240/50

OPT. DOWNROD/TIJAS OPC. P. 541

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
500/19,7"	246/9,7"	330/12,9"	285/11,2"	60/2,35"	ø130/5,1"	ø1320/51,9"	541/21,3"

NOVA
— Estudi Ribaudí

NOVA

132
52 INCH

OPTIONAL LED DOWNLIGHT

ALL YEAR ROUND

REMOTE CONTROL

INCLINING ROOF

FINISHES/ACABADOS

Ref.	Body	Blades
33420	white/blanco	white+maple/ blanco+arce

GENERAL FEATURES/INFO GENERAL

Body Steel/Acero
Reversible Blades (5) MDF Wood/Madera MDF

MOTOR FEATURES/INFO MOTOR

W 17-30-62
RPM 103-139-171
Airflow 172,31 m³ min/6085 CFM
Voltage (V/Hz) 220-240/50

OPT. DOWNROD/TIJAS OPC. P. 541

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
320/12,6"	280/21,8"	170/6,9"	280/11"	65/2,51"	140/5,51"	ø1320/51,9"	555/21,8"

OPTIONAL LED LIGHT SOURCE/FUENTE DE LUZ LED

33420L		white/ blanco	LED SMD 9W 3000K, 1000 lm, CRI>80 Driver ✓

ALOHA

132
52 INCH

OPTIONAL DOWNLIGHT

ALL
YEAR ROUND

REMOTE CONTROL

INCLINING ROOF

FINISHES/ACABADOS

Ref.	Body	Blades
33710	dark brown/ marrón oscuro	walnut+dark walnut/ nogal+nogal oscuro

GENERAL FEATURES/INFO GENERAL

Body Steel/Acero
Reversible Blades (5) Plywood/Madera Ply

MOTOR FEATURES/INFO MOTOR

W 15-32-58
RPM 80-125-180
Airflow 128,95 m³ min/4552 CFM
Voltage (V/Hz) 220-240/50

OPT. DOWNROD/TIJAS OPC. P. 541

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
315/12,4"	285/11,2"	130/5,1"	240/9,43"	60/2,36"	130/5,11"	ø1320/51,9"	530/20,9"

OPTIONAL LIGHT SOURCE/FUENTE DE LUZ

33714		dark brown/ marrón oscuro	**3 E27** MAX 15W LED ⊗ [17426]

LARGE

TYPHOON

— Jordi Busquets

33480

33489 **NEW**

33490 **NEW**

TYPHOON

130 51 INCH | DC MOTOR | IP44 | OPTIONAL LED DOWNLIGHT | ALL YEAR ROUND | REMOTE CONTROL | INCLINING ROOF

FINISHES/ACABADOS

Ref.	Body	Blades
33480	white/blanco	white/blanco
33489 NEW	grey/gris	grey/gris
33490 NEW	brown/marrón	brown/marrón

GENERAL FEATURES/INFO GENERAL

Indoor/Outdoor IP44
Body Steel/Acero
Blades (4) ABS

MOTOR FEATURES/INFO MOTOR

W 3-5-8-12-21-31
RPM 50-71-93-115-138-162
Airflow 183,09 m³ min/6463 CFM
Voltage (V/Hz) 220-240/50-60

OPT. DOWNROD/TIJAS OPC. P. 541

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
390/15,3"	370/13,77"	200/7,87"	200/7,87"	55/2,1"	ø130/5,1"	ø1300/51,8"	530/20,8"

OPTIONAL LED LIGHT SOURCE/FUENTE DE LUZ LED

33483	white/ blanco	LED SMD 16W 3000K, 900 lm, CRI>80 Driver ✓ **Body** Metal **Diffusor** Polycarbonate
33489K	grey/gris	
33490K	brown/ marrón	

WINCHE

— Conillas

33481 IP44

33482

WINCHE

130 51 INCH | DC MOTOR | OPTIONAL LED DOWNLIGHT | ALL YEAR ROUND | REMOTE CONTROL | INCLINING ROOF

FINISHES/ACABADOS

Ref.	Body	Blades
33481 **Indoor/ Outdoor IP44**	black/negro	wood/madera
33482	chrome/ cromado	wood/madera

GENERAL FEATURES/INFO GENERAL

33481 Indoor/Outdoor IP44
Body Steel/Acero
Blades (4) ABS

MOTOR FEATURES/INFO MOTOR

W 3-5-8-12-21-35
RPM 50-71-93-115-138-162
Airflow 183,01 m³ min/6463 CFM
Voltage (V/Hz) 220-240/50-60

OPT. DOWNROD/TIJAS OPC. P. 541

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
390/15.3"	355/13.97"	210/8,26"	190/7,48"	55/2,1"	ø130/5,11"	ø1270/50"	530/21,8"

OPTIONAL LED LIGHT SOURCE/FUENTE DE LUZ LED

33484 **Indoor/ Outdoor IP44**		black/ negro	LED SMD 15W 3000K, 900 lm, CRI>80 Driver ✓ **Body** Metal **Diffusor** Polycarbonate
33486		grey/gris	

MOREA NEW

152
60 INCH

DC
MOTOR

ALL
YEAR ROUND

REMOTE CONTROL

INCLINING ROOF

FINISHES/ACABADOS

Ref.	Body	Blades
33511 NEW	brown/ marrón	wood/ madera

GENERAL FEATURES/INFO GENERAL

Body Steel/Acero
Blades (3) ABS

MOTOR FEATURES/INFO MOTOR

W 3/7/12/17/38
RPM 58/105/131/148/195
Airflow 211,7 m³ min/7473 CFM
Voltage (V/Hz) 220-240/50-60

OPT. DOWNROD/TIJAS OPC. P. 541

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
280/11,02"	215/8,46"	130/5,12"	170/6,69"	60/2,36"	1405,51"	1520/60"	750/29,52"

ALO

152
60 INCH

ALL
YEAR ROUND

REMOTE CONTROL

INCLINING ROOF

FINISHES/ACABADOS

Ref.	Body	Blades
33718	dark brown/ marrón oscuro	rustic pine/ pino rústico

GENERAL FEATURES/INFO GENERAL

Body Steel/Acero
Blades (3) Wood/Madera

MOTOR FEATURES/INFO MOTOR

W 14-30-56
RPM 80-113-155
Airflow 129,29 m³ min/4564 CFM
Voltage (V/Hz) 220-240/50

OPT. DOWNROD/TIJAS OPC. P. 541

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
335/13,2"	320/12,6"	180/70,8"	160/6,29"	60/23,6"	ø130/5,1"	ø1520/59,8"	760/29,9"

LARGE

P.381
L



33506

33507

LAMA

143
56 INCH

ALL
YEAR ROUND

REMOTE CONTROL

FINISHES/ACABADOS

Ref.	Body	Blades
33506	matt nickel/ níquel mate	pine wood/ madera pino
33507	black/negro	nogal wood/ madera nogal

GENERAL FEATURES/INFO GENERAL

Body Steel/Acero
Blades (2) Wood/Madera

MOTOR FEATURES/INFO MOTOR

W 16-27-44
RPM 84-114-143
Airflow 178,83 m³ min/6313 CFM
Voltage (V/Hz) 220-240/50

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
272/10,6"	220/8,6"	120/4,7"	ø180/7,1"	25/1"	ø190/7,5"	ø1430/56,3"	610/24"

33110

33111

MALVINAS

140
55 INCH

DC
MOTOR

ALL
YEAR ROUND

WALL CONTROL

INCLINING ROOF

FINISHES/ACABADOS

Ref.	Body	Blades
33110	dark grey/ gris oscuro	walnut+reddish mahogany/ nogal+caoba rojizo
33111	dark brown/ marrón oscuro	mahogany+ reddish mahogany/ caoba+caoba rojizo

GENERAL FEATURES/INFO GENERAL

Body Steel/Acero
Reversible Blades (4) MDF Wood/Madera MDF

MOTOR FEATURES/INFO MOTOR

W 24-37-48-57-80
RPM 111-145-170-187-229
Airflow 176,22 m³ min/6223 CFM
Voltage (V/Hz) 220-240/50

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
600/23,6"	500/19,6"	160/6,59"	200/7,87"	60/2,35"	ø130/5,1"	ø1400/55,1"	590/23,2"

*How to install the wall control? Visit faro,es/Visita faro,es para la instalación del regulador de pared

33001

33002

INDUS

140
55 INCH

WALL CONTROL

FINISHES/ACABADOS

Ref.	Body	Blades
33001	white/blanco	white/blanco
33002	chrome/cromado	chrome/cromado

GENERAL FEATURES/INFO GENERAL

Body Steel/Acero
Blades (3) Steel/Acero

MOTOR FEATURES/INFO MOTOR

W 16-21-26-32-48
RPM 113-142-173-203-260
Airflow 155,52 m³ min/5492 CFM
Voltage (V/Hz) 220-240/50

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
483/19"	440/17.3"	160/6,29"	180/7,05"	120/4,71"	ø145/5,7"	ø1400/55,1"	555/21,9"

P.499
M

P.535
S

*How to install the wall control? Visit faro,es/Visita faro,es para la instalación del regulador de pared

POLEA

— Conillas

POLEA NEW

132 52 INCH | DC MOTOR | ALL YEAR ROUND | REMOTE CONTROL | INCLINING ROOF

FINISHES/ACABADOS

Ref.	Body	Blades
33724	brown/marrón black/negro	brown/marrón black/negro

GENERAL FEATURES/INFO GENERAL

Body Steel/Acero
Blades (4) Plywood/Madera Ply

MOTOR FEATURES/INFO MOTOR

W 4-5-8-13-22-34
RPM 30-63-95-127-158-185
Airflow 115,15 m³ min/3846 CFM
Voltage (V/Hz) 220-240/50-60

OPT. DOWNROD/TIJAS OPC. P. 541

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
372/14,6"	254/10"	118/4,6"	228/9"	56/2,2"	130/5,12"	1322/52"	547/21"

NU

— Estudi Ribaudí

NU NEW

132 52 INCH | DC MOTOR | ALL YEAR ROUND | REMOTE CONTROL | INCLINING ROOF

FINISHES/ACABADOS

Ref.	Body	Blades
33721	matt white/ blanco mate	matt white/ blanco mate

GENERAL FEATURES/INFO GENERAL

Body Steel/Acero
Blades (3) ABS

MOTOR FEATURES/INFO MOTOR

W 5-8-11-14-21-35
RPM 91-107-119-134-157-178
Airflow 96.7 m³ min/3414 CFM
Voltage (V/Hz) 220-240/50-60

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
330/12,99"	290/11,41"	160/6,29"	110/4,33"	55/2,16"	130/5,12"	1320/51,96"	600/23,62"

P.393
L

CUBA

132
52 INCH

ALL
YEAR ROUND

INCLINING ROOF


CONTROLLED BY CHAINS

FINISHES/ACABADOS

Ref.	Body	Blades
33352	dark brown/ marrón oscuro	wenge/ wengué

GENERAL FEATURES/INFO GENERAL

Body Steel/Acero
Blades (4) ABS
Controlled by chains/Accionado con cadenas
Remote control [**33929/33937**] not included

MOTOR FEATURES/INFO MOTOR

W 20-34-65
RPM 73-99-145
Airflow 127,45 m³ min/4501 CFM
Voltage (V/Hz) 220-240/50

OPT. DOWNROD/TIJAS OPC. P. 541

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
510/20,1"	450/17,7"	350/13,7"	370/15,5"	60/2,35·	ø130/5,1"	ø1320/51,9"	600/23"

LARGE

33750

33751

LUZON

132
52 INCH

REMOTE CONTROL

INCLINING ROOF

FINISHES/ACABADOS

Ref.	Body	Blades
33750	white/blanco	white/blanco
33751	brown/marrón	brown/marrón

GENERAL FEATURES/INFO GENERAL

Body Steel/Acero
Blades (3) ABS

MOTOR FEATURES/INFO MOTOR

W 23-42-65
RPM 90-120-155
Airflow 215,73 m³ min/7615 CFM
Voltage (V/Hz) 220-240/50

DOWNROD INCLUDED

105mm/3,99" 152mm/60"

OPT. DOWNROD/TIJAS OPC. P. 541

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
285/11,2"	235/9,2"	180/70,8"	ø160/6,3"	60/23,6"	ø140/5,5"	ø1320/52"	590/23,2"

LARGE

SIOUX

132
52 INCH

DC
MOTOR

IP44

ALL
YEAR ROUND

WITH
PROGRAMMER

INCLINING
ROOF

FINISHES/ACABADOS

Ref.	Body	Blades
33770 **Indoor/ Outdoor IP44**	white/blanco	white/blanco

GENERAL FEATURES/INFO GENERAL

Body Steel/Acero
Blades (3) ABS

MOTOR FEATURES/INFO MOTOR

W 5-10-16-23-38
RPM 106-143-174-198-233
Airflow 164,32 m³ min/5803 CFM
Voltage (V/Hz) 220-240/50-60

DOWNROD INCLUDED

127mm/5" 254mm/10"

OPT. DOWNROD/TIJAS OPC. P. 541

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
320/12,6"	260/10,2"	200/78,7"	ø220/8,6"	70/27,7	ø170/6,7"	ø1320/52"	590/23,2"

LARGE

33370

33373

LANTAU

132
52 INCH

ALL
YEAR ROUND

REMOTE CONTROL

INCLINING ROOF

FINISHES/ACABADOS

Ref.	Body	Blades
33370	matt nickel/ níquel mate	dark walnut/ nogal oscuro
33373	matt nickel/ níquel mate	 pine/pino

GENERAL FEATURES/INFO GENERAL

Body Steel/Acero
Blades (3) Natural Wood/ Madera Natural

MOTOR FEATURES/INFO MOTOR

W 90-140-180
RPM 90-140-180
Airflow 147,56 m³ min/5211 CFM
Voltage (V/Hz) 220-240/50

OPT. DOWNROD/TIJAS OPC. P. 541

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
330/13"	320/12,6"	165,6,46"	160/6,29"	70/2,79"	ø160/6,3"	ø1320/51,9"	660/26"

P.359
XL

P.377
XL



P.511
S

ITACA

132 52 INCH | DC MOTOR | ALL YEAR ROUND | REMOTE CONTROL

FINISHES/ACABADOS

Ref.	Body	Blades
33474	matt nickel/ níquel mate	rustic pine/ pino rústico

GENERAL FEATURES/INFO GENERAL

Body Steel/Acero
Blades (3) Natural Wood/ Madera Natural

MOTOR FEATURES/INFO MOTOR

W 3-5-8-13-21-32
RPM 50-80-110-140-170-203
Airflow 184,06 m³ min/6500 CFM
Voltage (V/Hz) 220-240/50

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
455/ 17.9"	395/15.5	170/6,9"	110/4,35"	160/6,29"	ø166/6,5"	ø1320/51,9"	545/21.4"

33341 **NEW**

33345 **NEW**

GRID NEW

132 52 INCH | DC MOTOR | OPTIONAL LED DOWNLIGHT | ALL YEAR ROUND | REMOTE CONTROL

FINISHES/ACABADOS

Ref.	Body	Blades
33341 NEW	white/blanco	wood/madera
33345 NEW	black/negro	wood/madera

GENERAL FEATURES/INFO GENERAL

Body Steel/Acero
Blades (3) ABS

MOTOR FEATURES/INFO MOTOR

W 4-9-16-23-35
RPM 86-108-130-145-175
Airflow 163 m³ min/4900 CFM
Voltage (V/Hz) 220-240/50-60

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
340/13,38"	290/11,41"	130/5,18"	190/7,48"	50/1,96"	140/5,51"	1320/51,96"	560/22,04"

OPTIONAL LED LIGHT SOURCE/FUENTE DE LUZ LED

33341 K		white/ blanco	LED SMD 18W 4000K, 1500 lm, CRI>80 Driver ✓ **Body** Steel/Acero **Diffusor** ABS

NIAS

132 52 INCH | DC MOTOR | OPTIONAL LED DOWNLIGHT | ALL YEAR ROUND | REMOTE CONTROL

FINISHES/ACABADOS

Ref.	Body	Blades
33472	matt nickel/ níquel mate	walnut/ nogal
33472N	matt nickel/ níquel mate	walnut/ nogal

GENERAL FEATURES/INFO GENERAL

Body Steel/Acero
Blades (3) Natural Wood/ Madera Natural

MOTOR FEATURES/INFO MOTOR

W 2-7-9-14-21-32
RPM 50-82-114-146-178-210
Airflow 195,39 m³ min/6900 CFM
Voltage (V/Hz) 220-240/50

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
190/7,5"	155/6,1"	–	ø140/5,5"	–	ø170/6,9"	ø1320/51,9"	630/24,8"

OPTIONAL LED LIGHT SOURCE/FUENTE DE LUZ LED

*SUITABLE ONLY FOR/VÁLIDO SÓLO PARA 33472N

33472K **NEW**		matt nickel/ níquel mate	LED SMD 16W 3000K 800lm, CRI>80 Driver ✓ **Diffusor** Polycarbonate /Policarbonato

33292

33350

33351

MALLORCA

132
52 INCH

ALL
YEAR ROUND

REMOTE CONTROL

INCLINING ROOF

FINISHES/ACABADOS

Ref.	Body	Blades
33292	matt nickel/ níquel mate	grey+maple/ gris+arce
33350	white/blanco/	white+maple/ blanco+arce
33351	rust brown/ marrón óxido	mahogany+ bleached oak/ caoba+roble emblanquecido

GENERAL FEATURES/INFO GENERAL

Body Steel/Acero
Reversible Blades (4) MDF Wood/Madera MDF

MOTOR FEATURES/INFO MOTOR

W 15-30-56
RPM 100-150-205
Airflow 154,30 m³ min/5449 CFM
Voltage (V/Hz) 220-240/50

OPT. DOWNROD/TIJAS OPC. P. 541

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
380/15"	330/12,9"	180/7,05"	250/9,82"	60/2,35"	ø130/5,1"	ø1300/51,2"	520/20,4"

P.529
S

33284

33287

33288

IBIZA

132
52 INCH

ALL
YEAR ROUND

REMOTE CONTROL

INCLINING ROOF

FINISHES/ACABADOS

Ref.	Body	Blades
33284	white/blanco	white/blanco
33287	matt nickel/ níquel mate	grey+maple/ gris+arce
33288	rust brown/ marrón óxido	mahogany+ bleached oak/ caoba+roble emblanquecido

GENERAL FEATURES/INFO GENERAL

Body Steel/Acero
Reversible Blades (4) Plywood/Madera Ply

MOTOR FEATURES/INFO MOTOR

W 16-29-49
RPM 113-162-212
Airflow 149,57 m³ min/5282 CFM
Voltage (V/Hz) 220-240/50

OPT. DOWNROD/TIJAS OPC. P. 541

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
330/12,9"	270/10,6"	170/6,9"	175/6,88"	60/2,35"	ø130/5,1"	ø1320/51,9"	570/ 22,4"

33471N

33491 **NEW**

33492 **NEW**

PEMBA

132 52 INCH | DC MOTOR | OPTIONAL LED DOWNLIGHT | ALL YEAR ROUND | REMOTE CONTROL | INCLINING ROOF

FINISHES/ACABADOS

Ref.	Body	Blades
33471	white/blanco	white/blanco
33471N	white/blanco	white/blanco
33491 NEW	grey/gris	grey/gris
33492 NEW	brown/marrón	brown/marrón

GENERAL FEATURES/INFO GENERAL

Body Steel/Acero
Blades (3) PMMA

MOTOR FEATURES/INFO MOTOR

W 2-7-9-14-21-32
RPM 50-76-99-127-151-175
Airflow 191,14 m³ min/6750 CFM
Voltage (V/Hz) 220-240/50-60

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
190/7,5"	155/6,1"	250/9,82"	180/70,5"	65/2,51"	ø170/6,7"	ø1320/51,9"	570/22,4"

OPTIONAL LED LIGHT SOURCE/FUENTE DE LUZ LED

*SUITABLE ONLY FOR/VÁLIDO SÓLO PARA 33471N, 33491 & 33492

33471K NEW		white/ blanco
33491K NEW		grey/ gris
33492K NEW		brown/ marrón

LED SMD 16W 3000K
800lm, CRI>95
Driver ✓
Diffusor
Polycarbonate
/Policarbonato

LAKKI

132
52 INCH

ALL
YEAR ROUND

REMOTE CONTROL

FINISHES/ACABADOS

Ref.	Body	Blades
33317	white/blanco	white/blanco

GENERAL FEATURES/INFO GENERAL

Body Steel/Acero
Blades (3) ABS

MOTOR FEATURES/INFO MOTOR

W 18-32-50
RPM 80-110-150
Airflow 166,13 m³ min/5867 CFM
Voltage (V/Hz) 220-240/50

OPT. DOWNROD/TIJAS OPC. P. 541

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
370/14,5"	360/11,2"	180/70,5	300/11,8"	60/2,35"	ø150/5,9"	ø1320/51,9"	465/19,5"

33607

33608

PANAY

122
48 INCH

REMOTE CONTROL

INCLINING ROOF

FINISHES/ACABADOS

Ref.	Body	Blades
33607	white/blanco	white+maple/ blanco+arce
33608	matt nickel/ níquel mate	matt nickel+ mahogany/ níquel mate+ caoba

LIGHT SOURCE/FUENTE DE LUZ

2 E14 MAX 8W LED ⊗ [17461]
Diff Opal Glass/Cristal Opal

GENERAL FEATURES/INFO GENERAL

Body Steel / Acero
Reversible Blades (3) MDF Wood/Madera MDF

MOTOR FEATURES/INFO MOTOR

W 14-30-58
RPM 95-150-200
Airflow 116,2 m³ min/4103 CFM
Voltage (V/Hz) 220-240/50

OPT. DOWNROD/TIJAS OPC. P. 541

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
280/11"	180/7,1"	150/5,9"	210/8,24"	65/2,51"	ø130/5,1"	ø1220/48"	495/19,5"

MEDIUM

PHUKET

120
47 INCH

ALL
YEAR ROUND

REMOTE CONTROL

INCLINING ROOF

FINISHES/ACABADOS

Ref.	Body	Blades
33498	white/blanco	white/blanco

LED LIGHT SOURCE/FUENTE DE LUZ LED

LED SMD 12W 3000K 1000lm CRI>80 Driver
Diff Opal Glass/Cristal Opal

GENERAL FEATURES/INFO GENERAL

Body Steel / Acero
Blades (3) ABS

MOTOR FEATURES/INFO MOTOR

W 10-30-54
RPM 80-130-170
Airflow 138,21 m³ min/4881 CFM
Voltage (V/Hz) 220-240/50

OPT. DOWNROD/TIJAS OPC. P. 541

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
410/16,7"	350/13"	250/9,82"	180/7,05"	65/2,51"	ø150/5,9"	ø1200/47,2"	620/24,4"

MEDIUM

FOGO

112
44 INCH

ALL
YEAR ROUND

REMOTE CONTROL

INCLINING ROOF

FINISHES/ACABADOS

Ref.	Body	Blades
33467	white/blanco	white/blanco

LED LIGHT SOURCE/FUENTE DE LUZ LED

LED SMD 12W 3000K 1000lm CRI>80 Driver
Diff Opal Glass/Cristal Opal

GENERAL FEATURES/INFO GENERAL

Body Steel / Acero
Blades (3) ABS

MOTOR FEATURES/INFO MOTOR

W 10-25-45
RPM 80-130-170
Airflow 129,66 m³ min/4579 CFM
Voltage (V/Hz) 220-240/50

OPT. DOWNROD/TIJAS OPC. P. 541

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
400/15.7"	380/14.9"	280/11"	180/7.05"	80/3.11"	ø150/5.9"	ø1120/44"	470/18.5"

MEDIUM

MINI ETERFAN

— Conillas

33382 | 32020 | 32025 | 32026 | 32027 | 32028 | 32029 | 32030 **NEW**

MINI ETERFAN

128 50 INCH | DC MOTOR | OPTIONAL LED DOWNLIGHT | ALL YEAR ROUND | REMOTE CONTROL

FINISHES/ACABADOS

Ref.	Body	Blades
33382	chrome/cromo	transparent
32020	shiny white/ blanco brillo	transparent
32025	matt white/ blanco mate	transparent
32026	shiny black/ negro brillo	transparent
32027	matt black/ negro mate	transparent
32028	matt black/ negro mate	walnut/ nogal
32029	shiny red/ rojo brillo	transparent
32030 NEW	matt black/ negro mate	matt black/ negro mate

GENERAL FEATURES/INFO GENERAL

Body Metal+Glass/Metal+Cristal
Blades (3) Polycarbonate/Policarbonato

MOTOR FEATURES/INFO MOTOR

DC MOTOR
W 3-6-9-13-22-32
RPM 51-77-103-129-155-185
Airflow 145,66 m3 min/5144 CFM
Voltage (V/Hz) 220-240/50-60

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
450/17,7"	420/16,5"	–	ø160/6,3"	60/2,3"	ø130/5,1"	ø1280/50,4"	555/21,8"

OPTIONAL LED LIGHT SOURCE/FUENTE DE LUZ LED

33390	chrome/ cromo	SMD LED 13W 3000K 600 Lm CRI>80 Driver ✓ **Body** Metal **Diff** Opal Glass	
33391	black/ negro		

MEDIUM

CUSTOMIZE IT WITH COLOR
PERSONALÍZALO CON COLOR

1 Choose the glass color (RAL) Elige el color para el cristal (RAL)



2 Contact your distributor Contacta con tu distribuidor

Some examples Algunos ejemplos

ETERFAN

— Conillas

33381 | 32000 | 32001 | 32002 | 32003 | 32004 | 32005 | 32006 **NEW**

ETERFAN

128 50 INCH | DC MOTOR | OPTIONAL LED DOWNLIGHT | ALL YEAR ROUND | REMOTE CONTROL

FINISHES/ACABADOS

Ref.	Body	Blades
33381	chrome/cromo	transparent
32000	shiny white/ blanco brillo	transparent
32001	matt white/ blanco mate	transparent
32002	shiny black/ negro brillo	transparent
32003	matt black/ negro mate	transparent
32004	matt black/ negro mate	walnut/ nogal
32005	shiny red/ rojo brillo	transparent
32006 NEW	matt black/ negro mate	matt black/ negro mate

GENERAL FEATURES/INFO GENERAL

Body Metal+Glass/Metal+Cristal
Blades (3) Polycarbonate/Policarbonato

MOTOR FEATURES/INFO MOTOR

W 3-6-9-13-22-32
RPM 51-77-103-129-155-185
Airflow 145,66 m³ min/5144 CFM
Voltage (V/Hz) 220-240/50-60

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
640/25,2"	630/24,8"	-	ø160/6,3"	60/2,3"	ø130/5,1"	ø1280/50,4"	555/21,8"

OPTIONAL LED LIGHT SOURCE/FUENTE DE LUZ LED

33390	chrome/ cromo	SMD LED 13W 3000K 600 Lm CRI>80 Driver ✓ **Body** Metal **Diff** Opal Glass	MEDIUM
33391	black/ negro		

CUSTOMIZE IT WITH COLOR
PERSONALÍZALO CON COLOR

1 Choose the glass color (RAL) Elige el color para el cristal (RAL)



2 Contact your distributor Contacta con tu distribuidor

Some examples Algunos ejemplos

JUSTFAN

— Conillas

Project: Meritxell Ribé-The Room Studio

33394

33395

33398

33399

32100 **NEW**

JUSTFAN

128 50 INCH | DC MOTOR | OPTIONAL LED DOWNLIGHT | ALL YEAR ROUND | REMOTE CONTROL

FINISHES/ACABADOS

Ref.	Body	Blades
33394	chrome/ cromo	transparent
33395	black/negro	walnut/nogal
33398	antique brass/ oro envejecido	walnut/nogal
33399	copper/cobre	walnut/nogal
32100 NEW	matt black/ negro mate	matt black negro mate

GENERAL FEATURES/INFO GENERAL

Body Metal
Blades (3) Polycarbonate/ Policarbonato

MOTOR FEATURES/INFO MOTOR

DC MOTOR
W 4-6-9-13-22-32
RPM 51-77-103-129-155-185
Airflow 145,66 m3 min/5144 CFM
Voltage (V/Hz) 220-240/50-60

OPTIONAL DOWNROD

Downrods (3) Included

100mm/3,9" | 200mm/7,8" | 450mm/17,7"

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
640/25,2"	630/24,8"	180/7,05"	ø160/6,3"	60/2,3"	ø130/5,1"	ø1280/50,4"	555/21,8"

OPTIONAL LED LIGHT SOURCE/FUENTE DE LUZ LED

*SUITABLE FOR 33394 & 33395

33390	chrome/ cromo	SMD LED 13W 3000K 600 Lm CRI>80 Driver ✓ **Body** Metal **Diff** Opal Glass
33391	black/ negro	

MEDIUM

P.365
L



P.527
S

MINI TUBE

— Conillas

33393 | 32038 | 32039 | 32040 | 32041 | 32042 | 32043 **NEW**

MINI TUBE

128 50 INCH | DC MOTOR | OPTIONAL LED DOWNLIGHT | ALL YEAR ROUND | REMOTE CONTROL

FINISHES/ACABADOS

Ref.	Body	Blades
33393	chrome/cromo	transparent
32038	shiny white/ blanco brillo	transparent
32039	matt white/ blanco brillo	transparent
32040	shiny black/ negro brillo	transparent
32041	matt black/ negro mate	transparent
32042	matt black/ negro mate	walnut nogal
32043 NEW	matt black/ negro mate	matt black negro mate

GENERAL FEATURES/INFO GENERAL

Body Metal
Blades (3) Polycarbonate/ Policarbonato

MOTOR FEATURES/INFO MOTOR

DC MOTOR
W 4-6-9-13-22-32
RPM 51-77-103-129-155-185
Airflow 145,66 m3 min/5144 CFM
Voltage (V/Hz) 220-240/50-60

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
290/11,4"	250/9,8"	–	ø160/6,3"	–	ø130/5,1"	ø1280/50,4"	430/16,9"

OPTIONAL LED LIGHT SOURCE/FUENTE DE LUZ LED

33390	chrome/ cromo	SMD LED 13W 3000K 600 Lm CRI>80 Driver ✓ **Body** Metal **Diff** Opal Glass	
33391	black/ negro		

MEDIUM

CUSTOMIZE IT WITH COLOR
PERSONALÍZALO CON COLOR

1 Choose the glass color (RAL) Elige el color para el cristal (RAL)



2 Contact your distributor Contacta con tu distribuidor

Some examples Algunos ejemplos

TUBE

— Conillas

33374 | 32033 | 32034 | 32035 | 32036 | 32037 | 32060 **NEW**

TUBE

128 50 INCH | DC MOTOR | OPTIONAL LED DOWNLIGHT | ALL YEAR ROUND | REMOTE CONTROL

FINISHES/ACABADOS

Ref.	Body	Blades
33374	chrome/cromo	transparent
32033	shiny white blanco brillo	transparent
32034	matt white blanco mate	transparent
32035	shiny black negro brillo	transparent
32036	matt black negro mate	transparent
32037	matt black negro mate	walnut nogal
32060 NEW	matt black negro mate	matt black negro mate

GENERAL FEATURES/INFO GENERAL

Body Metal+Glass/Metal+Cristal
Blades (3) Polycarbonate/Policarbonato

MOTOR FEATURES/INFO MOTOR

DC MOTOR
W 3-6-9-13-22-32
RPM 51-77-103-129-155-185
Airflow 145,66 m³ min/5144 CFM
Voltage (V/Hz) 220-240/50-60

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
450/17,7"	420/16,5"	–	ø160/6,3"	–	ø130/5,1"	ø1280/50,4"	430/16,9"

OPTIONAL LED LIGHT SOURCE/FUENTE DE LUZ LED

33390	chrome/ cromo	SMD LED 13W 3000K 600 Lm CRI>80 Driver ✓ **Body** Metal **Diff** Opal Glass	
33391	black/ negro		

MEDIUM

CUSTOMIZE IT WITH COLOR
PERSONALÍZALO CON COLOR

1 Choose the glass color (RAL) Elige el color para el cristal (RAL)



2 Contact your distributor Contacta con tu distribuidor

Some examples Algunos ejemplos

MOLOKAI

125 49 INCH | DC MOTOR | OPTIONAL LED DOWNLIGHT | ALL YEAR ROUND | REMOTE CONTROL | INCLINING ROOF

FINISHES/ACABADOS

Ref.	Body	Blades
33475	matt nickel/ níquel mate	dark walnut/ nogal oscuro

GENERAL FEATURES/INFO GENERAL

Body Steel/Acero
Blades (4) Polycarbonate/ Policarbonato

MOTOR FEATURES/INFO MOTOR

W 3-5-8-13-21-31
RPM 50-76-102-128-155-180
Airflow 195,66 m3 min/6910 CFM
Voltage (V/Hz) 220-240/50-60

OPT. DOWNROD/TIJAS OPC. P. 541

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
335/13,1"	300/11,8"	200/8,63"	150/5,90"	65/2,51"	ø140/5,51"	ø1250/42,9"	600/23,6"

OPTIONAL LED LIGHT SOURCE/FUENTE DE LUZ LED

33476		matt nickel/ níquel mate	LED SMD 18W 3000K 1200 lm CRI>80 Driver ✓

MEDIUM

33478

33487

NASSAU

128
50 INCH

DC
MOTOR

ALL
YEAR ROUND

REMOTE CONTROL

INCLINING ROOF

FINISHES/ACABADOS

Ref.	Body	Blades
33478	brown/marrón	brown/marrón
33487	white/blanco	white/blanco

GENERAL FEATURES/INFO GENERAL

Body Steel/Acero
Blades (4) MDF Wood/ Madera MDF

MOTOR FEATURES/INFO MOTOR

W 4-6-10-16-24-37
RPM 50-87-125-162-199-237
Airflow 222,41 m³ min/7851 CFM
Voltage (V/Hz) 220-240/50-60

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
400/15,7"	370/14,5"	170/6,69"	120/4,72"	60/2,36"	ø130/5,11"	ø1280/50,4"	575/22,6"

OPTIONAL DOWNROD (not included)

33479		91 cm/3,6"	brown/marrón
33488		91 cm/3,6"	white/blanco

33711

33712

33713

YAKARTA

121
47 INCH

ALL
YEAR ROUND

OPTIONAL DOWNLIGHT

INCLINING ROOF | DIRECT CEILING MOUNTING | CONTROLLED BY CHAINS

FINISHES/ACABADOS

Ref.	Body	Blades
33711	antique brass/ oro envejecido	dark oak+ bleached oak/ roble oscuro+ roble emblanquecido
33712	white/blanco	white+maple/ blanco+arce
33713	brown/marrón	mahogany+ dark walnut/ caoba+nogal oscuro

GENERAL FEATURES/INFO GENERAL

Body Steel/Acero
Reversible Blades (4) Plywood/Madera Ply
Controlled by chains / Accionado con cadenas

MOTOR FEATURES/INFO MOTOR

W 14-23-51
RPM 115-150-205
Airflow 94,57 m³ min/3340 CFM
Voltage (V/Hz) 220-240/50

OPT. DOWNROD/TIJAS OPC. P. 541

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
350/13,7"	300/11,8"	130/5,11"	-	60/9,4"	ø130/5,1"	ø1210/47,6"	465/18,3"

DIRECT CEILING MOUNTING/DIRECTO A TECHO



A	A1	B	C	D	E	F	G
190/7,5"	150/5,9"	130/5,11"	-	60/9,4"	ø130/5,1"	ø1210/47,6"	465/18,3"

OPTIONAL ACCESSORY LIGHT KIT

33714		dark brown/ marrón oscuro	**3 E27** MAX 15W LED ⊗ [17426]
33716		white/ blanco	**3 E27** MAX 15W LED ⊗ [17426]
33717		antique brass/ oro envejecido	**3 E27** MAX 15W LED ⊗ [17426]

MEDIUM

ECO INDUS

120
47 INCH

ALL
YEAR ROUND

WALL CONTROL

INCLINING ROOF

EASY INSTALL

FINISHES/ACABADOS

Ref.	Body	Blades
33005	white/blanco	white/blanco

GENERAL FEATURES/INFO GENERAL

Body Steel/Acero
Blades (4) Steel/Acero

MOTOR FEATURES/INFO MOTOR

W 16-26-68
RPM 150-225-322
Airflow 189,47 m³ min/6691 CFM
Voltage (V/Hz) 220-240/50

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
320/12,6"	270/10,6"	160/6,29"	190/7,5"	60/2,35"	ø130/5,12"	ø1200/47,2"	485/19,1"

MEDIUM

P.477
L



P.535
S

*How to install the wall control? Visit faro,es/Visita faro,es para la instalación del regulador de pared

S

33695

33696

33697

33698

33699

MINI ICARIA

107
42 INCH

ALL
YEAR ROUND

REMOTE CONTROL

INCLINING ROOF

FINISHES/ACABADOS

Ref.	Body	Blades
33695	antique brass/ oro envejecido	brown+oak/ marrón+roble
33696	matt nickel/ níquel mate	transparent/ transparentes
33697	rust/óxido	mahogany+ bleached oak/ caoba+roble em-blanquecido
33698	white/blanco	white+maple/ blanco+arce
33699	matt nickel/ níquel mate	grey+maple/ gris+arce

LIGHT SOURCE/FUENTE DE LUZ

2 E14 MAX 8W LED ⊗ [17461]

GENERAL FEATURES/INFO GENERAL

Body Steel/Acero
Reversible Blades (4) MDF Wood/Madera MDF

MOTOR FEATURES/INFO MOTOR

W 15-24-41
RPM 132-170-205
Airflow 101,09 m³ min/3568 CFM
Voltage (V/Hz) 220-240/50

OPT. DOWNROD/TIJAS OPC. P. 541

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
405/15,9"	270/10,6"	280/11"	160/6,3"	60/2,35"	ø130/5,11"	ø1070/42"	425/16,7"

SMALL

P.419
L



33318

33319

VENETO

107
42 INCH

ALL
YEAR ROUND

INCLINING ROOF | DIRECT CEILING MOUNTING | CONTROLLED BY CHAINS

FINISHES/ACABADOS

Ref.	Body	Blades
33318	white/blanco	white/blanco/
33319	matt nickel níquel mate	cedar+beech/ cedro+haya

LIGHT SOURCE/FUENTE DE LUZ

E27 MAX 15W LED ⊗ [17462]
Diff Opal glass/Cristal opal

GENERAL FEATURES/INFO GENERAL

Body Steel/Acero
Reversible Blades (5) MDF Wood/Madera MDF
Controlled by chains / Accionado con cadenas
Remote control [33929/33937] ⊗

MOTOR FEATURES/INFO MOTOR

W 14-25-46
RPM 120-168-211
Airflow 108,39 m³ min/3824 CFM
Voltage (V/Hz) 220-240/50

OPT. DOWNROD/TIJAS OPC. P. 541

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
470/17,1"	270/10,6"	240/9,43"	200/7,87"	60/2,35"	ø130/5,1"	ø1070/42,1"	470/18,5"

DIRECT CEILING MOUNTING/DIRECTO A TECHO



A	A1	B	C	D	E	F	G
280/11"	170/6.7"	240/9,43"	200/7,87"	60/2,35"	ø130/5,1"	ø1070/42,1"	470/18,5"

33600

33601

FEROE

107
42 INCH

REMOTE CONTROL

INCLINING ROOF

FINISHES/ACABADOS

Ref.	Body	Blades
33600	white/blanco	white+maple/ blanco+arce
33601	matt nickel/ níquel mate	grey+black/ gris+negro

LIGHT SOURCE/FUENTE DE LUZ

2 E14 MAX 8W LED ⊗ [17461]
Diff Opal glass/Cristal opal

GENERAL FEATURES/INFO GENERAL

Body Steel/Acero
Reversible Blades (3) MDF Wood/Madera MDF

MOTOR FEATURES/INFO MOTOR

W 10-21-41
RPM 80-145-180
Airflow 64,16 m³ min/2265,7 CFM
Voltage (V/Hz) 220-240/50

OPT. DOWNROD/TIJAS OPC. P. 541

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
320/12,6"	210/8,2"	160/6,3"	200/7,9"	60/2,3"	ø130/5,1"	ø1070/42,1"	420/16,5"

SMALL

LISBOA

107
42 INCH

ALL
YEAR ROUND

INCLINING ROOF | DIRECT CEILING MOUNTING | CONTROLLED BY CHAINS

FINISHES/ACABADOS

Ref.	Body	Blades
33102	dark brown/ marrón oscuro	mahogany+dark walnut/ caoba+nogal oscuro

LIGHT SOURCE/FUENTE DE LUZ

3 E27 MAX 15W LED ⊗ [17462]
Diff Translucent Glass/Cristal Translúcido

GENERAL FEATURES/INFO GENERAL

Body Steel/Acero
Reversible Blades (4) MDF Wood/Madera MDF
Controlled by chains / Accionado con cadenas
Remote control [**33929/33937**]

MOTOR FEATURES/INFO MOTOR

W 27-35-47
RPM 130-185-235
Airflow 99,96 m³ min/3530 CFM
Voltage (V/Hz) 220-240/50

OPT. DOWNROD/TIJAS OPC. P. 541

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
460/18,1"	240/9,4"	220/8,63"	300/11,8"	60/2,35"	ø130/5,1"	ø1070/42,1"	420/16,5"

DIRECT CEILING MOUNTING/DIRECTO A TECHO



A	A1	B	C	D	E	F	G
280/11"	180/7,1"	220/8,63"	300/11,8"	60/2,35"	ø130/5,1"	ø1070/42,1"	420/16,5"

33508

33509

MINI LANTAU NEW

108
42 INCH

ALL
YEAR ROUND

WITH PROGRAMMER

INCLINING ROOF

FINISHES/ACABADOS

Ref.	Body	Blades
33508 NEW	matt nickel/ níquel mate	walnut/nogal
33509 NEW	matt nickel/ níquel mate	pine/pino

GENERAL FEATURES/INFO GENERAL

Body Steel/Acero
Blades (8) Wood/Madera

MOTOR FEATURES/INFO MOTOR

W 13-26-55
RPM 105-150-210
Airflow 143,2 m³ min/5055 CFM
Voltage (V/Hz) 220-240/50-60

OPT. DOWNROD/TIJAS OPC. P. 541

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
340/13,38"	300/11,81"	110/4,33"	150/5,90"	65/2,56"	150/5,9"	1080/42,52"	460/18,11"

P.377
XL

P.359
XL

P.459
L

33415

33416

EASY

105
41 INCH

ALL
YEAR ROUND

WITH PROGRAMMER

INCLINING ROOF

EASY INSTALL

FINISHES/ACABADOS

Ref.	Body	Blades
33415	white/blanco	white/blanco
33416	grey/gris	grey/gris

LIGHT SOURCE/FUENTE DE LUZ

2 E27 MAX 15W LED ⊗ [17461]
Diff Opal glass/Cristal opal

GENERAL FEATURES/INFO GENERAL

Body Steel/Acero
Blades (3) ABS

MOTOR FEATURES/INFO MOTOR

W 11-23-68
RPM 105-185-285
Airflow 159,76 m³ min/5642 CFM
Voltage (V/Hz) 220-240/50

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
460/18,1"	320/12,6"	100/3,93"	210/8,24"	75/2,91"	ø140/5,5"	ø1050/41,3"	420/16,6"

33606

33609

CEBU

102
40 INCH

ALL
YEAR ROUND

REMOTE CONTROL

INCLINING ROOF

FINISHES/ACABADOS

Ref.	Body	Blades
33606	white/blanco	white+maple/ blanco+arce
33609	matt nickel/ níquel mate	grey+black/ gris+negro

LIGHT SOURCE/FUENTE DE LUZ

2 E14 MAX 8W LED ⊗ [17461

GENERAL FEATURES/INFO GENERAL

Body Steel/Acero
Reversible Blades (3) MDF Wood/Madera MDF

MOTOR FEATURES/INFO MOTOR

W 8-22-38
RPM 84-140-180
Airflow 109 m³ min/3849,6 CFM
Voltage (V/Hz) 220-240/50

OPT. DOWNROD/TIJAS OPC. P. 541

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
410/16,1"	270/10,6"	300/11,8"	180/7,05"	60/2,35"	ø140/5,51"	ø1020/40,2"	420/16,5"

SMALL

33454

33455

MINI UFO

101
40 INCH

ALL
YEAR ROUND

REMOTE CONTROL

FINISHES/ACABADOS

Ref.	Body	Blades
33454	white/blanco	white+maple blanco+arce
33455	matt nickel níquel mate	grey+maple gris+arce

LIGHT SOURCE/FUENTE DE LUZ

2 E27 MAX 15W LED ⊗ [17463]
Diff Opal glass/Cristal opal

GENERAL FEATURES/INFO GENERAL

Body Steel/Acero
Reversible Blades (3) MDF Wood/Madera MDF

MOTOR FEATURES/INFO MOTOR

W 8-18-42
RPM 90-150-200
Airflow 106,92 m³ min/3776 CFM
Voltage (V/Hz) 220-240/50

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
370/14,6"	245/9,6"	260/10,2"	260/10,2"	120/4,71"	ø150/5,9"	ø1015/40"	384/15,1"

CHICAGO

91
36 INCH

REMOTE CONTROL

INCLINING ROOF

FINISHES/ACABADOS

Ref.	Body	Blades
33703	black/negro	walnut/nogal

LIGHT SOURCE/FUENTE DE LUZ

E27 MAX 15W LED ⊗ [17463]

GENERAL FEATURES/INFO GENERAL

Body Steel/Acero
Blades (6) MDF Wood/Madera MDF

MOTOR FEATURES/INFO MOTOR

W 15-27-49
RPM 124-176-218
Airflow 96,71 m³ min/3414 CFM
Voltage (V/Hz) 220-240/50

OPT. DOWNROD/TIJAS OPC. P. 541

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
475/18,7"	295/11,6"	295/11,41"	140/5,51"	50/1,96"	ø150/5,9	ø915/36"	380/14,96"

SMALL

GALÁPAGO

91
36 INCH

ALL
YEAR ROUND

INCLINING ROOF | DIRECT CEILING MOUNTING | CONTROLLED BY CHAINS

FINISHES/ACABADOS

Ref.	Body	Blades
33301	grey/gris	grey+pine gris+pino

LIGHT SOURCE/FUENTE DE LUZ

3 GU 10 MAX 8W LED ⊗ [17330]

GENERAL FEATURES/INFO GENERAL

Body Steel/Acero
Reversible Blades (4) MDF Wood/Madera MDF
Controlled by chains / Accionado con cadenas
Remote control [**33929/33937**]

MOTOR FEATURES/INFO MOTOR

W 29-35-45
RPM 160-230-270
Airflow 70,28 m³ min/2482 CFM
Voltage (V/Hz) 220-240/50

OPT. DOWNROD/TIJAS OPC. P. 541

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
400/15,7"	249/9,8"	210/8,24"	240/9,43"	60/2,35"	ø130/5,1"	ø910/35,8"	345/13,6"

DIRECT CEILING MOUNTING/DIRECTO A TECHO



A	A1	B	C	D	E	F	G
270/10,6"	190/7,5"	210/8,24"	240/9,43"	60/2,35"	ø130/5,1"	ø910/35,8"	345/13,6"

33704

33706 **NEW**

MEDITERRÁNEO

81
32 INCH

ALL
YEAR ROUND

CONTROLLED BY CHAINS

FINISHES/ACABADOS

Ref.	Body	Blades
33704	white/blanco	white+maple blanco+arce
33706 NEW	matt nickel/ níquel mate	maple+ mahogany arce+caoba

LIGHT SOURCE/FUENTE DE LUZ

E14 MAX 8W LED ⊗ [17461]
Diff Opal glass/Cristal opal

GENERAL FEATURES/INFO GENERAL

Body Steel/Acero
Reversible Blades (4) MDF Wood/Madera MDF
Controlled by chains / Accionado con cadenas

MOTOR FEATURES/INFO MOTOR

W 14-23-47
RPM 198-232-280
Airflow 85,38 m³ min/3014 CFM
Voltage (V/Hz) 220-240/50

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
385/15,2"	290/11,4"	260/10,2"	190/7,48"	110/4,3"	ø130/5,11"	ø815/32,1"	310/12,2"

SMALL

33179

33180

33183

33185

33186

PALAO

81
32 INCH

ALL
YEAR ROUND

INCLINING ROOF | DIRECT CEILING MOUNTING | CONTROLLED BY CHAINS

FINISHES/ACABADOS

Ref.	Body	Blades
33179	white/blanco	multicolour/ multicolor
33180	white/blanco	white/blanco
33183	matt nickel/ níquel mate	maple/arce
33185	dark brown/ marrón oscuro	mahogany/ caoba
33186	 grey/gris	grey/gris

LIGHT SOURCE/FUENTE DE LUZ

E14 MAX 8W LED ⊗ [17461]
Diff Opal glass/Cristal opal

GENERAL FEATURES/INFO GENERAL

Body Metal
Blades (6) MDF Wood/Madera MDF
Controlled by chains / Accionado con cadenas
Remote control [33929/33937]

MOTOR FEATURES/INFO MOTOR

W 24-33-46
RPM 135-190-242
Airflow 92,37 m³ min/3262 CFM
Voltage (V/Hz) 220-240/50

OPT. DOWNROD/TIJAS OPC. P. 541

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
390/15,3"	260/10,2"	190/7,5"	170/6,9"	60/2,35"	ø130/5,1"	ø810/31,8"	350/13,7"

DIRECT CEILING MOUNTING/DIRECTO A TECHO



A	A1	B	C	D	E	F	G
250/9,8"	160/6,3"	190/7,5"	170/6,9"	60/2,35"	ø130/5,1"	ø810/31,8"	350/13,7"

JUSTFAN

— Conillas

33424 **NEW**

33425 **NEW**

33426 **NEW**

JUSTFAN NEW

91 36 INCH | DC MOTOR | OPTIONAL LED DOWNLIGHT | ALL YEAR ROUND | REMOTE CONTROL | INCLINING ROOF

FINISHES/ACABADOS

Ref.	Body	Blades
33424 NEW	matt black/ negro mate	matt black/ negro mate
33425 NEW	black/negro	walnut/nogal
33426 NEW	chrome/ cromo	transparent/ transparente

GENERAL FEATURES/INFO GENERAL

Body Metal
Blades (3) ABS

MOTOR FEATURES/INFO MOTOR

DC MOTOR
W 2-3-4-5-6-7
RPM 50-71-100-126-150-179
Airflow 48.84 m3 min/1724 CFM
Voltage (V/Hz) 220-240/50-60

OPTIONAL DOWNROD

Downrods (3) Included

100mm/3,9" | 200mm/7,8" | 450mm/17,7"

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
640/25,2"	630/24,8"	180/7,05"	ø160/6,3"	55/2,1"	ø130/5,1"	ø910/35,8"	555/21,8"

OPTIONAL LED LIGHT SOURCE/FUENTE DE LUZ LED

33390	chrome/ cromo	SMD LED 13W 3000K 600 Lm CRI>80 Driver ✓ **Body** Metal **Diff** Opal Glass
33391	black/ negro	

SMALL

P.365
L



P.487
M



33603

33604

33605

MINI MALLORCA

107
42 INCH

REMOTE CONTROL

INCLINING ROOF

FINISHES/ACABADOS

Ref.	Body	Blades
33603	white/blanco	white+maple/ blanco+arce
33604	matt nickel/ níquel mate	grey+black/ gris+negro
33605	dark brown/ marrón oscuro	dark brown+ reddish cherry/ marrón oscuro+cerezo rojizo

GENERAL FEATURES/INFO GENERAL

Body Steel/Acero
Reversible Blades (3) MDF Wood/Madera MDF

MOTOR FEATURES/INFO MOTOR

W 10-21-41
RPM 80-145-180
Airflow 64,16 m³ min/2265 CFM
Voltage (V/Hz) 220-240/50

OPT. DOWNROD/TIJAS OPC. P. 541

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
235/9.3"	200/7.9"	90/3.5"	ø220/8.6"	60/2.3"	ø130/5.1"	ø1070/42.1"	420/16.5"

P.467
L

OBOE

105
41 INCH

ALL
YEAR ROUND

REMOTE CONTROL

INCLINING ROOF

FINISHES/ACABADOS

Ref.	Body	Blades
33610	white/blanco	white+maple/ blanco+arce

GENERAL FEATURES/INFO GENERAL

Body Steel/Acero
Reversible Blades (3) MDF Wood/Madera MDF
3 Speed Fan Control

MOTOR FEATURES/INFO MOTOR

W 8-22-38
RPM 85-140-180
Airflow 64,16 m³ min/3849,6 CFM
Voltage (V/Hz) 220-240/50

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
360/14,17"	270/10,6"	220/8,63"	160/6,3"	60/2,35"	ø130/5,1"	ø1050/41,34"	420/16,5"

FACTORY

106
42 INCH

ALL
YEAR ROUND

CONTROLLED BY CHAINS

INCLINING ROOF

FINISHES/ACABADOS

Ref.	Body	Blades
33611	aluminium aluminio	grey+black gris+negro

GENERAL FEATURES/INFO GENERAL

Body Steel/Acero
Reversible Blades (3) MDF Wood/Madera MDF
3 Speed Fan Control

MOTOR FEATURES/INFO MOTOR

W 20-29-42
RPM 80-140-190
Airflow 109 m3 min/3849.6 CFM
Voltage (V/Hz) 220-240/50

OPT. DOWNROD/TIJAS OPC. P. 541

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
300/11,8"	157/6,88"	160/6,29"	170/6,69"	60/2,35"	ø130/5,1"	ø1060/41,7"	420/16,5"

MINI INDUS

92
36 INCH

WALL CONTROL

EASY INSTALL

FINISHES/ACABADOS

Ref.	Body	Blades
33011	white/blanco	white/blanco

GENERAL FEATURES/INFO GENERAL

Body Steel/Acero
Blades (3) Steel/Acero

MOTOR FEATURES/INFO MOTOR

W 10-13-17-22-43
RPM 183-225-272-299-330
Airflow 74,56 m³ min/2633 CFM
Voltage (V/Hz) 220-240/50

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
483/19"	440/17,3"	160/6,29"	ø120/4,71"	120/4,71"	ø145/5,7"	ø920/36,2"	320/12,6"

P.477
L



P.499
M

*How to install the wall control? Visit faro,es/Visita faro,es para la instalación del regulador de pared

VEDRA

46
18 INCH

WALL CONTROL

INCLINING ROOF

FINISHES/ACABADOS

Ref.	Body	Blades
33450	antique brass oro envejecido	walnut/nogal

GENERAL FEATURES/INFO GENERAL

Body Aluminium/Aluminio
Blades (3) MDF Wood/Madera MDF
Remote control [33929/33937]
Adjustable 90°

MOTOR FEATURES/INFO MOTOR

W 19-22-34-37
RPM 327-369-495-515
Airflow 58,11 m³ min/2052 CFM
Voltage (V/Hz) 220-240/50

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
540/21,2"	450/17,7"	200/7,87"	100/3,93"	60/2,35"	ø145/5,7"	ø460/18,1"	200/17,9"

*How to install the wall control? Visit faro,es/Visita faro,es para la instalación del regulador de pared

33715

33720 **NEW**

KEIKI

43
17 INCH

ALL
YEAR ROUND

WALL CONTROL

INCLINING ROOF

FINISHES/ACABADOS

Ref.	Body	Blades
33715	brown/marrón	brown/marrón
33720 NEW	white/blanco	white/blanco

GENERAL FEATURES/INFO GENERAL

Body Steel/Acero
Blades (3) Plywood/Madera Ply
Ceiling & Wall
Adjustable 45° 20°

MOTOR FEATURES/INFO MOTOR

W 10-19-28
RPM 380-640-890
Airflow 36,61 m³ min/ 1363 CFM
Voltage (V/Hz) 220-240/50

MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
505/19.9"	440/17.3"	–	–	55/2,1"	ø150/5,11"	ø430/16,9"	150/5,90"

SMALL

*How to install the wall control? Visit faro,es/Visita faro,es para la instalación del regulador de pared

ACCE
SSO
RIES

300MM/11,8IN

- **33904** white /blanco
- **33959** grey/gris
- **33960** old gold/oro envejecido
- **33962** brown/marrón
- **33965** satin nickel/níquel satinado

Body Metal

400MM/15,7IN

- **33944** white/blanco
- **33948** matt nickel/níquel mate

Body Metal

500MM/19,7IN

- **33954** white/blanco
- **33957** old gold/oro envejecido
- **33958** chrome/cromo
- **33964** brown/marrón
- **33971** satin nickel/níquel satinado

Body Metal

	REMOTE CONTROLS	BATTERY	FREQUENCY	MATERIAL	INFO
	33929	1x9V	50/60Hz	**Body** PVC	-
	33937	4xAAA	50/60Hz	**Body** PVC	
	WALL CONTROL 3 SPEEDS				
	33928	-	-	**Body** ABS	-

*The wall control is not compatible with the remote control at same time, El regulador de pared no se puede usar al mismo tiempo que el mando a distáncia

	CHAIN				
	33907	-	-	-	300mm/11,8»

LAMPS &DRIVERS

GU 10	Ref.	Socket	K	lm	CRI	I.E.E.	W	Angle°	Dimm	V	Hz	Hrs.	Caract	mm/"
	17328	GU10	2700	600	≥80	A+	7	120°	–	220-240	50	25.000	–	ø50/1,9" 55/2.3"
	17329	GU10	4000	650	≥80	A+	7	120°	–	220-240	50	25.000	–	ø50/1,9" 55/2.3"
	17330	GU10	3000	540	≥80	A+	7	38°	–	220-240	50	25.000	Glass	ø53/1,9" 53/2,1"
	17309	GU10	3000	500	>90	A+	7	40°	–	220-240	50/60	25.000	–	ø50/1,9" 54/2,1"
	17316	GU10	2700	450	≥80	A+	8	38°	–	100-240	50/60	25.000	–	ø50/1,9" 50/1,9"
	17317	GU10	4000	480	≥80	A+	8	38°	–	220-240	50/60	25.000	–	ø50/1,9" 50/1,9"
	17320	GU10	2700	500	≥80	A+	8	60°	–	100-240	50/60	25.000	–	ø50/1,9" 50/1,9"
	17321	GU10	4000	520	≥80	A+	8	60°	–	100-240	50/60	25.000	–	ø50/1,9" 50/1,9"
	17318	GU10	2700	450	≥80	A+	8	38°	✓	100-240	50/60	25.000	–	ø50/1,9" 54/2,1"
	17319	GU10	4000	480	≥80	A+	8	38°	✓	220-240	50/60	25.000	–	ø50/1,9" 54/2,1"
	17324	GU10	2700	500	≥80	A+	8	60°	–	100-240	50/60	25.000	–	ø50/1,9" 54/2,1"
	17325	GU10	4000	520	≥80	A+	8	60°	–	100-240	50/60	25.000	–	ø50/1,9" 50/1,9"
	17331	GU10	2700	500	≥80	A+	8	60°	✓	220-240	50/60	25.000	–	ø50/1,9" 54/2,1"
	17332	GU10	4000	520	≥80	A+	8	60°	✓	220-240	50/60	25.000	–	ø50/1,9" 54/2,1"

G45	Ref.	Socket	K	lm	CRI	I.E.E.	W	Dimm	V	Hz	Hrs.	Caract	mm/"
	17471	E27	4000	30	–	A+	1	A+	220-240	50/60	25.000	Coloured glass	ø45/1,7" 66/2,6"
	17472	E27	–	30	–	A+	1	A+	220-240	50/60	25.000	Coloured glass	ø45/1,7" 66/2,6"
	17473	E27	–	30	–	A+	1	A+	220-240	50/60	25.000	Coloured glass	ø45/1,7" 66/2,6"
	17474	E27	–	30	–	A+	1	A+	220-240	50/60	25.000	Coloured glass	ø45/1,7" 66/2,6"
	17475	E27	–	30	–	A+	1	A+	220-240	50/60	25.000	Coloured glass	ø45/1,7" 66/2,6"

C35	Ref.	Socket	K	lm	CRI	I.E.E.	W	Angle°	Dimm	V	Hz	Hrs.	Caract	mm/"
	17460	E14	2700	450	≥80	A++	4	360°	–	220-240	50/60	25.000	Matt glass	ø35/1,3" 100/4"
G45														
	17461	E14	2700	450	≥80	A++	4	360°	–	220-240	50/60	25.000	Matt glass	ø45/1,7" 78/3,1"
	17462	E27	2700	450	≥80	A++	4	360°	–	220-240	50/60	25.000	Matt glass	ø45/1,7" 70/2,7"
	17492	E27	4000	470	≥80	A++	4	360°	–	220-240	50/60	25.000	Matt glass	ø45/1,7" 70/2,7"
T45														
	17437	E27	3000	550	≥80	A++	5	360°	–	220-240	50/60	25.000	Matt glass	ø45/1,7" 72/2,7"
A60														
	17463	E27	2700	800	≥80	A++	7	360°	–	220-240	50/60	25.000	Matt glass	ø60/2,3" 102/4"
	17484	E27	4000	830	≥80	A++	7	360°	–	220-240	50/60	25.000	Matt glass	ø60/2,3" 102/4"
	17485	E27	2700	900	≥80	A++	8	360°	✓	220-240	50/60	25.000	Matt glass	ø60/2,3" 102/4"
	17486	E27	4000	950	≥80	A++	8	360°	✓	220-240	50/60	25.000	Matt glass	ø60/2,3" 102/4"
	17063	E27	2700	640	≥80	A+	8	270°	–	220-240	50/60	25.000	Polycarbonate	ø60/2,3" 110/4,3"
	17064	E27	4000	680	≥80	A+	8	270°	–	220-240	50/60	25.000	Polycarbonate	ø60/2,3" 110/4,3"
	17067	E27	2700	810	≥80	A+	10	270°	✓	220-240	50/60	25.000	Polycarbonate	ø60/2,3" 120/4,7"
A65														
	17062	E27	4000	1020	≥80	A+	10	270°	–	220-240	50/60	30.000	Polycarbonate/ Sensor	ø65/2,5" 125/5"
G95														
	17464	E27	2700	800	≥80	A++	6	360°	–	220-240	50/60	25.000	Matt glass	ø95/3,7" 138/5,4"
	17482	E27	2700	900	≥80	A++	8	360°	✓	220-240	50/60	25.000	Matt glass	ø95/3,7" 130/5,1"
	17483	E27	4000	950	≥80	A++	8	360°	✓	220-240	50/60	25.000	Matt glass	ø95/3,7" 130/5,1"
G 120														
	17478	E27	2700	1600	≥80	A+	19	270°	–	220-240	50/60	25.000	Polycarbo-nate	ø120/4,7" 155/6,1"
	17479	E27	2700	1600	≥80	A+	19	270°	–	220-240	50/60	25.000	Polycarbo-nate	ø120/4,7" 155/6,1"
	17480	E27	4000	1700	≥80	A+	19	270°	✓	220-240	50/60	25.000	Polycarbo-nate	ø120/4,7" 155/6,1"
G 125														
	17465	E27	2700	800	≥80	A++	6	360°	–	220-240	50/60	25.000	Matt glass	ø125/4,9" 175/6,8"

	Ref.	Socket	K	lm	CRI	I.E.E.	W	Angle°	Dimm	V	Hz	Hrs.	Caract	mm/"
C35														
	17418	E14	2700	220	≥80	A++	2	360°	–	220-240	50/60	25.000	Filament	ø35/1.4" 100/3,9"
F35														
	17419	E14	2700	220	≥80	A++	2	360°	–	220-240	50/60	25.000	Filament	ø35/1.3" 125/4,9"
G45														
	17417	E27	2700	220	≥80	A++	2	360°	–	220-240	50/60	25.000	Filament	ø45/1.7" 70/2,7"
A60														
	17420	E27	2700	470	≥80	A++	4	360°	–	220-240	50/60	25.000	Filament	ø60/2,3" 105/4,7"
ST64														
	17422	E27	2700	470	≥80	A++	4	360°	–	220-240	50/60	25.000	Filament	ø64/2,5" 146/5,7"
G95														
	17415	E27	2700	470	≥80	A++	4	360°	–	220-240	50/60	25.000	Filament	ø95/3,7" 138/5,4"
G 125														
	17423	E27	2700	460	≥80	A++	4	360°	–	220-240	50/60	25.000	Filament	ø125/4,9" 175/6,8"

	Ref.	Socket	K	lm	CRI	I.E.E.	W	Angle°	Dimm	V	Hz	Hrs.	Caract	mm/"
T30														
	17445	E27	2700	550	≥80	A+	6	360°	–	220-240	50/60	25.000	Filament Amber	ø28/1,1" 300/11,8"
C35														
	17427	E14	2200	200	–	A++	2	360°	–	220-240	50/60	25.000	Filament Amber	ø36/1,4" 100/3,9"
G45														
	17413	E14	2200	200	–	A++	2	360°	–	220-240	50/60	25.000	Filament Amber	ø45/1,7" 78/3,1"
	17414	E27	2200	200	–	A++	2	360°	–	220-240	50/60	25.000	Filament Amber	ø45/1,7" 70/2,7"
	17493	E27	2200	300	–	A+	4	360°	✓	220-240	50/60	25.000	Filament Amber	ø45/1,7" 70/2,7"
A60														
	17426	E27	2200	400	–	A++	4	360°	–	220-240	50/60	25.000	Filament Amber	ø56/2,2" 102/4"
	17432	E27	2200	400	–	A+	5	360°	✓	220-240	50/60	25.000	Filament Amber	ø56/2,2" 102/4"
	17514	E27	2200	550	–	A+	6	360°	*✓	220-240	50/60	20.000	Filament Amber	ø60/2,3" 105/4,7"
ST64														
	17428	E27	2200	400	–	A++	4	360°	–	220-240	50/60	25.000	Filament Amber	ø64/2,5" 146/5,7"
	17433	E27	2200	400	–	A+	5	360°	✓	220-240	50/60	25.000	Filament Amber	ø64/2,5" 146/5,7"
SP64														
	17409	E27	2000	250	–	A	5	360°	–	220-240	50/60	25.000	Filament Amber	ø64/2,5" 146/5,7"

*Dimmable; 1 click **100%** 2 clicks **50%** 3 clicks **25%**

G95 SP	Ref.	Socket	K	lm	CRI	I.E.E.	W	Angle°	Dimm	V	Hz	Hrs.	Caract	mm/"
	17408	E27	2000	250	–	A	5	360°	✓	220-240	50/60	25.000	Filament Amber	ø95/3,7" 130/5,1"
G95														
	17429	E27	2200	400	–	A++	4	360°	–	220-240	50/60	25.000	Filament Amber	ø95/3,7" 138/5,3"
	17515	E27	2200	550	–	A+	6	360°	*✓	220-240	50/60	25.000	Filament Amber	ø95/3,7" 130/5,4"
D 120	**DIAMOND**													
	17435	E27	2200	350	–	A+	4	360°	–	220-240	50/60	25.000	Filament Amber	ø110/4,3" 145/5,7"
G 125														
	17434	E27	2200	400	–	A+	5	360°	✓	220-240	50/60	25.000	Filament Amber	ø125/4,9" 175/6,8"
	17425	E27	2200	400	–	A++	4	360°	–	220-240	50/60	25.000	Filament Amber	ø125/4,9" 175/6,8"
A 160														
	17447	E27	2000	280	–	A+	5	360°	✓	220-240	50/60	25.000	Filament Amber	ø160/6,3" 300/11,8"
BT 180														
	17449	E27	2000	400	–	A+	8	360°	✓	220-240	50/60	25.000	Filament Amber	ø160/6,3" 390/15,3"
G200														
	17448	E27	2000	280	–	A+	5	360°	✓	220-240	50/60	25.000	Filament Amber	ø200/7,8" 300/11,8"

*Dimmable; 1 click **100%** 2 clicks **50%** 3 clicks **25%**

A55	Ref.	Socket	K	lm	CRI	I.E.E.	W	Angle°	Dimm	V	Hz	Hrs.	Caract	mm/"
	17270	E27	2700	330	≥80	A+	4	280°	–	220-240	50/60	10.000	Mirror	ø56/2,2" 100/3,9"
A60														
	17496	E27	2700	470	≥80	A++	4	360°	–	220-240	50/60	25.000	Gold	ø60/2.3" 102/4"
G95														
	17271	E27	2700	400	≥80	A++	4	180°	–	220-240	50/60	25.000	Mirror	ø95/3,7" 128/5"
T26														
	17446	E14	2700	120	≥80	A++	1	360°	–	220-240	50/60	25.000	LED	ø25/0,1" 58/2,3"
R7S														
	17497	JP117	2700	800	≥80	A++	8	360°	–	220-240	50/60	25.000	LED	ø13,5/0,53" 118/4,65"

G4	Ref.	Socket	K	lm	CRI	I.E.E.	W	Angle°	Dimm	V	Hz	Hrs.	Caract	mm/"
	17487	G4	3000	180	≥80	A++	1,6	360°	–	12 AC	–	25.000	LED	ø10/0,4" 37/1,4"
	17494	G4	3000	90	≥80	A++	1,5	360°	–	12 AC	50/60	25.000	LED	ø11/0,5" 33/1,3"
G9														
	17481	G9	3000	220	≥80	A++	2	360°	–	220-240	50/60	25.000	Glass	ø 13/0,5" 48/1,9"
	17443	G9	2700	350	≥80	A++	3,5	360°	–	220-240	50/60	25.000	–	ø 15/0,6" 50/1,9"
	17444	G9	4000	350	≥80	A++	3,5	360°	–	220-240	50/60	25.000	–	ø 15/0,6" 50/1,9"
	17468	G9	2700	350	≥80	A++	3,5	360°	✓	220-240	50/60	25.000	–	ø 16/0,7" 50/1,9"
	17495	G9	3000	420	≥80	A++	3,5	360°	–	220-240	50/60	25.000	–	ø 13/0,5" 58/3.3"
	17466	G9	2700	500	≥80	A++	5	360°	–	220-240	50/60	25.000	–	ø 16/0,7" 60/2,3"
	17467	G9	4000	500	≥80	A++	5	360°	–	220-240	50/60	25.000	–	ø 16/0,7" 60/2,3"
PAR 30														
	17403	E27	2700	1440	≥80	A+	18	40°	–	100-240	50/60	30.000	–	ø94/3,2" 110/4,3"
	17404	E27	2700	700	≥80	A	15	30°	–	230	50/60	30.000	–	ø95/3,7" 120/4,7"
PAR38														
	17399	E27	4000	400	–	A+	10	60°	–	220-240	50/60	30.000	–	ø120/4,7" 134/5,2"
	17400	E27	4000	850	≥80	A+	10	60°	–	220-240	50/60	30.000	–	ø120/4,7" 140/5.5"
	17398	E27	3000	810	≥80	A+	12	23°	–	100-240	50/60	25.000	IP65	ø120/4,7" 134/5,2"
R63														
	17476	E27	2700	700	≥80	A+	8	120°	–	220-240	50/60	25.000	LED	ø63/2,5" 102,5/4"
R80														
	17477	E27	2700	1050	≥80	A+	12	120°	–	220-240	50/60	25.000	LED	ø80/3,1" 112,5/4,4"
3U														
	17438	E27	2800	855	≥70	A+	9	360°	–	110-240	50/60	20.000	LED	ø45/1,7" 138/5.4"
JP 118														
	17490	R7s	2700	1000	≥80	A+	12	–	–	220-240	50/60	25.000	LED	ø23/0,9" 118/4,6"
	17491	R7s	4000	1050	≥80	A+	12	–	–	220-240	50/60	25.000	LED	ø23/0,9" 118/4,6"
JP78														
	17488	R7s	2700	600	≥80	A+	7	–	–	220-240	50/60	25.000	LED	ø23/0,9" 78/3,07"
	17489	R7s	4000	650	≥80	A+	7	–	–	220-240	50/60	25.000	LED	ø23/0,9" 78/3,07"
GX53														
	17340	GX53	3000	470	≥80	A+	6	–	–	220-240	50/60	25.000	LED	ø76/2,9" 26/1,2"

DRIVERS	W	V INPUT	FREQUENCY	CURRENT
46060	3W	240V	50/60Hz	350mA
46061	16W	240V	50/60Hz	350mA

TRANSFORMERS

46067	20W	240V	50/60Hz	24VDC

ELECTRONIC GEAR

43070	60W	220-240V	50/60Hz	11,5V

MAGNETIC GEAR ELT

98101050	50W	220-240V	50/60Hz	-

SENSOR IP44

73115 white/blanco	MAX. 800W	220-240V	50/60Hz	-

CONNECTION BOX IP68

75800	-	-	-	-

CONNECTION BOX T IP68

75801	-	-	-	-

SOCKET MR 16

4R033	-	-	-	-

SOCKET GU 10

43065	-	-	-	-

TECH

SALES CONDITIONS

PRICES
Prices established in this price list cancel all the previous ones and can be modified without notice. Conditions,characteristics and product prices set in this price list are the current ones on the printing date unless misprint and are subject to possible modifications. Prices set in this price list cancel all the previous ones and can be modified without notice. Taxes and rates charged in our invoices will be met by the buyer.
The catalogue prices are public prices.
VAT IS NOT INCLUDED IN THIS PRICE LIST.
Valid prices for Germany, Belgium, Spain, France, Greece, Holland and Portugal.

COLOR CODE OF EURO COLUMN

Products from standard range.

Products of the range 1.

Products of the range 2.

DELIVERIES AND INSURANCE
Before taking on the expedition, the buyer should make sure that all bulks are in perfect conditions. If any anomaly, waste or breakage is detected, opening in the presence of a transport company agent or an insurance company agent should be done.

DELIVERY TERMS
Delivery terms are approximate and start from the order approval date on the part of LOREFAR, S.L.

CLAIMS AND RETURNS
Claims should be done within 8 days from the merchandise reception. No returns which have not previously been accepted by LOREFAR, S.L. will be admitted. Merchandise not delivered in perfect conditions and free of charge will not be accepted. Returns will be accepted if faulty merchandise, not due to broken glass or missing components previous notice to LOREFAR S.L. In such cases, please get in touch with us so that we can urgently deliver required parts.
Changes or returns of merchandise in good conditions will not be accepted. In case of explicit acceptance by LOREFAR, S.L., 20% for depreciation and merchandise sorting will be charged when receiving and checking.

SAMPLES
Samples will be completely paid when returning provided that they are in perfect conditions.

PRODUCTS
All products shown in this catalogue are supplied individually (accessories, equipments and lamps). Acceptance of our invoices or delivery notes and mentioned merchandise by the buyer, means implicit consent to our general sales conditions.

CONDICIONES DE VENTA

PRECIOS
Las condiciones, características y precios de los productos que aparecen en esta tarifa son los vigentes a la fecha de impresión salvo error tipográfico y están sujetos a posibles modificaciones. Los precios señalados en esta tarifa anulan todos los anteriores y pueden ser modificados sin previo aviso. Serán a cargo del comprador cuantos impuestos y tasas graven la operación objeto de nuestras facturas. Los precios mostrados son precios de venta al público (PVP).
IVA NO INCLUIDO EN TARIFA.
Tarifa válida para Alemania, Bélgica, España, Francia, Grecia, Holanda y Portugal.

CÓDIGO DE COLORES DE LA COLUMNA EURO

Productos gama estándar.

Productos gama 1.

Productos gama 2.

ENVIOS Y SEGUROS
Antes de hacerse cargo de la expedición, el comprador deberá asegurarse de que los bultos están en perfectas condiciones. En caso de detectar alguna anomalía, merma o rotura deberá exigir su apertura en presencia de algún agente de la compañía de transportes o de la compañía aseguradora en su caso.

PLAZOS DE ENTREGA
Los plazos de entrega se entienden aproximados y empiezan a contar desde la fecha de aceptación del pedido por parte de LOREFAR S.L.

RECLAMACIONES Y DEVOLUCIONES
Las reclamaciones deberán hacerse dentro de los ocho días siguientes a la recepción de la mercancía. No se admitirá ninguna devolución que no haya sido previamente aceptada por LOREFAR S.L., ni mercancía que no sea entregada en perfecto estado y libre de todo gasto. Previa comunicación a LOREFAR S.L. se aceptará la mercancía devuelta por defectuosa, nunca por cristales rotos o falta de algún componente. En estos casos rogamos se pongan en contacto con nosotros para enviarles urgentemente las piezas requeridas. No se admitirán cambios ni devoluciones de mercancía en buen estado. En caso de aceptación explícita por parte de LOREFAR S.L., a su recepción y comprobación se emitirá un cargo del 20% en concepto de depreciación y clasificación de la mercancía.

MUESTRAS
Las muestras se abonarán completamente a su devolución, siempre que se encuentren en perfecto estado.

PRODUCTOS
Todos los productos que se muestran en este catálogo se suministran unitariamente (accesorios, equipos y lámparas). La aceptación por parte del comprador de nuestras facturas o albaranes y de las mercancías allí reseñadas, supone su conformidad implícita a nuestras condiciones generales de venta.

PRIX
Les conditions, caractéristiques et prix des produits qui apparaissent dans ces tarifs sont ceux en vigueur à la date d'impression sauf erreur typographique et sont susceptibles de modifications.
Les prix indiqués dans ces tarifs annulent tous les prix antérieurs et peuvent être modifiés sans préavis . Les impôts et les taxes seront à la charge de l'acheteur grèvant l'opération objet de nos factures. Les prix du catalogue son les prix de vente public.
TVA NON COMPRISE DANS LES TARIFS
Tarifs valables pour l'Allemagne, la Belgique, l'Espagne, la France, la Grèce, la Hollande et le Portugal .

CODE COULEUR DE LA COLONNE EURO

Produits de la gamme standard.

Produits gamme 1.

Produits gamme 2.

ENVOIS ET ASSURANCES
Avant de se faire responsable de l'expédition, l'acheteur devra s'assurer que les colis sont en parfaites conditions. S'il détecte une anomalie, une perte ou une rupture, celui-ci devra exiger l'ouverture en présence d'un agent de l'entreprise de transport ou de la compagnie d'assurance.

DÉLAIS DE LIVRAISON
Les délais de livraison sont approximatifs et commencent à courir à partir de la date d'acceptation de la commande de la part de LOREFAR S.L.

RÉCLAMATIONS ET RENVOIS
Les réclamations devront être réalisées dans les huit jours suivants la réception de la marchandise. Aucun renvoi non préalablement accepté par LOREFAR S.L. ne sera admis, ni aucune marchandise non livrée en parfait état et libre de tout frais. Après communication préalable à LOREFAR S.L. la marchandise défectueuse sera renvoyée, mais dans le cas de verres brisés ou de l'absence d'un composant. Dans ces cas nous vous prions de prendre contact avec nous afin que nous vous envoyions de manière urgente les pièces demandées. Les changements ou les retours de marchandises en bon état ne seront pas admis. En cas d'acceptation explicite de la part de LOREFAR S.L., lors de sa réception et de sa vérification un coût de 20% en concept de dépréciation et de classification de la marchandise sera facturé.

ÉCHANTILLONS
Les échantillons seront complètement payés lors de leur renvoi, toujours à condition qu'ils soient en bon état.

PRODUITS
Tous les produits de ce catalogue sont fournis unitairement (accessoires, équipements et lampes). L'acceptation de la part de l'acheteur de nos factures ou bordereaux et des marchandises signalées sur celles-ci, suppose sa conformité implicite à nos conditions générales de vente.

TECH

554.
TRACK PROJECTORS

578.
RECESSED

608.
SURFACE & SUSPENDED

634.
EBLUE

636.
LEDSTRIPS

640.
LAMPS & GEARS

FUGA

LED projector with tubular format.

The electrical equipment is housed in the body of the projector. As there is no suspended gearbox, it can also be used in vertical installations.

When we place the projector completely vertical, the seat post is hidden inside the projector.

Proyector LED de formato tubular. El equipo eléctrico se aloja en el cuerpo del proyector. Al no tener caja porta equipos suspendida, se puede utilizar también en instalaciones verticales.

Cuando colocamos el proyector totalmente vertical la tija queda escondida dentro del proyector.

LIGHTING SOLUTIONS

Our projectors FUGA incorporate Vossloh components, to offer the latest technology available in the market and the most efficient LED.

Nuestros proyectores FUGA incorporan componentes Vossloh, para poder ofrecer la última tecnología disponible en el mercado y los led más eficientes.

FUGA SMALL

LED

IP20 350° 90° 850 °C 0,75Kg. 1.65Lb.



7 W Driver included				
CRI82	850 lm	2700K	24°	01110010 ○ 01110010 ●
			60°	01110020 ○ 01110020 ●
CRI85	915 lm	3000K	24°	01110030 ○ 01110030 ●
			60°	01110040 ○ 01110040 ●
	950 lm	4000K	24°	01110050 ○ 01110050 ●
			60°	01110060 ○ 01110060 ●
12 W Driver included				
CRI82	1360 lm	2700K	24°	01110070 ○ 01110070 ●
			60°	01110080 ○ 01110080 ●
CRI85	1465 lm	3000K	24°	01110090 ○ 01110090 ●
			60°	01110100 ○ 01110100 ●
	1525 lm	4000K	24°	01110110 ○ 01110110 ●
			60°	01110120 ○ 01110120 ●

FUGA MEDIUM

LED

IP20 · 350° · 90° · 850 °C · 1,05Kg. 2,31LB. · DALI OPTIONAL



12 W Driver included					
CRI82	1565 lm	2700K	24°	011 200101 ○ 011 200102 ●	**DALI** OPTION Add a D at the end of the ref. e.g.: 011 200101 D
			60°	011 200201 ○ 011 200202 ●	
CRI85	1685 lm	3000K	24°	011 200301 ○ 011 200302 ●	
			60°	011 200401 ○ 011 200402 ●	
	1750 lm	4000K	24°	011 200501 ○ 011 200502 ●	
			60°	011 200601 ○ 011 200602 ●	
18 W Driver included					
CRI82	2100 lm	2700K	24°	011 200701 ○ 011 200702 ●	**DALI** OPTION Add a D at the end of the ref. e.g.: 011 200701 D
			60°	011 200801 ○ 011 200802 ●	
CRI85	2260 lm	3000K	24°	011 200901 ○ 011 200902 ●	
			60°	011 201001 ○ 011 201002 ●	
	2350 lm	4000K	24°	011 201101 ○ 011 201102 ●	
			60°	011 201201 ○ 011 201202 ●	

CRI95

17 W Driver included					
CRI95	1810 lm	2700K	24°	011 201301 ○ 011 201302 ●	**DALI** OPTION Add a D at the end of the ref. e.g.: 011 201301 D
			60°	011 201401 ○ 011 201402 ●	
	1920 lm	3000K	24°	011 201501 ○ 011 201502 ●	
			60°	011 201601 ○ 011 201602 ●	
	2110 lm	4000K	24°	011 201701 ○ 011 201702 ●	
			60°	011 201801 ○ 011 201802 ●	
24 W Driver included					
CRI95	2470 lm	2700K	24°	011 201901 ○ 011 201902 ●	**DALI** OPTION Add a D at the end of the ref. e.g.: 011 201901 D
			60°	011 202001 ○ 011 202002 ●	
	2615 lm	3000K	24°	011 202101 ○ 011 202102 ●	
			60°	011 202201 ○ 011 202202 ●	
	2875 lm	4000K	24°	011 202301 ○ 011 202302 ●	
			60°	011 202401 ○ 011 202402 ●	

HIGH EFFICIENCY LED

24 W Driver included

CRI82	3145 lm	2700K	24°	011202501 ○ 011202502 ●	**DALI** OPTION Add a D at the end of the ref. e.g.: 011202501 D
			60°	011202601 ○ 011202602 ●	
CRI85	3385 lm	3000K	24°	011202701 ○ 011202702 ●	
			60°	011202801 ○ 011202802 ●	
	3515 lm	4000K	24°	011202901 ○ 011202902 ●	
			60°	011203001 ○ 011203002 ●	

FOOD LIGHTING LED

24 W Driver included

CRI85	1900 lm	fruits ●	24°	011203101 ○ 011203102 ●	**DALI** OPTION Add a D at the end of the ref. e.g.: 011203101 D
			60°	011203201 ○ 011203202 ●	
	1960 lm	fish ●	24°	011203301 ○ 011203302 ●	
			60°	011203401 ○ 011203402 ●	
CRI70	1790 lm	meat ●	24°	011203501 ○ 011203502 ●	
			60°	011203601 ○ 011203602 ●	

RETAIL LIGHTING LED

17 W Driver included

CRI95	1956 lm	PEARL WHITE 3100 K	20°	011203701 ○ 011203702 ●	**DALI** OPTION Add a D at the end of the ref. e.g.: 011203701 D
			56°	011203801 ○ 011203802 ●	

24 W Driver included

CRI95	2635 lm	PEARL WHITE 3100 K	20°	011203901 ○ 011203902 ●	**DALI** OPTION Add a D at the end of the ref. e.g.: 011203901 D
			56°	011204001 ○ 011204002 ●	

FUGA LARGE

LED

IP20 · 350° · 90° · 850 °C · 1,35Kg. 2,97Lb. · DALI OPTIONAL



18 W Driver included					
CRI82	1565 lm	2700K	24°	011300101 ○ 011300102 ●	**DALI** OPTION Add a D at the end of the ref. e.g.: 011300101 D
			60°	011300201 ○ 011300202 ●	
CRI85	1685 lm	3000K	24°	011300301 ○ 011300302 ●	
			60°	011300401 ○ 011300402 ●	
	1750 lm	4000K	24°	011300501 ○ 011300502 ●	
			60°	011300601 ○ 011300602 ●	
25 W Driver included					
CRI82	2100 lm	2700K	24°	011300701 ○ 011300702 ●	**DALI** OPTION Add a D at the end of the ref. e.g.: 011300701 D
			60°	011300801 ○ 011300802 ●	
CRI85	2260 lm	3000K	24°	011300901 ○ 011300902 ●	
			60°	011301001 ○ 011301002 ●	
	2350 lm	4000K	24°	011301101 ○ 011301102 ●	
			60°	011301201 ○ 011301202 ●	

CRI95

36 W Driver included					
CRI95	1810 lm	2700K	24°	011301901 ○ 011301902 ●	**DALI** OPTION Add a D at the end of the ref. e.g.: 011301901 D
			60°	011302001 ○ 011302002 ●	
	1920 lm	3000K	24°	011302101 ○ 011302102 ●	
			60°	011302201 ○ 011302202 ●	
	2110 lm	4000K	24°	011302301 ○ 011302302 ●	
			60°	011302401 ○ 011302402 ●	

HIGH EFFICIENCY LED

36 W Driver included

CRI82	3145 lm	2700K	24°	011301301 ○ 011301302 ●	**DALI** OPTION Add a D at the end of the ref. e.g.: 011301301D
			60°	011301401 ○ 011301402 ●	
CRI85	3385 lm	3000K	24°	011301501 ○ 011301502 ●	
			60°	011301601 ○ 011301602 ●	
	3515 lm	4000K	24°	011301701 ○ 011301702 ●	
			60°	011301801 ○ 011301802 ●	

FOOD LIGHTING LED

24 W Driver included

CRI85	1900 lm	fruits ●	24°	011302501 ○ 011302502 ●	**DALI** OPTION Add a D at the end of the ref. e.g.: 011302501D
			60°	011302601 ○ 011302602 ●	
	1960 lm	fish ●	24°	011302701 ○ 011302702 ●	
			60°	011302801 ○ 011302802 ●	
CRI70	1790 lm	meat ●	24°	011302901 ○ 011302902 ●	
			60°	011303001 ○ 011303002 ●	

36 W Driver included

CRI85	2725 lm	fruits ●	24°	011303101 ○ 011303102 ●	**DALI** OPTION Add a D at the end of the ref. e.g.: 011303101D
			60°	011303201 ○ 011303202 ●	
	2810 lm	fish ●	24°	011303301 ○ 011303302 ●	
			60°	011303401 ○ 011303402 ●	
CRI70	2570 lm	meat ●	24°	011303501 ○ 011303502 ●	
			60°	011303601 ○ 011303602 ●	

RETAIL LIGHTING LED

24 W Driver included

CRI95	1956 lm	PEARL WHITE 3100 K	24°	011303701 ○ 011303702 ●	**DALI** OPTION Add a D at the end of the ref. e.g.: 011303701D
			60°	011303801 ○ 011303802 ●	

36 W Driver included

CRI95	2635 lm	PEARL WHITE 3100 K	24°	011303901 ○ 011303902 ●	**DALI** OPTION Add a D at the end of the ref. e.g.: 011303901D
			60°	011304001 ○ 011304002 ●	

SIGMA

Projector with integrated electrical equipment in the carcass of the luminaire. There is no need of using an equipment box and it makes it possible to be used and installed in a vertical or horizontal position.

Proyector con el equipo eléctrico integrado en el propio cuerpo de la luminaria. No necesita la caja porta equipos y esto hace que se pueda utilizar en instalaciones verticales y horizontales.

LIGHTING SOLUTIONS

Our projectors SIGMA incorporate Vossloh components, to offer the latest technology available in the market and the most efficient LED.

Nuestros proyectores SIGMA incorporan componentes Vossloh, para poder ofrecer la última tecnología disponible en el mercado y los led más eficientes.

NANO**SIGMA**

LED

IP20 358° 180° 850 °C 0,66Kg. 1,45Lb.



7 W Driver included				
CRI82	850 lm	2700K	20°	011000102 ●
			56°	011000202 ●
CRI85	915 lm	3000K	20°	011000302 ●
			56°	011000402 ●
	950 lm	4000K	20°	011000502 ●
			56°	011000602 ●
12 W Driver included				
CRI82	1360 lm	2700K	20°	011000702 ●
			56°	011000802 ●
CRI85	1465 lm	3000K	20°	011000902 ●
			56°	011001002 ●
	1525 lm	4000K	20°	011001102 ●
			56°	011001202 ●

Compatible con Directional Flaps 01 993002 (pág. 575)
Suitable with Directional Flaps 01 993002 (pag. 575)

MINISIGMA

LED

IP20 | 358° | 180° | 850 °C | 1,12Kg. 2,47Lb. | DALI OPTIONAL



12 W Driver included					
CRI82	1565 lm	2700K	20°	010900102 ●	**DALI** OPTION Add a D at the end of the ref. e.g.: 010900102D
			56°	010900202 ●	
CRI85	1685 lm	3000K	20°	010900302 ●	
			56°	010900402 ●	
	1750 lm	4000K	20°	010900502 ●	
			56°	010900602 ●	
18 W Driver included					
CRI82	2100 lm	2700K	20°	010900702 ●	**DALI** OPTION Add a D at the end of the ref. e.g.: 010900702D
			56°	010900802 ●	
CRI85	2260 lm	3000K	20°	010900902 ●	
			56°	010901002 ●	
	2350 lm	4000K	20°	010901102 ●	
			56°	010901202 ●	

Suitable with Directional Flaps 01993102 (pag. 575)
Compatible con Directional Flaps 01993102 (pág. 575)

CRI95

17 W Driver included					
CRI95	1810 lm	2700K	20°	010901302 ●	**DALI** OPTION Add a D at the end of the ref. e.g.: 010901302D
			56°	010901402 ●	
	1920 lm	3000K	20°	010901502 ●	
			56°	010901602 ●	
	2110 lm	4000K	20°	010901702 ●	
			56°	010901802 ●	
24 W Driver included					
CRI95	2470 lm	2700K	20°	010901902 ●	**DALI** OPTION Add a D at the end of the ref. e.g.: 010901902D
			56°	010902002 ●	
	2615 lm	3000K	20°	010902102 ●	
			56°	010902202 ●	
	2875 lm	4000K	20°	010902302 ●	
			56°	010902402 ●	

Suitable with Directional Flaps 01993102 (pag. 575)
Compatible con Directional Flaps 01993102 (pág. 575)

HIGH EFFICIENCY LED

24 W Driver included

CRI82	3145 lm	2700K	20°	010902502 ●
			56°	010902602 ●
CRI85	3385 lm	3000K	20°	010902702 ●
			56°	010902802 ●
	3515 lm	4000K	20°	010902902 ●
			56°	010903002 ●

DALI OPTION

Add a D at the end of the ref.
e.g.: 010902502D

Suitable with Directional Flaps 01993102 (pág. 575)
Compatible with Directional Flaps 01993102 (pág. 575)

FOOD LIGHTING LED

24 W Driver included

CRI85	1900 lm	fruits ●	20°	010903102 ●
			56°	010903202 ●
	1960 lm	fish ●	20°	010903302 ●
			56°	010903402 ●
CRI70	1790 lm	meat ●	20°	010903502 ●
			56°	010903602 ●

DALI OPTION

Add a D at the end of the ref.
e.g.: 010903102D

Suitable with Directional Flaps 01993102 (pág. 575)
Compatible con Directional Flaps 01993102 (pág. 575)

RETAIL LIGHTING LED

17 W Driver included

CRI95	1956 lm	PEARL WHITE 3100 K	20°	010903702 ●
			56°	010903802 ●

DALI OPTION

Add a D at the end of the ref.
e.g.: 010903702D

24 W Driver included

CRI95	2635 lm	PEARL WHITE 3100 K	20°	010903902 ●
			56°	010904002 ●

DALI OPTION

Add a D at the end of the ref.
e.g.: 010903902D

Suitable with Directional Flaps 01993102 (pag. 575)
Compatible con Directional Flaps 01993102 (pág. 575)

FOKUS

Projector with a very particular design. A part of the projector's body is extended into the back part like a flap to hide the gear case.

It is our only projector that is available in silver gray.

Proyector con un diseño muy particular. Una parte del cuerpo del proyector se extiende hacia la parte trasera a modo de "aleta" para ocultar a la vista la caja porta equipos.

Es el único de nuestros proyectores que tenemos disponible en gris plata.

LIGHTING SOLUTIONS

Our projectors FOKUS incorporate Vossloh components, to offer the latest technology available in the market and the most efficient LED.

Nuestros proyectores FOKUS incorporan componentes Vossloh, para poder ofrecer la última tecnología disponible en el mercado y los led más eficientes.

NANO**FOKUS**

LED

IP20 358° 180° 850 °C 0,66Kg. 1,45Lb.



7 W Driver included

CRI82	850 lm	2700K	20°	010500101 ○ 010500102 ● 010500103 ●
			56°	010500201 ○ 010500202 ● 010500203 ●
CRI85	915 lm	3000K	20°	010500301 ○ 010500302 ● 010500303 ●
			56°	010500401 ○ 010500402 ● 010500403 ●
	950 lm	4000K	20°	010500501 ○ 010500502 ● 010500503 ●
			56°	010500601 ○ 010500602 ● 010500603 ●

12 W Driver included

CRI82	1360 lm	2700K	20°	010500701 ○ 010500702 ● 010500703 ●
			56°	010500801 ○ 010500802 ● 010500803 ●
CRI85	1465 lm	3000K	20°	010500901 ○ 010500902 ● 010500903 ●
			56°	010501001 ○ 010501002 ● 010501003 ●
	1525 lm	4000K	20°	010501101 ○ 010501102 ● 010501103 ●
			56°	010501201 ○ 010501202 ● 010501203 ●

FOKUS

LED

IP20 355° 180° 850 °C 1,80Kg. 3,97Lb.



QR-111 LED

MAX. 12 W LED

SOCKET 1*G53	12 V	ELECTRONIC GEAR INCLUDED	01041501 ○ 01041503 ●

*Bulb not included

Suitable with Directional Flaps 01 992301 and 01 992502 and Honeycomb Louvre 01 992002 (pag. 575)
Compatible con Directional Flaps 01 992301 y 01 992502 y Honeycomb Louvre 01 992002 (pág. 575)

FOKUS

LED

IP20 355° 180°

850 °C 1,69Kg. 3,72Lb. DALI OPTIONAL



18 W Driver included					
CRI82	2100 lm	2700K	20°	010404101 ○ 010404103 ●	**DALI** OPTION Add a D at the end of the ref. e.g.: 010404101 D
			56°	010404201 ○ 010404203 ●	
CRI85	2260 lm	3000K	20°	010404301 ○ 010404303 ●	
			56°	010404401 ○ 010404403 ●	
	2350 lm	4000K	20°	010404501 ○ 010404503 ●	
			56°	010404601 ○ 010404603 ●	
25 W Driver included					
CRI85	2775 lm	2700K	20°	010404701 ○ 010404703 ●	**DALI** OPTION Add a D at the end of the ref. e.g.: 010404701 D
			56°	010404801 ○ 010404803 ●	
	2990 lm	3000K	20°	010404901 ○ 010404903 ●	
			56°	010405001 ○ 010405003 ●	
	3105 lm	4000K	20°	010405101 ○ 010405103 ●	
			56°	010405201 ○ 010405203 ●	

HIGH EFFICIENCY LED

36 W Driver included					
CRI82	4440 lm	2700K	20°	010405301 ○ 010405303 ●	**DALI** OPTION Add a D at the end of the ref. e.g.: 010405301 D
			56°	010405401 ○ 010405403 ●	
CRI85	4780 lm	3000K	20°	010405501 ○ 010405503 ●	
			56°	010405601 ○ 010405603 ●	
	4970 lm	4000K	20°	010405701 ○ 010405703 ●	
			56°	010405801 ○ 010405803 ●	

*HF: hasta fin de existencias
HF: until the end of stock

CRI95

36 W Driver included

CRI95	3490 LM	2700K	20°	010405901 ○ 010405903 ●	**DALI** OPTION Add a D at the end of the ref. e.g.: 010405901 D
			56°	010406001 ○ 010406003 ●	
	3700 LM	3000K	20°	010406101 ○ 010406103 ●	
			56°	010406201 ○ 010406203 ●	
	4070 LM	4000K	20°	010406301 ○ 010406303 ●	
			56°	010406401 ○ 010406403 ●	

FOOD LIGHTING LED

24 W Driver included

CRI85	1900 lm	fruits ●	20°	010406501 ○ 010406503 ●	**DALI** OPTION Add a D at the end of the ref. e.g.: 010406501 D
			56°	010406601 ○ 010406603 ●	
	1960 lm	fish ●	20°	010406701 ○ 010406703 ●	
			56°	010406801 ○ 010406803 ●	
CRI70	1790 lm	meat ●	20°	010406901 ○ 010406903 ●	
			56°	010407001 ○ 010407003 ●	

36 W Driver included

CRI85	2725 lm	fruits ●	20°	010407101 ○ 010407103 ●	**DALI** OPTION Add a D at the end of the ref. e.g.: 010407101 D
			56°	010407201 ○ 010407203 ●	
	2810 lm	fish ●	20°	010407301 ○ 010407303 ●	
			56°	010407401 ○ 010407403 ●	
CRI70	2570 lm	meat ●	20°	010407501 ○ 010407503 ●	
			56°	010407601 ○ 010407603 ●	

RETAIL LIGHTING LED

24 W Driver included

CRI95	2635 lm	PEARL WHITE 3100 K	20°	010407701 ○ 010407703 ●	**DALI** OPTION Add a D at the end of the ref. e.g.: 010407701 D
			56°	010407801 ○ 010407803 ●	

36 W Driver included

CRI95	3785 lm	PEARL WHITE 3100 K	20°	010407901 ○ 010407903 ●	**DALI** OPTION Add a D at the end of the ref. e.g.: 010407901 D
			56°	010408001 ○ 010408003 ●	

*HF: hasta fin de existencias
HF: until the end of stock

CYLINDER

Cylindric projector with a multi space design. This projector can be used in any space and is available in 3 sizes and 2 colors.

Proyector cilíndrico con un diseño apto para la gran mayoría de los espacios. Disponible en 3 tamaños y 2 colores.

LIGHTING SOLUTIONS

Our projectors CYLINDER incorporate Vossloh components, to offer the latest technology available in the market and the most efficient LED.

Nuestros proyectores CYLINDER incorporan componentes Vossloh, para poder ofrecer la última tecnología disponible en el mercado y los led más eficientes.

NANO
CYLINDER

LED

IP20 355° 180° 850 °C 0,75Kg. 1,65Lb.



7 W Driver included				
CRI82	850 lm	2700K	20°	010800101 ○ 010800102 ●
			56°	010800201 ○ 010800202 ●
CRI85	915 lm	3000K	20°	010800301 ○ 010800302 ●
			56°	010800401 ○ 010800402 ●
	950 lm	4000K	20°	010800501 ○ 010800502 ●
			56°	010800601 ○ 010800602 ●
12 W Driver included				
CRI82	1360 lm	2700K	20°	010800701 ○ 010800702 ●
			56°	010800801 ○ 010800802 ●
CRI85	1465 lm	3000K	20°	010800901 ○ 010800902 ●
			56°	010801001 ○ 010801002 ●
	1525 lm	4000K	20°	010801101 ○ 010801102 ●
			56°	010801201 ○ 010801202 ●

MINI**CYLINDER**

LED

IP20 | 355° | 180° | 850 °C | 1,06Kg. 2,33Lb. | DALI OPTIONAL



12 W Driver included					
CRI82	1565 lm	2700K	20°	010704101 ○ 010704102 ●	**DALI** OPTION Add a D at the end of the ref. e.g.: 010704101 D
			56°	010704201 ○ 010704202 ●	
CRI85	1685 lm	3000K	20°	010704301 ○ 010704302 ●	
			56°	010704401 ○ 010704402 ●	
	1750 lm	4000K	20°	010704501 ○ 010704502 ●	
			56°	010704601 ○ 010704602 ●	
18 W Driver included					
CRI82	2100 lm	2700K	20°	010704701 ○ 010704702 ●	**DALI** OPTION Add a D at the end of the ref. e.g.: 010704701 D
			56°	010704801 ○ 010704802 ●	
CRI85	2260 lm	3000K	20°	010704901 ○ 010704902 ●	
			56°	010705001 ○ 010705002 ●	
	2350 lm	4000K	20°	010705101 ○ 010705102 ●	
			56°	010705201 ○ 010705202 ●	

CRI95

17 W Driver included					
CRI95	1810 lm	2700K	20°	010705301 ○ 010705302 ●	**DALI** OPTION Add a D at the end of the ref. e.g.: 010705301 D
			56°	010705401 ○ 010705402 ●	
	1920 lm	3000K	20°	010705501 ○ 010705502 ●	
			56°	010705601 ○ 010705602 ●	
	2110 lm	4000K	20°	010705701 ○ 010705702 ●	
			56°	010705801 ○ 010705802 ●	
24 W Driver included					
CRI95	2470 lm	2700K	20°	010705901 ○ 010705902 ●	**DALI** OPTION Add a D at the end of the ref. e.g.: 010705901 D
			56°	010706001 ○ 010706002 ●	
	2615 lm	3000K	20°	010706101 ○ 010706102 ●	
			56°	010706201 ○ 010706202 ●	
	2875 lm	4000K	20°	010706301 ○ 010706302 ●	
			56°	010706401 ○ 010706402 ●	

HIGH EFFICIENCY LED

24 W Driver included

CRI82	3145 lm	2700K	20°	010706501 ○ 010706502 ●	**DALI** OPTION Add a D at the end of the ref. e.g.: 010706501D
			56°	010706601 ○ 010706602 ●	
CRI85	3385 lm	3000K	20°	010706701 ○ 010706702 ●	
			56°	010706801 ○ 010706802 ●	
	3515 lm	4000K	20°	010706901 ○ 010706902 ●	
			56°	010707001 ○ 010707002 ●	

FOOD LIGHTING LED

24 W Driver included

CRI85	1900 lm	fruits ●	20°	010707101 ○ 010707102 ●	**DALI** OPTION Add a D at the end of the ref. e.g.: 010707101D
			56°	010707201 ○ 010707202 ●	
	1960 lm	fish ●	20°	010707301 ○ 010707302 ●	
			56°	010707401 ○ 010707402 ●	
CRI70	1790 lm	meat ●	20°	010707501 ○ 010707502 ●	
			56°	010707601 ○ 010707602 ●	

RETAIL LIGHTING LED

17 W Driver included

CRI95	1956 lm	PEARL WHITE 3100 K	20°	010707701 ○ 010707702 ●	**DALI** OPTION Add a D at the end of the ref. e.g.: 010707701D
			56°	010707801 ○ 010707802 ●	

24 W Driver included

CRI95	2635 lm	PEARL WHITE 3100 K	20°	010707901 ○ 010707902 ●	**DALI** OPTION Add a D at the end of the ref. e.g.: 010707901D
			56°	010708001 ○ 010708002 ●	

CYLINDER

LED

IP20 355° 180°

850 °C 1,69Kg. 3,72Lb. DALI OPTIONAL



18 W Driver included					
CRI82	2100 lm	2700K	20°	010604101 ○ 010604102 ●	**DALI** OPTION Add a D at the end of the ref. e.g.: 010604101 D
			56°	010604201 ○ 010604202 ●	
CRI85	2260 lm	3000K	20°	010604301 ○ 010604302 ●	
			56°	010604401 ○ 010604402 ●	
	2350 lm	4000K	20°	010604501 ○ 010604502 ●	
			56°	010604601 ○ 010604602 ●	
25 W Driver included					
CRI85	2775 lm	2700K	20°	010604701 ○ 010604702 ●	**DALI** OPTION Add a D at the end of the ref. e.g.: 010604701 D
			56°	010604801 ○ 010604802 ●	
	2990 lm	3000K	20°	010604901 ○ 010604902 ●	
			56°	010605001 ○ 010605002 ●	
	3105 lm	4000K	20°	010605101 ○ 010605102 ●	
			56°	010605201 ○ 010605202 ●	

HIGH EFFICIENCY LED

36 W Driver included					
CRI82	4440 lm	2700K	20°	010605301 ○ 010605302 ●	**DALI** OPTION Add a D at the end of the ref. e.g.: 010605301 D
			56°	010605401 ○ 010605402 ●	
CRI85	4780 lm	3000K	20°	010605501 ○ 010605502 ●	
			56°	010605601 ○ 010605602 ●	
	4970 lm	4000K	20°	010605701 ○ 010605702 ●	
			56°	010605801 ○ 010605802 ●	

CRI95

36 W Driver included					
CRI95	3490lm	2700K	20°	010605901 ○ 010605902 ●	**DALI** OPTION Add a D at the end of the ref. e.g.: 010605901 D
			56°	010606001 ○ 010606002 ●	
	3700lm	3000K	20°	010606101 ○ 010606102 ●	
			56°	010606201 ○ 010606202 ●	
	4070lm	4000k	20°	010606301 ○ 010606302 ●	
			56°	010606401 ○ 010606402 ●	

FOOD LIGHTING LED

24 W Driver included

CRI85	1900 lm	fruits	20°	01060650 1 ○ 01060650 2 ●	**DALI** OPTION Add a D at the end of the ref. e.g.: 01060650 1 D
			56°	01060660 1 ○ 01060660 2 ●	
	1960 lm	fish	20°	01060670 1 ○ 01060670 2 ●	
			56°	01060680 1 ○ 01060680 2 ●	
CRI70	1790 lm	meat	20°	01060690 1 ○ 01060690 2 ●	
			56°	01060700 1 ○ 01060700 2 ●	

36 W Driver included

CRI85	2725 lm	fruits	20°	01060710 1 ○ 01060710 2 ●	**DALI** OPTION Add a D at the end of the ref. e.g.: 01060710 1 D
			56°	01060720 1 ○ 01060720 2 ●	
	2810 lm	fish	20°	01060730 1 ○ 01060730 2 ●	
			56°	01060740 1 ○ 01060740 2 ●	
CRI70	2570 lm	meat	20°	01060750 1 ○ 01060750 2 ●	
			56°	01060760 1 ○ 01060760 2 ●	

RETAIL LIGHTING LED

24 W Driver included

CRI95	2635 lm	PEARL WHITE 3100 K	20°	01060770 1 ○ 01060770 2 ●	**DALI** OPTION Add a D at the end of the ref. e.g.: 01060770 1 D
			56°	01060780 1 ○ 01060780 2 ●	

36 W Driver included

CRI95	3785 lm	PEARL WHITE 3100 K	20°	01060790 1 ○ 01060790 2 ●	**DALI** OPTION Add a D at the end of the ref. e.g.: 01060790 1 D
			56°	01060800 1 ○ 01060800 2 ●	

LED

IP20 355° 180° 850 °C 1,18Kg. 2,60Lb.



QR-111 LED

MAX. 12 W LED

SOCKET 1*G53	12 V	ELECTRONIC GEAR INCLUDED	01065701 ○ 01065702 ●

*Bulb not included

QR-111 LED TRIAC DIMMABLE

MAX. 50 W LED

SOCKET 1*G53	12 V	ELECTRONIC GEAR INCLUDED	01065701R ○ 01065702R ●

*Bulb not included

Cylinder QR-111 LED suitable with Directional Flaps 01 992301 and 01 992502 and Honeycomb Louvre 01 992002 (pag. 575)
Cylinder QR-111 LED compatible con Directional Flaps 01 992301 y 01 992502 y Honeycomb Louvre 01 992002 (pág. 575)

PROJECTORS

ACCESSORIES

DIRECTIONAL FLAPS

Only for / Sólo para:
FOKUS QR-III LED and
CYLINDER QR-III LED

LARGE

01 992301 ○
01 992502 ●

Only for / Sólo para:
miniSIGMA

SMALL

01 993102 ●

Only for / Sólo para:
nanoSIGMA

NANO

01 993002 ●

HONEYCOMB LOUVRE



Only for / Sólo para:
FOKUS QR-III LED and CYLINDER QR-III LED

LARGE

01 992002 ●

BASE OF SURFACE

BASE OF SURFACE

01 991301 ○
01 991302 ●
01 991303 ●

kg 0,20KG.
0,04LB.



Only for / Sólo para:
TRIPHASE TRACK

MECHANICAL ADAPTER/TRACK CONNECTOR

01 997001 ○
01 997002 ●

HOW TO INSTALL

3 PHASE TRACK, 16 A

OUTER MAIN SUPPLY INSTALLATION
Instalación con cabezal de alimentación en el **EXTERIOR**



INNER MAIN SUPPLY INSTALLATION
Instalación con cabezal de alimentación en el **INTERIOR**



1 OUTER "L" JOINT
2 INNER "L" JOINT
3 OUTER MAIN SUPPLY
4 INNER MAIN SUPPLY

5 OUTER "T" INTERMEDIATE JOINT
5 INNER "T" INTERMEDIATE JOINT
6 CROSS JOINT

CONNECTION SKETCH
Esquema de conexiones

1 CIRCUIT



N-conductor i = 16 A max

2 CIRCUITS



N-conductor i = 16 A max

3 CIRCUITS



L1 + L2 + L3 i = 16 A max

RECOMMENDED DISTANCE BETWEEN FIXAGE
Distancia recomendada entre fijaciones



Max. weight: 19,84 lb
Peso máx.: 9 kg

Max. 3 projectors = 3,8 KVA
Máx. 3 proyectores = 3,8 KVA



Max. weight: 33,06 lb
Peso máx.: 15 kg

Max. 5 projectors = 3,8 KVA
Máx. 5 proyectores = 3,8 KVA

3 PHASE TRACK

16A





3 PHASE TRACK

1000 mm	IP20	0,92 KG 2,02LB	01 990101 ○ 01 990102 ● 01 990103 ●
2000 mm	IP20	1,85 KG 4,07LB	01 990201 ○ 01 990202 ● 01 990203 ●

LEFT LIVE END

01 990601 ○
01 990602 ●

RIGHT LIVE END

01 990701 ○
01 990702 ●

CENTRE FEED

01 993301 ○
01 993302 ●

DALI TRACK

1000 mm	IP20	0,92 KG 2,02LB	01 995001 ○ 01 995002 ● 01 995003 ●
2000 mm	IP20	1,85 KG 4,07LB	01 995101 ○ 01 995102 ● 01 995103 ●

DALI LEFT LIVE END

01 993501 ○
01 993502 ●

DALI RIGHT LIVE END

01 993601 ○
01 993602 ●

DALI CENTRE FEED

01 993401 ○
01 993402 ●

COMMON ACCESSORIES FOR 3 PHASE TRACK & DALI TRACK

LEFT "L" JOINT

01 990501 ○
01 990502 ●

RIGHT "L" JOINT

01 990401 ○
01 990402 ●

RIGHT "T" INTERMEDIATE JOINT

01 990901 ○
01 990902 ●

LEFT "T" INTERMEDIATE JOINT

01 991601 ○
01 991602 ●

CEILING KIT 1 piece

01 991201

CROSS JOINT

01 991001 ○
01 991002 ●

INTERMEDIATE JOINT

01 990802 ●

END CAP

01 991101 ○
01 991102 ●

FLEXIBLE INTERMEDIATE JOINT

01 993201 ○
01 993202 ●

PENDANT KIT 2000 mm

01 990301 ○
01 990302 ●

Petit POMME / Erbalungo Estudio

SYNCH.

NEW

Recessed indoor luminaire with integrated LED with several powers and degrees of opening.

Designed to ensure high visual comfort. Available with and without frame to ensure perfect integration in spaces.

Luminaria empotrable de interior con LED integrado con varias potencias y grados de apertura.

Diseñado para garantizar un alto confort visual. Disponible con y sin marco para asegurar la perfecta integración en los espacios

CITILED®
The Light Engine
from Citizen®

Our downlights SYNCH incorporate **Citizen** components, to offer the latest technology available in the market and the most efficient LED.

Nuestros downlights SYNCH incorporan componentes **Citizen**, para poder ofrecer la última tecnología disponible en el mercado y los led más eficientes.

LED

IP20 | III | ø103 | 1 - 30 | 0-30° | 850 °C | 0,65Kg. 1,43Lb. | DALI OPTIONAL



WITH FRAME

13 / 19 W						DRIVER (NOT INCL.)
CRI80	1350 / 1850 lm	2700K	25°	038000101 038000102 038000104	○ ● ●	**13 W** 98310125 **19 W** 98310325 **DALI** 98310599
			36°	038000201 038000202 038000204	○ ● ●	
			52°	038000301 038000302 038000304	○ ● ●	
	1400 / 1950 lm	3000K	25°	038000401 038000402 038000404	○ ● ●	
			36°	038000501 038000502 038000504	○ ● ●	
			52°	038000601 038000602 038000604	○ ● ●	
	1400 / 2000 lm	4000K	25°	038001001 038001002 038001004	○ ● ●	
			36°	038001101 038001102 038001104	○ ● ●	
			52°	038001201 038001202 038001204	○ ● ●	
CRI97	1000 / 1400 lm	2700K	25°	038001901 038001902 038001904	○ ● ●	**13 W** 98310125 **19 W** 98310325 **DALI** 98310599
			36°	038002001 038002002 038002004	○ ● ●	
			52°	038002101 038002102 038002104	○ ● ●	
	1050 / 1450 lm	3000K	25°	038002201 038002202 038002204	○ ● ●	
			36°	038002301 038002302 038002304	○ ● ●	
			52°	038002401 038002402 038002404	○ ● ●	
	1100 / 1500 lm	4000K	25°	038002501 038002502 038002504	○ ● ●	
			36°	038002601 038002602 038002604	○ ● ●	
			52°	038002701 038002702 038002704	○ ● ●	

Different models with 3500, 5000 and 6000K, consult with the commercial.
Posibilidad de modelos con 3500, 5000 y 6000K, consulta con el comercial

LED

IP20 | III | ø127 | 1 - 30

0-30° | 850 °C | 0,75Kg. 1,10Lb. | DALI OPTIONAL



TRIMLESS

13 / 19 W						DRIVER (NOT INCL.)
CRI80	1350 / 1850 lm	2700K	25°	038002801 ○ 038002802 ● 038002804 ●		**13 W** 98310125 **19 W** 98310325 **DALI** 98310599
			36°	038002901 ○ 038002902 ● 038002904 ●		
			52°	038003001 ○ 038003002 ● 038003004 ●		
	1400 / 1950 lm	3000K	25°	038003101 ○ 038003102 ● 038003104 ●		
			36°	038003201 ○ 038003202 ● 038003204 ●		
			52°	038003301 ○ 038003302 ● 038003304 ●		
	1400 / 2000 lm	4000K	25°	038003701 ○ 038003702 ● 038003704 ●		
			36°	038003801 ○ 038003802 ● 038003804 ●		
			52°	038003901 ○ 038003902 ● 038003904 ●		
CRI97	1000 / 1400 lm	2700K	25°	038004601 ○ 038004602 ● 038004604 ●		**13 W** 98310125 **19 W** 98310325 **DALI** 98310599
			36°	038004701 ○ 038004702 ● 038004704 ●		
			52°	038004801 ○ 038004802 ● 038004804 ●		
	1050 / 1450 lm	3000K	25°	038004901 ○ 038004902 ● 038004904 ●		
			36°	038005001 ○ 038005002 ● 038005004 ●		
			52°	038005101 ○ 038005102 ● 038005104 ●		
	1100 / 1500 lm	4000K	25°	038005201 ○ 038005202 ● 038005204 ●		
			36°	038005301 ○ 038005302 ● 038005304 ●		
			52°	038005401 ○ 038005402 ● 038005404 ●		

Different models with 3500, 5000 and 6000K, consult with the commercial.
Posibilidad de modelos con 3500, 5000 y 6000K, consulta con el comercial



SOLID

High performance LED downlight.

The whole body of the luminaire is the heatsink itself that is made entirely of aluminum.

The reflector is also made of aluminum and it is available in two opening angles (30 and 65).

Solid is designed to ease the installation; the ceiling anchors can be manipulated with a screwdriver and the driver itself incorporates an anchorage to the luminaire.

Downlight de alto rendimiento LED.

El cuerpo de la luminaria es el propio disipador de calor fabricado íntegramente en aluminio.

El reflector es también de aluminio y está disponible en dos ángulos de apertura (30 y 65).

El solid está diseñado pensando en facilitar la instalación, los anclajes a techo se manipulan con un destornillador y el driver incorpora anclaje rápido a la luminaria.

LIGHTING SOLUTIONS

Our downlights SOLID incorporate Vossloh components, to offer the latest technology available in the market and the most efficient LED.

Nuestros downlights SOLID incorporan componentes Vossloh, para poder ofrecer la última tecnología disponible en el mercado y los led más eficientes.

SOLID

LED

IP20 | III | Ø188 | 5 - 25 | 850 °C | 0,66Kg. 1,45Lb. | DALI OPTIONAL



18 / 25 / 39 W						DRIVER (NOT INCL.)
CRI82	2100 / 2775 / 3825 lm	2700K	30°	020502701 ○ 020502702 ● 020502703 ●		
			65°	020502801 ○ 020502802 ● 020502803 ●		
CRI85	2260 / 2990 / 4125 lm	3000K	30°	020502901 ○ 020502902 ● 020502903 ●	LOWER PRICE HEMOS BAJADO EL PRECIO	**18 W** 98310325 **DALI** 98310599 **25 W** 98310231 **DALI** 98310599 **39 W** 98310445 **DALI** 98310599
			65°	020503001 ○ 020503002 ● 020503003 ●		
	2350 / 3105 / 4285 lm	4000K	30°	020503101 ○ 020503102 ● 020503103 ●		
			65°	020503201 ○ 020503202 ● 020503203 ●		

HIGH EFFICIENCY LED

42 W						DRIVER (NOT INCL.)
CRI82	4940 lm	2700K	30°	020503301 ○ 020503302 ● 020503303 ●		
			65°	020503401 ○ 020503402 ● 020503403 ●		
CRI85	5320 lm	3000K	30°	020503501 ○ 020503502 ● 020503503 ●	LOWER PRICE HEMOS BAJADO EL PRECIO	**42 W** 98310460 **DALI** 98310589
			65°	020503601 ○ 020503602 ● 020503603 ●		
	5525 lm	4000K	30°	020503701 ○ 020503702 ● 020503703 ●		
			65°	020503801 ○ 020503802 ● 020503803 ●		

*HF: hasta fin de existencias
HF: until the end of stock

CRI95

24 / 36 / 42 W						DRIVER (NOT INCL.)
CRI95	2470 / 3490 / 3880 lm	2700K	30°	020503901 ○ 020503902 ● 020503903 ●	LOWER PRICE HEMOS BAJADO EL PRECIO	**24 W** 98310231 **DALI** 98310599 **36 W** 98310445 **DALI** 98310599 **42 W** 98310460 **DALI** 98310589
			65°	020504001 ○ 020504002 ● 020504003 ●		
	2615 / 3700 / 4110 lm	3000K	30°	020504101 ○ 020504102 ● 020504103 ●		
			65°	020504201 ○ 020504202 ● 020504203 ●		
	2875 / 4070 / 4520 lm	4000K	30°	020504301 ○ 020505302 ● 020504303 ●		
			65°	020504401 ○ 020504402 ● 020504403 ●		

FOOD LIGHTING LED

24 / 36 / 42 W						DRIVER (NOT INCL.)
CRI85	1900 / 2725 / 3055 lm	fruits ●	30°	020504501 ○ 020504502 ● 020504503 ●	LOWER PRICE HEMOS BAJADO EL PRECIO	**24 W** 98310231 **DALI** 98310599 **36 W** 98310445 **DALI** 98310599 **42 W** 98310460 **DALI** 98310589
			65°	020504601 ○ 020504602 ● 020504603 ●		
	1960 lm / 2810 / 3155 lm	fish ●	30°	020504701 ○ 020504702 ● 020504703 ●		
			65°	020504801 ○ 020504802 ● 020504803 ●		
CRI70	1790 / 2570 / 2885 lm	meat ●	30°	020504901 ○ 020504902 ● 020504903 ●		
			65°	020505001 ○ 020505002 ● 020505003 ●		

RETAIL LIGHTING LED

24 / 36 / 42 W						DRIVER (NOT INCL.)
CRI95	2635 / 3785 / 4215 lm	PEARL WHITE 3100 K	30°	020505101 ○ 020505102 ● 020505103 ●	LOWER PRICE HEMOS BAJADO EL PRECIO	**24 W** 98310231 **DALI** 98310599 **36 W** 98310445 **DALI** 98310599 **42 W** 98310460 **DALI** 98310589
			65°	020505201 ○ 020505202 ● 020505203 ●		

OPTIONAL REMOVABLE WALL WASHER

02059906 — 0,70 KG / 1,54LB

OPTIONAL ACRYLIC DIFFUSER

02059902 — 0,01 KG / 0,02LB

*HF: hasta fin de existencias
HF: until the end of stock

OPTIC

Adjustable round shaped luminaire.

This family of luminaires is manufactured in different sizes and power which makes it easy to find the one that fits best to your lighting needs.

The LED models incorporate what we call EYE which is a high efficiency heat sink where the chip is housed. This heatsink is designed to accommodate different types of LED and makes it possible for us to replace the LED easily.

The driver is supplied separately.

Luminaria de formato redondo orientable.

Esta familia de luminarias se fabrica en diferentes tamaños y potencias por lo que es fácil encontrar la que más se ajuste a nuestras necesidades de iluminación.

Los modelos LED incorporan lo que nosotros llamamos EYE que es un disipador de calor de alta eficiencia donde va alojado el chip. Este disipador está preparado para alojar diferentes tipos de LED y también hace posible que podamos sustituir el LED fácilmente.

El driver se suministra por separado.

LIGHTING SOLUTIONS

Our downlights OPTIC incorporate Vossloh components, to offer the latest technology available in the market and the most efficient LED.

Nuestros downlights OPTIC incorporan componentes Vossloh, para poder ofrecer la última tecnología disponible en el mercado y los led más eficientes.

MINIOPTIC

LED

IP20 | III | Ø117 | 1-30 | 20° | 850 °C | 1,03Kg. 2,27Lb. | DALI OPTIONAL



12 / 18 W					DRIVER (NOT INCL.)
CRI82	1565 / 2100 lm	2700K	20°	032503001 ○ 032503002 ● 032503003 ●	
			56°	032503101 ○ 032503102 ● 032503103 ●	
CRI85	1685 / 2260 lm	3000K	20°	032503201 ○ 032503202 ● 032503203 ●	**12 W** 98310125 **DALI** 98310599
			56°	032503301 ○ 032503302 ● 032503303 ●	**18 W** 98310325 **DALI** 98310599
	1750 / 2350 lm	4000K	20°	032503401 ○ 032503402 ● 032503403 ●	
			56°	032503501 ○ 032503502 ● 032503503 ●	

CRI95

17 / 24 W					DRIVER (NOT INCL.)
CRI95	1810 / 2470 lm	2700K	20°	032503601 ○ 032503602 ● 032503603 ●	
			56°	032503701 ○ 032503702 ● 032503703 ●	
	1920 / 2615 lm	3000K	20°	032503801 ○ 032503802 ● 032503803 ●	**17 W** 98310325 **DALI** 98310599
			56°	032503901 ○ 032503902 ● 032503903 ●	**24 W** 98310231 **DALI** 98310599
	2110 / 2875 lm	4000K	20°	032504001 ○ 032504002 ● 032504003 ●	
			56°	032504101 ○ 032504102 ● 032504103 ●	

HIGH EFFICIENCY LED

24 W					DRIVER (NOT INCL.)
CRI82	3145 lm	2700K	20°	032504201 ○ 032504202 ● 032504203 ●	**24 W** 98310231 **DALI** 98310599
			56°	032504301 ○ 032504302 ● 032504303 ●	
CRI85	3385 lm	3000K	20°	032504401 ○ 032504402 ● 032504403 ●	
			56°	032504501 ○ 032504502 ● 032504503 ●	
	3515 lm	4000K	20°	032504601 ○ 032504602 ● 032504603 ●	
			56°	032504701 ○ 032504702 ● 032504703 ●	

FOOD LIGHTING LED

24 W					DRIVER (NOT INCL.)
CRI85	1900 lm	fruits ●	20°	032504801 ○ 032504802 ● 032504803 ●	**24 W** 98310231 **DALI** 98310599
			56°	032504901 ○ 032504902 ● 032504903 ●	
	1960 lm	fish ●	20°	032505001 ○ 032505002 ● 032505003 ●	
			56°	032505101 ○ 032505102 ● 032505103 ●	
CRI70	1790 lm	meat ●	20°	032505201 ○ 032505202 ● 032505203 ●	
			56°	032505301 ○ 032505302 ● 032505303 ●	

RETAIL LIGHTING LED

17 / 24 W					DRIVER (NOT INCL.)
CRI95	1956 / 2635 lm	PEARL WHITE 3100K	20°	032505401 ○ 032505402 ● 032505403 ●	**17 W** 98310325 **DALI** 98310599
			56°	032505501 ○ 032505502 ● 032505503 ●	**24 W** 98310231 **DALI** 98310599

OPTIC

LED

IP20 | III | Ø152 | 1 - 30

20° | 850 °C | 0,76Kg. 1,67Lb. | DALI OPTIONAL



18 / 25 W					DRIVER (NOT INCL.)
CRI82	2100 / 2775 lm	2700K	20°	032003001 ○ 032003002 ●	
			56°	032003101 ○ 032003102 ●	
CRI85	2260 / 2990 lm	3000K	20°	032003201 ○ 032003202 ●	**18 W** 98310325 **DALI** 98310599
			56°	032003301 ○ 032003302 ●	**25 W** 98310231 **DALI** 98310599
	2350 / 3105 lm	4000K	20°	032003401 ○ 032003402 ●	
			56°	032003501 ○ 032003502 ●	

CRI95

24 / 36 W					DRIVER (NOT INCL.)
CRI95	2470 / 3490 lm	2700K	20°	032003601 ○ 032003602 ●	
			56°	032003701 ○ 032003702 ●	
	2615 / 3700 lm	3000K	20°	032003801 ○ 032003802 ●	**24 W** 98310231 **DALI** 98310599
			56°	032003901 ○ 032003902 ●	**36 W** 98310445 **DALI** 98310599
	2875 / 4070 lm	4000K	20°	032004001 ○ 032004002 ●	
			56°	032004101 ○ 032004102 ●	

HIGH EFFICIENCY LED

36 W					DRIVER (NOT INCL.)
CRI82	4400 lm	2700K	20°	032004201 ○ 032004202 ●	**36 W** 98310445 **DALI** 98310599
			56°	032004301 ○ 032004302 ●	
CRI85	4780 lm	3000K	20°	032004401 ○ 032004402 ●	
			56°	032004501 ○ 032004502 ●	
	4970 lm	4000K	20°	032004601 ○ 032004602 ●	
			56°	032004701 ○ 032004702 ●	

FOOD LIGHTING LED

24 / 36 W					DRIVER (NOT INCL.)
CRI85	1900 / 2725 lm	fruits 🟢	20°	032004801 ○ 032004802 ●	**24 W** 98310231 **DALI** 98310599 **36 W** 98310445 **DALI** 98310599
			56°	032004901 ○ 032004902 ●	
	1960 / 2810 lm	fish 🔵	20°	032005001 ○ 032005002 ●	
			56°	032005101 ○ 032005102 ●	
CRI70	1790 / 2570 lm	meat 🔴	20°	032005201 ○ 032005202 ●	
			56°	032005301 ○ 032005302 ●	

RETAIL LIGHTING LED

24 / 36 W					DRIVER (NOT INCL.)
CRI95	2635 / 3785 lm	PEARL WHITE 3100 K	20°	032005401 ○ 032005402 ●	**24 W** 98310231 **DALI** 98310599 **36 W** 98310445 **DALI** 98310599
			56°	032005501 ○ 032005502 ●	

COLIN

Squared luminaire available for 1,2 or 3 lamps.

This family of luminaires is manufactured in different sizes and power so it is easy to find one that fits best to your lighting needs.

The LED models incorporate what we call EYE which is a high efficiency heat sink where the chip is housed. This heatsink is designed to accommodate different types of LED and makes it possible for us to replace the LED easily..

The driver is supplied separately.

Luminaria de formato cuadrado disponible para 1, 2 o 3 lámparas.

Esta familia de luminarias se fabrica en diferentes tamaños y potencias por lo que es fácil encontrar la que más se ajuste a nuestras necesidades de iluminación.

Los modelos LED incorporan lo que nosotros llamamos EYE que es un disipador de calor de alta eficiencia donde va alojado el chip. Este disipador está preparado para alojar diferentes tipos de LED y también hace posible que podamos sustituir el LED fácilmente.

El driver se suministra por separado.

LIGHTING SOLUTIONS

Our downlights COLIN incorporate Vossloh components, to offer the latest technology available in the market and the most efficient LED.

Nuestros downlights COLIN incorporan componentes Vossloh, para poder ofrecer la última tecnología disponible en el mercado y los led más eficientes.

LE COQ

NANOCOLIN
TRIMLESS
steps



NANO**COLIN** IL

LED

IP20 | III | 102x102 | 1 - 30

20° | 850 °C | 1,10Kg. 2,42Lb. | DALI OPTIONAL



WITH FRAME

7 / 12 W					DRIVER (NOT INCL.)
CRI82	850 / 1360 lm	2700K	20°	035000101 ○ 035000102 ● 035000103 ●	
			56°	035000201 ○ 035000202 ● 035000203 ●	
CRI85	915 / 1465 lm	3000K	20°	035000301 ○ 035000302 ● 035000303 ●	**7 W** 98310509 **12 W** 98310125 **DALI** 98310599
			56°	035000401 ○ 035000402 ● 035000403 ●	
	950 / 1525 lm	4000K	20°	035000501 ○ 035000502 ● 035000503 ●	
			56°	035000601 ○ 035000602 ● 035000603 ●	

LED

IP20 | III | 110x110 | 1 - 30

20° | 850 °C | 0,71Kg. 1,56Lb. | DALI OPTIONAL



TRIMLESS

7 / 12 W					DRIVER (NOT INCL.)
CRI82	850 / 1360 lm	2700K	20°	035100101 ○ 035100102 ●	
			56°	035100201 ○ 035100202 ●	
CRI85	915 / 1465 lm	3000K	20°	035100301 ○ 035100302 ●	**7 W** 98310509 **12 W** 98310125 **DALI** 98310599
			56°	035100401 ○ 035100402 ●	
	950 / 1525 lm	4000K	20°	035100501 ○ 035100502 ●	
			56°	035100601 ○ 035100602 ●	

NANO**COLIN** 2L

LED

IP20 | III | 212X102 | 1 - 30 | 20° | 850 °C | 1,82Kg. 4,01LB. | DALI OPTIONAL



WITH FRAME

14 / 24 W					DRIVER (NOT INCL.)
CRI82	1700 / 2720 lm	2700K	20°	035005001 ○ 035005002 ● 035005003 ●	
			56°	035005101 ○ 035005102 ● 035005103 ●	
CRI85	1830 / 2930 lm	3000K	20°	035005201 ○ 035005202 ● 035005203 ●	**7 W** 98310509 **12 W** 98310125 **DALI** 98310599
			56°	035005301 ○ 035005302 ● 035005303 ●	
	1900 / 3050 lm	4000K	20°	035005401 ○ 035005402 ● 035005403 ●	
			56°	035005501 ○ 035005502 ● 035005503 ●	

LED

IP20 | III | 110X222 | 1 - 30 | 20° | 850 °C | 1,82Kg. 4,01LB. | DALI OPTIONAL





TRIMLESS

14 / 24 W					DRIVER (NOT INCL.)
CRI82	1700 / 2720 lm	2700K	20°	035105001 ○ 035105002 ●	
			56°	035105101 ○ 035105102 ●	
CRI85	1830 / 2930 lm	3000K	20°	035105201 ○ 035105202 ●	**7 W** 98310509 **12 W** 98310125 **DALI** 98310599
			56°	035105301 ○ 035105302 ●	
	1900 / 3050 lm	4000K	20°	035105401 ○ 035105402 ●	
			56°	035105501 ○ 035105502 ●	

MINICOLIN IL

LED

IP20 | III | 128x129 | 1 - 30 | 20° | 850 °C | 200 | 1,03Kg. 2,27Lb. | DALI OPTIONAL



12 / 18 W					DRIVER (NOT INCL.)
CRI82	1565 / 2100 lm	2700K	20°	033008301 ○ 033008302 ● 033008303 ●	
			56°	033008401 ○ 033008402 ● 033008403 ●	
CRI85	1685 / 2260 lm	3000K	20°	033008501 ○ 033008502 ● 033008503 ●	**12 W** 98310125 **DALI** 98310599 **18 W** 98310325 **DALI** 98310599
			56°	033008601 ○ 033008602 ● 033008603 ●	
	1750 / 2350 lm	4000K	20°	033008701 ○ 033008702 ● 033008703 ●	
			56°	033008801 ○ 033008802 ● 033008803 ●	

CRI95

17 / 24 W					DRIVER (NOT INCL.)
CRI95	1810 / 2470 lm	2700K	20°	033008901 ○ 033008902 ● 033008903 ●	
			56°	033009001 ○ 033009002 ● 033009003 ●	
	1920 / 2615 lm	3000K	20°	033009101 ○ 033009102 ● 033009103 ●	**17 W** 98310325 **DALI** 98310599 **24 W** 98310231 **DALI** 98310599
			56°	033009201 ○ 033009202 ● 033009203 ●	
	2110 / 2875 lm	4000K	20°	033009301 ○ 033009302 ● 033009303 ●	
			56°	033009401 ○ 033009402 ● 033009403 ●	

HIGH EFFICIENCY LED

24 W					DRIVER (NOT INCL.)
CRI82	3145 lm	2700K	20°	033009501 ○ 033009502 ● 033009503 ●	
			56°	033009601 ○ 033009602 ● 033009603 ●	
CRI85	3385 lm	3000K	20°	033009701 ○ 033009702 ● 033009703 ●	**24 W** 98310231 **DALI** 98310599
			56°	033009801 ○ 033009802 ● 033009803 ●	
	3515 lm	4000K	20°	033009901 ○ 033009902 ● 033009903 ●	
			56°	033010001 ○ 033010002 ● 033010003 ●	

FOOD LIGHTING LED

24 W					DRIVER (NOT INCL.)
CRI85	1900 lm	fruits ●	20°	033010101 ○ 033010102 ● 033010103 ●	
			56°	033010201 ○ 033010202 ● 033010203 ●	
	1960 lm	fish ●	20°	033010301 ○ 033010302 ● 033010303 ●	**24 W** 98310231 **DALI** 98310599
			56°	033010401 ○ 033010402 ● 033010403 ●	
CRI70	1790 lm	meat ●	20°	033010501 ○ 033010502 ● 033010503 ●	
			56°	033010601 ○ 033010602 ● 033010603 ●	

RETAIL LIGHTING LED

17 / 24 W					DRIVER (NOT INCL.)
CRI95	1965 / 2635 lm	PEARL WHITE 3100 K	20°	033010701 ○ 033010702 ● 033010703 ●	**17 W** 98310325 **DALI** 98310599
			56°	033010801 ○ 033010802 ● 033010803 ●	**24 W** 98310231 **DALI** 98310599

MINI**COLIN** 2L

LED

IP20 | III | 263x129 | 1 - 30 | 20° | 850 °C | 200 | 1,84Kg. 4,05Lb. | DALI OPTIONAL



24 / 36 W					DRIVER (NOT INCL.)
CRI82	3130 / 4200 lm	2700K	20°	033010901 ○ 033010902 ● 033010903 ●	
			56°	033011001 ○ 033011002 ● 033011003 ●	
CRI85	3370 / 4520 lm	3000K	20°	033011101 ○ 033011102 ● 033011103 ●	**12 W** 98310125 **DALI** 98310599 **18 W** 98310325 **DALI** 98310599
			56°	033011201 ○ 033011202 ● 033011203 ●	
	3500 / 4700 lm	4000K	20°	033011301 ○ 033011302 ● 033011303 ●	
			56°	033011401 ○ 033011402 ● 033011403 ●	

CRI95

34 / 48 W					DRIVER (NOT INCL.)
CRI95	3620 / 4940 lm	2700K	20°	033011501 ○ 033011502 ● 033011503 ●	
			56°	033011601 ○ 033011602 ● 033011603 ●	
	3840 / 5230 lm	3000K	20°	033011701 ○ 033011702 ● 033011703 ●	**17 W** 98310325 **DALI** 98310599 **24 W** 98310231 **DALI** 98310599
			56°	033011801 ○ 033011802 ● 033011803 ●	
	4220 / 5750 lm	4000K	20°	033011901 ○ 033011902 ● 033011903 ●	
			56°	033012001 ○ 033012002 ● 033012003 ●	

HIGH EFFICIENCY LED

48 W					DRIVER (NOT INCL.)
CRI82	6290 lm	2700K	20°	03301 2101 ○ 03301 2102 ● 03301 2103 ●	
			56°	03301 2201 ○ 03301 2202 ● 03301 2203 ●	
CRI85	6770 lm	3000K	20°	03301 2301 ○ 03301 2302 ● 03301 2303 ●	**24 W** 98310231 **DALI** 98310599
			56°	03301 2401 ○ 03301 2402 ● 03301 2403 ●	
	7030 lm	4000K	20°	03301 2501 ○ 03301 2502 ● 03301 2503 ●	
			56°	03301 2601 ○ 03301 2602 ● 03301 2603 ●	

FOOD LIGHTING LED

48 W					DRIVER (NOT INCL.)
CRI85	3800 lm	fruits ●	20°	03301 2701 ○ 03301 2702 ● 03301 2703 ●	
			56°	03301 2801 ○ 03301 2802 ● 03301 2803 ●	
	3920 lm	fish ●	20°	03301 2901 ○ 03301 2902 ● 03301 2903 ●	**24 W** 98310231 **DALI** 98310599
			56°	03301 3001 ○ 03301 3002 ● 03301 3003 ●	
CRI70	3580 lm	meat ●	20°	03301 3101 ○ 03301 3102 ● 03301 3103 ●	
			56°	03301 3201 ○ 03301 3202 ● 03301 3203 ●	

RETAIL LIGHTING LED

34 / 48 W					DRIVER (NOT INCL.)
CRI95	3930 / 5270 lm	PEARL WHITE 3100 K	20°	03301 3301 ○ 03301 3302 ● 03301 3303 ●	**17 W** 98310325 **DALI** 98310599
			56°	03301 3401 ○ 03301 3402 ● 03301 3403 ●	**24 W** 98310231 **DALI** 98310599

MINI**COLIN** 3L

LED

IP20 | III | 403x129 | 1 - 30 | 20° | 850 °C | 200 | 2,45Kg. 5,40LB. | DALI OPTIONAL



36 / 54 W					DRIVER (NOT INCL.)
CRI82	4695 / 6300 lm	2700K	20°	03301 3501 ○ 03301 3502 ● 03301 3503 ●	
			56°	03301 3601 ○ 03301 3602 ● 03301 3603 ●	
CRI85	5055 / 6780 lm	3000K	20°	03301 3701 ○ 03301 3702 ● 03301 3703 ●	**12 W** 98310125 **DALI** 98310599 **18 W** 98310325 **DALI** 98310599
			56°	03301 3801 ○ 03301 3802 ● 03301 3803 ●	
	5250 / 7050 lm	4000K	20°	03301 3901 ○ 03301 3902 ● 03301 3903 ●	
			56°	03301 4001 ○ 03301 4002 ● 03301 4003 ●	

CRI95

51 / 72 W					DRIVER (NOT INCL.)
CRI95	5430 / 7410 lm	2700K	20°	03301 4101 ○ 03301 4102 ● 03301 4103 ●	
			56°	03301 4201 ○ 03301 4202 ● 03301 4203 ●	
	5760 / 7485 lm	3000K	20°	03301 4301 ○ 03301 4302 ● 03301 4303 ●	**17 W** 98310325 **DALI** 98310599 **24 W** 98310231 **DALI** 98310599
			56°	03301 4401 ○ 03301 4402 ● 03301 4403 ●	
	6330 / 8625 lm	4000K	20°	03301 4501 ○ 03301 4502 ● 03301 4503 ●	
			56°	03301 4601 ○ 03301 4602 ● 03301 4603 ●	

HIGH EFFICIENCY LED

72 W					DRIVER (NOT INCL.)
CRI82	9435 lm	2700K	20°	033014701 ○ 033014702 ● 033014703 ●	**24 W** 98310231 **DALI** 98310599
			56°	033014801 ○ 033014802 ● 033014803 ●	
CRI85	10155 lm	3000K	20°	033014901 ○ 033014902 ● 033014903 ●	
			56°	033015001 ○ 033015002 ● 033015003 ●	
	10545 lm	4000K	20°	033015101 ○ 033015102 ● 033015103 ●	
			56°	033015201 ○ 033015202 ● 033015203 ●	

FOOD LIGHTING LED

72 W					DRIVER (NOT INCL.)
CRI85	5700 lm	fruits ●	20°	033015301 ○ 033015302 ● 033015303 ●	**24 W** 98310231 **DALI** 98310599
			56°	033015401 ○ 033015402 ● 033015403 ●	
	5880 lm	fish ●	20°	033015501 ○ 033015502 ● 033015503 ●	
			56°	033015601 ○ 033015602 ● 033015603 ●	
CRI70	5370 lm	meat ●	20°	033015701 ○ 033015702 ● 033015703 ●	
			56°	033015801 ○ 033015802 ● 033015803 ●	

RETAIL LIGHTING LED

51 / 72 W					DRIVER (NOT INCL.)
CRI95	5895 / 7905 lm	PEARL WHITE 3100 K	20°	033015901 ○ 033015902 ● 033015903 ●	**17 W** 98310325 **DALI** 98310599
			56°	033016001 ○ 033016002 ● 033016003 ●	**24 W** 98310231 **DALI** 98310599

COLIN IL

LED

IP20 | III | 162x162 | 1 - 30

20° | 850 °C | 1,50Kg. 3,30Lb. | DALI OPTIONAL



18 / 25 W					DRIVER (NOT INCL.)
CRI82	2 100 / 2775 lm	2700K	20°	034008501 ○ 034008502 ● 034008503 ●	
			56°	034008601 ○ 034008602 ● 034008603 ●	
CRI85	2260 / 2990 lm	3000K	20°	034008701 ○ 034008702 ● 034008703 ●	**18 W** 98310325 **DALI** 98310599 **25 W** 98310231 **DALI** 98310599
			56°	034008801 ○ 034008802 ● 034008803 ●	
	2350 / 3105 lm	4000K	20°	034008901 ○ 034008902 ● 034008903 ●	
			56°	034009001 ○ 034009002 ● 034009003 ●	

CRI95

36 W					DRIVER (NOT INCL.)
CRI95	3490 lm	2700K	20°	034009101 ○ 034009102 ● 034009103 ●	
			56°	034009201 ○ 034009202 ● 034009203 ●	
	3700 lm	3000K	20°	034009301 ○ 034009302 ● 034009303 ●	**36W** 98310445 **DALI** 98310599
			56°	034009401 ○ 034009402 ● 034009403 ●	
	4070 lm	4000K	20°	034009501 ○ 034009502 ● 034009503 ●	
			56°	034009601 ○ 034009602 ● 034009603 ●	

HIGH EFFICIENCY LED

36 W					DRIVER (NOT INCL.)
CRI82	4400 m	2700K	20°	034009701 ○ 034009702 ● 034009703 ●	
			56°	034009801 ○ 034009802 ● 034009803 ●	
CRI85	4780 lm	3000K	20°	034009901 ○ 034009902 ● 034009903 ●	**36 W** 98310445 **DALI** 98310599
			56°	034010001 ○ 034010002 ● 034010003 ●	
	4970 lm	4000K	20°	034010101 ○ 034010102 ● 034010103 ●	
			56°	034010201 ○ 034010202 ● 034010203 ●	

FOOD LIGHTING LED

24 / 36 W						DRIVER (NOT INCL.)
CRI85	1900 / 2725 lm	fruits	20°	034010301 ○ 034010302 ● 034010303 ●		
			56°	034010401 ○ 034010402 ● 034010403 ●		
	1960 / 2810 lm	fish	20°	034010501 ○ 034010502 ● 034010503 ●		**24 W** 98310231 **DALI** 98310599 **36 W** 98310445 **DALI** 98310599
			56°	034010601 ○ 034010602 ● 034010603 ●		
CRI70	1790 / 2570 lm	meat	20°	034010701 ○ 034010702 ● 034010703 ●		
			56°	034010801 ○ 034010802 ● 034010803 ●		

RETAIL LIGHTING LED

24 / 36 W					DRIVER (NOT INCL.)
CRI95	2635 / 3785 lm	PEARL WHITE 3100 K	20°	034010901 ○ 034010902 ● 034010903 ●	**24 W** 98310231 **DALI** 98310599 **36 W** 98310445 **DALI** 98310599
			56°	034011001 ○ 034011002 ● 034011003 ●	

QR -111 LED

IP20 III 162x162 1 - 30

20° 850 °C 1,50KG. 3,30LB.



MAX. 12 W LED				
SOCKET 1*G53	12 V	ELECTRONIC GEAR NOT INCLUDED 98111020	03400401 ○ 03400402 ● 03400403 ●	

*Bulb not included

COLIN 2L

LED

IP20 | III | 332x162

1 - 30 | 20° | 850 °C

2,62Kg. 5,77Lb. | DALI OPTIONAL



36 / 50 W					DRIVER (NOT INCL.)
CRI82	4200 / 5550 lm	2700K	20°	03401I101 ○ 03401I102 ● 03401I103 ●	
			56°	03401I201 ○ 03401I202 ● 03401I203 ●	
CRI85	4520 / 5980 lm	3000K	20°	03401I301 ○ 03401I302 ● 03401I303 ●	**18 W** 98310325 **DALI** 98310599 **25 W** 98310231 **DALI** 98310599
			56°	03401I401 ○ 03401I402 ● 03401I403 ●	
	4700 / 6210 lm	4000K	20°	03401I501 ○ 03401I502 ● 03401I503 ●	
			56°	03401I601 ○ 03401I602 ● 03401I603 ●	

CRI95

72 W					DRIVER (NOT INCL.)
CRI95	6980 lm	2700K	20°	03401I701 ○ 03401I702 ● 03401I703 ●	
			56°	03401I801 ○ 03401I802 ● 03401I803 ●	
	7400 lm	3000K	20°	03401I901 ○ 03401I902 ● 03401I903 ●	**36 W** 98310445 **DALI** 98310599
			56°	03401I2001 ○ 03401I2002 ● 03401I2003 ●	
	8140 lm	4000K	20°	03401I2101 ○ 03401I2102 ● 03401I2103 ●	
			56°	03401I2201 ○ 03401I2202 ● 03401I2203 ●	

HIGH EFFICIENCY LED

72 W					DRIVER (NOT INCL.)
CRI82	8800 lm	2700K	20°	03401I2301 ○ 03401I2302 ● 03401I2303 ●	
			56°	03401I2401 ○ 03401I2402 ● 03401I2403 ●	
CRI85	9560 lm	3000K	20°	03401I2501 ○ 03401I2502 ● 03401I2503 ●	**36 W** 98310445 **DALI** 98310599
			56°	03401I2601 ○ 03401I2602 ● 03401I2603 ●	
	9940 lm	4000K	20°	03401I2701 ○ 03401I2702 ● 03401I2703 ●	
			56°	03401I2801 ○ 03401I2802 ● 03401I2803 ●	

FOOD LIGHTING LED

48 / 72 W						DRIVER (NOT INCL.)
CRI85	3800 / 5450 lm	fruits	20°	03401 2901 03401 2902 03401 2903		
			56°	03401 3001 03401 3002 03401 3003		
	3920 / 5620 lm	fish	20°	03401 3101 03401 3102 03401 3103		**24 W** 98310231 **DALI** 98310599
			56°	03401 3201 03401 3202 03401 3203		**36 W** 98310445 **DALI** 98310599
CRI70	3580 / 5140 lm	meat	20°	03401 3301 03401 3302 03401 3303		
			56°	03401 3401 03401 3402 03401 3403		

RETAIL LIGHTING LED

48 / 72 W					DRIVER (NOT INCL.)
CRI95	5270 / 7570 lm	PEARL WHITE 3100 K	20°	03401 3501 03401 3502 03401 3503	**24 W** 98310231 **DALI** 98310599
			56°	03401 3601 03401 3602 03401 3603	**36 W** 98310445 **DALI** 98310599

QR KIT LED

IP20 | III | 332x162 | 1 - 30 | 20° | 850 °C | 2,62Kg. 5,77Lb.



MAX. 2 X 12 W LED			
SOCKET 2*G53	12 V	ELECTRONIC GEAR NOT INCLUDED 98111020	03400501 03400502 03400503

*Bulb not included

COLIN 3L

LED

IP20 | III | 502x162 | 1 - 30 | 20° | 850 °C | 4.44Kg. 9,78Lb. | DALI OPTIONAL



54 / 75 W					DRIVER (NOT INCL.)
CRI82	6300 / 8325 lm	2700K	20°	03401 3701 ○ 03401 3702 ● 03401 3703 ●	
			56°	03401 3801 ○ 03401 3802 ● 03401 3803 ●	
CRI85	6780 / 8970 lm	3000K	20°	03401 3901 ○ 03401 3902 ● 03401 3903 ●	**18 W** 98310325 **DALI** 98310599 **25 W** 98310231 **DALI** 98310599
			56°	03401 4001 ○ 03401 4002 ● 03401 4003 ●	
	7050 / 9315 lm	4000K	20°	03401 4101 ○ 03401 4102 ● 03401 4103 ●	
			56°	03401 4201 ○ 03401 4202 ● 03401 4203 ●	

CRI95

108 W					DRIVER (NOT INCL.)
CRI95	10470 lm	2700K	20°	03401 4301 ○ 03401 4302 ● 03401 4303 ●	
			56°	03401 4401 ○ 03401 4402 ● 03401 4403 ●	
	11100 lm	3000K	20°	03401 4501 ○ 03401 4502 ● 03401 4503 ●	**36 W** 98310445 **DALI** 98310599
			56°	03401 4601 ○ 03401 4602 ● 03401 4603 ●	
	12210 lm	4000K	20°	03401 4701 ○ 03401 4702 ● 03401 4703 ●	
			56°	03401 4801 ○ 03401 4802 ● 03401 4803 ●	

HIGH EFFICIENCY LED

108 W					DRIVER (NOT INCL.)
CRI82	13200 lm	2700K	20°	03401 4901 ○ 03401 4902 ● 03401 4903 ●	
			56°	034015001 ○ 034015002 ● 034015003 ●	
CRI85	14340 lm	3000K	20°	034015101 ○ 034015102 ● 034015103 ●	**36 W** 98310445 **dALI** 98310599
			56°	034015201 ○ 034015202 ● 034015203 ●	
	14910 lm	4000K	20°	034015301 ○ 034015302 ● 034015303 ●	
			56°	034015401 ○ 034015402 ● 034015403 ●	

FOOD LIGHTING LED

72 / 108 W						DRIVER (NOT INCL.)
CRI85	5700 / 8175 lm	fruits	20°	034015501 ○ 034015502 ● 034015503 ●		
			56°	034015601 ○ 034015602 ● 034015603 ●		
	5880 / 8430 lm	fish	20°	034015701 ○ 034015702 ● 034015703 ●		**24 W** 98310231 **DALI** 98310599 **36W** 98310445 **DALI** 98310599
			56°	034015801 ○ 034015802 ● 034015803 ●		
CRI70	5370 / 7710 lm	meat	20°	034015901 ○ 034015902 ● 034015903 ●		
			56°	034016001 ○ 034016002 ● 034016003 ●		

RETAIL LIGHTING LED

72 / 108 W					DRIVER (NOT INCL.)
CRI95	7905 / 11355 lm	PEARL WHITE 3100 K	20°	034016101 ○ 034016102 ● 034016103 ●	**24 W** 98310231 **DALI** 98310599
			56°	034016201 ○ 034016202 ● 034016203 ●	**36 W** 98310445 **DALI** 98310599

QR KIT LED

IP20 · III · 502x162 · 1 - 30 · 20° · 850 °C · 4.44Kg. 9.78Lb.



MAX. 3 X 12 W			
SOCKET 3*G53	12 V	ELECTRONIC GEAR NOT INCLUDED 98111020	03400601 ○ 03400602 ● 03400603 ●

*Bulb not included

TEKO.

NEW

Family of adjustable surface luminaires. Available in LEDs of different powers and degrees of opening.

The design manages to hide the rotation system of the light source with a very refined final result.

Familia de luminarias de superficie orientables. Disponibles en LED de varias potencias y grados de apertura.

El diseño consigue esconder el sistema de rotación de la fuente de luz con un resultado final muy depurado.

LIGHTING SOLUTIONS

Our downlights OPTIC incorporate Vossloh components, to offer the latest technology available in the market and the most efficient LED.

Nuestros downlights OPTIC incorporan componentes Vossloh, para poder ofrecer la última tecnología disponible en el mercado y los led más eficientes.

TEKO IL

NEW

LED

IP20 20°

850 °C 1,75Kg. 3,85Lb. DALI OPTIONAL



12 / 18 W					DRIVER (NOT INCL.)
CRI82	1565 / 2100 lm	2700K	20°	050400101 ○ 050400102 ●	
			56°	050400201 ○ 050400202 ●	
CRI85	1685 / 2260 lm	3000K	20°	050400301 ○ 050400302 ●	**12 W** 98310125 **DALI** 98310599
			56°	050400401 ○ 050400402 ●	**18 W** 98310325 **DALI** 98310599
	1750 / 2350 lm	4000K	20°	050400501 ○ 050400502 ●	
			56°	050400601 ○ 050400602 ●	

CRI95

17 / 24 W					DRIVER (NOT INCL.)
CRI95	1810 / 2470 lm	2700K	20°	050400701 ○ 050400702 ●	
			56°	050400801 ○ 050400802 ●	
	1920 / 2615 lm	3000K	20°	050400901 ○ 050400902 ●	**17 W** 98310325 **DALI** 98310599
			56°	050401001 ○ 050401002 ●	**24 W** 98310231 **DALI** 98310599
	2110 / 2875 lm	4000K	20°	050401101 ○ 050401102 ●	
			56°	050401201 ○ ●	

HIGH EFFICIENCY LED

24 W					DRIVER (NOT INCL.)
CRI82	3145 lm	2700K	20°	050401301 ○ 050401302 ●	**24 W** 98310231 **DALI** 98310599
			56°	050401401 ○ 050401402 ●	
CRI85	3385 lm	3000K	20°	050401501 ○ 050401502 ●	
			56°	050401601 ○ 050401602 ●	
	3515 lm	4000K	20°	050401701 ○ 050401702 ●	
			56°	050401801 ○ 050401802 ●	

FOOD LIGHTING LED

24 W					DRIVER (NOT INCL.)
CRI85	1900 lm	fruits ●	20°	050401901 ○ 050401902 ●	**24 W** 98310231 **DALI** 98310599
			56°	050402001 ○ 050402002 ●	
	1960 lm	fish ●	20°	050402101 ○ 050402102 ●	
			56°	050402201 ○ 050402202 ●	
CRI70	1790 lm	meat ●	20°	050402301 ○ 050402302 ●	
			56°	050402401 ○ 050402402 ●	

RETAIL LIGHTING LED

17 / 24 W					DRIVER (NOT INCL.)
CRI95	1965 / 2635 lm	PEARL WHITE 3100 K	20°	050402501 ○ 050402502 ●	**17 W** 98310325 **DALI** 98310599
			56°	050402601 ○ 050402602 ●	**24 W** 98310231 **DALI** 98310599

TEKO 2L

NEW

LED

IP20 20° 850 °C 2,8Kg. 6,17Lb. DALI OPTIONAL



24 / 36 W					DRIVER (NOT INCL.)
CRI82	3130 / 4200 lm	2700K	20°	050500101 ○ 050500102 ●	
			56°	050500201 ○ 050500202 ●	
CRI85	3370 / 4520 lm	3000K	20°	050500301 ○ 050500302 ●	**12 W** 98310125 **DALI** 98310599
			56°	050500401 ○ 050500402 ●	**18 W** 98310325 **DALI** 98310599
	3500 / 4700 lm	4000K	20°	050500501 ○ 050500502 ●	
			56°	050500601 ○ 050500602 ●	

CRI95

34 / 48 W					DRIVER (NOT INCL.)
CRI95	3620 / 4940 lm	2700K	20°	050500701 ○ 050500702 ●	
			56°	050500801 ○ 050500802 ●	
	3840 / 5230 lm	3000K	20°	050500901 ○ 050500902 ●	**17 W** 98310325 **DALI** 98310599
			56°	050501001 ○ 050501002 ●	**24 W** 98310231 **DALI** 98310599
	4220 / 5750 lm	4000K	20°	050501101 ○ 050501102 ●	
			56°	050501201 ○ 050501202 ●	

HIGH EFFICIENCY LED

48 W						DRIVER (NOT INCL.)
CRI82	6290 lm	2700K	20°	050501301 ○ 050501302 ●		
			56°	050501401 ○ 050501402 ●		
CRI85	6770 lm	3000K	20°	050501501 ○ 050501502 ●		**24 W** 98310231 **DALI** 98310599
			56°	050501601 ○ 050501602 ●		
	7030 lm	4000K	20°	050501701 ○ 050501702 ●		
			56°	050501801 ○ 050501802 ●		

FOOD LIGHTING LED

48 W						DRIVER (NOT INCL.)
CRI85	3800 lm	fruits	20°	050501901 ○ 050501902 ●		
			56°	050502001 ○ 050502002 ●		
	3920 lm	fish	20°	050502101 ○ 050502102 ●		**24 W** 98310231 **DALI** 98310599
			56°	050502201 ○ 050502202 ●		
CRI70	3580 lm	meat	20°	050502301 ○ 050502302 ●		
			56°	050502401 ○ 050502402 ●		

RETAIL LIGHTING LED

34 / 48 W						DRIVER (NOT INCL.)
CRI95	3930 / 5270 lm	PEARL WHITE 3100 K	20°	050502501 ○ 050502502 ●		**17 W** 98310325 **DALI** 98310599
			56°	050502601 ○ 050502602 ●		**24 W** 98310231 **DALI** 98310599

TEKO 3L

NEW

LED

IP20 | 20° | 850 °C | 3,8Kg. 8,37Lb. | DALI OPTIONAL



36 / 54 W						DRIVER (NOT INCL.)
CRI82	4695 / 6300 lm	2700K	20°	050600101 ○ 050600102 ●		
			56°	050600201 ○ 050600202 ●		
CRI85	5055 / 6780 lm	3000K	20°	050600301 ○ 050600302 ●		**12 W** 98310125 **DALI** 98310599
			56°	050600401 ○ 050600402 ●		**18 W** 98310325 **DALI** 98310599
	5250 / 7050 lm	4000K	20°	050600501 ○ 050600502 ●		
			56°	050600601 ○ 050600602 ●		

CRI95

51 / 72 W						DRIVER (NOT INCL.)
CRI95	5430 / 7410 lm	2700K	20°	050600701 ○ 050600702 ●		
			56°	050600801 ○ 050600802 ●		
	5760 / 7485 lm	3000K	20°	050600901 ○ 050600902 ●		**17 W** 98310325 **DALI** 98310599
			56°	050601001 ○ 050601002 ●		**24 W** 98310231 **DALI** 98310599
	6330 / 8625 lm	4000K	20°	050601101 ○ 050601102 ●		
			56°	050601201 ○ 050601202 ●		

HIGH EFFICIENCY LED

72 W					DRIVER (NOT INCL.)
CRI82	9435 lm	2700K	20°	050601301 ○ 050601302 ●	**24 W** 98310231 **DALI** 98310599
			56°	050601401 ○ 050601402 ●	
CRI85	10155 lm	3000K	20°	050601501 ○ 050601502 ●	
			56°	050601601 ○ 050601602 ●	
	10545 lm	4000K	20°	050601701 ○ 050601702 ●	
			56°	050601801 ○ 050601802 ●	

FOOD LIGHTING LED

72 W					DRIVER (NOT INCL.)
CRI85	5700 lm	fruits	20°	050601901 ○ 050601902 ●	**24 W** 98310231 **DALI** 98310599
			56°	050602001 ○ 050602002 ●	
	5880 lm	fish	20°	050602101 ○ 050602102 ●	
			56°	050602201 ○ 050602202 ●	
CRI70	5370 lm	meat	20°	050602301 ○ 050602302 ●	
			56°	050602401 ○ 050602402 ●	

RETAIL LIGHTING LED

51 / 72 W					DRIVER (NOT INCL.)
CRI95	5895 / 7905 lm	PEARL WHITE 3100 K	20°	050602501 ○ 050602502 ●	**17 W** 98310325 **DALI** 98310599
			56°	050602601 ○ 050602602 ●	**24 W** 98310231 **DALI** 98310599

SIGN

Surface luminaire.

This family of lighting is manufactured in different sizes and potency, which makes it easy to find the one that fits best your lighting needs.

The LED models incorporate what we call EYE which is a high efficiency heat sink where the chip is housed. This heatsink is designed to accommodate different types of LED and makes it possible for us to replace the LED easily.

We always use top brand LED making sure we can offer the latest technology available in the market and the most efficient led.

The driver is supplied with the luminaire.

Luminaria de superficie.

Esta familia de luminarias se fabrica en diferentes tamaños y potencias por lo que es fácil encontrar la que más se ajuste a nuestras necesidades de iluminación.

Los modelos LED incorporan lo que nosotros llamamos EYE que es un disipador de calor de alta eficiencia donde va alojado el chip. Este disipador está preparado para alojar diferentes tipos de LED y también hace posible que podamos sustituir el LED fácilmente.

Siempre utilizamos LED de primeras marcas asegurándonos de poder ofrecer la última tecnología disponible en el mercado y los led más eficientes.

El driver se suministra con la luminaria.

LIGHTING SOLUTIONS

Our surface luminaire SIGN incorporate Vossloh components, to offer the latest technology available in the market and the most efficient LED.

Nuestras luminarias de superficie SIGN incorporan componentes Vossloh, para poder ofrecer la última tecnología disponible en el mercado y los led más eficientes.

SIGN

LED

IP20

1,20Kg. 2,64Lb.

DALI OPTIONAL



18 W Driver included

CRI82	2 100 lm	2700K	20°	050204101 ○	
				050204102 ●	
				050204103 ●	
			56°	050204201 ○	
				050204202 ●	
				050204203 ●	
CRI85	2260 lm	3000K	20°	050204301 ○	
				050204302 ●	
				050204303 ●	
			56°	050204401 ○	
				050204402 ●	
				050204403 ●	
	2350 lm	4000K	20°	050204501 ○	
				050204502 ●	
				050204503 ●	
			56°	050204601 ○	
				050204602 ●	
				050204603 ●	

LOWER PRICE
HEMOS BAJADO EL PRECIO

DALI OPTION

Add a D at the end of the ref.
e.g.: 050204101 D

25 W Driver included

CRI85	2775 lm	2700K	20°	050204701 ○	
				050204702 ●	
				050204703 ●	
			56°	050204801 ○	
				050204802 ●	
				050204803 ●	
	2990 lm	3000K	20°	050204901 ○	
				050204902 ●	
				050204903 ●	
			56°	050205001 ○	
				050205002 ●	
				050205003 ●	
	3105 lm	4000K	20°	050205101 ○	
				050205102 ●	
				050205103 ●	
			56°	050205201 ○	
				050205202 ●	
				050205203 ●	

LOWER PRICE
HEMOS BAJADO EL PRECIO

DALI OPTION

Add a D at the end of the ref.
e.g.: 050204702D

HIGH EFFICIENCY LED

36 W Driver included

CRI82	4400 lm	2700K	20°	050205301 ○	
				050205302 ●	
				050205303 ●	
			56°	050205401 ○	
				050205402 ●	
				050205403 ●	
CRI85	4780 lm	3000K	20°	050205501 ○	
				050205502 ●	
				050205503 ●	
			56°	050205601 ○	
				050205602 ●	
				050205603 ●	
	4970 lm	4000K	20°	050205701 ○	
				050205702 ●	
				050205703 ●	
			56°	050205801 ○	
				050205802 ●	
				050205803 ●	

LOWER PRICE
HEMOS BAJADO EL PRECIO

DALI OPTION

Add a D at the end of the ref.
e.g.: 050205301 D

CRI95

36 W Driver included

CRI95	3490 lm	2700K	20°	050205901 050205902 050205903	○ ● ●	LOWER PRICE HEMOS BAJADO EL PRECIO
			56°	050206001 050206002 050206003	○ ● ●	
	3700 lm	3000K	20°	050206101 050206102 050206103	○ ● ●	
			56°	050206201 050206202 050206203	○ ● ●	
	4070 lm	4000K	20°	050206301 050206302 050206303	○ ● ●	
			56°	050206401 050206402 050206403	○ ● ●	

DALI OPTION

Add a D at the end of the ref.
e.g.: 050205901D

FOOD LIGHTING LED

24 W Driver included

CRI85	1900 lm	fruits ●	20°	050206501 050206502 050206503	○ ● ●	LOWER PRICE HEMOS BAJADO EL PRECIO
			56°	050206601 050206602 050206603	○ ● ●	
CRI70	1960 lm	fish ●	20°	050206701 050206702 050206703	○ ● ●	
			56°	050206801 050206802 050206803	○ ● ●	
	1790 lm	meat ●	20°	050206901 050206902 050206903	○ ● ●	
			56°	050207001 050207002 050207003	○ ● ●	

DALI OPTION

Add a D at the end of the ref.
e.g.: 050206501D

36 W Driver included

CRI85	2725 lm	fruits ●	20°	050207101 050207102 050207103	○ ● ●	LOWER PRICE HEMOS BAJADO EL PRECIO
			56°	050207201 050207202 050207203	○ ● ●	
	2810 lm	fish ●	20°	050207301 050207302 050207303	○ ● ●	
			56°	050207401 050207402 050207403	○ ● ●	
CRI70	2570 lm	meat ●	20°	050207501 050207502 050207503	○ ● ●	
			56°	050207601 050207602 050207603	○ ● ●	

DALI OPTION

Add a D at the end of the ref.
e.g.: 050207101D

RETAIL LIGHTING LED

24 W Driver included							
CRI95	2635 lm	PEARL WHITE 3100 K	20°	050207701 050207702 050207703	○ ● ●	LOWER PRICE *HEMOS BAJADO EL PRECIO*	**DALI** OPTION Add a D at the end of the ref. e.g.: 050207701 D
			56°	050207801 050207802 050207803	○ ● ●		
36 W Driver included							
CRI95	3785 lm	PEARL WHITE 3100 K	20°	050207901 050207902 050207903	○ ● ●	LOWER PRICE *HEMOS BAJADO EL PRECIO*	**DALI** OPTION Add a D at the end of the ref. e.g.: 050207901 D
			56°	050208001 050208002 050208003	○ ● ●		

SIGN

LED

IP20 1,80Kg. 3,96Lb.



QR-111 LED

MAX. 20 W LED				
SOCKET 1*GX53	12 V	ELECTRONIC GEAR INCLUDED	05022801 05022802 05022803	○ ● ●

*Bulb not included

MINISIGN

LED

IP20 0,69Kg. 1,52Lb.



12 W Driver included					
CRI82	1565 lm	2700K	20°	050304701 ○ 050304702 ● 050304703 ●	
			56°	050304801 ○ 050304802 ● 050304803 ●	
CRI85	1685 lm	3000K	20°	050304901 ○ 050304902 ● 050304903 ●	
			56°	050305001 ○ 050305002 ● 050305003 ●	LOWER PRICE HEMOS BAJADO EL PRECIO
	1750 lm	4000K	20°	050305101 ○ 050305102 ● 050305103 ●	
			56°	050305201 ○ 050305202 ● 050305203 ●	
18 W Driver included					
CRI82	2100 lm	2700K	20°	050305301 ○ 050305302 ● 050305303 ●	
			56°	050305401 ○ 050305402 ● 050305403 ●	
CRI85	2260 lm	3000K	20°	050305501 ○ 050305502 ● 050305503 ●	
			56°	050305601 ○ 050305602 ● 050305603 ●	LOWER PRICE HEMOS BAJADO EL PRECIO
	2350 lm	4000K	20°	050305701 ○ 050305702 ● 050305703 ●	
			56°	050305801 ○ 050305802 ● 050305803 ●	

CRI95

17 W Driver included

CRI95	1810 lm	2700K	20°	050305901 ○ 050305902 ● 050305903 ●	
			56°	050306001 ○ 050306002 ● 050306003 ●	
	1920 lm	3000K	20°	050306101 ○ 050306102 ● 050306103 ●	
			56°	050306201 ○ 050306202 ● 050306203 ●	LOWER PRICE HEMOS BAJADO EL PRECIO
	2110 lm	4000K	20°	050306301 ○ 050306302 ● 050306303 ●	
			56°	050306401 ○ 050306402 ● 050306403 ●	

24 W Driver included

CRI95	2470 lm	2700K	20°	050306501 ○ 050306502 ● 050306503 ●	
			56°	050306601 ○ 050306602 ● 050306603 ●	
	2615 lm	3000K	20°	050306701 ○ 050306702 ● 050306703 ●	
			56°	050306801 ○ 050306802 ● 050306803 ●	LOWER PRICE HEMOS BAJADO EL PRECIO
	2875 lm	4000K	20°	050306901 ○ 050306902 ● 050306903 ●	
			56°	050307001 ○ 050307002 ● 050307003 ●	

HIGH EFFICIENCY LED

24 W Driver included

CRI82	3145 lm	2700K	20°	050307101 ○ 050307102 ● 050307103 ●	
			56°	050307201 ○ 050307202 ● 050307203 ●	
CRI85	3385 lm	3000K	20°	050307301 ○ 050307302 ● 050307303 ●	
			56°	050307401 ○ 050307402 ● 050307403 ●	LOWER PRICE HEMOS BAJADO EL PRECIO
	3515 lm	4000K	20°	050307501 ○ 050307502 ● 050307503 ●	
			56°	050307601 ○ 050307602 ● 050307603 ●	

FOOD LIGHTING LED

17 W Driver included

CRI85	1390 lm	fruits	20°	050307701 ○ 050307702 ● 050307703 ●		
			56°	050307801 ○ 050307802 ● 050307803 ●		
	1435 lm	fish	20°	050307901 ○ 050307902 ● 050307903 ●		
			56°	050308001 ○ 050308002 ● 050308003 ●	LOWER PRICE HEMOS BAJADO EL PRECIO	
CRI70	1310 lm	meat	20°	050308101 ○ 050308102 ● 050308103 ●		
			56°	050308201 ○ 050308202 ● 050308203 ●		

24 W Driver included

CRI85	1900 lm	fruits	20°	050308301 ○ 050308302 ● 050308303 ●		
			56°	050308401 ○ 050308402 ● 050308403 ●		
	1960 lm	fish	20°	050308501 ○ 050308502 ● 050308503 ●		
			56°	050308601 ○ 050308602 ● 050308603 ●	LOWER PRICE HEMOS BAJADO EL PRECIO	
CRI70	1790 lm	meat	20°	050308701 ○ 050308702 ● 050308703 ●		
			56°	050308801 ○ 050308802 ● 050308803 ●		

RETAIL LIGHTING LED

17 W Driver included

CRI95	1956 lm	PEARL WHITE 3100 K	20°	050308901 ○ 050308902 ● 050308903 ●		
			56°	050309001 ○ 050309002 ● 050309003 ●	LOWER PRICE HEMOS BAJADO EL PRECIO	

24 W Driver included

CRI95	2635 lm	PEARL WHITE 3100 K	20°	050309101 ○ 050309102 ● 050309103 ●		
			56°	050309201 ○ 050309202 ● 050309203 ●	LOWER PRICE HEMOS BAJADO EL PRECIO	

VIA

NEW

System designed for the general lighting of spaces.

This LED system allows the creation of continuous light lines. We can also build different formats using the corner accessory.

To achieve high visual comfort, the micro prismatic diffuser is available.

It can be used in surface, suspension or recessed installations.

Sistema diseñado para la iluminación general de espacios.

Este sistema LED permite la creación de lineas de luz continuas. También podemos construir formatos diferentes utilizando el accesorio de esquina.

Para conseguir un alto confort visual está disponible el difusor micro prismático.

Puede utilizarse en instalaciones de superficie, suspensión o empotradas.

LIGHTING SOLUTIONS

Our surface luminaire SIGN incorporate Vossloh components, to offer the latest technology available in the market and the most efficient LED.

Nuestras luminarias de superficie SIGN incorporan componentes Vossloh, para poder ofrecer la última tecnología disponible en el mercado y los led más eficientes.

CREATE YOUR PROJECT **VIA**

CREA TU PROYECTO **VIA**

INDIVIDUAL SECTIONS ON THE SURFACE:



TRAMOS INDIVIDUALES EN SUPERFICIE:



INDIVIDUAL SUSPENDED SECTIONS:



TRAMOS INDIVIDUALES SUSPENDIDOS:



EMBEDDED INDIVIDUAL SECTIONS:



TRAMOS INDIVIDUALES EMPOTRADOS:



CONTINUOUS SURFACE LINES, SUSPENDED OR RECESSED:

04100201



LINEAS CONTINUAS DE SUPERFICIE, SUSPENDIDAS O EMPOTRADAS:

04100201



VIA SURFACE NEW

LED

IP20

1,05Kg. 2.31LB.

DALI OPTIONAL





56 CM

12 W Driver included

PRISMATIC OPTION

UGR <19

CRI80	21,4 W/m	1300 lm	3000K	041000901 ○	
				041000902 ●	
				041000903 ●	
		1400 lm	4000K	041001801 ○	
				041001802 ●	
				041001803 ●	

Add a U at the end of the ref. e.g.: 041000901 U

17 W Driver included

PRISMATIC OPTION

CRI80	30,3 W/m	1900 lm	3000K	041000801 ○	
				041000802 ●	
				041000803 ●	
		2050 lm	4000K	041001701 ○	
				041001702 ●	
				041001703 ●	

Add a U at the end of the ref. e.g.: 041000801 U

24 W Driver included

DALI 24 W OPTION

PRISMATIC OPTION

CRI80	42,8 W/m	2600 lm	3000K	041000701 ○	
				041000702 ●	
				041000703 ●	
		2800 lm	4000K	041001601 ○	
				041001602 ●	
				041001603 ●	

Add a D at the end of the ref. e.g.: 041000701 D

Add a U at the end of the ref. e.g.: 041000701 U

DALI & PRISMATIC OPTION

Add DU at the end of the ref. e.g.: 041000701 DU

84 CM

17 W Driver included

PRISMATIC OPTION

CRI80	21,4 W/m	1950 lm	1,35Kg. 2,97LB. 3000K	041000601 ○	
				041000602 ●	
				041000603 ●	
		2100 lm	4000K	041001501 ○	
				041001502 ●	
				041001503 ●	

Add a U at the end of the ref. e.g.: 041000601 U

UGR <19

25 W Driver included

PRISMATIC OPTION

CRI80	30,3 W/m	2850 lm	3000K	041000501 ○	
				041000502 ●	
				041000503 ●	
		3050 lm	4000K	041001401 ○	
				041001402 ●	
				041001403 ●	

Add a U at the end of the ref. e.g.: 041000501 U

36 W Driver included

DALI 36 W OPTION

PRISMATIC OPTION

CRI80	42,8 W/m	3900 lm	3000K	041000401 ○	
				041000402 ●	
				041000403 ●	
		4200 lm	4000K	041001301 ○	
				041001302 ●	
				041001303 ●	

Add a D at the end of the ref. e.g.: 041000401 D

Add a U at the end of the ref. e.g.: 041000401 U

DALI & PRISMATIC OPTION

Add DU at the end of the ref. e.g.: 041000101 DU

ACCESORIES

PENDANT ACCESSORY 2pcs

041001 01 ○
041001 02 ●
041001 03 ●

CONTINUOUS ACCESSORY 1pc

041002 01

112 CM

1,65Kg. 3,63Lb.

23 W Driver included					**PRISMATIC** OPTION
CRI80	21,4 W/m	2600 lm	3000K	041000301 ○ 041000302 ● 041000303 ●	Add a U at the end of the ref. e.g.: 041000301 U
		2800 lm	4000K	041001201 ○ 041001202 ● 041001203 ●	
34 W Driver included					**PRISMATIC** OPTION
CRI80	30,3 W/m	3800 lm	3000K	041000201 ○ 041000202 ● 041000203 ●	Add a U at the end of the ref. e.g.: 041000201 U
		4100 lm	4000K	041001101 ○ 041001102 ● 041001103 ●	
48 W Driver included					**DALI 48 W** OPTION / **PRISMATIC** OPTION
CRI80	42,8 W/m	5200 lm	3000K	041000101 ○ 041000102 ● 041000103 ●	Add a D at the end of the ref. e.g.: 041000101 D / Add a U at the end of the ref. e.g.: 041000101 U
		5600 lm	4000K	041001001 ○ 041001002 ● 041001003 ●	**DALI & PRISMATIC** OPTION: Add DU at the end of the ref. e.g.: 041000101 DU

UGR <19

L-SHAPE ONLY FOR SURFACE AND PENDANT

PRISMATIC OPTION

CRI80

IP20

III

0,60Kg. 1,32Lb.

21,4 W/m	3000K	041009601 ○ 041009602 ● 041009603 ●	Add a U at the end of the ref. e.g.: 041000101 U
	4000K	041009701 ○ 041009702 ● 041009703 ●	
30,3 W/m 42,8 W/m	3000K	041009801 ○ 041009802 ● 041009803 ●	Add a U at the end of the ref. e.g.: 041009801 U
	4000K	041009901 ○ 041009902 ● 041009903 ●	

UGR <19

VIA RECESSED

LED

IP20

1,05Kg. 2,31Lb.

DALI OPTIONAL



56 CM

12 W Driver included					**PRISMATIC** OPTION
CRI80	21,4 W/m	1300 lm	3000K	041002701 ○	Add a U at the end of the ref. e.g.: 041002701 U
		1400 lm	4000K	041003001 ○	
17 W Driver included					**PRISMATIC** OPTION
CRI80	30,3 W/m	1900 lm	3000K	041002601 ○	Add a U at the end of the ref. e.g.: 041002601 U
		2050 lm	4000K	041002901 ○	
24 W Driver included					**DALI 36 W** OPTION / **PRISMATIC** OPTION
CRI80	42,8 W/m	2600 lm	3000K	041002501 ○	Add a D at the end of the ref. e.g.: 041002501 D / Add a U at the end of the ref. e.g.: 041002501 U
		2800 lm	4000K	041002801 ○	**DALI & PRISMATIC** OPTION: Add DU at the end of the ref. e.g.: 041002501 DU

UGR <19

ORE

This luminaire is available for surface, recess or suspension installation for LED or T5 fluorescent light.

In any of the three forms of installation it can be made in continuous lines of light without shadows. To achieve this effect, it is best to install the corresponding connection piece, 1 for every 2 luminaires.

LIGHTING SOLUTIONS

Our luminaire ORE incorporate Vossloh components, to offer the latest technology available in the market and the most efficient LED.

Nuestras luminarias ORE incorporan componentes Vossloh, para poder ofrecer la última tecnología disponible en el mercado y los led más eficientes.

Luminaria para instalación de superficie, de suspensión
o de empotrar para led o fluorescencia T5.

En cualquiera de las tres formas de instalación pueden hacerse líneas continuas
de luz sin sombras. Para conseguir este efecto, basta con instalar la pieza de unión
correspondiente, 1 por cada 2 luminarias.

ORE MULTI-FUNCTION

LED

IP20

2,28Kg. 5,02Lb.

DALI OPTIONAL



IP20

2,45Kg. 5,40Lb.

DALI OPTIONAL



18 W Driver included						
CRI85	90 cm	2020 lm	3000K	040400501 ○ 040400503 ●		
		2350 lm	4000K	040400601 ○ 040400603 ●		
26 W Driver included					**DALI 26 W**	
CRI85	90 cm	2920 lm	3000K	040400701 ○ 040400703 ●	040402301 ○ 040402303 ●	
		3185 lm	4000K	040400801 ○ 040400803 ●	040402401 ○ 040402403 ●	
24 W Driver included						
CRI85	120 cm	2880 lm	3000K	040400101 ○ 040400103 ●		
		3135 lm	4000K	040400201 ○ 040400203 ●		
35 W Driver included					**DALI 35 W**	
CRI85	120 cm	3890 lm	3000K	040400301 ○ 040400303 ●	040401901 ○ 040401903 ●	
		4250 lm	4000K	040400401 ○ 040400403 ●	040402001 ○ 040402003 ●	

ORE RECESSED

LED

IP23

901x70

2,11Kg. 4,65Lb.

DALI OPTIONAL



IP23

1201x70

2,30Kg. 5,07Lb.

DALI OPTIONAL



18 W Driver included						
CRI85	90 cm	2160 lm	3000K	040401301 ○ 040401303 ●		
		2350 lm	4000K	040401401 ○ 040401403 ●		
26 W Driver included					**DALI 26 W**	
CRI85	90 cm	2920 lm	3000K	040401501 ○ 040401503 ●	040403101 ○ 040403103 ●	
		3185 lm	4000K	040401601 ○ 040401603 ●	040403201 ○ 040403203 ●	
24 W Driver included						
CRI85	120 cm	2880 lm	3000K	040400901 ○ 040400903 ●		
		3135 lm	4000K	040401001 ○ 040401003 ●		
35 W Driver included					**DALI 35 W**	
CRI85	120 cm	3890 lm	3000K	040401101 ○ 040401103 ●	040402701 ○ 040402703 ●	
		4250 lm	4000K	040401201 ○ 040401203 ●	040402801 ○ 040402803 ●	

ORE CONTINUOUS SUSPENSION

LED

IP20

2,28Kg. 5,02Lb.

DALI OPTIONAL



IP20

2,45Kg. 5,40Lb.

DALI OPTIONAL



18 W Driver included						
CRI85	90 cm	2375 lm	3000K	040403701 ○ 040403703 ●		
		2575 lm	4000K	040403801 ○ 040403803 ●		
26 W Driver included					**DALI 26 W**	
CRI85	90 cm	3210 lm	3000K	040403901 ○ 040403903 ●	040405501 ○ 040405503 ●	
		3500 lm	4000K	040404001 ○ 040404003 ●	040405601 ○ 040405603 ●	
24 W Driver included						
CRI85	120 cm	3165 lm	3000K	040403301 ○ 040403302 ● 040403303 ●		
		3445 lm	4000K	040403401 ○ 040403402 ● 040403403 ●		
35 W Driver included					**DALI 35 W**	
CRI85	120 cm	4275 lm	3000K	040403501 ○ 040403502 ● 040403503 ●	040405101 040405102 040405103 ○ ●	
		4670 lm	4000K	040403601 ○ 040403602 ● 040403603 ●	040405201 040405202 040405203 ○ ●	

ORE CONTINUOUS RECESSED

LED

IP23

901x70

2,11Kg. 4,65Lb.

DALI OPTIONAL

IP23

1201x70

2,30Kg. 5,07Lb.

DALI OPTIONAL



18 W Driver included						
CRI85	90 cm	2375 lm	3000K	040404501 ○ 040404503 ●		
		2575 lm	4000K	040404601 ○ 040404603 ●		
26 W Driver included					**DALI 26 W**	
CRI85	90 cm	3210 lm	3000K	040404701 ○ 040404703 ●	040406301 ○ 040406303 ●	
		3500 lm	4000K	040404801 ○ 040404803 ●	040406401 ○ 040406403 ●	
24 W Driver included						
CRI85	120 cm	3165 lm	3000K	040404101 ○ 040404103 ●		
		3445 lm	4000K	040404201 ○ 040404203 ●		
35 W Driver included					**DALI 35 W**	
CRI85	120 cm	4275 lm	3000K	040404301 ○ 040404303 ●	040405901 ○ 040405903 ●	
		4670 lm	4000K	040404401 ○ 040404403 ●	040406001 ○ 040406003 ●	

KIT FOR SUSPENSION CONTINUOUS LIGHT

04029906 — 0,07 KG 0,15LB

KIT FOR RECESSED CONTINUOUS LIGHT

04029907 — 0,07 KG 0,15LB

ORE T5 MULTI-FUNCTION

IP20

2,28Kg. 5,02Lb.

DALI OPTIONAL



IP20

2,45Kg. 5,40Lb.

DALI OPTIONAL



90 CM				
SOCKET 1xG5 Bulb not included	39 W	ELECTRONIC GEAR INCLUDED	04030201 04030203	○ ●
DALI DIMMABLE				
SOCKET 1xG5 Bulb not included	39 W	ELECTRONIC GEAR INCLUDED	04030801 04030803	○ ●
1-10V DIMMABLE				
SOCKET 1xG5 Bulb not included	39 W	ELECTRONIC GEAR INCLUDED	04030701 04030703	○ ●
120 CM				
SOCKET 1xG5 Bulb not included	54 W	ELECTRONIC GEAR INCLUDED	04020201 04020202 04020203	○ ● ●
DALI DIMMABLE				
SOCKET 1xG5 Bulb not included	54 W	ELECTRONIC GEAR INCLUDED	04020801 04020802 04020803	○ ● ●
1-10V DIMMABLE				
SOCKET 1xG5 Bulb not included	54 W	ELECTRONIC GEAR INCLUDED	04020701 04020702 04020703	○ ● ●

ORE T5 RECESSED

IP23

901x70

2,11Kg. 4,65Lb.

DALI OPTIONAL



IP23

1201x70

2,30Kg. 5,07Lb.

DALI OPTIONAL



90 CM				
SOCKET 1xG5 Bulb not included	39 W	ELECTRONIC GEAR INCLUDED	04030001 04030003	○ ●
DALI DIMMABLE				
SOCKET 1xG5 Bulb not included	39 W	ELECTRONIC GEAR INCLUDED	04031001 04031003	○ ●
1-10V DIMMABLE				
SOCKET 1xG5 Bulb not included	39 W	ELECTRONIC GEAR INCLUDED	04031101 04031103	○ ●
120 CM				
SOCKET 1xG5 Bulb not included	54 W	ELECTRONIC GEAR INCLUDED	04020101 04020103	○ ●
DALI DIMMABLE				
SOCKET 1xG5 Bulb not included	54 W	ELECTRONIC GEAR INCLUDED	04021001 04021003	○ ●
1-10V DIMMABLE				
SOCKET 1xG5 Bulb not included	54 W	ELECTRONIC GEAR INCLUDED	04021101 04021103	○ ●

OPTIONAL ANTI-GLARE ACCESSORY

90 cm	04039904	0,18 KG 0,08LB
120 cm	04029904	0,21 KG 0,09LB

KIT FOR CONTINUOUS LIGHT

04029906

ORE T5 CONTINUOUS SUSPENSION

IP20

2,28Kg. 5,02Lb.

DALI OPTIONAL



IP20

2,45Kg. 5,40Lb.

DALI OPTIONAL



90 CM				
SOCKET 1xG5 Bulb not included	39 W	ELECTRONIC GEAR INCLUDED	04032201 04032203	○ ●
DALI DIMMABLE				
SOCKET 1xG5 Bulb not included	39 W	ELECTRONIC GEAR INCLUDED	04032801 04032803	○ ●
1-10V DIMMABLE				
SOCKET 1xG5 Bulb not included	39 W	ELECTRONIC GEAR INCLUDED	04032701 04032703	○ ●
120 CM				
SOCKET 1xG5 Bulb not included	54 W	ELECTRONIC GEAR INCLUDED	04022201 04022202 04022203	○ ● ●
DALI DIMMABLE				
SOCKET 1xG5 Bulb not included	54 W	ELECTRONIC GEAR INCLUDED	04022801 04022802 04022803	○ ● ●
1-10V DIMMABLE				
SOCKET 1xG5 Bulb not included	54 W	ELECTRONIC GEAR INCLUDED	04022701 04022702 04022703	○ ● ●

ORE T5 CONTINUOUS RECESSED

IP23

90x70

2,11Kg. 4,65Lb.

DALI OPTIONAL



IP23

120x70

2,30Kg. 5,07Lb.

DALI OPTIONAL



90 CM				
SOCKET 1xG5 Bulb not included	39 W	ELECTRONIC GEAR INCLUDED	04033101 04033103	○ ●
DALI DIMMABLE				
SOCKET 1xG5 Bulb not included	39 W	ELECTRONIC GEAR INCLUDED	04033001 04033003	○ ●
1-10V DIMMABLE				
SOCKET 1xG5 Bulb not included	39 W	ELECTRONIC GEAR INCLUDED	04033301 04033303	○ ●
120 CM				
SOCKET 1xG5 Bulb not included	54 W	ELECTRONIC GEAR INCLUDED	04023101 04023103	○ ●
DALI DIMMABLE				
SOCKET 1xG5 Bulb not included	54 W	ELECTRONIC GEAR INCLUDED	04023001 04023003	○ ●
1-10V DIMMABLE				
SOCKET 1xG5 Bulb not included	54 W	ELECTRONIC GEAR INCLUDED	04023301 04023303	○ ●

ORE T5 DOUBLE SUSPENSION

IP20

6,16Kg. 13,58Lb.

DALI OPTIONAL



SOCKET 2xG5 Bulb not included	120 cm	39 W	8900 lm	ELECTRONIC GEAR INCLUDED	04020302 04020303	● ●

eBlue by elt

WIRELESS TECHNOLOGY TO CONTROL YOUR LUMINAIRES

TECNOLOGÍA INALÁMBRICA PARA CONTROLAR TUS LUMINARIAS



WITH YOUR TABLET OR SMARTPHONE

CON TU TABLETA O TELÉFONO INTELIGENTE

STEP 1

BUY THE eBLUE ACCESSORY
ADQUIERE EL ACCESORIO eBLUE

E-BLUE DALI/1-10V 100W	
98100100	

E-BLUE TRIAC 50W	
98100050	

STEP 2

CONNECT THE ACCESSORY
CONECTA EL ACCESORIO A LA LÁMPARA



STEP 3

DOWNLOAD THE FREE APP CASAMBI IN YOUR TABLET OR SMARTPHONE
DESCÁRGATE LA APP GRATUITA CASAMBI EN TU TABLET O TELÉFONO INTELIGENTE

Download on the App Store

GET IT ON Google play

NOW YOU CAN START TO CONTROL YOUR LUMINAIRES
YA PUEDES EMPEZAR A CONTROLAR TUS LUMINARIAS



CONTROL AND PROGRAM THE ON/OFF
CONTROLA Y PROGRAMA EL ENCENDIDO/APAGADO

ADJUST THE LIGHT INTENSITY
REGULA LA INTENSIDAD DE LA LUZ

CREATE DIFFERENT SCENES
CREA AMBIENTES Y ESCENAS

MORE INFO
www.elt.es
www.faro.es

LEDSTRIP

5 mt 14.4 W/mt 24 V

IP20 | III | 0,20KG. 0,44LB. | DIM



CRI85	2300 K	3200 LM
08040101-01	10 cm	
08040101-02	20 cm	
08040101-03	30 cm	
08040101-04	40 cm	
08040101-05	50 cm	
08040101-06	60 cm	
08040101-07	70 cm	
08040101-08	80 cm	
08040101-09	90 cm	
08040101-10	100 cm	
08040101-11	110 cm	
08040101-12	120 cm	
08040101-13	130 cm	
08040101-14	140 cm	
08040101-15	150 cm	
08040101-16	160 cm	
08040101-17	170 cm	
08040101-18	180 cm	
08040101-19	190 cm	
08040101-20	200 cm	
08040101-21	210 cm	
08040101-22	220 cm	
08040101-23	230 cm	
08040101-24	240 cm	
08040101-25	250 cm	
08040101-26	260 cm	
08040101-27	270 cm	
08040101-28	280 cm	
08040101-29	290 cm	
08040101-30	300 cm	
08040101-31	310 cm	
08040101-32	320 cm	
08040101-33	330 cm	
08040101-34	340 cm	
08040101-35	350 cm	
08040101-36	360 cm	
08040101-37	370 cm	
08040101-38	380 cm	
08040101-39	390 cm	
08040101-40	400 cm	
08040101-41	410 cm	
08040101-42	420 cm	
08040101-43	430 cm	
08040101-44	440 cm	
08040101-45	450 cm	
08040101-46	460 cm	
08040101-47	470 cm	
08040101-48	480 cm	
08040101-49	490 cm	
08040101	500 cm	

CRI85	2700K	3650 LM
08040301-01	10 cm	
08040301-02	20 cm	
08040301-03	30 cm	
08040301-04	40 cm	
08040301-05	50 cm	
08040301-06	60 cm	
08040301-07	70 cm	
08040301-08	80 cm	
08040301-09	90 cm	
08040301-10	100 cm	
08040301-11	110 cm	
08040301-12	120 cm	
08040301-13	130 cm	
08040301-14	140 cm	
08040301-15	150 cm	
08040301-16	160 cm	
08040301-17	170 cm	
08040301-18	180 cm	
08040301-19	190 cm	
08040301-20	200 cm	
08040301-21	210 cm	
08040301-22	220 cm	
08040301-23	230 cm	
08040301-24	240 cm	
08040301-25	250 cm	
08040301-26	260 cm	
08040301-27	270 cm	
08040301-28	280 cm	
08040301-29	290 cm	
08040301-30	300 cm	
08040301-31	310 cm	
08040301-32	320 cm	
08040301-33	330 cm	
08040301-34	340 cm	
08040301-35	350 cm	
08040301-36	360 cm	
08040301-37	370 cm	
08040301-38	380 cm	
08040301-39	390 cm	
08040301-40	400 cm	
08040301-41	410 cm	
08040301-42	420 cm	
08040301-43	430 cm	
08040301-44	440 cm	
08040301-45	450 cm	
08040301-46	460 cm	
08040301-47	470 cm	
08040301-48	480 cm	
08040301-49	490 cm	
08040301	500 cm	

CRI85	3000K	3640 LM
08040201-01	10 cm	
08040201-02	20 cm	
08040201-03	30 cm	
08040201-04	40 cm	
08040201-05	50 cm	
08040201-06	60 cm	
08040201-07	70 cm	
08040201-08	80 cm	
08040201-09	90 cm	
08040201-10	100 cm	
08040201-11	110 cm	
08040201-12	120 cm	
08040201-13	130 cm	
08040201-14	140 cm	
08040201-15	150 cm	
08040201-16	160 cm	
08040201-17	170 cm	
08040201-18	180 cm	
08040201-19	190 cm	
08040201-20	200 cm	
08040201-21	210 cm	
08040201-22	220 cm	
08040201-23	230 cm	
08040201-24	240 cm	
08040201-25	250 cm	
08040201-26	260 cm	
08040201-27	270 cm	
08040201-28	280 cm	
08040201-29	290 cm	
08040201-30	300 cm	
08040201-31	310 cm	
08040201-32	320 cm	
08040201-33	330 cm	
08040201-34	340 cm	
08040201-35	350 cm	
08040201-36	360 cm	
08040201-37	370 cm	
08040201-38	380 cm	
08040201-39	390 cm	
08040201-40	400 cm	
08040201-41	410 cm	
08040201-42	420 cm	
08040201-43	430 cm	
08040201-44	440 cm	
08040201-45	450 cm	
08040201-46	460 cm	
08040201-47	470 cm	
08040201-48	480 cm	
08040201-49	490 cm	
08040201	500 cm	

LEDSTRIP

5 mt 19.2 W/mt 24V

IP20 | III | 0,20KG. 0,44LB. | DIM



CRI85	2300 K	3860 LM
08030101-01	10 cm	
08030101-02	20 cm	
08030101-03	30 cm	
08030101-04	40 cm	
08030101-05	50 cm	
08030101-06	60 cm	
08030101-07	70 cm	
08030101-08	80 cm	
08030101-09	90 cm	
08030101-10	100 cm	
08030101-11	110 cm	
08030101-12	120 cm	
08030101-13	130 cm	
08030101-14	140 cm	
08030101-15	150 cm	
08030101-16	160 cm	
08030101-17	170 cm	
08030101-18	180 cm	
08030101-19	190 cm	
08030101-20	200 cm	
08030101-21	210 cm	
08030101-22	220 cm	
08030101-23	230 cm	
08030101-24	240 cm	
08030101-25	250 cm	
08030101-26	260 cm	
08030101-27	270 cm	
08030101-28	280 cm	
08030101-29	290 cm	
08030101-30	300 cm	
08030101-31	310 cm	
08030101-32	320 cm	
08030101-33	330 cm	
08030101-34	340 cm	
08030101-35	350 cm	
08030101-36	360 cm	
08030101-37	370 cm	
08030101-38	380 cm	
08030101-39	390 cm	
08030101-40	400 cm	
08030101-41	410 cm	
08030101-42	420 cm	
08030101-43	430 cm	
08030101-44	440 cm	
08030101-45	450 cm	
08030101-46	460 cm	
08030101-47	470 cm	
08030101-48	480 cm	
08030101-49	490 cm	
08030101	500 cm	

CRI85	2700K	5082 LM
08030301-01	10 cm	
08030301-02	20 cm	
08030301-03	30 cm	
08030301-04	40 cm	
08030301-05	50 cm	
08030301-06	60 cm	
08030301-07	70 cm	
08030301-08	80 cm	
08030301-09	90 cm	
08030301-10	100 cm	
08030301-11	110 cm	
08030301-12	120 cm	
08030301-13	130 cm	
08030301-14	140 cm	
08030301-15	150 cm	
08030301-16	160 cm	
08030301-17	170 cm	
08030301-18	180 cm	
08030301-19	190 cm	
08030301-20	200 cm	
08030301-21	210 cm	
08030301-22	220 cm	
08030301-23	230 cm	
08030301-24	240 cm	
08030301-25	250 cm	
08030301-26	260 cm	
08030301-27	270 cm	
08030301-28	280 cm	
08030301-29	290 cm	
08030301-30	300 cm	
08030301-31	310 cm	
08030301-32	320 cm	
08030301-33	330 cm	
08030301-34	340 cm	
08030301-35	350 cm	
08030301-36	360 cm	
08030301-37	370 cm	
08030301-38	380 cm	
08030301-39	390 cm	
08030301-40	400 cm	
08030301-41	410 cm	
08030301-42	420 cm	
08030301-43	430 cm	
08030301-44	440 cm	
08030301-45	450 cm	
08030301-46	460 cm	
08030301-47	470 cm	
08030301-48	480 cm	
08030301-49	490 cm	
08030301	500 cm	

CRI85	3000K	4280 LM
08030201-01	10 cm	
08030201-02	20 cm	
08030201-03	30 cm	
08030201-04	40 cm	
08030201-05	50 cm	
08030201-06	60 cm	
08030201-07	70 cm	
08030201-08	80 cm	
08030201-09	90 cm	
08030201-10	100 cm	
08030201-11	110 cm	
08030201-12	120 cm	
08030201-13	130 cm	
08030201-14	140 cm	
08030201-15	150 cm	
08030201-16	160 cm	
08030201-17	170 cm	
08030201-18	180 cm	
08030201-19	190 cm	
08030201-20	200 cm	
08030201-21	210 cm	
08030201-22	220 cm	
08030201-23	230 cm	
08030201-24	240 cm	
08030201-25	250 cm	
08030201-26	260 cm	
08030201-27	270 cm	
08030201-28	280 cm	
08030201-29	290 cm	
08030201-30	300 cm	
08030201-31	310 cm	
08030201-32	320 cm	
08030201-33	330 cm	
08030201-34	340 cm	
08030201-35	350 cm	
08030201-36	360 cm	
08030201-37	370 cm	
08030201-38	380 cm	
08030201-39	390 cm	
08030201-40	400 cm	
08030201-41	410 cm	
08030201-42	420 cm	
08030201-43	430 cm	
08030201-44	440 cm	
08030201-45	450 cm	
08030201-46	460 cm	
08030201-47	470 cm	
08030201-48	480 cm	
08030201-49	490 cm	
08030201	500 cm	



LEDSTRIP
RGB IP20

5 mt 14,4 W/mt 24 V

IP20 | III | 0,20Kg. 0,44Lb. | DIM

RGB

08041001 500 cm



PROFILES Diffuser not included



SURFACE PROFILE 45°

08050101-01	10 cm
08050101-02	20 cm
08050101-03	30 cm
08050101-04	40 cm
08050101-05	50 cm
08050101-06	60 cm
08050101-07	70 cm
08050101-08	80 cm
08050101-09	90 cm
08050101-10	100 cm
08050101-11	110 cm
08050101-12	120 cm
08050101-13	130 cm
08050101-14	140 cm
08050101-15	150 cm
08050101-16	160 cm
08050101-17	170 cm
08050101-18	180 cm
08050101-19	190 cm
08050101	200 cm

ENDCAP (2 PCS)

08050104

SURFACE PROFILE CLIP

08050105



SURFACE PROFILE

08060101-01	10 cm
08060101-02	20 cm
08060101-03	30 cm
08060101-04	40 cm
08060101-05	50 cm
08060101-06	60 cm
08060101-07	70 cm
08060101-08	80 cm
08060101-09	90 cm
08060101-10	100 cm
08060101-11	110 cm
08060101-12	120 cm
08060101-13	130 cm
08060101-14	140 cm
08060101-15	150 cm
08060101-16	160 cm
08060101-17	170 cm
08060101-18	180 cm
08060101-19	190 cm
08060101	200 cm

ENDCAP (2 PCS)

08060104

SURFACE AND RECESSED PROFILE CLIP

08060105



RECESSED PROFILE

08070101-01	10 cm
08070101-02	20 cm
08070101-03	30 cm
08070101-04	40 cm
08070101-05	50 cm
08070101-06	60 cm
08070101-07	70 cm
08070101-08	80 cm
08070101-09	90 cm
08070101-10	100 cm
08070101-11	110 cm
08070101-12	120 cm
08070101-13	130 cm
08070101-14	140 cm
08070101-15	150 cm
08070101-16	160 cm
08070101-17	170 cm
08070101-18	180 cm
08070101-19	190 cm
08070101	200 cm

ENDCAP (2 PCS)

08070104

DIFFUSERS

OPAL DIFFUSER

08060102-01	10 cm
08060102-02	20 cm
08060102-03	30 cm
08060102-04	40 cm
08060102-05	50 cm
08060102-06	60 cm
08060102-07	70 cm
08060102-08	80 cm
08060102-09	90 cm
08060102-10	100 cm
08060102-11	110 cm
08060102-12	120 cm
08060102-13	130 cm
08060102-14	140 cm
08060102-15	150 cm
08060102-16	160 cm
08060102-17	170 cm
08060102-18	180 cm
08060102-19	190 cm
08060102	200 cm



TRANSPARENT DIFFUSER

08060103-01	10 cm
08060103-02	20 cm
08060103-03	30 cm
08060103-04	40 cm
08060103-05	50 cm
08060103-06	60 cm
08060103-07	70 cm
08060103-08	80 cm
08060103-09	90 cm
08060103-10	100 cm
08060103-11	110 cm
08060103-12	120 cm
08060103-13	130 cm
08060103-14	140 cm
08060103-15	150 cm
08060103-16	160 cm
08060103-17	170 cm
08060103-18	180 cm
08060103-19	190 cm
08060103	200 cm

POWER SUPPLY

Class	W	V	P.Factor	Rated V	Temp. Range	Tc	Size (mm)	Ref.
II	20 W	24 Vdc	0,55	100-240 V	-25< + 50°C	80°C	146 x 55 x 19	98324020U
	30 W	24 Vdc	0,95	220-240 V	-20< + 45°C	75°C	168 x 51 x 24	98324030
	50 W	24 Vdc	0,95	220-240 V	-20< + 45°C	75°C	172 x 63 x 30	98324050
	75 W	24 Vdc	0,95	220-240 V	-20< + 45°C	75°C	193 x 63 x 30	98324075
	100 W	24 Vdc	0,90	220-240 V	-20< + 45°C	75°C	380 x 49 x 32	98324100
	150 W	24 Vdc	0,90	220-240 V	-20< + 45°C	75°C	180 x 65 x 31	98324150

IP67 POWER SUPPLY

Class	W	V	P.Factor	Rated V	Temp. Range	Tc	Size (mm)	Ref.
II	30 W	24 Vdc	0,90	220-240 V	-20< + 45°C	75°C	132 x 42 x 34	98324031
	75 W	24 Vdc	0,90	220-240 V	-20< + 45°C	75°C	180 x 49 x 32	98324076
	100 W	24 Vdc	0,90	220-240 V	-20< + 45°C	75°C	206 x 69 x 37	98324101
	150 W	24 Vdc	0,90	220-240 V	-20< + 45°C	75°C	206 x 69 x 37	98324151

DIMMER FOR 12 - 24 V LED POWER SUPPLY

Dim types: Push, 1-10 V, 0-10 V, DALI

Class	V	Temp. Range	Tc	Size (mm)	Ref.
II	12-24 V	-25< + 50°C	75°C	156 x 52 x 30	97052

LAMPS

FLUORESCENT

HIGH EFFICIENCY FLUORESCENT LAMP T5

FLUORESCENTE TL5 HO

SOCKET G5	39 W	3100 lm	2700K	CRI>80	24000 h	97402039
			3000K			97400039
			4000K			97401039
	54 W	4450 lm	2700K	CRI>80	24000 h	97402054
			3000K			97400054
			4000K			97401054

LED



LED BULB GU5.3

PARATHOM MR 16

SOCKET GU5.3	8 W	CRI92	40000 h	DIM	24°	485 lm	2700K	97686227
						500 lm	3000K	97686230
					36°	485 lm	2700K	97686327
						500 lm	3000K	97686330

AR 111

PARATHOM AR 111

SOCKET G53	11,5 W	CRI90	40000 h	DIM	24°	800 lm	2700K	97684227
							3000K	97684230
					40°		2700K	97684427
							3000K	97684430

Works with electronic gears (pag. 642)



LED BULB GU10

MASTER LED Spot MV

SOCKET GU10	5 W	CRI80	15000 h	36°	350 lm	2700K	97685327
					365 lm	3000K	97685330

GU10

SOCKET GU10

						Compatible CCT Shifter	Compat. Linear Louver System
9.5 W	465 lm	2700K	CRI>95	25°	97691327		
7.5 W	390 lm	2700K	CRI>95	10°	97691127		✓
7.5 W	410 lm	2700K	CRI>95	36°	97691227		
9.5 W	490 lm	3000K	CRI>95	25°	97691330		
7.5 W	410 lm	3000K	CRI>95	10°	97691130	✓	✓
7.5 W	435 lm	3000K	CRI>95	36°	97691230		
9.5 W	560 lm	2700K	CRI>85	25°	97691627		
7.5 W	475 lm	2700K	CRI>85	10°	97691427	✓	✓
7.5 W	500 lm	2700K	CRI>85	36°	97691527		
9.5 W	590 lm	3000K	CRI>85	25°	97691630		
7.5 W	500 lm	3000K	CRI>85	10°	97691430		✓
7.5 W	525 lm	3000K	CRI>85	36°	97691530		

MR16 - GU5.3

SOCKET GU5.3

						Compatible CCT Shifter	Compat. Linear Louver System
7.5 W	390 lm	2700K	CRI>95	10°	97690127		✓
9 W	465 lm	2700K	CRI>95	36°	97690427		
7.5 W	410 lm	3000K	CRI>95	10°	97690130	✓	✓
9 W	490 lm	3000K	CRI>95	36°	97690430		
7.5 W	475 lm	2700K	CRI>85	10°	97690227	✓	✓
9 W	560 lm	2700K	CRI>85	36°	97690527		
7.5 W	500 lm	3000K	CRI>85	10°	97690230		✓
9 W	590 lm	3000K	CRI>85	36°	97690530		

SNAP System - MR16 & PAR 20

97691695	CCT Shifter SNAP Lens - 2" Color Filter, ½ CTO, 3000K to 2400K
97691696	CCT Shifter SNAP Lens - 2" Color Filter, ¾ CTO, 3000K to 2200K
97691697	SNAP Lens - 2" Linear Beam Spreader 10°x25°
97691698	SNAP Lens - 2" Linear Beam Spreader 10°x36°
97691699	SNAP Lens - 4" Louver 40°

AR111 - 12V

SOCKET G53

12.5 W	575 lm	2700K	CRI>95	8°	97692327
12.5 W	575 lm	2700K	CRI>95	36°	97692427
12.5 W	620 lm	3000K	CRI>95	8°	97692330
12.5 W	620 lm	3000K	CRI>95	36°	97692430
12.5 W	735 lm	2700K	CRI>85	8°	97692527
12.5 W	735 lm	2700K	CRI>85	36°	97692627
12.5 W	795 lm	3000K	CRI>85	8°	97692530
12.5 W	795 lm	3000K	CRI>85	36°	97692630

SNAP System - Large Lamps

97692595	CCT Shifter SNAP Lens - 4" Color Filter, ½ CTO, 3000K to 2700K
97692596	CCT Shifter SNAP Lens - 4" Color Filter, ¾ CTO, 3000K to 2200K
97692597	SNAP Lens - 4" Linear Beam Spreader 10°x36°
97692598	SNAP Lens - 4" Linear Beam Spreader 10°x60°
97692599	SNAP Lens - 4" Louver 40°

POWER SUPPLY FOR SORAA LAMPS

Class	W	V	P.Factor	Rated V	Dimmable	Tc	Size (mm)	Ref.
	20 W	12 V	0,93	100-277 V	DALI	70°C	150 x 44 x 30	97197
II	12 W	12 V	0,57	220-240 V	–	75°C	123 x 45 x 19	98111012
	20 W	12 V	0,50	220-240 V	–	75°C	123 x 45 x 19	98111020

GEARS

DRIVERS

STANDARD

Class	mA	W	Dim	P.Factor	Rated V	Output V	Size (mm)	Ref.
II	200	4-8	PUSH	0,86	220-240	20-40	80 x 37 x 21	98310509
	350	1-3	–	0,4	100-240	3-9	56 x 39 x 20	98310103
	350	8-25	–	0,94	110-277	23-72	131 x 38 x 29	98310125
	350	3-10	PUSH	0,92	220-240	9-29	80 x 37 x 21	98310110
	350	16-25	PUSH	0,93	220-240	45-72	131 x 38 x 29	98310125R
	350 500 700	15 20 20	DALI	0,92	110-240	2-43 2-40 2-28	111 x 52 x 22	98311315
	350 500 700 1050	25 35 50 60	PUSH DALI 0,1-10	95	110-240	2-74 2-72 2-72 2-57	124 x 79 x 22	98310599
	500	8-25	–	0,94	110-277	16-50	131 x 38 x 29	98310325
	500	4-10,5	PUSH	0,92	220-240	9-21	80 x 37 x 21	98310310
	500	10-16	PUSH	0,85	220-240	20-32	131 x 38 x 29	98310316R
	500	16-25	PUSH	0,94	220-240	32-50	131 x 38 x 29	98310325R
	700	3	–	0,4	100-240	4-5	56 x 39 x 20	98310203
	700	4-10	PUSH	0,9	220-240	6-16	80 x 37 x 21	98310210
	700	21-31	–	0,95	220-240	30-43	103 x 67 x 30	98310231
	700	2-6	–	0,6	100-240	2-8,5	55 x 40 x 22	98310206E
	700	8,5-25	–	0,94	100-277	12-36	131 x 38 x 29	98310224
	700	3-6,3	–	0,9	100-240	4,3-9	67 x 39 x 22	98310206
	700	16-25	PUSH	0,91	220-240	23-37	131 x 38 x 29	98310225D
	700	24-50	–	0,98	220-240	46-100	171 x 71 x 32	98310232
	1050	32-45	–	0,90	220-240	30-43	103 x 67 x 30	98310445
	1200	30-60 W	–	0,90	100-240	25-50	129 x 75 x 32	98310460

ELECTRONIC TRANSFORMER

Class	W	V	Bulbs	Size (mm)	Ref.
II	12 W	12 Vdc	12 V MAX, 12 W LED MAX	123 x 45 x 19	98111012
	20 W		12 V MAX, 20 W LED MAX	123 x 45 x 19	98111020

DIMMER FOR 12 - 24 V LED POWER SUPPLY

Dim types: Push, 1-10 V, 0-10 V, DALI

Class	V	Temp. Range	Tc	Size (mm)	Ref.
II	12-24 V	-25< + 50°C	75°C	156 x 52 x 30	97052


350 mA
1W
5W
10W
15W
20W
25W
30W
35W
40W
45W
Ref.
98310103
98310125
98310110
98310125R
98311315
98310599
500 mA
98311315
98310599
98310325
98310310
98310316R
98310325R
700 mA
98311315
98310599
98310203
98310210
98310231
98310206E
98310224
98310206
98310225D
98310232

INFO

SHADE OPTIONS

															
				white/ blanco	beige/ beige	black/ negro	white/ blanco	beige/ beige	black/ negro	white/ blanco	beige/ beige	black/ negro	white/ blanco	beige/ beige	black/ negro
Artis	Wall lamp	chrome	**68491**	2P0111	2P0112	2P0113							2P0211	2P0212	2P0213
		bronze	**68490**	2P0111	2P0112	2P0113							2P0211	2P0212	2P0213
	Wall lamp with reader	chrome	**68493**	2P0111	2P0112	2P0113							2P0211	2P0212	2P0213
		bronze	**68492**	2P0111	2P0112	2P0113							2P0211	2P0212	2P0213
	Wall lamp articulated	chrome	**68495**	2P0111	2P0112	2P0113							2P0211	2P0212	2P0213
		bronze	**68494**	2P0111	2P0112	2P0113							2P0211	2P0212	2P0213
Eterna	Wall lamp	chrome	**24005**	2P0111	2P0112	2P0113							2P0211	2P0212	2P0213
	Wall lamp reader	chrome	**24006**	2P0111	2P0112	2P0113							2P0211	2P0212	2P0213
	Wall lamp reader	chrome	**24007**	2P0111	2P0112	2P0113							2P0211	2P0212	2P0213
	Table lamp	chrome	**24008**				2P0121	2P0122	2P0123						
	Floor lamp	chrome	**24009**							2P0131	2P0132	2P0133			
Rem	Wall lamp	matt nickel	**29680**	2P0111	2P0112	2P0113							2P0211	2P0212	2P0213
		old gold	**29681**	2P0111	2P0112	2P0113							2P0211	2P0212	2P0213
	Wall lamp with reader	matt nickel	**29682**	2P0111	2P0112	2P0113							2P0211	2P0212	2P0213
		old gold	**29683**	2P0111	2P0112	2P0113							2P0211	2P0212	2P0213
	Table lamp	matt nickel	**29684**				2P0121	2P0122	2P0123						
		old gold	**29685**				2P0121	2P0122	2P0123						
	Floor lamp	matt nickel	**29686**							2P0131	2P0132	2P0133			
		old gold	**29687**							2P0131	2P0132	2P0133			

																	
white/ blanco	beige/ beige	black/ negro	white/ blanco	beige/ beige	black/ negro	white/ blanco	beige/ beige	black/ negro	white/ blanco	beige/ beige	black/ negro	white/ blanco	beige/ beige	black/ negro	white/ blanco	beige/ beige	black/ negro
									2P0411	2P0412	2P0413						
									2P0411	2P0412	2P0413						
									2P0411	2P0412	2P0413						
									2P0411	2P0412	2P0413						
									2P0411	2P0412	2P0413						
									2P0411	2P0412	2P0413						
2P0221	2P0222	2P0223															
			2P0231	2P0232	2P0233												
						2P0311	2P0312	2P0313	2P0411	2P0412	2P0413						
						2P0311	2P0312	2P0313	2P0411	2P0412	2P0413						
						2P0311	2P0312	2P0313	2P0411	2P0412	2P0413						
						2P0311	2P0312	2P0313	2P0411	2P0412	2P0413						
2P0221	2P0222	2P0223				2P0311	2P0312	2P0313				2P0421	2P0422	2P0423			
2P0221	2P0222	2P0223				2P0311	2P0312	2P0313				2P0421	2P0422	2P0423			
			2P0231	2P0232	2P0233										2P0431	2P0432	2P0433
			2P0231	2P0232	2P0233										2P0431	2P0432	2P0433

RECESSED DRAINAGE

EN

Placing sunken lighting in the ground
All sunken lights are ready for installing in the ground or in cement. Always ensure that they are not placed in watercourses or depressions in the ground.
Position the mounting box surrounded by the fastening material to ensure that it does not tip or fall over. There must be a layer of gravel below and around the mounting box for draining purposes (see drawing). Correct drainage should allow 5 litres of water to be absorbed within 8 minutes. The glass can reach high temperatures, so contact with people and objects should be avoided.
We recommend that the outside of the apparatus be cleaned regularly to stop foreign materials from preventing the dissipation of heat which leads to changes in the components and a loss of watertightness.
Follow the installation and assembly instructions and maintenance recommendations very carefully.

Condensation
To minimise possible condensation inside the device, turn it on for 1 hour without the protective glass, closing it immediately once this time has elapsed.

BEACONS
To ensure the proper convervations of beacons we recommend theri installation on a plinth, never directly onto the ground or lawn.

⚠ In order to validate the warranty the external connection must have always the protection index (IP) with an equal or a superior value of the ip shown on the lamp.

ES

Colocación del empotrable en el terreno
Todos los empotrables están previstos para una instalación en tierra o en cemento. Evite siempre colocarlo en vaguadas o depresiones del terreno.
Coloque la caja de empotrar rodeada de material de sujeción para evitar que se incline o se hunda. Por debajo y alrededor de la caja de empotrar debe existir una capa de grava para drenaje (ver dibujo). Un drenaje correcto debe permitir la absorción de 5 litros de agua en 8 minutos. El cristal puede alcanzar temperaturas elevadas por lo tanto evite el contacto con personas o cosas.
Es aconsejable limpiar frecuentemente el exterior del aparato para evitar asi que materiales extraños impidan la disipación del calor con la consiguiente alteración de los componentes y pérdida de estanqueidad.
Siga detenidamente las instrucciones de instalación y montaje así como las recomendaciones de mantenimiento.

Condensación
Para minimizar la posible condensación de vapor de agua dentro del aparato, debe hacerse funcionar durante 1 hora sin el cristal de protección, transcurrido ese periodo de tiempo, cierrelo immediatamente.

BALIZAS
Para una correcta conservación de las balizas, recomendamos su aplicación sobre una pilastra a un nivel superior, y nunca sobre tierras o césped.

⚠ Para poder hacer uso de la garantia es imprescindible que la conexión externa sea de un indice de protección (IP) igual o superior a la luminaria adquirida.

FR

Installation de l'encastrable sur le terrain
Tous les luminaires encastrables sont prévus pour une installation dans la terre ou le ciment. Évitez toujours de les installer dans des lignes de creux ou des dépressions du terrain.
Installer le boîtier d'encastrement avec ses supports afin d'éviter qu'il ne soit incliné ni trop enfoncé. Sous le boîtier d'encastrement et autour de celui-ci, il doit y avoir une couche de gravier pour le drainage (voir dessin). Un drainage correct doit permettre l'absorption de 5 litres d'eau en 8 minutes.
Le verre peut atteindre des températures élevées, évitez par conséquent tout contact avec les personnes ou des objets. Il est conseillé de nettoyer fréquemment l'extérieur de l'appareil, afin d'éviter que des corps étrangers n'empêchent la dissipation de la chaleur puis l'altération des composants et la perte d'étanchéité.
Suivez attentivement les instructions d'installation et de montage, ainsi que les recommandations de maintenance.

Condensation
Pour minimiser les risques de condensation de la vapeur d'eau intérieur de l'appareil doit être exploité pendant une
heure sans le verre de protection, après cette période temps, fermer immédiatement.

BALISES
Pour un bon maintenance de balises, nous recommandons son application sur un pilier à un niveau supérieur, et jamais sur terre ou sur l'herbe.

⚠ Pour que la garantie soit valable, il est indispensable que la connexion externe soit d'un indice de proteccion (IP) égal ou supérieur à celui du luminaire acheté.

ITA

Collocazione dell´incasso nel terreno
Tutti gli incassi sono pensati per la collocazione in terra o cemento. Evitare sempre di installarli in zone umide o depressioni del cemento. Installare sempre l´incasso circondato da materiale d`appoggio, per evitare che si inclini o affondi. Sotto ed intorno all´incasso deve sempre esserci sabbia drenante (disegno).
Un drenaggio efficace deve permettere l´assorbimento di 5 litri d´acqua in 8 minuti.
Il vetro puo' raggiungere temperature elevate, per tanto evitare il contatto con persone o cose.
Si consiglia di pulire frequentemente l' esterno degli apparati per evitare che corpi estranei impidano la dissipazione del calore con conseguente alterazione dei componente e perdita delle stagnezza.
Seguire attentamente le indicazioni di installazione e montaggio, cosi come le norme di manutenzione.

Condensazione
Per evitare la possibile condensazione di vapore acqueo all' interno dell' apparato, deve porsi in funzione durante una ora senza il cristallo di protezione e poi procedere alla chiusura immediatamente.

PALETTI
Per una corretta conservazione dei paletti raccomandiamo la sua applicazione su di una base ad un livello piu alto, mai su terra o erba.

⚠ Per poter usufruire della garanzia é imprescindibile che la connessione esterna sia di un indice di protezione (IP) uguale o superiore a quello indicado sulla lampada acquistata.

Placing sunken lighting in the ground
Colocación del empotrable en el terreno
Installation de l'encastrable sur le terrain
Installazione dell' incaso nel terreno

Minimum drainage measures
Medidas mínimas de drenaje
Mesures de drainage minimum
Misure minime di drenaggio



STAINLESS STEEL

EN

Cleaning and maintenance of stainless steel
It is advisable to follow the recommendations listed below for the correct maintenance and upkeep of all products manufactured from stainless steel
In industrial or coastal areas localized corrosion can be caused by the accumulation of contaminants carried by the air. By using a cloth or duster will insure the elimination of these contaminants. In the case dirt which is more difficult to remove, it is recommended the use of a cleaner which includes phosphoric acid, ensuring that a scrubber or soft nylon brush is used, never use a steel scrubber.
It is recommendable to clean stainless steel every 6 to 12 months for average dirt and every 3 months for more severe cases.
Especially in the following atmospheric conditions
- Marine atmospheres.
- Atmospheres which contain a lot of industrial contaminants.
- Atmospheric and traffic pollution.

ES

Limpieza y mantenimiento del acero inoxidable
Le aconsejamos que siga las siguientes recomendaciones para la conservación y mantenimiento de todos aquellos artículos fabricados en acero inoxidable.
En zonas industriales o costeras se pueden producir corrosiones localizadas por acumula-ciones de contaminantes llevados por el aire, asegúrese que se eliminan dichos contaminantes utilizando un paño húmedo o una gamuza. En caso de suciedad más difícil le recomendamos que utilice un limpiador que incluya ácido fosfórico siempre con el uso de estropajos o cepillos suaves de nylon, nunca usar estropajos de acero.
La frecuencia de limpieza que le recomendamos para una suciedad moderada es de 6-12 meses y de 3 meses cuando es más abundantes. Especial-mente en ambientes que recojan las siguientes condiciones:
- Atmósferas marinas.
- Ambientes cargados de contaminantes industriales.,
- Suciedad atmosférica y del tráfico.

FR

Nettoyage et entretien de l'acier inoxydable
Nous vous conseillons de suivre les suggestions pour la conservation et entretien de tous les articles fabriqués en acier inoxydable.
Dans les zones industrielles ou proches au littoral, il peut s'y produire des corrosions localisées par l'accumulation de contaminants apportés par l'air, assurez-vous que ces contaminants puissent s'éliminer avec un torchon humide o une peau de chamois.
En cas de saleté plus difficile, nous vous conseillons d'utiliser un nettoyant à base d'acide phosphorique, toujours à utiliser avec des tampons à récurer ou des brosses douces en nylon, ne jamais utiliser de tampons à récurer en acier.
La fréquence de nettoyage que nous vous conseillons pour une saleté modérée est de 6 à 12 mois et de 3 mois quand celle-ci est plus abondante. Surtout dans les ambiances avec les conditions suivantes:
- Atmosphères marines.
- Ambiances chargées de contaminants industriels.
- Saleté atmosphérique et de circulation.

ITA

Pulizia e manutenzione dell' acciaio inossidabile
Consigliamo di seguire le raccomandazioni per la conservazione e manutenzione di tutti quei prodotti fabbricati in acciaio inossidabile.
In zone industriali o costiere si possono produrre corrosioni localizzate a causa dei contaminanti presenti nell'aria ; suddette corrosioni si possono eliminare utilizando un panno umido o di camoscio.
In caso di sporcizia piu' difficile raccomandiamo l' utilizzo di acido fosforico come prodotto di pulizia e manutenzione (utilizando spugnette, panni soffici o spazzole di naylon).
La frequenza raccomandata é : 6-12 mesi per una sporcizia moderata, 3 mesi per le piu' difficili.
Ambienti critici:
- Atmosfera marina
- Ambienti carichi di contaminanti industriali
- Atmosfere cittadine con elevato índice di traffico.

IP

EN

The first digit (IP x...) indicates the protection from solid objects.
0 Non protected.
1 Protected against solid objects bigger than 50 mm.
2 Protected against solid objects bigger than 12 mm.
3 Protected against solid objects bigger than 2,5 mm.
4 Protected against solid objects bigger than 1 mm.
5 Dust protected.
6 Dust tight.

The second digit (IP ...y) indicates protection from moisture.
0 Non protected.
1 Protected against dripping water.
2 Protected against dripping water when tilted up to 15°.
3 Protected against spraying water.
4 Protected against splashing water.
5 Protected against water jets.
6 Protected against heavy seas.
7 Protected against the effects of immersion.
8 Protected against submersion.

ES

La primera cifra (IP x...) indica la protección del aparato contra la penetración de cuerpos sólidos.
0 No protegido
1 Protegido contra la penetración de cuerpos sólidos con Ø ≥ 50 mm
2 Protegido contra la penetración de cuerpos sólidos con Ø ≥ 12 mm
3 Protegido contra la penetración de cuerpos sólidos con Ø ≥ 2,5 mm
4 Protegido contra la penetración de cuerpos sólidos con Ø ≥ 1 mm
5 Protegido contra el polvo
6 Totalmente protegido contra el polvo

La segunda cifra (IP ...y) indica la protección del aparato contra la lluvia.
0 No protegido
1 Protegido contra la caída vertical de gotas de agua
2 Protegido contra la lluvia con un ángulo máx de 15° sobre la vertical
3 Protegido contra la lluvia con un ángulo máx de 60° sobre la vertical
4 Protegido contra salpicaduras y protección del agua
5 Protegido contra chorros de agua
6 Protegido contra potentes chorros de agua
7 Protegido contra inundaciones temporales.
8 Protegido contra inmersiones prolongadas

FR

Le premier chiffre (IP x...) indique le degre de protection des parties contre les corps solides.
0 Pas de protection.
1 Protection contre corps de diamètre supérieur à 50 mm.
2 Protection contre corps de diamètre supérieur à 12 mm.
3 Protection contre corps de diamètre supérieur à 2,5 mm.
4 Protection contre corps de diamètre supérieur à 1 mm.
5 Protection contre dépôts de poussière.
6 Protection contre toute infiltration de poussière.

Le deuxieme chiffre (IP ...y) indique le degre de protection contre l'eau.
0 Pas de protection.
1 Protection contre chute verticale de gouttes d'eau.
2 Protection contre chute de gouttes d'eau jusqu'à 15° de la verticale.
3 Protection contre pluie de 0° à 60° de la verticale et ruissellement.
4 Protection contre projections d'eau de toutes les directions.
5 Protection contre jets d'eau de toutes les directions.
6 Protection contre jets d'eau de forte pression et paquets de mer.
7 Protection contre immersion à moins d'un metre de profondeur.
8 Protection contre immersion permanente à plus d'un mètre de profondeur.

ITA

La prima cifra (IP x...) indica la protezione del sistema contro l'ingresso di corpi solidi.
0 Non protetto
1 Protetto contro l'ingresso di corpi solidi con Ø ≥ 50 mm.
2 Protetto contro l'ingresso di corpi solidi con Ø ≥ 12 mm.
3 Protetto contro l'ingresso di corpi solidi con Ø ≥ 2,5 mm.
4 Protetto contro l'ingresso di corpi solidi con Ø ≥ 1 mm.
5 Protetto contro la polvere.
6 Totalmente protetto contro la polvere.

La seconda cifra (IP ...y) indica la protezione del sistema contro la pioggia.
0 Non protetto
1 Protetto contro la caduta verticale di gocce d'acqua.
2 Protetto contro la pioggia con angolo max. di 15° sulla verticale.
3 Protetto contro la pioggia con angolo max. di 60° sulla verticale.
4 Protetto contro gli spruzzi e l'ingresso di acqua.
5 Protetto contro i getti d'acqua.
6 Protetto contro i getti potenti d'acqua.
7 Protetto contro inondazioni temporanee.
8 Protetto contro le immersioni prolungate.

PT

O primeiro digito (IP x...) indica o grau de protecçáo contra corpos solidos.
0 Sem protecçáo.
1 Protegido contra a penetraçáo de corpos solidos com 0 > 50 mm.
2 Protegido contra a penetraçáo de corpos solidos com 0 > 12 mm.
3 Protegido contra a penetraçáo de corpos solidos com 0 > 2,5 mm.
4 Protegido contra a penetraçáo de corpos solidos com 0 > 1 mm.
5 Protegido contra o pó.
6 Totalmente protegido contra o pó.

O segundo digito (IP ...y) indica o grau de proteccao contra po e chuva.
0 Sem protecçáo.
1 Protegido contra a queda vertical de gotas de água.
2 Protegido contra água en forma de chuva con un angulo max. de 15°.
3 Protegido contra água en forma de chuva con un angulo max. de 60°.
4 Protegido contra projecgoes de água.
5 Protegido contra jactos de água en todas as direcçóes.
6 Protegido contra potentes jactos de agua.
7 Protegido contra a imersáo temporária.
8 Protegido contra a imersáo prolongada.

GER

Die erste Ziffer (IP x...) gibt den Schutz des Apparats gegen das Eindringen von festen Körpern an.
0 Nicht geschützt.
1 Geschützt gegen das Eindringen von festen Körpern mit Ø ≥ 50 mm.
2 Geschützt gegen das Eindringen von festen Körpern mit Ø ≥ 12 mm.
3 Geschützt gegen das Eindringen von festen Körpern mit Ø ≥ 2,5 mm.
4 Geschützt gegen das Eindringen von festen Körpern mit Ø ≥ 1 mm.
5 Geschützt gegen Staub.
6 Vollkommen gegen Staub geschützt.

Die zweite Ziffer (IP ...y) gibt den Schutz des Apparats gegen Regen an.
0 Nicht geschützt.
1 Geschützt gegen vertikal fallende Wassertropfen.
2 Geschützt gegen Regenfall mit einem Winkel von max.15° über die alemanSenkrechte.
3 Geschützt gegen Regenfall mit einem Winkel von max. 60° über die Senkrechte.
4 Geschützt gegen Spritzer und Schutz gegen Wasser.
5 Geschützt gegen Wasserschauer.
6 Geschützt gegen starke Wasserschauer.
7 Geschützt gegen zeitweilige Überschwemmungen.
8 Geschützt bei länger anhaltendem Eintauchen.

NL

Het eerste cijfer (IP x...) geeft de beschermingsgraad weer van het apparaat tegen het binnendringen van vaste elementen.
0 Biedt geen bescherming
1 Biedt bescherming tegen het binnendringen van vaste elementen met Ø ≥ 50 mm.
2 Biedt bescherming tegen het binnendringen van vaste elementen met Ø ≥ 12 mm.
3 Biedt bescherming tegen het binnendringen van vaste elementen met Ø ≥ 2,5 mm.
4 Biedt bescherming tegen het binnendringen van vaste elementen met Ø ≥ 1 mm.
5 Biedt bescherming tegen stof.
6 Biedt volledige bescherming tegen stof.

Het tweede cijfer (IP ...y) geeft de beschermingsgraad van het apparaat tegen de regen weer.
0 Biedt geen bescherming
1 Biedt bescherming tegen het verticaal neerkomen van waterdruppels.
2 Biedt bescherming tegen regen met een max. hoek van 15° over verticaal.
3 Biedt bescherming tegen regen met een max. hoek van 60° over verticaal.
4 Biedt bescherming tegen spetters en tegen water.
5 Biedt bescherming tegen waterstralen.
6 Biedt bescherming tegen krachtige waterstralen.
7 Biedt bescherming tegen tijdelijke overstromingen.
8 Biedt bescherming tegen langdurige onderdompelingen.

GRK

Το πρώτο νούμερο (IP x...) υποδεικνύει την προστασία της συσκευής κατά της διείσδυσης στερεών αντικειμένων.
0 Χωρίς προστασία
1 Με προστασία κατά της διείσδυσης στερεών αντικειμένων διαμέτρου Ø ≥ 50 mm
2 Με προστασία κατά της διείσδυσης στερεών αντικειμένων διαμέτρου Ø ≥ 12 mm
3 Με προστασία κατά της διείσδυσης στερεών αντικειμένων διαμέτρου Ø ≥ 2,5 mm
4 Με προστασία κατά της διείσδυσης στερεών αντικειμένων διαμέτρου Ø ≥ 1 mm
5 Με προστασία κατά της σκόνης
6 Με πλήρη προστασία κατά της σκόνης

Το δεύτερο νούμερο (IP ...y) υποδεικνύει την προστασία της συσκευής κατά της βροχής.
0 Χωρίς προστασία
1 Με προστασία κατά της κάθετης πτώσης σταγόνων νερού
2 Με προστασία κατά της βροχής με μέγιστη γωνία 15° επί καθέτου
4 Με προστασία κατά των πιτσιλισμάτων και προστασία νερού
5 Με προστασία κατά της ροής νερού
6 Με προστασία κατά της έντονης ροής νερού
7 Με προστασία κατά των παροδικών πλημμυρών
8 Με προστασία κατά της μακρόχρονης βύθισης

RUS

Первая цифра (IP x...) указывает на защиту прибора от проникновения твердых тел.
0 Не защищен
1 Защищен от проникновения твердых тел Ø ≥ 50 мм
2 Защищен от проникновения твердых тел Ø ≥ 12 мм
3 Защищен от проникновения твердых тел Ø ≥ 2,5 мм
4 Защищен от проникновения твердых тел Ø ≥ 1 мм
5 Защищен от пыли
6 Полностью защищен от пыли

Вторая цифра (IP ...y) указывает на защиту прибора от воды.
0 Не защищен
1 Защищен от попадания вертикальных капель воды
2 Защищен от дождевых струй под углом до 15º по вертикали
4 Защищен от брызг и попадания воды
5 Защищен от потоков воды
6 Защищен от сильных потоков воды
7 Защищен от проникновения воды при временном затоплении
8 Защищен от проникновения воды при длительном погружении.

CZ

První číslice (IP x...) označuje stupeň ochrany přístroje proti průniku pevných částic.
0 Nechráněno
1 Chráněno proti průniku pevných částic s Ø ≥ 50 mm
2 Chráněno proti průniku pevných částic s Ø ≥ 12 mm
3 Chráněno proti průniku pevných částic s Ø ≥ 2,5 mm
4 Chráněno proti průniku pevných částic s Ø ≥ 1 mm
5 Chráněno proti prachu
6 Kompletně chráněno proti prachu

Druhá číslice (IP ...y) označuje ochranu proti vnikání vlhkosti.
0 Bez ochrany.
1 Ochrana před svisle kapající vodou.
2 Ochrana před vodou kapající se sklonem do 15°.
3 Ochrana před vodou dopadající se sklonem 60° (dešti).
4 Ochrana před stříkající vodou.
5 Ochrana před tryskající vodou (tlakovou vodou).
6 Ochrana před intenzivně tryskající vodou.
7 Ochrana při dočasném ponoření.
8 Ochrana při trvalém ponoření.

BL

Първата цифра (IP x...) означава защита на уреда от попадане на твърди тела.
0 Без защита
1 Защита от попадане на твърди тела с Ø ≥ 50 mm
2 Защита от попадане на твърди тела с Ø ≥ 12 mm
3 Защита от попадане на твърди тела с Ø ≥ 2,5 mm
4 Защита от попадане на твърди тела с Ø ≥ 1 mm
5 ащита от прах
6 Изцяло защитен от прах

Втората цифра (IP ...y) указва нивото на защита от влага.
0 не е защитен
1 защитен от капеща вода
2 защитен от капеща вода под наклон до 15º
3 защитен от пръски вода
4 защитен от пръскаща вода
5 защитен от водна струя
6 защитен срещу обилни валежи
7 защитен от ефекта на потапяне
8 защитен при потапяне във вода

PL

Pierwsza cyfra (IP x...) oznacza zabezpieczenie urządzenia przed wnikaniem ciał stałych.
0 Niezabezpieczono
1 Zabezpieczono przed wnikaniem ciał stałych za pomocą Ø ≥ 50 mm
2 Zabezpieczono przed wnikaniem ciał stałych za pomocą Ø ≥ 12 mm
3 Zabezpieczono przed wnikaniem ciał stałych za pomocą Ø ≥ 2,5 mm
4 Zabezpieczono przed wnikaniem ciał stałych za pomocą Ø ≥ 1 mm
5 Zabezpieczono przed pyłem
6 Całkowicie zabezpieczono przed pyłem

Druga z cyfr kodu (IP ...y) oznacza stopień ochrony przed wilgocią.
0 brak ochrony
1 chronione przed kroplami wody (kapiącymi pionowo)
2 ochrona przed kroplami wody padającymi pod kątem 15º z każdej strony
3 ochrona przed natryskującą wodą
4 ochrona przed rozbryzgującą się wodą
5 ochrona przed strumieniami wody
6 ochrona przed dużymi strumieniami wody
7 ochrona przed zanurzeniem krótkotrwałym w wodzie
8 ochrona przed całkowitym zalaniem wodą (zanurze niem ciągłym)

SYMBOLS

	EN	ES	FR	ITA	PT	GER
	Has a protective earth Class I protection	Con toma de tierra Aisla. clase I	Avec prise de terre Catégorie de protection I	Con messa a terra Isola. tipo I	Com ligação terra Isolamento clase I	Mit Erdung Isolierung der Klasse I
	Reinforced or double insulation (class II protection)	Aislamiento clase II	Isolement de protection (classe de protection II)	Isolamento tipo II	Isolamento (clase II)	Isolierung der Klasse II
III	Low voltage protection (class III protection)	Aislamiento clase III	Très basse tension de protection (classe protec. III)	Isolamento tipo III	Isolamento (clase III)	Isolierung der Klasse III (fur montage auf)
MT	Cable	Cable	Câble	Cavo	Cabo	Kabel
kg	Weight	Peso	Poids	Peso	Peso	Gewicht
x2	Switch / Double Switch	Interruptor / Doble Interruptor	Interrupteur / Double Interrupteur	Interruttore / Doppio Interruttore	Interruptor / Doble Interruptor	Schalter / Doppelter Schalter
T	Special transformer	Transformador especial	Transformateur spécial	Trasformatore Speciale	Transformador especial	Spezieller transformator
	USB Charger	Cargador USB	Chargeur USB	Caricatore USB	Carregador USB	USB-Ladegerät
	Cut out	Agujero para empotrar	Trou d'encastrement	Foro per incasso	Furo para encastrar	Bohrloch zum Einbauen
	Maximum thickness for luminaire anchoring point	Espesor máximo para punto de anclaje de luminarias	Épaisseur maximale du point d'ancrage du luminaire	Spessore massimo per il punto di ancoraggio dell'apparecchio	Espessura máxima para o ponto de ancoragem da luminária	Maximale Stärke für Leuchtenbefestigungspunkt
	Adjustable	Orientable	Orientable	Regolabile	Ajustável	Verstellbar
DIM	Dimmable	Dimable	Réglable	Regolabile	Regulável	Dimmbar
	Spike	Espiga	Pointe	Spuntone	Espigão	Spitze
	Resistance in kg	Resistencia en kg	Résistance en kg	Resistenza in kg	Resistência em kg	Widerstand in kg
IK08	Shock resistance	Resistencia a los golpes	Résistance au choc	Resistenza agli urti	Resistência ao choque	Stoßfestigkeit
	Maintenance steel	Acero de mantenimiento	Acier d'entretien	Acciaio di manutenzione	Manutenção de aço	Wartungsstahl
	Light up / down / up and down	Luz arriba / abajo / arriba y bajo	Lumière de haut / vers les bas / de haut en bas	Luce su / giù / su e giù	Luz para cima / baixo / cima e para baixo	Licht auf / nach unten / auf und ab
60°	Beam angle	Grados apertura	Grades halo lumineux	Gradi di luce	Notas luz	Light grade
	Remote control	Mando a distancia	Télécommande	Doppia Intensità	Comando à distancia	Vernbedienung
	Recessed box	Caja empotrar	Boîte encastrée	Incasso box	Recesso box	Einbaugehäuse
RPM	Revolutions per minute	Revoluciones por minuto	Tours/minute	Giri al minuto	Voltas/minuto	Undrehungen pro Minute
W	Consumptiom in W, according to the speed of the motor	Consumo en W, según velocidad del motor	Consommation en W, selon la vitesse du moteur	Consumo in W secondo la velocita del motore	Consumo en W, de accordo com a velocidade do motor	Stromverbrauch in W
IPXY	Ingress Protection Marking against dust (X) and water (Y)	Grado de protección ante el polvo (X) y líquidos (Y)	Indice de protection contre la poussière (X) et l'eau (Y)	Protezione dall'ingresso Marcatura contro polvere (X) e acqua (Y)	Proteção de entrada Marcação contra poeira (X) e água (Y)	Schutz gegen Eindringen von Staub (X) und Wasser (Y)
PIR	Passive Infrared sensor (PIR)	Detector de movimineto pasivo (PIR)	Capteur infrarouge passif (PIR)	Sensore passivo a infrarossi (PIR)	Sensor infravermelho passivo (PIR)	Passiver Infrarot-Sensor (PIR)
	Day / night sensor	Sensor día/noche	Capteur jour / nuit	Sensore giorno / notte	Sensor dia / noite	Tag- / Nachtsensor
	With light / Without light / With and without light	Con luz / Sin luz / Con y sin luz	Avec la lumière / Sans lumière / Avec et sans lumière	Con luce / senza luce / Con e senza luce	Com luz / Sem luz / Com e sem luz	Mit Licht / Ohne Licht / Mit und ohne Licht
850 °C	Compliance of incandescent wire regulatory	Cumplimiento de la normativa incandescente de alambre.	Conformité de la réglementation des câbles à incandescence	Conformità del regolamento sui fili ad incandescenza	Conformidade de regulagem de fio incandescente	Einhaltung der Vorschriften für Glühdraht
L, C	Leading & Trailing-edge dimming	Regulación con regulador de corte al inicio y/o al final de fase	Gradation avant et arrière	Dimmer iniziale e finale	Regulação de inclinação e tração	Vorder- & Hinterkantendimmen

NL	GRK	RUS	CZ	BL	PL
Met aardleiding Isolatie klasse I	Με γείωση Μόνωση κλάσης I	С контактом заземления Изоляция класс I	S uzemněním Izolace třídy I	Със заземяване Изолация клас I	Z uziemieniem Izolacja klasy I
Isolatie klasse II	Μόνωση κλάσης II	Изоляция класс II	Izolace třídy II	Изолация клас II	Izolacja klasy II
Isolatie klasse III	Μόνωση κλάσης III	Изоляция класс III	Izolace třídy IIi	Изолация клас IIi	Izolacja klasy IIi
Kabel	Καλώδιο	Кабель	Kabel	Кабел	Kabel
Gewicht	βάρος	вес	Hmotnost	тегло	Waga
Schakelaar / Dubbele Schakelaar	Διακόπτης Διπλός / Διακόπτης	Выключатель / Двойной Выключатель	Vypínač / Dvojitý Vypínač	Прекъсвач / Двоен Прекъсвач	Wyłącznik / Podwójny Wyłącznik
Speciale transformator	Ειδικός Μετασχηματιστής	Специальный Трансформатор	Speciální Transformátor	Специален Трансформатор	Specjalny Transformator
Usb oplader	Φορτιστής USB	USB-зарядное устройство	Nabíječka USB	USB зарядно устройство	Ładowarka USB
Gat om in te bouwen	Οπή για εντοίχιση	Отверстие для встраивания	Otvor k vložení	Монтажен отвор	Otwór do mocowania
Maximale dikte voor armatuurverankeringspunt	Μέγιστο πάχος για το σημείο αγκύρωσης του φωτιστικού	Максимальная толщина для точки крепления светильника	Maximální tloušťka kotevního bodu svítidla	Максимална дебелина на точката на закрепване на осветителното тяло	Maksymalna grubość dla punktu kotwienia oprawy
Verstelbare	Ρυθμιζόμενο	Регулируемый	Nastavitelný	Регулируеми	Orientacja
Dimbaar	Ροοστάτη	Затемняемый	Stmívatelné	Димиране	Ściemniania
Aar	Ακίδα	колос	Špice	шип	Kolec
Weerstand in kg	Αντίσταση σε kg	Сопротивление в кг	Odolnost v kg	Съпротивление в кг	Odporność w kg
Schokbestendig	Αντοχή σε κραδασμούς	Ударопрочность	Odolnost proti nárazu	Устойчивост на удар	Odporność na uderzenia
Onderhoud staal	Συντήρηση χάλυβα	Стальная сталь	Údržba oceli	Поддържаща стомана	Konserwacja stali
Lichte omhoog / omlaag / boven en beneden	Φως εγγραφη / κάτω / εγγραφη και κάτω	Свет вверх / вниз / вверх и вниз	Osvětlit / dolů / nahoru a dolů	Лайт нагоре / надолу / нагоре и надолу	Zapalać się / w dół / w górę iw dół
Licht rangen	φως βαθμών	Светлые сорта	Světlo třídy	Светлинни марки	Lekkie klasy
Dubbele intensiteit	Τηλεχειριστήριο	Дистанционное Управление	Dálkové Ovládání	Дистанционно Управление	Zdalne Sterowanie
Recessed box	Χωνευτα κουτι	Монтажная коробка	Recessed box	За вграждане box	Puszka
Omwentelingen per minuut	Στροφές ανά λεπτό	Обороты в минуту	Otáčky za minutu	Обороти в минута	Obroty na minutę
Verbruik in W	Κατανάλωση σε βατ, σύμφωνα με την ταχύτητα του μοτέρ	Потребление в Вт, в зависимости от скорости мотора	Spotřeba ve W, dle rychlosti motoru	Spotřeba ve W, dle rychlosti motoru	Zużycie energii w W, w zależności od prędkości silnika
Ingress Protection Markering tegen stof (X) en water (Y)	Προστασία εισχώρησης Σήμανση σκόνης (X) και νερού (Y)	Защита от взлома Маркировка против пыли (X) и воды (Y)	Ochrana proti přehřátí Označení proti prachu (X) a vodě (Y)	Защитна защита срещу прах (X) и вода (Y)	Oznaczenie ochrony przed pyłem (X) i wodą (Y)
Passieve infraroodsensor (PIR)	Παθητικός αισθητήρας υπερύθρων (PIR)	Пассивный инфракрасный датчик (PIR)	Pasivní infračervený snímač (PIR)	Пасивен инфрачервен датчик (PIR)	Pasywny czujnik podc-zerwieni (PIR)
Dag / nacht-sensor	Αισθητήρας ημέρας / νύχτας	Датчик день / ночь	Denní / noční snímač	Дневен / нощен сензор	Czujnik dzień / noc
Met licht / Zonder licht / Met en zonder licht	Με φως / Χωρίς φως / Με και χωρίς φως	С подсветкой / Без света / С подсветкой и без света	Se světlem / bez světla / S nebo bez světla	Със светлина / без светлина / С и без светлина	Ze światłem / bez światła / Z światłem i bez niego
Naleving van regelgeving voor gloeilampen	Συμμόρφωση της ρύθμισης συρμάτων πυρακτώσεως	Соблюдение регламентации ламп накаливания	Dodržování předpisů o žárovkách	Съответствие на нормативната уредба с нажежаема жичка	Zgodność z normami dotyc-zącymi żarówek
Voor- en achterrand dimmen	Καμπύλη οδηγού και τελειώματος	Ведущее и заднее диммирование	Přední a koncové stmívání	Водещо и затъмняващо затъмнение	Przyciemnianie wiodące i końcowe

MATERIAL

EN	ES	FR	ITA	PT	GER
ABS	ABS	ABS	ABS	ABS	ABS
Acrylic	Acrílico	Acrylique	Acrilico	Acrílico	Acryl
Aluminium	Aluminio	Aluminium	Alluminio	Alumínio	Aluminium
Beige Ribbon Shade	Tela encintada	Tissu adhésif	Tessuto registrato	Tecido gravado	Geklebte Gewebe
Bubble Glass	Cristal Burbuja	Verre bullé	Vetro bolla	Vidro bolha	Blasenglas
Brass	Latón	Laiton	Ottone	Latão	Messing
Die Cast Aluminium	Aluminio Inyectado	Fonte d'aluminium	Ghisa alluminio	Alumínio fundido	Aluminiumguss
Fiber Glass	Fibra de Vidrio	Fibre De Verre	Fibra Di Vetro	Fibra De Vidro	Fiberglas
Glass	Cristal	Verre	Vetro	Virdo	Glas
Leather	Piel	Peau	Pelle	Pele	Haut
Linen	Lino	Lin	Biancheria	Roupa de cama	Leinen
Marble	Mármol	Marbre	Marmo	Mármore	Marble
Metal	Metal	Métal	Metallo	Metal	Metall
Opal Acrylic	Acrílico Opal	Acrylique opale	Acrilico opale	Opal acrílico	Opalacryl
Opal Glass	Cristal Opal	Verre opale	Vetro opalino	Vidro opal	Opalglas
Opal PMMA	PMMA Opal	PMMA opale	PMMA opale	PMMA opal	Opal PMMA
Opal Polycarbonate	Policarbonato Opal	Polycarbonate opale	Policar-bonato opale	Policar-bonato opal	Opal polycarbonat
Opal PVC	PVC Opal	PVC opale	PVC opale	PVC opal	Opal PVC
Papyrus	Papiro	Papyrus	Papiro	Papiro	Papyrusses
Parchment	Pergamino	Parchemin	Pergamena	Pergaminho	Pergament
PEMD	PEMD	PEMD	PEMD	PEMD	PEMD
PET Polyethylene Terephthalate	PET Polietileno tereftalato	PET Polyéthylène téréphtalate	PET polietilene tereftalato	PET tereftalato de polietileno	PET Polyethylenterephthalat
Plaster	Yeso	Gypse	Gesso	Gesso	Gips
PMMA	PMMA	PMMA	PMMA	PMMA	PMMA
Polycarbonate	Policarbonato	Polycarbonate	Policarbonato	Policarbonato	Polycarbonal
Polyethylene	Polietileno	Polyéthylène	Polietilene	Polietileno	Polyethylen
Polymer	Polímero	Polymères	Polimero	Polímero	Polymer
Polypropylene	Polipropileno	Polyéthylène	Polietilene	Polietileno	Polyethylen
PVC	PVC	PVC	PVC	PVC	PVC
Rattan	Ratán	Rotin	Malacca	Rattan	Rattan
Resine	Resina	Résine	Resina	Resina	Harz
Rustic Glass	Cristal Rústico	Verre rustique	Vetro rustico	Vidro rústico	Rustikale Glass
Silicone	Silicona	Silicone	Silicone	Silicone	Silicon
Stainless Steel	Acero Inoxidable	Acier inoxydable	Acciaio inossi.	Aço inoxidável	Edelstahl Rostfreier
Steel	Acero	Acier	Acciaio	Aço	Stahl
Teflon	Teflón	Teflon	Teflon	Teflon	Teflon
Textile	Téxtil	Textile	Tessile	Têxtil	Textile
Translucent Glass	Cristal Translúcido	Verre translucide	Vetro traslucido	Vidro translúcido	Translucent Glas
Translucent Polycarbonate	Policarbonato Translúcido	Polycarbonate translucide	Policar-bonato transl.	Policar-bonato transl.	Translucent polycarbonat
Transparent Glass	Cristal Transparente	Verre transparent	Vetro trasparente	Vidro transpa.	Transparentem Glas
Transparent PMMA	PMMA Transparente	PMMA transparent	PMMA trasparente	PMMA transpa.	Transparentem PMMA
Wood	Madera	Bois	Legno	Madeira	Holz
Zinc	Zinc	Zinc	Zinco	Zinco	Zink

NL	GRK	RUS	CZ	BL	PL
ABS	ABS	ABS	ABS	ABS	ABS
Acryl	Ακρυλικό	Акриловый	Akryl	Акрил	Akrylowy
Aluminium	Αλουμίνιο	Алюминий	Hliník	Алуминий	Aluminium
Getapete stof	Μαγνητοσκοπημένο ύφασμα	Ткань	Páskové tkaniny	Лепени тъкани	Taśma tekstylna
Bubble glas	Υυαλί φούσκα	Рузырь стекло	Bublina sklo	балон стъкло	Szklane bańki
messing	Ορείχαλκος	латунь	Mosaz	месинг	Mosiądz
Gegoten aluminium	Χυτό αλουμίνιο	Ритого алюминия	Z litého hliníku	Рят алуминий	Odlew aluminiowy
Glasvezel	Πολυεστερικεσ	Стекловолокно	Laminát	Фибростъкло	Włókno Szklane
Glas	Υυαλί	Стекло	Sklo	Стъкло	Szkło
Huid	Δέρμα	кожа	Kůže	кожа	Skóra
Linnen	Λευκά είδη	белье	Linen	бельо	Pościel
Marmeren	Μαρμαρα	Мрамор	Mramorová	Мрамор	Marmur
Metaal	Μέταλλο	Металл	Kov	Метал	Metal
Opaal acrylaat	Opal ακρυλικό	Опалового акрила	Opálový akrylát	Опал акрил	Opal akryl
Opaal glas	Opal γυαλί	Матовое стекло	Opálové sklo	Млечно стъкло	Szkło mleczne
Opaal PMMA	Opal PMMA	PMMA акриловые	Opal PMMA	Опал PMMA	Mlecznego PMMA
Opaal polycarbonnat	Opal πολυάνθρακας	Опал поликарбонат	Opal polykarbonát	Опал поликарбонат	Mlecznego Poliwęglan
Opaal PVC	Opal PVC	Опал PVC	Opal PVC	Опал PVC	PVC Poliwęglan
Papyrus	Πάπυροσ	Папирус	Papyrus	Papyrus	Papyrus
Perkament	Περγαμηνή	Пергамент	Pergamen	Пергамент	Pergamin
PEMD	PEMD	Пемд	PEMD	PEMD	PEMD
PET Polyethyleentereftalaat	Τερεφθαλικό πολυαιθυλένιο PET	ПЭТ Полиэтилентерефталат	PET polyethylentereftalát	PET полиетилен терефталат	PET Politereftalan etylenu
Gips	Γύψος	Гипс	Sádrovec	Гипс	Gips
PMMA	PMMA	PMMA	PMMA	PMMA	PMMA
Polycarbonaat	Πολυκαρβονικά	Поликарбонат	Polykarbonát	Поликарбонат	Poliwęglan
Polyethyleen	Πολυαιθυλένιο	полиэтилен	Polyethylen	полиетилен	Polietylen
Polymeer	Πολυμερές	Полимер	Polymer	Полимер	Polimer
Polyethyleen	Πολυαιθυλένιο	Полиэтилен	Polyethylen	Полиетилен	Polietylen
PVC	PVC	PVC	PVC	PVC	PVC
Rotan	Rattan	ротанг	Ratan	ратан	Rattan
Hars	Ρητινουχο	Смола	Pryskyřice	Смола	Żywica
Rustieke Glass	ρουστίκ Γυαλί	Сельский стекла	Rustikální sklo	Рустик стъкло	Rustic Szkło
Silicone	Σιλικονη	Силикон	Silikonová	Силикон	Silikon
Roestvrij staal	Ανοξείδωτο χάλυβα	нержавеющая сталь	Nerez	неръждаема стомана	Stali nierdzewnej
Staal	χάλυβας	сталь	Ocel	Стомана	Stal
Teflon	Τεφλόν	Тефлон	Teflon	Тефлоново	Teflon
Textiel	Υφάσματα	Текстильный	Textilní	Текстилен	Włókienniczy
Doorschijnend glas	Διαφανές γυαλί	Прозрачные стекла	Translucent стъкло	Průhledné sklo	Przezroczyste szkło
Doorschijnend polycarbo.	Διαφανές πολυάνθρακας	Прозрачные поликарбонат	Translucent polykarbonát	Průhledné поликарбонат	Przezroczyste Poliwęglan
Transparant glas	Διαφανές γυαλί	Ррозрачное стекло	Průhledné sklo	Ррозрачно стъкло	Przezroczystego szkła
Transparant PMMA	Διαφανές PMMA	Ррозрачное PMMA	Průhledné PMMA	Ррозрачно PMMA	Przezroczystego PMMA
Hout	Ξύλο	Дерево	Dřevo	Дърво	Drewno
Zink	Ψευδάργυρος	Цинк	Zinek	Цинк	Cynk

FINISHES

EN	ES	FR	ITA	PT	GER
Aged oak	Roble envejecido	Chêne vieilli	Quercia invecchiata	Carvalho envelhecido	Gealterte Eiche
Aged white	Blanco envejecido	Blanc vieilli	Bianco invecchiato	Branco envelhecido	Im Alter von weiß
Aluminium	Aluminio	Aluminium	Alluminio	Alumínio	Aluminium
Beech tree	Haya	Hêtre	Faggio	Faia	Buche
Beige	Beige	Beige	Beige	Bege	Beige
Black	Negro	Noir	Nero	Preto	Schwarz
Blue	Azul	Bleu	Blu	Azul	Blau
Bordeaux	Burdeos	Bordeaux	Bordò	Bordéus	Bordeaux
Brass	Latón	Laiton	Ottone	Latão	Messing
Bright black	Negro brillante	Noir brillant	Nero brillante	Helles Schwarz	Helles Schwarz
Bronze	Bronce	Bronze	Bronzo	Bronze	Bronze
Brown	Marrón	Marron	Marrone	Castanho	Braun
Brown aged	Marrón envejecido	Brun vieilli	Brown invecchiato	Brown envelhecido	Braun im Alter
Brown wood	Madera Marrón	Bois brun	Legno marrone	Madeira marrom	Braunes Holz
Cedar	Cedro	Cèdre	Cedro	Cedro	Zeder
Cherry tree	Cerezo	Cerisier	Árvore de cereja	Árvore de cereja	Kirschbaum
Chrome	Cromo	Chrome	Cromo	Cromada	Chrom
Copper	Cobre	Cuivre	Rame	Cobre	Kupfer
Dark Brown	Marrón oscuro	Marron foncé	Marrone scuro	Marrom escuro	Dunkelbraun
Dark grey	Gris oscuro	Gris foncé	Grigio scuro	Cinza escuro	Dunkelgrau
Dark walnut	Nogal oscuro	Noyer foncé	Noce scuro	Noz escura	Dunkler Walnuss
Fuchsia	Fucsia	Fuchsia	Fucsia	Fúcsia	Fuchsie
Gold	Oro	Or	Oro	Ouro	Gold
Green	Verde	Vert	Verde	Verde	Grün
Grey	Gris	Gris	Grigio	Cinzento	Grau
Ivory white	Blanco marfil	Blanc ivoire	Bianco avorio	Branco marfim	Elfenbeinweiß
Lilac	Lila	Lilas	Lilla	Lilás	Lila
Mahogany	Caoba	Acajou	Mogano	Mogno	Mahagoni
Maple	Arce	Érable	Acero	Bordo	Ahorn
Matt nickel	Níquel mate	Nickel mat	Nichel opaco	Matt Nickel	Mattnickel
Matte white	Blanco Mate	Blanc mat	Bianco opaco	Branco fosco	Mattweiß
Mirror	Espejo	Miroir	Specchio	Espelho	Spiegel
Multicolored	Multicolor	Multicolore	Multicolore	Multicolorido	Mehrfarbig
Off white	Blanco roto	Blanc	Bianco	Off white	Nicht-gerade weiss
Old Gold	Oro envejecido	Vieil or	Oro vecchio	Ouro Velho	Altes Gold
Olive green	Verde Oliva	Olive verte	Verde oliva	Verde oliva	Olivgrün
Orange	Naranja	Orange	arancia	laranja	Orange
Oxide	Óxido	Oxyde	Ossido	Óxido	Oxid
Pine	Pino	Pin	Pino	Pinho	Kiefer
Pink	Rosa	Rosa	Rosa	Rosa	Rosa
Polish aluminium	Aluminio pulido	Aluminium poli	Alluminio polacco	Alumínio polonês	Polnisches Aluminium
Red	Rojo	Rouge	Rosso	Vermelho	Rot
Reddish Mahogany	Caoba Rojizo	Acajou rougeâtre	Mogano rossastro	Maça avermelhada	Rötlicher Mahagoni
Rust	Marrón óxido	Rouille	Ruggine	Ferrugem	Rost
Rustic pine	Pino rústico	Pin rustique	Pino rustico	Pinheiro rústico	Rustikale Kiefer
Satin gold	Oro satinado	Or satiné	Oro satinato	Ouro acetinado	Satin Gold
Silver	Plata	Argent	Argento	Prata	Silber
Transparent	Transparente	Transparent	Trasparente	Transparente	Transparent
Wenge	Wengué	Wenge	Wenge	Wenge	Wenge
White	Blanco	Blanc	Bianca	Branco	Weiß
Whitewashed oak	Roble emblanquecido	Chêne blanchi à la chaux	Quercia imbiancata	Carvalho caiado	Weiß getünchte Eiche
Yellow	Amarillo	Jaune	Giallo	Amarelo	Gelb

NL	GRK	RUS	CZ	BL	PL
Verouderde eik	Ηλικιωμένη δρυς	Древесный дуб	Zastřešený dub	Стар дъб	Wieku dąb
Leeftijd wit	Старые белые	Старые белые	Ve věku bílé	Отлежало бяло	Wieku biały
Aluminium	Αλουμίνιο	алюминий	Hliník	алуминий	Aluminium
Strand boom	Δέντρο οξιάς	пляжное дерево	Buk strom	Букова дървесина	Buk
Beige	Μπεζ	Бежевый	Béžový	бежов	Beżowy
Zwart	Μαύρος	черный	Černá	черно	Czarny
Blauw	Μπλε	синий	Modrý	Син	Niebieski
Bordeaux	Μπορντό	Бордо	Bordeaux	Бордо	Bordeaux
Messing	Ορείχαλκος	Латунь	Mosaz	месинг	Mosiądz
Helder zwart	Φωτεινό μαύρο	Яркий черный	Zářivě černý	Светло черно	Jasny czarny
Bronzen	Μπρούντζος	бронза	Bronz	бронз	Brązowy
Bruin	καφέ	коричневый	Hnědý	кафяв	brązowy
Bruin leeftijd	Καφέ ηλικίας	Браун в возрасте	Hnědý ve věku	Кафяв на възраст	Brązowy w wieku
Bruin hout	Καφέ ξύλο	Бурый лес	Hnědé dřevo	Кафяво дърво	Brązowe drewno
Ceder	Κέδρος	кедр	Cedr	кедър	Cedr
kersenboom	κερασιά	Вишневое дерево	třešeň	черешово дърво	Wiśniowe drzewo
Chrome	Χρώμιο	Хром	Хром	Chrome	Chrome
Koper	Χαλκός	медь	Měď	мед	Miedź
Dunkelbraun	Σκούρο καφέ	Темно коричневый	Tmavě hnědá	Тъмно кафяво	Ciemny brąz
Donker grijs	Σκούρο γκρι	Tmavošedý	Tmavošedý	Тъмно сив	Ciemno szary
Donkere walnoot	Σκούρο καρύδι	Темный орех	Tmavý vlašský ořech	Тъмно орехче	Ciemny orzech
Fuchsia	Φουξία	фуксия	Fuchsie	обичка	Fuksja
Goud	Χρυσός	Золото	Zlato	злато	Złoto
Πράσινος	Πράσινος	зеленый	Zelená	зелен	Zielony
Grijs	Γκρί	Серый	Šedá	сив	Szary
Ivoorwit	Λευκό ελεφαντόδοντο	Белый цвет слоновой кости	Ivory bílá	Слонова кост бяла	Biała kość słoniowa
Lila	Πασχαλιά	Сирень	Šeřík	люляк	Liliowy
Mahonie	Μαόνι	красное дерево	Mahagon	махагон	Mahoń
Esdoorn	Σφεντάμι	кленовый	Javor	клен	Klon
Matt nikkel	Ματ νικέλιο	Мэтт никель	Matný nikl	Мат никел	Matowy nikiel
Mat wit	Ματ λευκό	Матовый белый	Matně bílá	Матово бяло	Матово бяло
Spiegel	Καθρέφτης	Зеркало	Zrcadlo	огледало	Lustro
Veelkleurig	Πολύχρωμος	многоцветный	Vícebarevný	многоцветен	Wielobarwny
Off white	Υπόλευκο	Белый с оттенком	Bílá	Изключено бяло	Off biały
Oud goud	Παλαιό χρυσό	Старое золото	Staré zlato	Старото злато	Stare złoto
Olijfgroen	Λαδί	Оливково-зеленый	Olivově zelená	Маслинено зелено	Zielona oliwka
Oranje	Πορτοκάλι	оранжевый	oranžový	оранжев	Pomarańczowy
Oxyde	Οξείδιο	Окись	Kysličník	окис	Tlenek
Pijnboom	Πεύκο	сосна	Borovice	бор	Sosna
Roze	Ροζ	розовый	Růžový	розов	Różowy
Pools aluminium	Πολωνικό αλουμίνιο	Польский алюминий	Polský hliník	Полски алуминий	Polskie aluminium
Rood	το κόκκινο	красный	Červené	Czerwony	Czerwony
Roodachtig mahonie	Κόκκινο μαόνι	Красное красное дерево	Reddish mahagon	Червеникав махагон	Czerwonawe mahoń
Roest	Σκουριά	Ржавчина	Rez	ръжда	Rdza
Rustieke dennen	Ρουστίκ πεύκο	Деревенская сосна	Rustikální borovice	Рустик бор	Rustykalne sosny
Satijn goud	Χρυσό σατέν	Сатиновое золото	Saténové zlato	Сатен злато	Satynowe złoto
Zilver	Ασήμι	Серебряный	stříbrný	stříbrný	Srebro
Transparant	Διαφανής	прозрачный	Průhledný	прозрачен	Przezroczysty
Wenge	Wenge	Венге	Wenge	Венге	Wenge
Wit	άσπρο	белый	Bílý	бял	Biały
Witgekalkte eik	Λευκή δρυς	Побеленный дуб	Bílé duby	Бял дъб	Бял дъб
Geel	Κίτρινος	желтый	Žlutá	жълт	Żółty

GENERAL INFORMATION

EN

The technical information detailed in our catalogue can be modified in order to improve the features or design of our products.
Faro Barcelona keeps the right to cancel or modify any model without prior notice and without any cause for complaints.
The conditions, technical characteristics and prices of the products that appear in this catalogue are the effective ones in the date of impression of the catalogue except for typographical error and are subject to possible changes.
The catalogue prices are public prices.
RATES DO NOT INCLUDE VAT.
Price list not valid for Italy and Switzerland.
Returned goods shall only be accepted, after prior notice being given to LOREFAR, on the grounds of being defective and never on the basis of broken glass or missing parts. In such cases, please contact us so that we can send you the required parts as a matter of urgency.
Exchanges or returns of goods in good condition will not be accepted. In the event of express acceptance by LOREFAR, a 20% charge shall be incurred, on receipt and checking, for depreciation and classification of the goods.

ES

La información referente a nuestros productos puede ser modificada con el fin de mejorar las características técnicas o de diseño.
Faro Barcelona se reserva el derecho de anular o modificar cualquier modelo sin previo aviso y sin que sea motivo de reclamaciones.
Las condiciones, características y precios de los productos que aparecen en este catálogo son los vigentes en la fecha de impresión del catálogo salvo error tipográfico y están sujetos a posibles modificaciones.
Los precios mostrados son precios de venta al público (PVP).
IVA NO INCLUIDO EN TARIFA
Tarifa no válida para Italia y Suiza.
Previa comunicación a Lorefar sólo se aceptará la mercancía devuelta por defectuosa, nunca por cristales rotos o falta de algún componente. En estos casos rogamos se pongan en contacto con nosotros para enviarles urgentemente las piezas requeridas.
No se admitirán cambios ni devoluciones de mercancía en buen estado. En caso de aceptación explícita por parte de Lorefar, a su recepción y comprobación se emitirá un cargo del 20% en concepto de depreciación y clasificación de la mercancía.

FR

L'information qui se réfère à nos produits peut être modifiée afin d'améliorer les caractéristiques technique ou de design.
Faro Barcelona se réserve le droit d'annuler ou de modifier n'importe quel modèle sans préavis et sans que cela soit motif de réclamations.
Les conditions, caractéristiques et prix des produits qui apparaissent dans ce catalogue sont celles en vigueur à la date d'impression du catalogue sauf erreur typographique et sont susceptible d'être modifiées ultérieurement.
Les prix du catalogue son les prix de vente public .
IVA NON COMPRISE DANS LE TARIF.
Liste de prix pas valable pour l'Italie et la Suisse.
Seule sera acceptée en retour la marchandise défectueuse, et ce après communication à LOREFAR. LOREFAR n'acceptera jamais de retour pour du verre brisé ou pour l'absence d'un composant quelconque. Dans ces derniers cas, nous vous prions de vous mettre en contact avec nous afin que nous vous fassions parvenir dans les plus brefs délais les pièces nécessaires. La marchandise en bon état ne sera ni reprise ni échangée. En cas d'acceptation explicite de sa part, LOREFAR retiendra 20% au titre de la dépréciation et de la classification du produit.

ITA

La informazione che si riferisce ai nostri articoli puó essere soggetta a modifiche con il fine du migliorare le caratteristiche, tecniche o di desgin, dei nostri prodotti. Faro Barcelona si reserva il diritto di annullare o modificare qualsiasi modello senza previo avviso e senza che sia motivo di reclami.
Le condizioni, caratteristiche e prezzi dei prodotti che compaiono in questo catalogo sono quelli vigenti alla data della stampa del catalogo ad eccezione di errori tipografici e sono soggetti a possibili modificazioni.
I prezzi indicati sono prezzi di vendita al pubblico.
IVA NON INCLUSA IN LISTINO.
Il listino non è valido per l'Italia e la Svizzera.
LOREFAR accetta previa comunicazione, solo la merce restituita perché difettosa; in nessun caso accetterà la merce restituita per presenza di verti rotti o per mancanza di qualche componente. In questi casi vi preghiamo di contattarci per potervi mandare al più presto i pezzi richiesti.
Non si effettuano cambi né si ammettono restituzioni di merci in buono stato. In caso di accettazione esplicita da parte di LOREFAR, al momento del ricevimento e della verifica della merce si emetterà un addebito del 20% a titolo di deprezzamento e classificazione.

PT

A informação referente aos nossos produtos pode ser modificada com o fim de melhorar as características técnicas ou de desenho.
A Faro Barcelona reserva-se o direito de anular ou modificar qualquer modelo sem aviso prévio e sem que seja motivo de reclamações.
As condições, características e preços dos produtos que aparecem neste catálogo são os vigentes na data de impressão do catálogo salvo erro tipográfico e estão sujeitos a possíveis modificações. Os preços mostrados são preços de venda ao público (PVP).
IVA NÃO INCLUÍDO NA LISTA DE PREÇOS
Lista de preços não é válido para a Itália e Suíça.
Mediante comunicação prévia à Lorefar, apenas se aceitará a mercadoria devolvida por defeito, nunca por vidros partidos ou falta de algum componente. Nestes casos pedimos que entrem em contacto connosco para lhes enviarmos urgentemente as peças requeridas.
Não serão admitidas alterações nem devoluções de mercadoria em bom estado. Em caso de aceitação explícita por parte da Lorefar, na sua recepção e comprovação emitir-se-á um débito de 20% a título de depreciação e classificação da mercadoria.

GER

Die Information über unsere Produkte kann im Zusammenhang mit den Verbesserungen ihrer technischen Eigenschaften und ihres Designs jederzeit geändert werden.
Faro Barcelona behält sich das Recht vor, seine Modelle jederzeit und ohne vorherige Ankündigung vom Markt zu nehmen, ohne dass sich daraus ein Anrecht auf Beschwerden ableiten könnte.
Die Bedingungen, Eigenschaften und Preise der Produkte in diesem Katalog gelten zum Datum der Drucklegung des Katalogs vorbehaltlich Druckfehler und können jederzeit geändert werden. Diese Preise gelten für den Direktverkauf an den Kunden.
DIE MEHRWERTSTEUER IST NICHT IN DEN PREISEN EINGESCHLOSSEN
Preisliste gilt nicht für Italien und die Schweiz.
Nach vorheriger Kommunikation kann Lorefar die Rücklieferung von schadhafter Ware akzeptieren, jedoch niemals wegen beschädigten Glasteilen oder fehlenden Komponenten. In letzteren Fällen setzen Sie sich bitte zwecks schneller Zusendung der notwendigen Teile in Verbindung.
Wir tauschen keine Waren in gutem Zustand um oder nehmen sie zurück. Bei ausdrücklicher Annahme durch Lorefar nach Erhalt und Überprüfung stellen wir Ihnen 20% des Preises für Wertverminderung und Handhabung der Ware in Rechnung.

NL

De informatie over onze producten kan gewijzigd worden met als doel de technische eigenschappen of het design te verbeteren.
Faro Barcelona behoudt zich het recht voor onaangekondigd modellen te schrappen of te wijzigen en zonder dat dit aanleiding tot een klacht vormt.
De voorwaarden, eigenschappen en prijzen van de producten in deze catalogus zijn geldig op het moment van druk van de catalogus tenzij sprake is van een drukfout. Zij zijn onderhevig aan mogelijke wijzigingen. De getoonde prijzen betreffen verkoopprijzen.
Btw NIET BIJ DE PRIJS INBEGREPEN
Tairfa niet geldig voor Italië en Zwitserland.
Lorefar aanvaardt uitlsuitend defecte teruggezonden goederen nadat zij hierover van tevoren op de hoogte is gesteld. Dit geldt niet voor gebroken glas of het ontbreken van onderdelen. In deze gevallen wordt u verzocht met ons contact op te nemen zodat wij u zo snel mogelijk de gewenste onderdelen kunnen toezenden.
Ruilen of terugsturen van goederen in correcte staat is niet toegestaan. In geval van uitdrukkelijke aanvaarding door Lorefar wordt bij ontvangst en controle een heffing van 20% voor waardevermindering en classificatie van de goederen toegepast.

GRK

Οι πληροφορίες σχετικά με τα προϊόντα μας ενδέχεται να τροποποιηθούν με στόχο τη βελτίωση των τεχνικών χαρακτηριστικών ή του σχεδίου.
Η Faro Barcelona διατηρεί το δικαίωμα ακύρωσης ή τροποποίησης οποιουδήποτε μοντέλου χωρίς προηγούμενη προειδοποίηση και χωρίς αυτό να αποτελεί αιτία απαίτησης επιστροφής χρημάτων.
Οι όροι, τα χαρακτηριστικά και οι τιμές των προϊόντων που παρουσιάζονται σε αυτόν τον κατάλογο είναι αυτά που ισχύουν κατά την ημερομηνία της εκτύπωσης του καταλόγου, εκτός τυπογραφικών λαθών, και υπόκεινται σε αλλαγές. Οι τιμές που εμφανίζονται είναι τιμές λιανικής.
Ο ΦΠΑ ΔΕΝ ΣΥΜΠΕΡΙΛΑΜΒΑΝΕΤΑΙ ΣΤΗΝ ΤΙΜΗ
Μετά από συνεννόηση με τη Lorefar, γίνονται αποδεκτές επιστροφές μόνο αν πρόκειται για ελαττωματικά εμπορεύματα και όχι για θραύση κρυστάλλων ή απουσία κάποιου στοιχείου. Στις περιπτώσεις αυτές, παρακαλούμε να έρθετε σε επαφή μαζί μας για να σας στείλουμε επειγόντως τα απαιτούμενα μέρη.

RUS

Информация относящаяся к нашей продукции может быть модифицирована с целью улучшить технические или внешние характеристики.
Faro Barcelona сохраняет за собой право аннулировать или модифицировать любую модель без предупреждения и без того что это послужит причиной для жалоб.
Δεν γίνονται αποδεκτές αλλαγές ή επιστροφές για εμπορεύματα σε καλή κατάσταση. Σε περίπτωση ρητής αποδοχής εκ μέρους της Lorefar, κατά την παραλαβή και τον έλεγχό τους θα πραγματοποιηθεί χρέωση 20% για έξοδα απόσβεσης και ταξινόμησης των εμπορευμάτων.
Условия, характеристики и цены на изделия, указанные в данном каталоге, действительны на дату его выпуска, за исключением опечаток в каталоге, и могут быть изменены. В каталоге указаны розничные цены.
БЕЗ УЧЕТА НДС
В соответствии с правилами, компания Lorefar принимает возврат изделий только при наличии дефектов, но ни в коем случае не при разбитии стекла или отсутствии какой-либо детали. В таком случае, пожалуйста, свяжитесь с нами, чтобы мы отправили вам необходимые детали. Товар в рабочем состоянии не подлежит обмену или возврату. В случае подтверждения компанией Lorefar наличия дефектов, после возврата и проверки, начисляется 20% стоимости с учетом амортизации и классификации товаров.

CZ

Technické informace uvedené v katalogu mohou být modifikovány za účelem zdokonalování vlastností svítidel nebo jejich designu.
Producent Faro Barcelona si vyhrazuje právo konstrukčních změn nabízených modelů bez předcházejícího oznámení a tato skutečnost nemůže být předmětem jakékoliv stížnosti či reklamace.
Podmínky, technické specifikace a ceny produktů uvedené v katalogu jsou platné ke dni vydání katalogu. Producent si vyhrazuje právo konstrukčních změn nabízených modelů, pokud tyto nepovedou k zásadním změnám charakteru výrobků. Informace z tohoto katalogu postrádají platnosti v den vydání katalogu nového.
VŠECHNY CENY JSOU UVEDENY BEZ DPH.,
Zboží může být vráceno pouze po předchozím souhlasu od společnosti PAXI, na základě poruchy nebo vady ovšem nikdy na základě poškozeného skla nebo chybějícího dílu. V takových případech nás, prosím, kontaktujte, abychom
Vám mohli požadované části svítidel urgentně zaslat. Výměny nebo vracení zboží v dobrém technickém stavu je nepřijatelné.

BL

Техническата информация, представена в нашият каталог , може да бъде променяна с цел да подобри представянето или дизайна на продуктите.
Фаро Барселона си запазва правото да отменя или променя всеки модел без предварително осведомяване и без това да се счита причина за оплаквания.
Условията, техническите характеристики и цените на продуктите показани в този каталог са ефективни към датата на отпечатването на каталога, с изключение на грешки при отпечатване и са обект на възможни промени.
Цените в каталога са публичните цени.
ЦЕНИТЕ НЕ ВКЛЮЧВАТ ДДС.
Връщане на закупена стока ще да бъдат приета единствено след писмено осведомяване на ЛОРЕФАР на основание дефекти и в никакъв случай на основание счупено стъкло или липсващи части. В такива случаи моля свържете те с нас, за да ви изпратим липсващите части по спешност.
Размяна или връщане на стока в добро състояние няма да бъде извършвана. В случай на спешно приемане от ЛОРЕФАР 20 % такса ще бъде наложена за приемане и проверка, за обезценяване и класификация на продуктите.

PL

Informacje techniczne wyszczególnione w naszym katalogu mogą być modyfikowane w celu poprawienia właściwości lub wzornictwa produktów.
Faro Barcelona ma prawo do anulowania i modyfikowania każdego z modeli bez uprzedniego infomowania i nie przyjmuje skarg z tego tytułu.
Warunki, opis techniczny oraz ceny artykułów , które pojawiają się w katalogu są aktualne do czasu przedruku katalogu za wyjątkiem pomyłek w druku, które podlegają ewentualnej zmianie. Ceny w katalogu są cenami publicznymi.
CENY NIE ZAWIERAJĄ STAWKI VAT.
Ewentualne zwroty mogą być zaakceptowane po uprzedniej zgodzie przez Lorefar na podstawie stwierdzenia , że są wadliwe, nigdy nie przyjmowane są zwroty artykułów, z powodu stłuczenia szkła czy brakujących części, w tym przypadku prosimy o kontakt w celu wysłania potrzebnych części w trybie natychmiastowym.
Wymiany lub zwroty artykułów w dobrym stanie nie będą zaakceptowane. W przypadku wyraźnej akceptacji przez Lorefar, 20% opłaty może być poniesione na otrzymanie i sprawdzenie, w celu sklasyfikowania uszkodzenia artykułu.

OUR COMMITMENT

EN

Faro Barcelona Technical Laboratory
Faro Barcelona has extended the capacity of its Quality Control Department by equipping its laboratory with machinery that can conduct the following tests:
- IP Tests,,
- Incandescent thread.
- Electric shocks.,
- Thermal and mechanical resistance.
- Impacts.,,
- Consumption and power factors.

Thanks to these advances, Faro Barcelona has raised the bar regarding the thoroughness of its tests and ensures that European regulations and standards are complied with fully.

Faro collaborates on improvements to the environment
With its commitment to efficient light bulbs and its contribution to energy saving and the campaign against global warming.
In Faro catalogues, next to the standard-use light bulb given for each item, you will see the recommended bulb, highlighted by this symbol: [LED ref.]

ES

Laboratorio técnico propio de faro Barcelona
Faro Barcelona ha ampliado la capacidad de su Departamento de Control de Calidad, dotando su laboratorio de una maquinaria capaz de hacer los siguientes ensayos:
- Pruebas de IP,,- Hilo incandescente.
- Choques eléctricos.,
- Resistencia térmica y mecánica.
- Choques de impacto.
- Consumos y factores de potencia.

Gracias a estos avances, Faro Barcelona eleva el nivel de rigurosidad en sus ensayos y garantiza el estricto cumplimiento de las normativas y estándares europeos.

Faro colabora en la mejora del medio ambiente
Apostando por las bombillas eficientes y contribuyendo con el ahorro energético y la lucha contra el calentamiento global.
En los catálogos Faro podrá encontrar junto a la bombilla de uso standard de cada artículo cual es la bombilla que recomendamos y lo diferenciamos con este símbolo: [LED ref.]

FR

Laboratoire technique appartenant à faro Barcelona
Faro Barcelona a élargi la capacité de son Département de contrôle qualité, en dotant son laboratoire de machines capables de procéder aux essais suivants:
- Essais d'IP
- Fil incandescent.
- Chocs électriques.,
- Résistance thermique et mécanique.
- Chocs d'impact.
- Consommations et facteurs de puissance.

Grâce à ces avancées, Faro Barcelona élève le niveau de rigueur de ses essais et garantit le strict respect des réglementations et normes européennes.

Faro participe à l'amélioration de l'environnement
En misant sur des ampoules efficaces, en contribuant aux économies d'énergie et en participant à la lutte contre le réchauffement de la planète.
Dans les catalogues Faro, vous trouverez, à côté de l'ampoule standard utilisée pour chaque article, l'ampoule recommandée et identifiée parce symbole: [LED réf.]

ITA

Laboratorio tecnico proprio di faro Barcelona
Faro Barcellona ha ampliato la capacità del suo Dipartimento di Controllo della Qualità, dotando il suo laboratorio di macchinari in grado di realizzare i seguenti test:
- Prove di IP,,
- Filo incandescente.
- Scariche elettriche.,
- Resistenza termica e meccanica.
- Test di impatto.
- Consumi e fattori di potenza.

Grazie a questi progressi, Faro Barcelona alza il livello di rigorosità nei suoi test e garantisce il rigido rispetti delle normative e degli standard europei.

Faro collabora al miglioramento dell'ambiente
Scommettendo sulle lampadine efficienti e contribuendo al risparmio energetico e alla lotta contro il riscaldamento globale.
Nei cataloghi Faro potrete trovare, assieme alla lampadina d'uso standard di ogni articolo, la lampadina di basso consumo consigliata e che si distingue con questo simbolo: [LED rif.]

PT

Laboratório técnico próprio da faro Barcelona
A Faro Barcelona ampliou a capacidade do seu Departamento de Controlo de Qualidade, dotando o seu laboratório de uma maquinaria capaz de fazer os seguintes ensaios:
- Testes de IP,,
- Fio incandescente.
- Choques eléctricos.,,- Resistência térmica e mecânica.
- Choques de impacto.,
- Consumos e factores de potência.

Graças a estes avanços, a Faro Barcelona eleva o nível de rigor nos seus ensaios e garante o estrito cumprimento das normas e padrões europeus.

A Faro colabora na melhoria do meio ambiente
Apostando nas lâmpadas eficientes e contribuindo para a poupança energética e para a luta contra o aquecimento global.
Nos catálogos Faro poderá encontrar, junto à lâmpada de uso padrão de cada artigo, a lâmpada recomendada e que se diferencia com este símbolo: [LED ref.]

GER

Eigenes technisches Labor von faro Barcelona
Faro Barcelona hat die Leistungsfähigkeit seiner Qualitätssicherungsabteilung durch die Ausstattung seines Labors mit Einrichtungen für folgende Tests erweitert.
- IP-Tests,
- Thermische und mechanische
- Elektroschocks Widerstandskraft
- Mechanische Stöße
- Verbrauchs- und Leistungsaspekte
- Glühfäden

Dank dieser Erweiterungen kann Faro Barcelona jetzt seine Produktprüfungen noch wesentlich rigoroser durchführen und eine strikte Erfüllung der europäischen Normen und Standards garantieren.

Faro bemüht sich ständig um den Umweltschutz
Daher verwenden wir immer mehr effi- ziente Leuchtmittel und tragen damit zum Einsparen von Energie und zum Kampf gegen die Klimaerwärmung bei.
In den Katalogen von Faro finden Sie neben den Standard-Leuchtmitteln für die einzelnen Artikel auch jeweils passende Sparbirnen, die mit folgendem Symbol gekennzeichnet sind: [LED ref.]

NL

Eigen technisch laboratorium van faro Barcelona
Faro Barcelona heeft de capaciteit van haar Afdeling Kwaliteitscontrole uitgebreid met een laboratorium waarin de volgende testen kunnen worden uitgevoerd:
- Testen van de IP-code
- Gloeidraad.
- Elektrische schokken.
- Thermische en mechanische weerstand.
- Schok door impact.,
- Verbruik en vermogensfactoren.

Dankzij deze vooruitgang is er bij Faro Barcelona sprake van een hoger strikheidniveau tijdens het testen en garandeert een strikte naleving van de Europese normen en standaards.

Faro werkt mee aan de verbetering van het milieu
Middels het gebruik van efficiënte lampen. Zo draagt zij bij aan de energiebesparing en aan de strijd tegen de opwarming van de aarde.
In de catalogi van Faro treft u naast de lamp voor standaardgebruik van ieder artikel de aanbevolen lamp met laag verbruik aan die met dit symbool wordt onderscheiden: [LED ref.]

GRK

Faro Barcelona Technical Laboratory
Η Faro Barcelona έχει διευρύνει τις δυνατότητες του Τμήματος Ελέγχου Ποιότητας, εξοπλίζοντας το εργαστήριό της με μηχανήματα που πραγματοποιούν τα εξής τεστ:
- Τεστ IP
- Νήμα πυρακτώσεως.
- Ηλεκτροπληξία.
- Θερμική και μηχανική αντοχή.
- Κρούση.
- Κατανάλωση και παράγοντες ισχύος.

Χάρη σε αυτές τις εξελίξεις, η Faro Barcelona αυξάνει το επίπεδο αυστηρότητας στις δοκιμές της και εξασφαλίζει την απόλυτη τήρηση των ευρωπαϊκών κανονισμών και προτύπων.

Η Faro συμβάλλει στη βελτίωση του περιβάλλοντος
χρησιμοποιώντας αποδοτικούς λαμπτήρες και συμβάλλοντας στην εξοικονόμηση ενέργειας και την καταπολέμηση της υπερθέρμανσης του πλανήτη.
Στους καταλόγους της Faro μπορείτε να βρείτε, μαζί με τον συμβατικό λαμπτήρα για κάθε προϊόν, τον συνιστώμενο λαμπτήρα χαμηλής κατανάλωσης που διακρίνεται με αυτό το σύμβολο: [LED αναφ.]

RUS

Собственная техническая лаборатория компании faro Barcelona
Потенциал Отдела контроля качества компании Faro Barcelona увеличился благодаря появлению в лаборатории оборудования, с помощью которого можно проводить следующие испытания:
- Тестирование IP ,,- Механическое и
- Поражение электрическим током. тепловое сопротивление.,
- Воздействие от столкновения.,- Потребление и
- Спираль накаливания. коэффициент мощности.

Благодаря этому компания Faro Barcelona предъявляет все более жесткие требования к проведению исследований и обеспечивает строгое соответствие европейским стандартам и нормам.

Faro заботится об окружающей среде делая ставку на эффективные электрические лампы, позволяющие экономить энергию и бороться с глобальным потеплением.
В каталогах Faro можно найти как стандартные лампы различных типоразмеров, так и рекомендуемые энергосберегающие лампы, отмеченные специальным символом: [LED ссы.]

CZ

Собственная техническая лаборатория компании faro Barcelona
Потенциал Отдела контроля качества компании Faro Barcelona увеличился благодаря появлению в лаборатории оборудования, с помощью которого можно проводить следующие испытания:
- Тестирование IP
- Механическое и
- Поражение электрическим током. тепловое сопротивление.,
- Воздействие от столкновения.,- Потребление и
- Спираль накаливания. коэффициент мощности.

Благодаря этому компания Faro Barcelona предъявляет все более жесткие требования к проведению исследований и обеспечивает строгое соответствие европейским стандартам и нормам.

Používáním efektivních žárovek přispívá firma Faro
Ke zlepšení životního prostředí, úspoře elektrické energie a boji proti globálnímu oteplování.
V katalozích Faro naleznete vedle standardní žárovky vhodné pro jednotlivé zboží i doporučenou žárovku s nízkou spotřebou, která je označena tímto symbolem: [LED ref.]

BL

Собствена техническа лаборатория на faro Barcelona
Faro Barcelona разшири капацитета на своя Отдел за контрол на качеството, като обзаведе лабораториите си с оборудване за осъществяване на следните изпитвания:
- Изпитвания за степен на защита (IP)
- Термична и механична
- Токови удари.Сустойчивост.
- Удари в твърд предмет.,
- Консумирана мощност
- Нажежена жичка. и коефициент на мощността.

По този начин Faro Barcelona повишава точността на изпитванията и гарантира стриктно спазване на европейските.

Faro съдействa за подобряване на околната среда
чрез използване на енергоспестяващи крушки, с което дава своя принос в борбата с глобалното затопляне.
В каталозите на Faro всеки продукт може да се използва както със стандартна, така и с енергоспестяваща крушка, която е препоръчителна и е означена със следния символ: [LED спра.]

PL

Laboratorium techniczne należące do faro Barcelona
Firma Faro Barcelona rozszerzyła zakres kompetencji swojego Działu Kontroli Jakości, wyposażając laboratorium w urządzenia wykonujące następujące testy:
- Próby IP
- Włókno żarzenia.
- Porażenia prądem.
- Wytrzymałość termiczna i mechaniczna.
- Wstrząsy.,
- Zużycie i czynniki mocy.

Dzięki tym procedurom firma Faro Barcelona zaostrzyła poziom testów, gwarantując bezwzględne przestrzeganie norm i standardów europejskich.

Firma Faro chroni środowisko
Stawiając na wydajne żarówki i oszczędność energii, przyczyniając się tym samym do walki z globalnym ociepleniem.
Oprócz informacji o standardowych żarówkach, katalogi Faro zawierają zalecenia dotyczące żarówek energooszczędnych wyróżnione tym symbolem: [LED odni.]

Ref	Pag.
01000	131
01001	131
01005	157
01006	157
01007	42
01009	137
01014	136
01015	32
01016	32
01017	33
01025	42
01026	136
01027	137
01040	169
01041	169
02070101	229
02080101	229
02090201	226
02100101	233
02100201	227
02100301	227
02100401	227
02100501	228
02100502	228
02100503	228
02100601	228
02100602	228
02100603	228
02100701	228
02100801	228
02100901	229
02101001	227
02101101	227
02101301	227
02101401	228
02150101	229
02150201	229
02150301	229
02200501	228
02200502	228
02200503	228
03020401	230
03020402	230
03020403	230
03020501	230
03020502	230
03020503	230
03030101	230
03030102	230
03030103	230
03030201	231
03030202	231
03030203	231
03040102	230
03040202	231
03100401	230
03100402	230
03100501	230
03100502	230

Ref	Pag.
17062	545
17063	545
17064	545
17067	545
17270	547
17271	547
17309	544
17316	544
17317	544
17318	544
17319	544
17320	544
17321	544
17324	544
17325	544
17328	544
17329	544
17330	544
17331	544
17332	544
17340	548
17398	548
17399	548
17400	548
17403	548
17404	548
17408	547
17409	546
17413	546
17414	546
17415	546
17417	546
17418	546
17419	546
17420	546
17422	546
17423	546
17425	547
17426	546
17427	546
17428	546
17429	547
17432	546
17433	546
17434	547
17435	547
17437	545
17438	548
17443	548
17444	548
17445	546
17446	547
17447	547
17448	547
17449	547
17460	545
17461	545
17462	545
17463	545

Ref	Pag.
17464	545
17465	545
17466	548
17467	548
17468	548
17471	544
17472	544
17473	544
17474	544
17475	544
17476	548
17477	548
17478	545
17479	545
17480	545
17481	548
17482	545
17483	545
17484	545
17485	545
17486	545
17487	548
17488	548
17489	548
17490	548
17491	548
17492	545
17493	546
17494	548
17495	548
17496	547
17497	547
17514	546
17515	547
20000	166
20002	166
20003	56
20005	56
20009	56
20016	112
20019	56
20020	56
20021	151
20022	151
20023	151
20024	151
20025	74
20026	74
20029	74
20030	74
20045	166
20046	112
20047	112
20048	112
20049	166
20050	112
20051	112
20060	133
20061	133

Ref	Pag.
20062	133
20094	188
20095	188
20098	97
20099	97
20100	96
20101	92
20102	92
20116	91
20117	91
20118	91
20119	91
20120	91
20121	91
20122	91
20123	91
20124	90
20125	90
20126	90
20127	90
20128	90
20129	90
20130	90
20131	90
20160	87
20161	87
20162+20164	57
20162+20165	129
20162+20166	87
20163+20164	57
20163+20165	129
20163+20166	87
20167	128
20168	128
20170	141
20171	141
20172	141
20173	141
20200	162
20201	110
20202	110
20203	110
20204	162
20205	110
20206	110
20207	110
24005	140
24006	140
24007	140
24008	65
24009	64
24015	158
24016	158
24500	88
24501	88
24502	130
24503	130
24504	89
24505	89

Ref	Pag.
24521	53
24522	52
24523	35
24524	35
24527	132
24528	132
28200	148
28201	148
28202	59
28203	59
28204	59
28205	59
28206	148
28207	59
28208	59
28209	98
28209-1L	99
28209-2L	99
28209-3L	99
28209-4L	99
28209-5L	99
28210	98
28210-1L	99
28210-2L	99
28210-3L	99
28210-4L	99
28210-5L	99
28211	45
28212	45
28365	36
28366	37
28367	37
28368	37
28369	37
28370	45
28371	45
28373	99
28374	99
28375	98
28375-1L	99
28375-2L	99
28375-3L	99
28375-4L	99
28375-5L	99
28376	98
28376-1L	99
28376-2L	99
28376-3L	99
28376-4L	99
28376-5L	99
28378	45
28379	45
28380	46
28382	46
28383	46
28385	46
28386	34
28387	44
28388	44

Ref	Pag.
28389	34
28390	153
28391	153
28393	103
28394	103
28398	113
28399	113
28401	47
28408	47
28413	155
28414	155
28415	155
28480	149
28481	149
29025	210
29026	210
29027	210
29028	210
29029	54
29031	214
29032	214
29033	210
29034	210
29035	210
29036	210
29037	54
29038	54
29039	210
29040	210
29041	210
29042	210
29043	210
29044	210
29045	214
29046	214
29047	54
29048	54
29049	54
29050	54
29051	210
29052	210
29306	167
29307	70
29308	70
29309	102
29310	167
29311	70
29312	70
29313	102
29326	152
29327	152
29328	152
29329	152
29330	152
29331	152
29332	73
29333	73
29335	73
29336	73

Ref	Pag.
29340	156
29341	156
29343	81
29344	105
29468	113
29565	135
29566	135
29567	95
29568	50
29569	50
29680	142
29681	142
29682	142
29683	142
29684	66
29685	66
29686	67
29687	67
29690	127
29691	84
29692	49
29693	48
29694	85
29764	78
29789	113
29816	109
29844	134
29845	134
29846	51
29847	51
29848	94
29849	94
29864	102
29865	102
29866	71
29867	71
29868	71
29869	71
29871	215
29872	215
29873	210
29874	210
29875	210
29876	210
29877	193
29878	193
29879	193
29880	193
29881	55
29882	55
29883	55
29884	55
29886	119
29887	119
29888	170
29889	170
29890	170
29891	170
29894	119

Ref	Pag.
29895	119
29896	215
29897	210
29898	55
29899	55
29935	154
29936	154
29937	72
29938	72
29939	100
29940	150
29941	150
29942	75
29943	75
29944	103
29945	150
29946	150
29947	75
29948	75
29949	103
29950	154
29951	154
29952	154
29953	154
29954	72
29955	72
29958	72
29959	72
29962	157
29963	157
29964	157
29965	157
29967	112
29969	112
29970	46
29971	46
29974	151
29975	151
29976	151
29977	151
29978	62
29979	62
29980	152
29981	152
29982	152
29983	152
29984	62
29985	62
29986	101
29987	101
29988	101
29989	101
29991	147
29992	147
29993	147
29995	146
29996	146
29997	69
29998	69

Ref	Pag.
2P0111	646
2P0112	646
2P0113	646
2P0121	646
2P0122	646
2P0123	646
2P0131	646
2P0132	646
2P0133	646
2P0211	646
2P0212	646
2P0213	646
2P0221	646
2P0222	646
2P0223	646
2P0231	646
2P0232	646
2P0233	646
2P0311	646
2P0312	646
2P0313	646
2P0411	646
2P0412	646
2P0413	646
2P0421	646
2P0422	646
2P0423	646
2P0431	646
2P0432	646
2P0433	646
32000	485
32001	485
32002	485
32003	485
32004	485
32005	485
32006	485
32020	483
32025	483
32026	483
32027	483
32028	483
32029	483
32030	483
32033	491
32034	491
32035	491
32036	491
32037	491
32038	489
32039	489
32040	489
32041	489
32042	489
32043	489
32060	491
32100	487
33001	447
33002	447

Ref	Pag.
33005	499
33011	535
33019	429
33102	509
33110	445
33111	445
33135	425
33136	425
33137	425
33179	525
33180	525
33183	525
33185	525
33186	525
33190	423
33192	423
33274	427
33284	469
33287	469
33288	469
33292	467
33301	521
33314	421
33317	473
33318	505
33319	505
33341	463
33341K	463
33345	463
33345K	463
33346	399
33349	373
33350	467
33351	467
33352	453
33363	375
33370	459
33372	413
33373	459
33374	491
33381	485
33382	483
33384	415
33385	415
33386	415
33389	407
33390	483
33391	483
33392	405
33393	489
33394	487
33395	487
33396	409
33397	403
33398	487
33399	487
33415	513
33416	513
33420	431

Ref	Pag.
33424	527
33425	527
33426	527
33430	365
33450	537
33454	517
33455	517
33459	401
33460	401
33461	367
33462	367
33463	359
33464	377
33465	367
33466	361
33467	481
33470	417
33471	471
33471K	471
33471N	471
33472	465
33472K	465
33472N	465
33474	461
33475	493
33476	493
33478	495
33479	495
33480	435
33481	437
33482	437
33483	435
33484	437
33485	389
33486	437
33487	495
33488	495
33489	435
33489K	435
33490	435
33490K	435
33491	471
33491K	471
33492	471
33492K	471
33496	357
33498	479
33504	377
33505	359
33506	443
33507	443
33508	511
33509	511
33511	439
33512	369
33513	369
33514	395
33548	385
33549	383

Ref	Pag.
33552	387
33553	363
33554	363
33600	507
33601	507
33603	529
33604	529
33605	529
33606	515
33607	477
33608	477
33609	515
33610	531
33611	533
33695	503
33696	503
33697	503
33698	503
33699	503
33700	419
33701	419
33702	419
33703	519
33704	523
33706	523
33710	433
33711	497
33712	497
33713	497
33714	433,497
33715	539
33716	497
33717	497
33718	441
33719	381
33720	539
33721	451
33722	393
33723	397
33724	449
33750	455
33751	455
33752	411
33753	411
33770	457
33780	391
33782	371
33904	541
33907	541
33928	541
33929	541
33937	541
33944	541
33948	541
33954	541
33957	541
33958	541
33959	541
33960	541

Ref	Pag.
33962	541
33964	541
33965	541
33971	541
34000	367
34001	367
34002	367
34003	361
34004	361
34005	361
34006	367
34007	367
34008	367
34009	367
34010	367
34011	367
40062	168
40070	169
40076	177
40077	201
40078	201
40085	176
40086	176
40087	176
40090	126
40091	126
40092	126
40100	217
40101	217
40110	222
40111	222
40112	222
40113	222
40114	222
40115	222
40116	222
40117	222
40118	222
40119	222
40120	222
40121	222
40122	223
40123	223
40124	223
40125	223
40126	223
40127	223
40550	209
40551	209
40552	209
40553	209
40554	209
40555	209
40556	209
40557	209
40558	209
40559	209
40560	209
40561	209

Ref	Pag.
40562	214
40563	214
40564	214
40580	208
40581	208
40582	208
40583	208
40584	208
40585	208
40586	208
40587	208
40588	208
40589	208
40590	208
40591	208
40592	215
40593	215
40594	215
40994	159
40995	159
40996	159
41019	159
41020	159
41021	159
41023	159
41025	158
41026	158
41028	158
41029	158
41030	158
41031	158
41032	158
42910	226
42911	226
42919	226
42921	226
42926	232
42927	232
42928	232
42929	232
42930	232
42931	232
43056	226
43057	226
43058	226
43059	226
43065	549
43070	549
43396	224
43397	224
43398	224
43399	225
43400	225
43401	225
43402	225
43403	225
43404	225
43500	206
43501	206

Ref	Pag.
43502	206
43520	207
43521	207
43522	207
43523	207
43524	207
43525	207
43526	207
43527	207
43528	207
43529	192
43530	192
43531	192
43532	192
43533	192
43534	192
43535	214
43536	214
43700	220
43701	220
43702	220
43703	220
43704	220
43705	220
43706	221
43707	221
43710	221
43720	216
43721	216
43722	211
43723	211
43724	216
43725	216
43726	211
43727	211
43728	211,216
43729	211,216
43730	211,216
43731	211,216
43732	211,216
46060	549
46061	549
46067	346,549
4R033	549
50065	236
50066	236
50067	236
50120	236
50121	236
50122	236
51129	139
51133	139
51134	139
51135	139
51136	139
51908	237
51909	237
51910	237
51916	237

Ref	Pag.
51917	237
52057	236
52058	236
52059	159
52061	159
52064	236
52065	236
52069	236
52071	237
52072	236
52077	236
53414	237
53415	237
55191	78
57210	60
57211	60
57212	60
57213	60
57214	60
57215	60
57300	138
57301	138
57302	138
57303	138
57304	138
57305	138
57306	40
57307	40
57308	40
57309	138
57310	138
57311	40
DT00062G	100
DT00062N	100
DT00063G	153
DT00064G	153
DT00065G	68
DT00065N	68
DT00066G	68
DT00066N	68
DT00073	147
DV00022	109
DV00023	109
DV00024	109
DV00025	109
DV00032	109
DV00033	109
DV00034	109
DV00035	109
DV00036	109
DV00037	109
60000	169
60004	121
60005	168
61048	174
61049	174
61064	175
61066	175
61080	174

Ref	Pag.
61081	174
61082	174
61083	174
61084	174
61085	174
62099	148
62100	148
62105	165
62108	165
62112	163
62113	163
62115	162
62118	160
62120	160
62121	160
62122	160
62123	160
62124	160
62125	160
62126	160
62127	160
62128	160
62129	160
62130	163
62131	163
62132	189
62133	189
62134	189
62135	189
62136	108
62137	108
62138	108
62139	108
62140	189
62141	189
62142	189
62143	189
62144	189
62145	189
62146	189
62147	189
62148	170
62149	170
62150	164
62151	164
62152	164
62153	164
62154	164
62155	164
62156	44
62157	44
62161	161
62162	161
62300	164
62301	164
62302	164
62303	164
62703	159
62704	158

Ref	Pag.
62705	156
62706	156
62707	161
62708	161
62709	161
62710	161
62711	161
62800	116
62801	116
62802	116
62803	116
62804	116
62805	116
62806	117
62807	168
62809	168
62810	168
62819	171
62820	171
62957	196
62958	196
62959	196
62961	198
62962	198
62963	198
62964	198
62965	203
62966	203
62968	203
62969	203
62980	203
62981	203
62983	203
62986	175
62987	175
62988	156
63008	181
63009	181
63038	180
63043	180
63124	196
63125	196
63146	185
63148	180
63156	175
63167	165
63173	172
63174	172
63175	172
63176	172
63177	172
63178	172
63184	173
63186	175
63199	170
63216	195
63225	173
63268	194
63269	194

Ref	Pag.
63270	194
63271	194
63272	194
63273	194
63274	194
63275	194
63276	194
63277	194
63278	173
63279	173
63280	224
63281	233
63282	233
63283	233
63284	173
63285	173
63286	224
63290	224
63291	202
63309	200
63310	200
63311	171
63312	171
63318	184
63319	184
63320	178
63321	178
63322	178
63323	178
63393	199
63394	199
63395	199
63397	200
63398	200
63399	202
63403	202
63404	202
63405	202
63406	200
63407	202
63408	200
63500	185
63501	185
63502	185
63503	179
63504	179
63505	179
63507	182
63508	182
63509	182
63600	183
63601	183
63602	183
64026	165
64096	190
64097	190
64098	106
64099	106
64104	123

Ref	Pag.
64108	123
64128	114
64131	123
64133	114
64137	114
64138	164
64159	118
64160	118
64162	118
64163	117
64164	117
64165	117
64166	117
64167	117
64168	168
64169	168
64170	111
64172	111
64174	105
64175	122
64176	122
64177	180
64180	107,191
64182	107,191
64183	107,191
64184	107
64185	107
64186	107
64187	107
64188	202
64189	195
64190	195
64191	119
64192	217
64193	217
64194	119
64198	195
64199	195
64200	195
64201	195
64202	217
64203	217
64204	195
64205	195
64206	195
64207	195
64210	217
64211	217
64212	217
64213	217
64214	217
64215	217
64218	171
64219	171
64220	111
64221	111
64222	118
64223	118
64224	118

Ref	Pag.
64250	107,191
64251	107,191
64300	154
64301	154
65046	108
65047	108
65071	114
65080	114
65081	115
65082	115
65133	169
65134	114
65137	196
65138	226
65139	184
66191	166
66200	167
66201	167
66204	121
66205	121
66208	167,289
66209	167,289
66210	120, 320
66211	120, 320
66212	120, 320
66213	120, 320
66214	120, 320
66215	120, 320
66225	119
66226	119
66227	119
66228	119
66229	119
66230	119
66231	119
66232	119
66233	119
66234	119
66235	119
66236	119
66403	144
66404	144
66405	144
66406	144
66407	144
66408	144
66409	144
66410	144
66411	145
66412	145
66413	145
66414	145
66415	145
66416	145
66873	122
68138	169
68139	121
68145	117
68146	117

Ref	Pag.
68153	121
68283	104
68284	104
68298	197
68317	197
68323	197
68334	47
68417	77
68418	77
68420	156
68423	47
68461	113
68462	79
68463	79
68488	63
68489	63
68490	143
68491	143
68492	143
68493	143
68494	143
68495	143
68496	157
68497	163
68498	157
68499	163
68500	76
68501	76
68502	76
68503	76
68504	154
68505	154
68506	154
68507	154
68530	77
68531	77
68532	155
68533	104
68535	104
68544	156
68545	80
68546	80
68547	80
68548	105
68549	105
68561	122
68562	123
68563	123
68564	122
68569	121
70025	327
70026	327
70035	324
70036	324
70037	324
70038	324
70134	342
70135	342
70140	329

Ref	Pag.
70146	339
70147	339
70148	339
70151	330
70154	339
70155	339
70156	329
70157	329
70158	332
70159	333
70160	328
70161	328
70162	337
70163	337
70164	337
70165	337
70226	332
70227	332
70245	331
70246	331
70260	329
70261	330
70262	295
70263	295
70264	299
70265	336
70266	336
70267	299
70268	299
70269	300
70270	300
70271	339
70302	343
70303	343
70304	343
70305	343
70306	343
70307	343
70395	336
70396	336
70397	336
70398	336
70399	336
70402	338
70403	338
70404	300
70405	297
70406	297
70407	329
70408	304
70409	304
70445	341
70446	336
70447	347
70448	347
70449	345
70450	338
70451	338
70453	341

Ref	Pag.
70455	346
70456	346
70458N	341
70459N	341
70462N	341
70469	330
70472	346
70474	346
70475	346
70476	346
70477	245
70478	245
70479	245
70480	245
70492	246
70493	247
70496	246
70498	245
70499	245
70508	305
70525	328
70546	304
70547	304
70564	304
70566N	302
70567N	302
70573	309
70575	314
70576	272
70579	295
70581	330
70582	302
70583	302
70586	345
70587	345
70588	344
70589	344
70591	345
70592N	344
70593N	344
70634	299
70635	307
70637	300
70638	339
70644	297
70645	297
70646	297
70647	297
70648	302
70649	330
70655	305
70656	305
70657	305
70658	305
70659	305
70660	340
70661	340
70662	340
70663	308

Ref	Pag.
70664	308
70665	308
70666	308
70667	308
70668	308
70682	308
70683	308
70686	300
70687	300
70689	306
70690	314
70696	310
70697	310
70714	309
70715	306
70719	314
70720	309
70722	314
70726	340
70728	340
70729	340
70749	302
70753	270
70754	270
70755	270
70756	270
70760	287
70761	267
70766	286
70767	259
70768	259
70771	266
70772	266
70773	307
70774	274
70775	247
70776	247
70777	247
70778	247
70780	289
70781	289
70782	272
70783	272
70784	247
70785	275
70799	314
70802	299
70806	315
70808	300
70811	299
70812	299
70813	299
70819	308
70821	315
70823	308
70824	304
70825	304
70826	304
70827	307

Ref	Pag.
70828	299
70829	307
70830	302
70831	302
70832	302
70833	338
70834	338
70887	309
70888	297
70899	297
70900	338
70992	292
70993	315
70996	292
70997	292
70998	292
70999	292
71000	311
71001	311
71002	311
71003	311
71004	311
71010B	311
71011 N	311
71046	298
71047	298
71048	298
71049	298
71050	298
71051	298
71052	298
71053	298
71062	298
71063	298
71064	298
71065	298
71095	329
71106	321
71107	290
71108	321
71110	290
71111	321
71112	321
71113	321
71114	321
71116	281
71117	281
71118	281
71128	290
71129	290
71138	321
71139	321
71140	290
71141	290
71142	321
71143	321
71152	291
71153	291
71158	315

Ref	Pag.
71159	315
71194	301
71195	301
71196	301
71198	270
71199	270
71205	294
71206	268
71207	268
71208	268
71209	277
71212	294
71213	269
71214	269
71215	294
71216	261
71217	261
71222	285
71223	285
71224	251
71225	251
71272	293
71273	293
71274	306
71276	296
71277	296
71278	302
71285	284
71286	252
71287	252
71295	287
71296	287
71297	287
71299	258
71300	258
71301	258
71303	307
71352	273
71353	303
71362L	295
71363	303
71366	303
71367	303
71372	314
71374	314
71382	328
71383	328
71388	303
71389	328
71390	328
71424	310
71480	337
71481	337
71482	337
71483	346
71489N	346
71490	337
71491	337
71495	346

Ref	Pag.
71496N	342
71497N	342
71498N	342
71499N	342
71516	294
71517	294
71519	296
71528	327
71536	306
71537	306
71538	306
71539	306
71546	326
71547	326
71548	326
71549	326
71556	244
71562	244
71563	244
71564	244
71566	242
71567	242
71568	318
71606	291
71607	310
71608	310
71614	291
72000	311
72001	311
72002	311
72010	311
72011	311
72020	310
72082	293
72083	293
72092	337
72093	337
72094	337
72095	337
72269	296
72272	293
72280	309
72281	309
72298	273
72310	266
72311	272
72330	304
72350	286
72351	267
73100	333
73111	333
73115	549
73150	333
73196	265
73260	287
73261	267
73440	265
73450	265
73460	265

Ref	Pag.
73695	291
73696	320
74139	284
74141	250
74142	250
74261	290
74357	267
74358	276
74400	301
74401	294
74407	301
74408	301
74409	293
74411	273
74419	303
74422	243
74423	243
74424	243
74427+74428	319
74427+74429	319
74427+74430	319
74427+74437	319
74432+74428	288
74432+74429	288
74432+74430	288
74432+74437	288
74433+74428	263
74433+74429	263
74433+74430	263
74433+74437	262
74434+74428	263
74434+74429	263
74434+74430	263
74434+74437	262
74435+74428	278
74435+74429	278
74435+74430	279
74436+74428	278
74436+74429	279
74436+74430	279
74440	289
74441	256
74442	256
74444	276
74444E	276
74446	257
74448	257
74450	293
74451	271
74452	271
74453	287
74454	247
74996	319
74997	264
74998	289
74999	264
75000	289
75001	264
75002	319

Ref	Pag.
75003	264
75500	300
75501	300
75502	300
75503	300
75518	293
75519	271
75520	271
75521	266
75522	260
75523	260
75524	280
75529	286
75530	254
75531	254
75532	276
75533	286
75536	286
75537	255
75538	255
75540	295
75541	253
75600	260
75601	260
75602	280
75603	259
75604	259
75605	261
75606	261
75607	280
75800	549
75801	549
98101050	549

ALL OUR MODELS

A

ACADEMY 58 148
ADAY 297
AGRA 270
AIM 227
AINA 105
AKANE 45
ALO 441 381
ALOHA 433
ALP 271 293
AMBO 175
AMI 200
ÁNCORA 294
ANDROS 367
ANOUK 237
AOBA 373
ARGÓN 225
ARGOT 310
ARGUS 247
ARISTO 265
ART 114 164
ARTIS 63 143
ASKOT 310
AUREA 162
AXEL 293

B

BACO 308
BAHAMAS 389
BALDA 245
BALDER 330
BANKER 47
BAOBAB 237
BEL 158
BERET 280 260
BERNI 73 152
BIC 200
BLACK 78
BLIND 299
BLISS 47
BLOCK 250 284
BLOME 148
BLUB'S 319 263 279 288
BOARD 169
BOC 161
BOKEN 158
BOL 226
BONGO 123
BONN 310
BOO 246
BORDA 292
BOW 229
BRACKET 293
BRONX 301
BROW 304
BRUC 299
BRUME 177 201
BU-OH! 269 277 294

C

CABO 292
CANON 302
CAT 244
CEBU 515
CELA 309
CELIA 169
CENTURY 363
CERES 310
CHANDRA 273
CHARLOTTE 123
CHERAS 172
CHICAGO 519
CIES 369
CLAIRE 116
CLARA 114
CLAUSS 295
CLEAR 227
CLOE 202
COBO 300
COCOS 385
COCOTTE 107 191
COLIN TECH 592
COMPACT 229
CONIK 111 171
CORSO 427
COSMOS 118
COTTON 144
CRÁTER 113
CRIPTA 311
CROSBY 341
CROSS 267 276
CUBA 453
CUP 208 215
CURTIS 341
CYLINDER TECH 568

D

DADO 291
DAKRON 314
DAKYU 314
DALLAS 170
DANG 336
DANKA 118
DANUBIO 183
DAS 271 293
DATNA 256 276 289
DERBY 311
DESLIZ 149
DISC 403
DIULA 175
DOKA 178
DOLME 106 190
DRAGMA 295
DRAK 304

E

EACO 172
EASY 513
EBBA 226
ECO INDUS 499
EDEL 346
EDGE 185
ELE 303
ELSA 173
ERES 165
ESCA 337
ESSENTIAL 81 105 156
ESTAY 311
ESTORIL 290 321
ETER 109
ETERFAN 485
ETERNA 64 140
ETNA 109

F

FACTORY	533		
FADA	119		
FALCON	230		
FARETTO	407		
FAUNA	119		
FEDON	309		
FEROE	507		
FILTER	338		
FLASH	110	162	
FLOW	326		
FOC	333		
FOGO	481		
FOKUS TECH	564		
FORO	202		
FOX	227		
FRAME	141		
FRED	308		
FRESH	228		
FROL	342		
FRUM	341		
FUGA TECH	554		
FUSTA	103	153	
FUTURE	294		

G

GALA	179		
GALÁPAGO	521		
GALO	336		
GARTEN	333		
GAS	225		
GEISER	343		
GINA	273	303	
GINGKO	230		
GIZA	259	286	
GOZ	314		
GRANT	305		
GRAVA	347		
GRETA	236		
GRID	463		
GRON	342		
GROP	260	280	
GROW	268	294	
GRU	237		
GRUND	340		
GUIZA	302		

H

HALF	306		
HALITA	114		
HALO	78		
HAN	131		
HANDY	155		
HANNA	154		
HANOI	147		
HARU	195		
HAT	47		
HELGA	119		
HELMET	315		
HENLEIN	175		
HIKARI	306		
HOMS	165		
HONEY	291	320	
HOOK	36		
HORUS	339		
HOSHI	34	44	
HOTEL	75	103	150
HUDSON	168		
HUE	242	318	
HUE-IN	91		
HYDE	222		

H

IBIZA	469		
ICARIA	419		
ICE	401		
INDO	185		
INDUS	447		
INVITING	40	138	
IRIS	199		
ITACA	461		
ITO	237		
IZARO	395		

J

JANET	196		
JARRET	245		
JELLYFISH	35	52	
JULIET	158		
JUSTFAN	365	487	527

K

KALA	302			
KALE	159			
KAMEN	171			
KANE	340			
KAO	202			
KAULA	297			
KEENAN	304			
KEIKI	539			
KERA	164			
KERALA	247	287		
KLAMP	273	293	301	
KLIMT	174			
KOI	226			
KOMODO	397			
KUBICK	306			

L

LACE	299			
LACRE	299			
LAGO	179			
LAKKI	473			
LAMA	443			
LAMPANOT	246			
LANG	116			
LANTAU	377	359	459	
LAO	54	210	214	
LAOS	178			
LASS	181			
LE PETIT	161			
LE VITA	48	84	127	
LEAD	158			
LED MINI	226			
LED-18	342			
LEDSTRIP	636			
LENA	159	236		
LESER	158			
LEYTE	391			
LIANA	121			
LINDA	70	102	167	
LINE	184			
LING	299			
LINK	55	193	210	215
LIO	346			
LIRIA	175			

LISBOA 509
LISE 119 170
LISO 337
LIST 169
LIZ 114
LOA 168
LOG 299
LOGAR 261
LOGOS 203
LOKE 159
LOMBOK 429
LOOP 50 95 135
LOTUS 251 285
LOU 116
LOUD 247
LUAN 232
LUCE 122
LULA 46
LUMIERE 175
LUNA 173
LUPE 69 146
LUR 307
LUZON 455

M

MAGMA 113
MAGRITTE 174
MALI 122
MALLORCA 467
MALVINAS 445
MANHATTAN 357
MANILA 423
MARE 307
MARGOT 122
MARINA 121 168
MARLIN 114 169
MAUREN 315
MEDITERRÁNEO 523
MEIER 236
MENO 371
MIA 122
MILA 266
MINE 45 98
MINI CARTER 338
MINI ETERFAN 483
MINI ICARIA 503
MINI INDUS 535
MINI LANTAU 511
MINI MALLORCA 529
MINI RACING 338
MINI TUBE 489
MINI UFO 517
MINICOLIN TECH 596
MINICYLINDER TECH 570
MINIOPTIC TECH 587
MINISIGMA TECH 562
MINISIGN TECH 620
MISTU 263 278 288 319
MITIC 77 156
MIX 46 112 157
MOIST 229
MOL 309
MOLOKAI 493
MOMA 76 154
MOOD 133
MOON 262 288 319
MOREA 439
MOU 117
MÓVIL 226
MOY 126
MUFFIN 263 278 288 319
MUGA 259
MUST 305
MUTE 92

N

NAHIR 292
NAIROBI 302
NALA 266 307
NAN 119 170 195 217
NANDA 261
NANOCOLIN TECH 594
NANOCYLINDERTECH 569
NANOFOKUS TECH 565
NANOSIGMA TECH 561
NASE 336
NASH 171
NASSAU 495
NAT 339
NATRON 309
NATSU 195
NÁUTICA 281 290 321
NAYA 270
NEGUS 310
NEÓN 225
NEU 224
NEWPORT 291
NIAS 465
NIDIA 47
NIDO 121
NIKO 42 136
NILO 184
NINE 293
NINETTE 117
NISOS 375
NIT 157
NOBORU 272
NORAY 292
NORD 224
NOVA 431
NU 393 451
NUDOS 121 169
NUSA 226

O

OBOE 531
OLAF 173
OLAN 300
OLOT 314
ONZE 267 287
OPTIC TECH 586
ORA 119 170
ORE TECH 628
ORLEANS 192 207 214
OSLO 173
OTTO 236
OVAL 296
ÓVALO 311
OVNI 425
OVO 165

P

PALAO 525
PALK 417
PAM 118
PANAY 477
PAPUA 79
PATH 305

PAULINE 96
PEMBA 471
PEPPER 117 168
PERLA 176
PETRA 168
PHILL 97
PHUKET 479
PICCOLA 331
PILL 304
PISTÓN 300
PIXIE 158
PLANET 108
PLAS 233
PLAT 117
PLAZA 280
PLEC 120 167 289 320
PLIM 258 287
PLOT 217
PLUMA 111
POL 307
POLARIS 399
POLEA 449
POTE 196
PROA 301
PROSA 104
PURE 132

Q

QUART 295

R

RADÓN 224
RAM 217
RAS 168
REL 195
RELAX 180
REM 66 142
REMAKE 236
RETRO 56 112 166
RING 209 214
ROB 157 163
RODA 156 200
RONDO 311
ROOM 151
ROSE 115
ROY 267 286

S

SABA 80 105 156
SABANA 147
SAC 166
SAHARA 156
SALT 345
SAMI 159
SAURA 274
SEDNA 339
SERA 164
SERP 236
SETE 266
SETH 332
SEVEN 104 197
SHADOW 272
SHELBY 255 286
SIDE 108 189
SIGMA 560
SIGN TECH 616
SIGNAL 233
SILK 196
SIOUX 457
SIRET 180
SIRIA 123
SLIM 88 130
SLOT 325
SMILE 163
SNOW 173
SOBEK 330
SOGO 198
SOLEIL 275
SOLID TECH 582
SON 232
SOREN 291
SOUN 338
SPARK 337
SPY-1 272
SPY-2 272
SQUAD 195
STAN 211 216
STAND-UP 60
STEPS 300
STICKER 253 295
STONE 206
STOOD 51 94 134
STORE 338
STRIPE 337
STUDIO 139
SUAU 160
SUMA 302
SUN 308
SUNSET 300
SURAT 266
SURIA 344
SVEN 194
SWEET 72 100 154
SWING 163
SYNCH TECH 578

T

TABARCA 411
TACANA 298
TACOS 298
TAIMA 303
TAKE AWAY 32
TAKUA 296
TAMASHI 307
TAMI 314
TANE 296
TANGO 68 100 153
TARO 345
TARRACO 267 287
TASA 315
TAU 257
TECNO 346
TECTO 194
TED 232
TEJO 309
TEKO TECH 608
TEN 44 164
TENDER 188
TERA 173
TERMA 180
THANA 77 104 155
TILOS 361
TIMON 292
TIMOR 413
TINIA 303
TOC 247 289
TOD 232
TOLA 203

TOLUCA	298			
TOM	308			
TONE	306			
TONI	327			
TONIC	387			
TONO	333			
TONSAY	415			
TORE	302			
TRAM	254	276	254	286
TRANSFER	123			
TREE	71	102		
TROOP	220			
TUBE	491			
TWIST	252	284		
TYPHOON	435			

U

UVE	336			

V

VANU	421			
VEDRA	537			
VENETO	505			
VERNO	265			
VERSUS	243			
VESPER	62	101	152	
VIA TECH	624	626		
VIEW	296			
VOLGA	182			
VOLTA	74	151		
VUK	202			
VULCANO	383			

W

WALLY	290			
WEST	297			
WET	228			
WHIZZ	57	86	128	
WILMA	264	289	319	
WINCH	121	167	409	
WINCHE	437			
WIND	405			

Y

YAKARTA	497			
YEN	314			
YES	224			
YUTAI	202			

Z

ZON	202			