



**V-TAC**<sup>®</sup>

**5**

**ΧΡΟΝΙΑ  
ΕΓΓΥΗΣΗ**

**PRO**



provided by  
**SAMSUNG**

# Who We Are?

V-TAC is a Premium LED Lighting Brand developed with Energy and Lighting Specialists.

We make it a point to design and distribute High Quality, Affordable and Sustainable LED Lighting Solutions.

Our products follow ERP guidelines and are tested and approved by accredited labs.



## What We Do?

We Import, Stock and Deliver a complete range of High Quality LED Products at **Market-Leading Prices** all across the EU

### OUR APPROVALS



CE/EMC



in **2017** we reached the milestone that is

**120** Million \$  
Turnover

## WE BELIEVE IN GROWING TOGETHER

Our Success is built on  
Strong Partnerships and  
Distributor Loyalty



## STRENGTH IN NUMBERS

As our Market Size Grows,  
We make it a point to recruit Top Talent,  
and to establish a Strong Regional Presence.

Founded in 2009, V-TAC has grown from strength to strength and has established itself as a global brand providing energy efficient lighting solutions covering more than 70 countries throughout Europe, Asia Pacific, Africa, Middle East and the USA.

As a result of its relentless pursuit towards excellence, V-TAC has been listed in London Stock Exchange Group's 1000 Companies to Inspire Europe 2016.

V-TAC believes in offering high quality LED solutions with strong product guarantees, competitively priced and easy to install products certified with DEKRA, GS, TUV, CE/EMC, ROHS and UL certifications. With over 1500 value for money products in all categories continued investment in people, systems, and product innovations, V-TAC continues to explore uncharted territories.





Over the last eight years, V-TAC has replaced 50 million standard lights with energy saving LED Lights, resulting in total customer savings of over a £150 million per year, which has led to the reduction of over 150 thousand tons of Carbon Emissions.

With a vision to provide affordable LED Lighting solutions to Residential, Industrial and Commercial sectors, V-TAC surges forward on the foundation of its three pronged approach – Design, Develop and Distribute at lighting speed EVERYDAY!

## Table of contents



V-TAC is proud to announce our all new PRO-Series with 5 year warranty and LED powered by SAMSUNG. A professional range of products made for professional use.



## Table of contents



V-TAC's wide range of ESSENTIAL LED products, for diverse applications. Our products have been tested and approved by top EU labs ensuring high quality LED's.

### LED Bulbs

#### Blister Packing



Pages from  
80-86

#### Plastic Bulbs



Pages from  
87-111

#### Amber Cover



Pages from  
112-124

#### White Cover



Pages from  
125-126

#### Frost Cover



Pages from  
127-133

#### Clear Cover



Pages from  
134-145

### LED Spotlights

#### GU10-MR16



Pages from  
146-152

#### G4-G9



Pages from  
153-154

#### Accessories



Pages from  
155-185

#### PAR Lamps



Pages from  
186-191

### LED Flood lights

#### Flood lights



Pages from  
192-211

#### PIR Floodlights



Pages from  
212-227

### LED Panels

#### Big Panels



Pages from  
228-244

#### Mini Panels



Pages from  
245-275

## Table of contents



V-TAC's wide range of ESSENTIAL LED products, for diverse applications. Our products have been tested and approved by top EU labs ensuring high quality LED's.

### LED Tubes Lights

#### LED Tubes



Pages from  
276-288

#### Waterproof Fittings



Pages from  
289-295

### LED Highbays

#### UFO Highbays



Pages from  
296-306



Pages from  
307-309

### LED Street Lights

#### LED Street Lights



Pages from  
310-314



Pages from  
315-317

### LED Strip Lights

#### Big Panels



Pages from  
319-334

#### Aluminum Profiles



Pages from  
335-338

#### Accessories



Pages from  
339-345

#### Power Supply



Pages from  
346-355

## Table of contents



V-TAC's wide range of ESSENTIAL LED products, for diverse applications. Our products have been tested and approved by top EU labs ensuring high quality LED's.

### LED Track Lights

#### LED Linear Lights




#### LED Track Lights



### LED Downlights

#### LED Down Lights




#### LED Dome Lights



#### LED Bulkhead



#### LED Fierated lights and fittings



### Motion Sensors

#### Motion Sensors




### LED Emergency Lights

#### LED Emergency Lights




### LED Table Lamps

#### LED Table Lamps




### LED Innovative Lights

#### LED Solar Lights



#### Smart Switches



## Table of contents



V-TAC's wide range of ESSENTIAL LED products, for diverse applications. Our products have been tested and approved by top EU labs ensuring high quality LED's.

### LED Outdoor Lights

#### LED Outdoor Lights



Pages from  
464-471

#### Garden Spike Light



Pages from  
472

#### Pool Lights



Pages from  
473-475

### Garden Lamps

#### Garden Lamps



Pages from  
476-487

### LED Wall Lights

#### LED Wall Lights



Pages from  
488-519

### LED Display Screen

#### LED Display Screen



Pages from  
520-521

### Decorative & LED Pendants

#### Pendants



Pages from  
522-593

#### Holders



Pages from  
594-601

#### Designer Sleek



Pages from  
602-613

#### Chandeliers



Pages from  
614-621

# Teamwork Makes the Dream Work.



Samsung inspires the world and shapes the future with transformative ideas and technologies. The company is redefining the worlds of TVs, smartphones, wearable devices, tablets, digital appliances, network systems, memory, system LSI, and LED solutions.

Jacob Tarn, the Leader of Samsung Electronics LED Division's Strategic Marketing Team said; "Our lineup of LED products that utilize unparalleled chip scale packaging technologies will continue to meet the strict requirements of the automotive industry, based on outstanding reliability and ease of design implementations. We will continue to lead the technical innovations in LED lighting through continuous R&D efforts."

Founded in 2009, we are currently one of the swiftly growing LED brands in Europe. V-TAC is a brand now known in over **70 countries**. As a result of sheer persistence, we have a range of over **2000 products**, from across **20 different categories**. Through our constant motivation to provide our customers with an enhanced product range, we introduced the PRO-Series; five-year warranty products with the base of the products provided by the thoroughly reliable and efficient LED chips from Samsung.

## **V Stands For Vision.**

Our vision is to take the LED market by storm. Growth-driven approach and philosophy has enabled us to develop cutting-edge LED products at light speed. The PRO-Series is a substantial range of products, constructed with all new Samsung chips. This series is the ideal product range for professional use.

# V-TAC<sup>®</sup>

## INNOVATIVE LED LIGHTING

### LED Filament Bulbs

Classic vintage designs with modern tech: V-TAC's Filament Range is devised with the latest technology to closely mimic the warm look and feel of conventional filament bulbs; empowered with massive energy savings.



- Options! Available in amber and clear cover
- Premium quality finish for an elegant aesthetic
- More light. Less Power: 80% lower power consumption than conventional bulbs
- Environmentally friendly: contains no hazardous materials
- Set the right tone: dimmable options available

**5** V-TAC<sup>®</sup> PRO  
YEAR WARRANTY

\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



provided by  
**SAMSUNG**

Live . Light . Life

www.vtacexports.com | www.v-tac.eu

# V-TAC<sup>®</sup>


## INNOVATIVE LED LIGHTING

E27-Amber Filament

**4W** VT-214

EAN Code

282 - 2200K Warm White 3800157634298

**350**  
Lumens**30w**  
EQ.Watts**E27**  
Base**A60**  
Type**>80**  
CRI**>0.5**  
PF


Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	Filament	300°	Glass	Ø60x107mm	30,000 Hours	50

E27-Amber Filament

**6W** VT-266

EAN Code

286 - 2200K Warm White 3800157634649

**725**  
Lumens**55w**  
EQ.Watts**E27**  
Base**A60**  
Type**>80**  
CRI**>0.5**  
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	Filament	300°	Glass	Ø60x107mm	20,000 Hours	50

**5** YEARS  
WARRANTY

# V-TAC<sup>®</sup>

## INNOVATIVE LED LIGHTING

Live . Light . Life  
www.vtacexports.com | www.v-tac.eu


**120+** LUMENS  
PER WATT  
**SUPER EFFICIENT**

E27-Clear Filament

**6W** VT-256

EAN Code

287 - 2700K Warm White 3800157634656



**806**  
Lumens



**60w**  
EQ.Watts



**E27**  
Base



**A60**  
Type



**>80**  
CRI



**>0.5**  
PF


Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	Filament	300°	Glass	Ø60x107mm	20,000 Hours	50

E14-Clear Filament

**4W** VT-254

EAN Code

272 - 2700K Warm White 3800157634199



**400**  
Lumens



**35w**  
EQ.Watts



**E14**  
Base



**C37**  
Type



**>80**  
CRI



**>0.4**  
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	Filament	300°	Glass	Ø35x100mm	20,000 Hours	100

Live . Light . Life

www.vtacexports.com | www.v-tac.eu

# V-TAC<sup>®</sup>



## INNOVATIVE LED LIGHTING

E14-Clear Filament

**4W** VT-254D

EAN Code

278 - 2700K Warm White 3800157634250

**350**  
Lumens**30w**  
EQ.Watts**E14**  
Base**C37**  
Type**>80**  
CRI**>0.5**  
PF


Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	Filament	300°	Glass	Ø35x100mm	20,000 Hours	100

E14-Clear Filament

**4W** VT-274

EAN Code

279 - 2700K Warm White 3800157634267

**400**  
Lumens**35w**  
EQ.Watts**E14**  
Base**C37**  
Type**>80**  
CRI**>0.4**  
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	Filament	300°	Glass	Ø35x100mm	20,000 Hours	100

**5** YEARS  
WARRANTY

5



\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

### E14-Clear Filament

**4W** VT-264

EAN Code

275 - 2700K Warm White 3800157634229



**400**  
Lumens



**35w**  
EQ.Watts



**E14**  
Base



**C37**  
Type



**>80**  
CRI



**>0.4**  
PF



Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	Filament	300°	Glass	Ø37x121mm	20,000 Hours	100

### E27-Clear Filament

**4W** VT-244

EAN Code

280 - 2700K Warm White 3800157633710



**400**  
Lumens



**35w**  
EQ.Watts



**E27**  
Base



**G45**  
Type



**>80**  
CRI



**>0.4**  
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	Filament	300°	Glass	Ø45x75mm	20,000 Hours	100

Live . Light . Life  
www.vtacexports.com | www.v-tac.eu

**V-TAC**<sup>®</sup>  
INNOVATIVE LED LIGHTING

**120+** LUMENS  
PER WATT


**SUPER EFFICIENT**

E27-Amber Filament

**6W** VT-296

EAN Code

293 - 2200K Warm White 3800157634717



**725**  
Lumens



**55w**  
EQ.Watts



**E27**  
Base



**G95**  
Type



**>80**  
CRI



**>0.5**  
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	Filament	300°	Glass	Ø95x135mm	20,000 Hours	20

**120+** LUMENS  
PER WATT


**SUPER EFFICIENT**

E27-Clear Filament

**6W** VT-286

EAN Code

294 - 2700K Warm White 3800157634724



**806**  
Lumens



**60w**  
EQ.Watts



**E27**  
Base



**G95**  
Type



**>80**  
CRI



**>0.5**  
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	Filament	300°	Glass	Ø95x135mm	20,000 Hours	20

**V-TAC**<sup>®</sup>  
**PRO**

**5** YEARS  
WARRANTY



provided by  
**SAMSUNG**

# V-TAC<sup>®</sup>

## INNOVATIVE LED LIGHTING

Live . Light . Life  
www.vtacexports.com | www.v-tac.eu

**120+** LUMENS  
PER WATT



**SUPER EFFICIENT**

E27-Amber Filament

**6W** VT-297

EAN Code

291 - 2200K Warm White 3800157634694



**725**  
Lumens



**55w**  
EQ.Watts



**E27**  
Base



**G125**  
Type



**>80**  
CRI



**>0.5**  
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	Filament	300°	Glass	Ø125x177mm	20,000 Hours	20

**120+** LUMENS  
PER WATT


**SUPER EFFICIENT**

E27-Clear Filament

**6W** VT-287

EAN Code

292 - 2700K Warm White 3800157634700



**806**  
Lumens



**60w**  
EQ.Watts



**E27**  
Base



**G125**  
Type



**>80**  
CRI



**>0.5**  
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	Filament	300°	Glass	Ø125x177mm	20,000 Hours	20

Live . Light . Life  
 www.vtacexports.com | www.v-tac.eu

# V-TAC®

## INNOVATIVE LED LIGHTING

**120+** LUMENS PER WATT


**SUPER EFFICIENT**

E27-Amber Filament

**6W** VT-276

EAN Code

290 - 2200K Warm White 3800157634687



**725** Lumens

**55w** EQ.Watts

**E27** Base

**ST64** Type

**>80** CRI

**>0.5** PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	Filament	300°	Glass	Ø64x138mm	20,000 Hours	50



**5 YEARS WARRANTY**



\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

**V-TAC**<sup>®</sup>  
INNOVATIVE LED LIGHTING



LED Thermoplastic Bulbs  
High Lumen Bulbs

**120+** LUMENS  
PER WATT

**SUPER EFFICIENT**



Live . Light . Life

www.vtacexports.com | www.v-tac.eu

# V-TAC®


## INNOVATIVE LED LIGHTING

## E14-LED Plastic Bulbs

**4.5W** VT-255

EAN Code

258 - 3000K Warm White 3800157633680  
 259 - 4000K Day White 3800157631105  
 260 - 6400K White 3800157633703

**470**  
Lumens**40w**  
EQ.Watts**E14**  
Base**C37**  
Type**>80**  
CRI**>0.4**  
PF


Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	200°	Thermoplastic	Ø37x100mm	30,000 Hours	200

## E27-LED Plastic Bulbs

**4.5W** VT-245

EAN Code

261 - 3000K Warm White 3800157633710  
 262 - 4000K Day White 3800157633727  
 263 - 6400K White 3800157633734

**470**  
Lumens**40w**  
EQ.Watts**E27**  
Base**G45**  
Type**>80**  
CRI**>0.4**  
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	180°	Thermoplastic	Ø45x81mm	30,000 Hours	200

**5** YEARS  
WARRANTY





provided by  
**SAMSUNG**

### E14-LED Plastic Bulbs

**4.5W** VT-225

EAN Code

264 - 3000K Warm White 3800157633741  
265 - 4000K Day White 3800157633758  
266 - 6400K White 3800157633765



**470**  
Lumens



**40w**  
EQ.Watts



**E14**  
Base



**P45**  
Type



**>80**  
CRI



**>0.4**  
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	180°	Thermoplastic	Ø45x81mm	30,000 Hours	200


**120+** LUMENS  
PER WATT  
**SUPER EFFICIENT**

### E27-LED Plastic Bulbs

**6.5W** VT-265

EAN Code

255 - 3000K Warm White 3800157633659  
256 - 4000K Day White 3800157633666  
257 - 6400K White 3800157633673



**806**  
Lumens



**60w**  
EQ.Watts



**E27**  
Base



**A60**  
Type



**>80**  
CRI



**>0.5**  
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	200°	Thermoplastic	Ø60x104mm	30,000 Hours	100

Live . Light . Life

www.vtacexports.com | www.v-tac.eu

# V-TAC®

## INNOVATIVE LED LIGHTING


**120+** LUMENS PER WATT**SUPER EFFICIENT**

E27-LED Plastic Bulbs

**8.5W** VT-285

EAN Code

252 - 3000K Warm White 3800157633628  
 253 - 4000K Day White 3800157633635  
 254 - 6400K White 3800157633642

**1055**  
Lumens**75w**  
EQ.Watts**E27**  
Base**A60**  
Type**>80**  
CRI**>0.5**  
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	200°	Thermoplastic	Ø60x112mm	30,000 Hours	100


**120+** LUMENS PER WATT**SUPER EFFICIENT**

E27-LED Plastic Bulbs

**12W** VT-295

EAN Code

249 - 3000K Warm White 3800157633598  
 250 - 4000K Day White 3800157633604  
 251 - 6400K White 3800157633611

**1521**  
Lumens**100w**  
EQ.Watts**E27**  
Base**A65**  
Type**>80**  
CRI**>0.5**  
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	200°	Thermoplastic	Ø66.5x134mm	30,000 Hours	100



## LED Thermoplastic Bulbs

The definition of sustainability: Sharing the incandescent bulb's design and built for higher energy, V-TAC's comprehensive thermoplastic bulb series can be proposed for a wide variety of high-end projects.



- Ideal retrofit for E27, E14 and B22 holders
- Longer lifespan than conventional bulbs
- Instant startup
- Options! Available in three color temperatures; warm white, day white, cool white
- Set the right tone: dimmable options available
- Customized exterior for a stronger body

**5** V-TAC<sup>®</sup> PRO  
— YEAR —  
**WARRANTY**

\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



Live . Light . Life

www.vtacexports.com | www.v-tac.eu

# V-TAC®

## INNOVATIVE LED LIGHTING

## E14-LED Plastic Bulbs

**2W** VT-202

EAN Code

234 - 3000K Warm White



3800157632546

235 - 4000K Day White

3800157632553

236 - 6400K White

3800157632560

**180**  
Lumens**20w**  
EQ.Watts**E14**  
Base**ST26**  
Type**>80**  
CRI**>0.4**  
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	150°	Thermoplastic	Ø25x59mm	30,000 Hours	400

## E14-LED Plastic Bulbs

**8W** VT-248

EAN Code

267 - 3000K Warm White



3800157634113

268 - 4000K Day White

3800157634120

269 - 6400K White

3800157634137

**725**  
Lumens**55w**  
EQ.Watts**E14**  
Base**T37**  
Type**>80**  
CRI**>0.5**  
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	230°	Thermoplastic	Ø37x115mm	30,000 Hours	200

**5 YEARS**  
WARRANTY

15



\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

### E27-LED Plastic Bulbs

**8W** VT-237

EAN Code

144 - 3000K Warm White 3800157627573  
145 - 4000K Day White 3800157627580  
146 - 6400K White 3800157627597



**725**  
Lumens



**55w**  
EQ.Watts



**E27**  
Base



**T37**  
Type



**>80**  
CRI



**>0.5**  
PF



Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	230°	Thermoplastic	Ø37x115mm	30,000 Hours	200

### E27-LED Plastic Bulbs

**5.5W** VT-246

EAN Code

174 - 3000K Warm White 3800157627870  
175 - 4000K Day White 3800157627887  
176 - 6400K White 3800157627894



**470**  
Lumens



**40w**  
EQ.Watts



**E27**  
Base



**G45**  
Type



**>80**  
CRI



**>0.5**  
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	180°	Thermoplastic	Ø45x81mm	30,000 Hours	200

Live . Light . Life

www.vtacexports.com | www.v-tac.eu

# V-TAC®



## INNOVATIVE LED LIGHTING

## E14-LED Plastic Bulbs

**5.5W** VT-236

EAN Code

168 - 3000K Warm White 3800157627818  
 169 - 4000K Day White 3800157627825  
 170 - 6400K White 3800157627832

**470**  
Lumens**40w**  
EQ.Watts**E14**  
Base**P45**  
Type**>80**  
CRI**>0.5**  
PF


Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	180°	Thermoplastic	Ø45x81mm	30,000 Hours	200

## E14-LED Plastic Bulbs

**5.5W** VT-226

EAN Code

171 - 3000K Warm White 3800157627849  
 172 - 4000K Day White 3800157627856  
 173 - 6400K White 3800157627863

**470**  
Lumens**40w**  
EQ.Watts**E14**  
Base**C37**  
Type**>80**  
CRI**>0.5**  
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	200°	Thermoplastic	Ø37x100mm	30,000 Hours	200

**5** YEARS  
WARRANTY





provided by  
**SAMSUNG**

### B22-LED Plastic Bulbs

**9W** VT-219

EAN Code

270 - 3000K Warm White 3800157634151



**806**  
Lumens



**60w**  
EQ.Watts



**B22**  
Base



**A60**  
Type



**>80**  
CRI



**>0.5**  
PF



Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	200°	Thermoplastic	Ø58x106mm	30,000 Hours	100

### B22-LED Plastic Bulbs

**11W** VT-213

EAN Code

271 - 3000K Warm White 3800157634168



**1055**  
Lumens



**75w**  
EQ.Watts



**B22**  
Base



**A60**  
Type



**>80**  
CRI



**>0.5**  
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	200°	Thermoplastic	Ø60x120mm	30,000 Hours	100

Live . Light . Life

www.vtacexports.com | www.v-tac.eu

# V-TAC®


## INNOVATIVE LED LIGHTING

## E27-LED Plastic Bulbs

**9W** VT-209

EAN Code

156 - 3000K Warm White 3800157627696  
 157 - 4000K Day White 3800157627702  
 158 - 6400K White 3800157627719

**725**  
Lumens**55w**  
EQ.Watts**E27**  
Base**A58**  
Type**>80**  
CRI**>0.5**  
PF


Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	200°	Thermoplastic	Ø58x106mm	30,000 Hours	100

## E27-LED Plastic Bulbs

**9W** VT-210

EAN Code

228 - 3000K Warm White 3800157631938  
 229 - 4000K Day White 3800157631945  
 230 - 6400K White 3800157631952

**806**  
Lumens**60w**  
EQ.Watts**E27**  
Base**A58**  
Type**>80**  
CRI**>0.5**  
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	200°	Thermoplastic	Ø58x106mm	30,000 Hours	100

**5** YEARS  
WARRANTY





provided by  
**SAMSUNG**

## E27-LED Plastic Bulbs

**11W** VT-211

EAN Code

177 - 3000K Warm White 3800157627900  
 178 - 4000K Day White 3800157627917  
 179 - 6400K White 3800157627924

**975**  
Lumens**70w**  
EQ.Watts**E27**  
Base**A58**  
Type**>80**  
CRI**>0.5**  
PF



Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	200°	Thermoplastic	Ø58x106mm	30,000 Hours	100

## E27-LED Plastic Bulbs

**11W** VT-212

EAN Code

231 - 3000K Warm White 3800157631969  
 232 - 4000K Day White 3800157631976  
 233 - 6400K White 3800157631983

**1055**  
Lumens**75w**  
EQ.Watts**E27**  
Base**A58**  
Type**>80**  
CRI**>0.5**  
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	200°	Thermoplastic	Ø58x106mm	30,000 Hours	100

Live . Light . Life

www.vtacexports.com | www.v-tac.eu

# V-TAC®

## INNOVATIVE LED LIGHTING

## E27-LED Plastic Bulbs

**15W** VT-215

EAN Code

159 - 3000K Warm White



3800157627726

160 - 4000K Day White

3800157627733

161 - 6400K White

3800157627740

**1250**  
Lumens**85w**  
EQ.Watts**E27**  
Base**A65**  
Type**>80**  
CRI**>0.5**  
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	200°	Thermoplastic	Ø66.5x134mm	30,000 Hours	100

## E27-LED Plastic Bulbs

**17W** VT-217

EAN Code

162 - 3000K Warm White


3800157627757

163 - 4000K Day White

3800157627764

164 - 6400K White

3800157627771

**1521**  
Lumens**100w**  
EQ.Watts**E27**  
Base**A65**  
Type**>80**  
CRI**>0.5**  
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	200°	Thermoplastic	Ø66.5x134mm	30,000 Hours	100

**5** YEARS  
WARRANTY





provided by  
**SAMSUNG**

### E14-LED Plastic Bulbs

**3W** VT-239

EAN Code

210 - 3000K Warm White 3800157631754  
211 - 4000K Day White 3800157631761  
212 - 6400K White 3800157631778



**250**  
Lumens



**25w**  
EQ.Watts



**E14**  
Base



**R39**  
Type



**>80**  
CRI



**>0.4**  
PF



Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	120°	Thermoplastic	Ø39x67mm	30,000 Hours	200

### E14-LED Plastic Bulbs

**6W** VT-250

EAN Code

138 - 3000K Warm White 3800157627511  
139 - 4000K Day White 3800157627528  
140 - 6400K White 3800157627535



**470**  
Lumens



**40w**  
EQ.Watts



**E14**  
Base



**R50**  
Type



**>80**  
CRI



**>0.5**  
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	120°	Thermoplastic	Ø50x86mm	30,000 Hours	200

Live . Light . Life

www.vtacexports.com | www.v-tac.eu

# V-TAC®

## INNOVATIVE LED LIGHTING

## E27-LED Plastic Bulbs

**8W** VT-263

EAN Code

141 - 3000K Warm White



3800157627542

142 - 4000K Day White

3800157627559

143 - 6400K White

3800157627566

**570**  
Lumens**60w**  
EQ.Watts**E27**  
Base**R63**  
Type**>80**  
CRI**>0.5**  
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	120°	Thermoplastic	Ø63x100mm	30,000 Hours	200

## E27-LED Plastic Bulbs

**10W** VT-280

EAN Code

135 - 3000K Warm White


3800157627481

136 - 4000K Day White

3800157627498

137 - 6400K White

3800157627504

**800**  
Lumens**75w**  
EQ.Watts**E27**  
Base**R80**  
Type**>80**  
CRI**>0.5**  
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	120°	Thermoplastic	Ø80x114mm	30,000 Hours	200




 provided by  
**SAMSUNG**

## E27-PAR Bulbs

**7W** VT-220

EAN Code

147 - 3000K Warm White 3800157627603  
148 - 4000K Day White 3800157627610  
149 - 6400K White 3800157627627

**495**  
Lumens**65w**  
EQ.Watts**E27**  
Base**PAR20**  
Type**>80**  
CRI**>0.5**  
PF



Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	40°	Thermoplastic	Ø63.5x83mm	30,000 Hours	100

## E27-PAR Bulbs

**11W** VT-230

EAN Code

153 - 3000K Warm White 3800157627665  
154 - 4000K Day White 3800157627672  
155 - 6400K White 3800157627689

**825**  
Lumens**95w**  
EQ.Watts**E27**  
Base**PAR30**  
Type**>80**  
CRI**>0.5**  
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	40°	Thermoplastic	Ø95x117mm	30,000 Hours	30

Live . Light . Life

www.vtacexports.com | www.v-tac.eu

# V-TAC®

## INNOVATIVE LED LIGHTING

## E27-PAR Bulbs

**14W** VT-238

EAN Code

150 - 3000K Warm White



3800157627634

151 - 4000K Day White

3800157627641

152 - 6400K White

3800157627658

**1100**  
Lumens**120w**  
EQ.Watts**E27**  
Base**PAR38**  
Type**>80**  
CRI**>0.5**  
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	40°	Thermoplastic	Ø120x132mm	30,000 Hours	30

## GX53-PAR Bulbs

**7W** VT-207

EAN Code

222 - 3000K Warm White


3800157631877

223 - 4000K Day White

3800157631884

224 - 6400K White

3800157631891

**550**  
Lumens**45w**  
EQ.Watts**GX53**  
Base**>80**  
CRI**>0.5**  
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	200°	Thermoplastic	Ø75x35mm	30,000 Hours	100

**5 YEARS**  
WARRANTY

25


\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

## E27-LED Plastic Bulbs

**17W** VT-218

EAN Code

225 - 3000K Warm White 3800157631907  
 226 - 4000K Day White 3800157631914  
 227 - 6400K White 3800157631921

**1521**  
Lumens**100w**  
EQ.Watts**E27**  
Base**G120**  
Type**>80**  
CRI**>0.5**  
PF



Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	200°	Thermoplastic	Ø120x164mm	30,000 Hours	20

## E27-Big Bulb &amp; UFO

**15W** VT-216

EAN Code

213 - 3000K Warm White 3800157631785  
 214 - 4000K Day White 3800157631792  
 215 - 6400K White 3800157631808

**1200**  
Lumens**80w**  
EQ.Watts**E27**  
Base**F150**  
Type**>80**  
CRI**>0.5**  
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	120°	Thermoplastic	Ø150x80mm	30,000 Hours	20

Live . Light . Life

www.vtacexports.com | www.v-tac.eu

# V-TAC®


## INNOVATIVE LED LIGHTING

## E27-Big Bulb &amp; UFO

**24W** VT-224

EAN Code

216 - 3000K Warm White 3800157631815  
 217 - 4000K Day White 3800157631822  
 218 - 6400K White 3800157631839

**1900**  
Lumens**120w**  
EQ.Watts**E27**  
Base**F200**  
Type**>80**  
CRI**>0.5**  
PF


Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	120°	Thermoplastic	Ø200x80mm	30,000 Hours	20

## E27-Big Bulb &amp; UFO

**36W** VT-235

EAN Code

219 - 3000K Warm White 3800157631846  
 220 - 4000K Day White 3800157631853  
 221 - 6400K White 3800157631860

**2900**  
Lumens**170w**  
EQ.Watts**E27**  
Base**F250**  
Type**>80**  
CRI**>0.9**  
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	120°	Thermoplastic	Ø250x80mm	30,000 Hours	20

**5** YEARS  
WARRANTY

provided by  
**SAMSUNG**

27

\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

### E40-Lowbays

**85W** VT-85

EAN Code

520 - 4000K Day White  
521 - 6400K White

3800157635691  
3800157629256



**6800**  
Lumens



**>80**  
CRI



**>0.9**  
PF



Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:100-277V,50/60Hz	SMD	110°	Plastic	Ø260 x307	30,000 Hours	4

**110+** LUMENS  
PER WATT  
**SUPER EFFICIENT**

### E27-Big Bulb & UFO

**36W** VT-240

EAN Code

283 - 3000K Warm White  
284 - 4000K Day White  
285 - 6400K White

3800157634335  
3800157634342  
3800157634359



**3960**  
Lumens



**E27**  
Base



**>80**  
CRI



**>0.9**  
PF



Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	120°	Aluminum	Ø90x212mm	30,000 Hours	20

Live . Light . Life  
 www.vtacexports.com | www.v-tac.eu



E40-Big Bulb & UFO

**60W** VT-260

EAN Code

187 - 4000K Day White

3800157629461

188 - 6400K White

3800157629478



**4800**  
Lumens



**E40**  
Base



**>80**  
CRI



**>0.9**  
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Life span	Box Qty.
AC:220-240V,50Hz	SMD	120°	Aluminum	30,000 Hours	20



**5 YEARS WARRANTY**



\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

# V-TAC<sup>®</sup>

## INNOVATIVE LED LIGHTING

### LED Spotlights

Our new range of spotlights are the optimal replacement for halogen spotlights. Don't worry, our new spotlights are still compatible with existing GU10 holders and they deliver the same warm light like halogen spots while exhibiting the benefits that LEDs provide. Perfect for retail and residential lighting.



- Classic halogen-like design with up to 80% power savings
- Compatibility ensured: An efficient retrofit for GU10 holders
- Optional beam angles: We have spotlights with beam angles ranging from 38°D to 300°D
- Set the right tone: dimmable options available

**5** V-TAC<sup>®</sup> PRO  
YEAR WARRANTY

\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty




Live . Light . Life  
 www.vtacexports.com | www.v-tac.eu

### G4-Capsules

**1.5W** VT-201

EAN Code

- 240 - 3000K Warm White 3800157632607
- 241 - 4000K Day White 3800157632614
- 242 - 6400K White 3800157632621



**100**  
Lumens

**10w**  
EQ.Watts

**G4**  
Base

**>80**  
CRI

**>0.4**  
PF


Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
DC:12V	SMD	300°	Plastic	Ø12x38.5mm	30,000 Hours	400

### G9-Capsules

**2.5W** VT-203

EAN Code

- 243 - 3000K Warm White 3800157632638
- 244 - 4000K Day White 3800157632645
- 245 - 6400K White 3800157632652



**200**  
Lumens

**20w**  
EQ.Watts

**G9**  
Base

**>80**  
CRI

**>0.4**  
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	300°	Plastic	Ø16.5x 46.5mm	30,000 Hours	500



**5 YEARS WARRANTY**





\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

### G9-Capsules

**3W** VT-204

EAN Code

246 - 3000K Warm White 3800157632669  
247 - 4000K Day White 3800157632676  
248 - 6400K White 3800157632683



**300**  
Lumens



**25w**  
EQ.Watts



**G9**  
Base



**>80**  
CRI



**>0.4**  
PF


Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	300°	Plastic	Ø17x 49mm	30,000 Hours	500

### GU10-Lens-110°

**5W** VT-205

EAN Code

201 - 3000K Warm White 3800157631662  
202 - 4000K Day White 3800157631679  
203 - 6400K White 3800157631686



**400**  
Lumens



**35w**  
EQ.Watts



**GU10**  
Base



**>80**  
CRI



**>0.4**  
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	110°	Plastic	Ø50x 55mm	30,000 Hours	200

Live . Light . Life  
 www.vtacexports.com | www.v-tac.eu





GU10-Lens-110°

**6.5W** VT-247

EAN Code

- 192 - 3000K Warm White    3800157631570
- 193 - 4000K Day White    3800157631587
- 194 - 6400K White        3800157631594



**480**  
Lumens



**60w**  
EQ.Watts



**GU10**  
Base



**>80**  
CRI



**>0.5**  
PF



Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	110°	Plastic	Ø50x 55mm	30,000 Hours	200

GU10-Lens-110°

**6.5W** VT-247D

EAN Code

- 198 - 3000K Warm White    3800157631631
- 199 - 4000K Day White    3800157631648
- 200 - 6400K White        3800157631655



**450**  
Lumens



**55w**  
EQ.Watts



**GU10**  
Base



**>80**  
CRI



**>0.5**  
PF



Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	110°	Plastic	Ø50x 55mm	30,000 Hours	200



**5 YEARS WARRANTY**



\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

GU10-Lens-38°

**6.5W** VT-227D

EAN Code

195 - 3000K Warm White



3800157631600

196 - 4000K Day White

3800157631617

197 - 6400K White

3800157631624

**450**  
Lumens**35w**  
EQ.Watts**GU10**  
Base**>80**  
CRI**>0.5**  
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	38°	Plastic	Ø50x 55mm	30,000 Hours	200

GU10-Lens-38°

**7W** VT-277

EAN Code

165 - 3000K Warm White



3800157627788

166 - 4000K Day White

3800157627795

167 - 6400K White

3800157627801

**480**  
Lumens**65w**  
EQ.Watts**GU10**  
Base**>80**  
CRI**>0.5**  
PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	38°	Plastic	Ø50x 55mm	30,000 Hours	200


Live . Light . Life  
 www.vtacexports.com | www.v-tac.eu



GU5.3-Lens-110°

**6.5W** VT-257 EAN Code

- 204 - 3000K Warm White 3800157631693
- 205 - 4000K Day White 3800157631709
- 206 - 6400K White 3800157631716





- 450** Lumens
- 55w** EQ.Watts
- GU5.3** Base
- >80** CRI
- >0.5** PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
DC:12V	SMD	110°	Plastic	Ø50x 55mm	30,000 Hours	200

GU5.3-Lens-38°

**6.5W** VT-267 EAN Code

- 207 - 3000K Warm White 3800157631723
- 208 - 4000K Day White 3800157631730
- 209 - 6400K White 3800157631747



- 450** Lumens
- 40w** EQ.Watts
- GU5.3** Base
- >80** CRI
- >0.5** PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
DC:12V	SMD	38°	Plastic	Ø50x 55mm	30,000 Hours	200



**5 YEARS WARRANTY**



\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

# V-TAC<sup>®</sup>

## INNOVATIVE LED LIGHTING

### LED Floodlights

A symbol of limitless strength. V-TAC's all new slimline series is now manufactured with cutting-edge components to deliver an exceptional performance. Despite its slim exterior, it is extremely sturdy and absolutely perfect for outdoor applications.



- High performance LED Chips to deliver striking light
- IP65 Rated: Top caliber components used to ensure waterproof/airtight performance
- An ultra-strong enclosure with a minimalistic design, for high-end support and aesthetics
- Options! Available in black and white finish

<sup>\*</sup>**5** V-TAC<sup>®</sup> PRO  
— YEAR —  
**WARRANTY**

\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty




# V-TAC<sup>®</sup>

## INNOVATIVE LED LIGHTING

Live . Light . Life  
 www.vtacexports.com | www.v-tac.eu

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




Note: The curves indicate the illuminated area and the average illumination when the luminaire is at a different distance.

### Slimline-White Body

#### 10W VT-10-W

- 427 - 3000K Warm White
- 428 - 4000K Day White
- 429 - 6400K White



EAN Code  
 3800157630832  
 3800157630849  
 3800157630856



- 800 Lumens
- SMD LED Type
- >80 CRI
- >0.9 PF
- AC:220-240V,50Hz Voltage/Frequency

Beam Angle	Body Type	Dimension	Life span	Box Qty.
100°	Die casting Aluminium	115x108x26mm	30,000 Hours	20

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




Note: The curves indicate the illuminated area and the average illumination when the luminaire is at a different distance.

### Slimline-White Body

#### 20W VT-20-W

- 442 - 3000K Warm White
- 443 - 4000K Day White
- 444 - 6400K White

EAN Code  
 3800157630986  
 3800157630993  
 3800157631006



- 1600 Lumens
- SMD LED Type
- >80 CRI
- >0.9 PF
- AC:220-240V,50Hz Voltage/Frequency

Beam Angle	Body Type	Dimension	Life span	Box Qty.
100°	Die casting Aluminium	153x132x27mm	30,000 Hours	20





\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

# V-TAC<sup>®</sup>

## INNOVATIVE LED LIGHTING

Live . Light . Life  
 www.vtacexports.com | www.v-tac.eu

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




### Slimline-White Body

## 30W VT-30-W

- 403 - 3000K Warm White
- 404 - 4000K Day White
- 405 - 6400K White

EAN Code  
 3800157629201  
 3800157629058  
 3800157629065



**IP65**  
 RATING



**2400**  
 Lumens



**SMD**  
 LED Type



**>80**  
 CRI





**>0.9**  
 PF



**AC:220-240V,50Hz**  
 Voltage/Frequency

Beam Angle	Body Type	Dimension	Life span	Box Qty.
100°	Die casting Aluminium	178x152 x28mm	30,000 Hours	10

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




### Slimline-White Body

## 50W VT-50-W

- 409 - 3000K Warm White
- 410 - 4000K Day White
- 411 - 6400K White

EAN Code  
 3800157636001  
 3800157629096  
 3800157629102



**IP65**  
 RATING



**4000**  
 Lumens



**SMD**  
 LED Type



**>80**  
 CRI



**>0.9**  
 PF



**AC:220-240V,50Hz**  
 Voltage/Frequency

Beam Angle	Body Type	Dimension	Life span	Box Qty.
100°	Die casting Aluminium	223x188x28mm	30,000 Hours	8





# V-TAC<sup>®</sup>

## INNOVATIVE LED LIGHTING

Live . Light . Life  
 www.vtacexports.com | www.v-tac.eu

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




Note: The curves indicate the illuminated area and the average illumination when the luminaire is at different distances.

### Slimline-White Body

#### 100W VT-100-W

- 415 - 3000K Warm White
- 416 - 4000K Day White
- 417 - 6400K White

EAN Code  
 3800157629249  
 3800157629133  
 3800157629140





**IP65**  
RATING

**1 METER WIRE**

- 8000 Lumens
- SMD LED Type
- >80 CRI
- >0.9 PF
- AC:220-240V,50Hz Voltage/Frequency

Beam Angle	Body Type	Dimension	Life span	Box Qty.
100°	Die casting Aluminium	291x240x30mm	30,000 Hours	4

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




Note: The curves indicate the illuminated area and the average illumination when the luminaire is at different distances.

### Slimline-White Body

#### 150W VT-150-W

- 478 - 3000K Warm White
- 479 - 4000K Day White
- 480 - 6400K White

EAN Code  
 3800157631341  
 3800157631358  
 3800157631365



**IP65**  
RATING

**1 METER WIRE**

- 12000 Lumens
- SMD LED Type
- >80 CRI
- >0.9 PF
- AC:220-240V,50Hz Voltage/Frequency

Beam Angle	Body Type	Dimension	Life span	Box Qty.
100°	Die casting Aluminium	404x322x52mm	30,000 Hours	2





**5 YEARS WARRANTY**




\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

### Slimline-White Body 200W VT-200-W

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Chart indicates the illuminated area and the average illumination when the beam is at a different distance.



EAN Code  
3800157629171  
3800157629188

420 - 4000K Day White  
421 - 6400K White





- 16000** Lumens
- SMD** LED Type
- >80** CRI
- >0.9** PF
- AC:220-240V,50Hz** Voltage/Frequency


Beam Angle	Body Type	Dimension	Life span	Box Qty.
100°	Die casting Aluminium	439x346x56mm	30,000 Hours	2

### Slimline-White Body 300W VT-300-W

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Chart indicates the illuminated area and the average illumination when the beam is at a different distance.



EAN Code  
3800157631426  
3800157631433

486 - 4000K Day White  
487 - 6400K White



- 2400** Lumens
- SMD** LED Type
- >80** CRI
- >0.9** PF
- AC:220-240V,50Hz** Voltage/Frequency


Beam Angle	Body Type	Dimension	Life span	Box Qty.
100°	Die casting Aluminium	529x415x55mm	30,000 Hours	2

# V-TAC<sup>®</sup>

## INNOVATIVE LED LIGHTING

Live . Light . Life  
 www.vtacexports.com | www.v-tac.eu

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




Note: The curves indicate the illuminated area and the average illumination when the fixture is at a different distance.

### Slimline-Black Body

## 10W VT-10-B

- 424 - 3000K Warm White
- 425 - 4000K Day White
- 426 - 6400K White


EAN Code  
 3800157630801  
 3800157630818  
 3800157630825



- 800 Lumens
- SMD LED Type
- >80 CRI
- >0.9 PF
- AC:220-240V,50Hz Voltage/Frequency

Beam Angle	Body Type	Dimension	Life span	Box Qty.
100°	Die casting Aluminium	115x108x26mm	30,000 Hours	20

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




Note: The curves indicate the illuminated area and the average illumination when the fixture is at a different distance.

### Slimline-Black Body

## 20W VT-20-B

- 439 - 3000K Warm White
- 440 - 4000K Day White
- 441 - 6400K White

EAN Code  
 3800157630955  
 3800157630962  
 3800157630979



- 1600 Lumens
- SMD LED Type
- >80 CRI
- >0.9 PF
- AC:220-240V,50Hz Voltage/Frequency

Beam Angle	Body Type	Dimension	Life span	Box Qty.
100°	Die casting Aluminium	153x132x27mm	30,000 Hours	20



\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

# V-TAC<sup>®</sup>

## INNOVATIVE LED LIGHTING

Live . Light . Life  
 www.vtacexports.com | www.v-tac.eu

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




### Slimline-Black Body

## 30W VT-30-B

- 400 - 3000K Warm White
- 401 - 4000K Day White
- 402 - 6400K White

EAN Code  
 3800157629195  
 3800157629034  
 3800157629041





**IP65**  
 RATING

- 2400 Lumens
- SMD LED Type
- >80 CRI
- >0.9 PF
- AC:220-240V,50Hz Voltage/Frequency

Beam Angle	Body Type	Dimension	Life span	Box Qty.
100°	Die casting Aluminium	178x152 x28mm	30,000 Hours	10

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




### Slimline-Black Body

## 50W VT-50-B

- 406 - 3000K Warm White
- 407 - 4000K Day White
- 408 - 6400K White

EAN Code  
 3800157629218  
 3800157629072  
 3800157629089



**IP65**  
 RATING

- 4000 Lumens
- SMD LED Type
- >80 CRI
- >0.9 PF
- AC:220-240V,50Hz Voltage/Frequency

Beam Angle	Body Type	Dimension	Life span	Box Qty.
100°	Die casting Aluminium	223x188x28mm	30,000 Hours	8





\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

# V-TAC<sup>®</sup>

## INNOVATIVE LED LIGHTING

Live . Light . Life  
 www.vtacexports.com | www.v-tac.eu

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




Note: The curves indicate the illuminated area and the average illumination when the luminaire is at different distances.

### Slimline-Black Body

## 100W VT-100-B

- 412 - 3000K Warm White
- 413 - 4000K Day White
- 414 - 6400K White

EAN Code  
 3800157635684  
 3800157629119  
 3800157629126





**IP65**  
RATING

**1 METER WIRE**

- 8000 Lumens
- SMD LED Type
- >80 CRI
- >0.9 PF
- AC:220-240V,50Hz Voltage/Frequency

Beam Angle	Body Type	Dimension	Life span	Box Qty.
100°	Die casting Aluminium	291x240x30mm	30,000 Hours	4

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




Note: The curves indicate the illuminated area and the average illumination when the luminaire is at different distances.

### Slimline-Black Body

## 150W VT-150-B

- 475 - 3000K Warm White
- 476 - 4000K Day White
- 477 - 6400K White

EAN Code  
 3800157631310  
 3800157631327  
 3800157631334



**IP65**  
RATING

**1 METER WIRE**

- 12000 Lumens
- SMD LED Type
- >80 CRI
- >0.9 PF
- AC:220-240V,50Hz Voltage/Frequency

Beam Angle	Body Type	Dimension	Life span	Box Qty.
100°	Die casting Aluminium	404x322x52mm	30,000 Hours	2



**5 YEARS WARRANTY**



\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



### Slimline-Black Body 200W VT-200-B

EAN Code  
3800157629157  
3800157629164



418 - 4000K Day White  
419 - 6400K White



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Chart indicates the illuminated area and the average illumination when the luminaire is at different distance.



- 16000** Lumens
- SMD** LED Type
- >80** CRI
- >0.9** PF
- AC:220-240V,50Hz** Voltage/Frequency

Beam Angle	Body Type	Dimension	Life span	Box Qty.
100°	Die casting Aluminium	439x346x56mm	30,000 Hours	2



### Slimline-Black Body 300W VT-300-B

EAN Code  
3800157629225  
3800157629232



422 - 4000K Day White  
423 - 6400K White



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Chart indicates the illuminated area and the average illumination when the luminaire is at different distance.



- 24000** Lumens
- SMD** LED Type
- >80** CRI
- >0.9** PF
- AC:220-240V,50Hz** Voltage/Frequency

Beam Angle	Body Type	Dimension	Life span	Box Qty.
100°	Die casting Aluminium	529x415x55mm	30,000 Hours	2




# V-TAC<sup>®</sup>

## INNOVATIVE LED LIGHTING

Live . Light . Life  
 www.vtacexports.com | www.v-tac.eu

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




Note: The curves indicate the illuminated area and the average illumination when the fixture is at a different distance.

### Slimline-Grey Body

#### 10W VT-10-G

- 430 - 3000K Warm White
- 431 - 4000K Day White
- 432 - 6400K White



EAN Code  
 3800157630863  
 3800157630870  
 3800157630887



- 800 Lumens
- SMD LED Type
- >80 CRI
- >0.9 PF
- AC:220-240V,50Hz Voltage/Frequency

Beam Angle	Body Type	Dimension	Life span	Box Qty.
100°	Die casting Aluminium	115x108x26mm	30,000 Hours	20

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




Note: The curves indicate the illuminated area and the average illumination when the fixture is at a different distance.

### Slimline-Grey Body

#### 20W VT-20-G

- 445 - 3000K Warm White
- 446 - 4000K Day White
- 447 - 6400K White

EAN Code  
 3800157631013  
 3800157631020  
 3800157631037



- 1600 Lumens
- SMD LED Type
- >80 CRI
- >0.9 PF
- AC:220-240V,50Hz Voltage/Frequency

Beam Angle	Body Type	Dimension	Life span	Box Qty.
100°	Die casting Aluminium	153x132x27mm	30,000 Hours	20





**5 YEARS WARRANTY**



\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.

### Slimline-Grey Body

## 30W VT-30-G

- 454 - 3000K Warm White
- 455 - 4000K Day White
- 456 - 6400K White

EAN Code  
3800157631105  
3800157631112  
3800157631129



**2400**  
Lumens



**SMD**  
LED Type



**>80**  
CRI



**>0.9**  
PF





**AC:220-240V,50Hz**  
Voltage/Frequency

Beam Angle	Body Type	Dimension	Life span	Box Qty.
100°	Die casting Aluminium	178x152 x28mm	30,000 Hours	10



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.

### Slimline-Grey Body

## 50W VT-50-G

- 463 - 3000K Warm White
- 464 - 4000K Day White
- 465 - 6400K White

EAN Code  
3800157631198  
3800157631204  
3800157631211



**4000**  
Lumens



**SMD**  
LED Type



**>80**  
CRI



**>0.9**  
PF



**AC:220-240V,50Hz**  
Voltage/Frequency

Beam Angle	Body Type	Dimension	Life span	Box Qty.
100°	Die casting Aluminium	223x188x28mm	30,000 Hours	8





# V-TAC<sup>®</sup>

## INNOVATIVE LED LIGHTING

Live . Light . Life  
 www.vtacexports.com | www.v-tac.eu

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




Note: The curves indicate the illuminated area and the average illumination when the luminaire is at different distances.

### Slimline-Grey Body

## 100W VT-100-G

- 472 - 3000K Warm White
- 473 - 4000K Day White
- 474 - 6400K White

EAN Code  
 3800157631280  
 3800157631297  
 3800157631303





**IP65**  
RATING

**1 METER WIRE**

- 8000 Lumens
- SMD LED Type
- >80 CRI
- >0.9 PF
- AC:220-240V,50Hz Voltage/Frequency

Beam Angle	Body Type	Dimension	Life span	Box Qty.
100°	Die casting Aluminium	291x240x30mm	30,000 Hours	4

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




Note: The curves indicate the illuminated area and the average illumination when the luminaire is at different distances.

### Slimline-Grey Body

## 150W VT-150-G

- 481 - 3000K Warm White
- 482 - 4000K Day White
- 483 - 6400K White

EAN Code  
 3800157631372  
 3800157631389  
 3800157631396



**IP65**  
RATING

**1 METER WIRE**

- 12000 Lumens
- SMD LED Type
- >80 CRI
- >0.9 PF
- AC:220-240V,50Hz Voltage/Frequency

Beam Angle	Body Type	Dimension	Life span	Box Qty.
100°	Die casting Aluminium	404x322x52mm	30,000 Hours	2



**5 YEARS WARRANTY**



\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



### Slimline-Grey Body 200W VT-200-G

EAN Code  
3800157631402  
3800157631419


484 - 4000K Day White  
485 - 6400K White



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Chart indicates the illuminated area and the average illumination when the beam is at a different distance.



- 16000** Lumens
- SMD** LED Type
- >80** CRI
- >0.9** PF
- AC:220-240V,50Hz** Voltage/Frequency

Beam Angle	Body Type	Dimension	Life span	Box Qty.
100°	Die casting Aluminium	439x346x56mm	30,000 Hours	2



### Slimline-Grey Body 300W VT-300-G

EAN Code  
3800157631440  
3800157631457



488 - 4000K Day White  
489 - 6400K White



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Chart indicates the illuminated area and the average illumination when the beam is at a different distance.



- 24000** Lumens
- SMD** LED Type
- >80** CRI
- >0.9** PF
- AC:220-240V,50Hz** Voltage/Frequency

Beam Angle	Body Type	Dimension	Life span	Box Qty.
100°	Die casting Aluminium	529x415x55mm	30,000 Hours	2



# V-TAC<sup>®</sup>

## INNOVATIVE LED LIGHTING

### LED Panels

Performance is key. However, along with performance, customers prefer lighting that is attractive and easy to install. Our all new panels are a combination of all three. They light up all the way to the edges, making them THE perfect aesthetic for your indoor spaces.



- Instant startup: V-TAC's LED Panels power up instantly upon being switched on
- More light. Less Power: 80% lower power consumption than conventional downlights
- Customized exterior for a stronger body
- Five-Year Warranty

<sup>\*</sup>**5** V-TAC<sup>®</sup> **PRO**  
— YEAR —  
**WARRANTY**

\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty




### Square Panels-60x60

**45W** VT-645 EAN Code

- 632 - 3000K Warm White 3800157634304
- 633 - 4000K Day White 3800157634311
- 634 - 6400K White 3800157634328

 **3600** Lumens |  **>80** CRI |  **>0.9** PF



Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	110°	Aluminum+P-MMA+PP	595x595x14mm	30,000 Hours	6



\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

Live . Light . Life

www.vtacexports.com | www.v-tac.eu


# V-TAC®

## INNOVATIVE LED LIGHTING

## Edge Panels

**8W** VT-608RD EAN Code

626 - 3000K Warm White 3800157630672  
 627 - 4000K Day White 3800157630689  
 628 - 6400K White 3800157630696

**800**  
Lumens**>80**  
CRI**>0.5**  
PF

Cutting Size

Ø 70 mm



QUICK CONNECTOR




Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	120°	ABS+Plastic	Ø93x37mm	30,000 Hours	100

## Edge Panels

**8W** VT-608SQ EAN Code

623 - 3000K Warm White 3800157630641  
 624 - 4000K Day White 3800157630658  
 625 - 6400K White 3800157630665

**800**  
Lumens**>80**  
CRI**>0.5**  
PF

Cutting Size

70 X 70mm



QUICK CONNECTOR



Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	120°	ABS+Plastic	93x93x37mm	30,000 Hours	100



**5** YEARS  
WARRANTY



### Edge Panels

**15W** VT-615RD EAN Code

620 - 3000K Warm White 3800157630610  
621 - 4000K Day White 3800157630627  
622 - 6400K White 3800157630634




**1500**  
Lumens



**>80**  
CRI



**>0.5**  
PF



Cutting Size

Ø 95 mm



QUICK CONNECTOR

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	120°	ABS+Plastic	120x37mm	30,000 Hours	40

### Edge Panels

**15W** VT-615SQ EAN Code

617 - 3000K Warm White 3800157630580  
618 - 4000K Day White 3800157630597  
619 - 6400K White 3800157630603




**1500**  
Lumens



**>80**  
CRI



**>0.5**  
PF



Cutting Size

95X 95mm



QUICK CONNECTOR

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	120°	ABS+Plastic	120x120x37mm	30,000 Hours	40

Live . Light . Life

www.vtacexports.com | www.v-tac.eu


# V-TAC®

## INNOVATIVE LED LIGHTING

## Edge Panels

**20W** VT-620RD EAN Code

614 - 3000K Warm White 3800157630559  
 615 - 4000K Day White 3800157630566  
 616 - 6400K White 3800157630573

**2000**  
Lumens**>80**  
CRI**>0.9**  
PF

Cutting Size

Ø 140 mm




QUICK CONNECTOR

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	120°	ABS+Plastic	170x37mm	30,000 Hours	40

## Edge Panels

**20W** VT-620SQ EAN Code

611 - 3000K Warm White 3800157630528  
 612 - 4000K Day White 3800157630535  
 613 - 6400K White 3800157630542

**2000**  
Lumens**>80**  
CRI**>0.9**  
PF

Cutting Size

142X 142mm



QUICK CONNECTOR

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	120°	ABS+Plastic	170x170x37mm	30,000 Hours	40



**5** YEARS  
WARRANTY



# V-TAC<sup>®</sup>

## INNOVATIVE LED LIGHTING

### LED Fittings and Tubes

V-TAC's advance grill fixtures are a new generation of linear fittings. Designed with high-caliber materials, these fixtures provide exceptional light levels, are extremely energy efficient and are easy to install. The unparalleled performance of our Grill fittings makes it a cut-above conventional fixtures. It's easy to install function and aesthetic lighting effect gives this new range an amazing potential for retail and residential applications.

These fixtures are the better choice, in terms of performance and aesthetic value, for commercial, retail or residential applications in comparison to conventional fluorescent fixtures.



- Delivering a high lumen output of over 120 lumen per watt
- Designed to deliver a smooth and soft lighting effect
- Options! Available in 60cm, 120cm, 150cm and 180cm
- The push fit connectors make it easy to install
- Five year warranty

**5** V-TAC<sup>®</sup> PRO  
— YEAR —  
**WARRANTY**

\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



# V-TAC<sup>®</sup>


## INNOVATIVE LED LIGHTING

Live . Light . Life  
 www.vtacexports.com | www.v-tac.eu

### Prismatic Fittings

**10W** VT-8-10 EAN Code

- 659 - 3000K Warm White 3800157632140
- 660 - 4000K Day White 3800157632157
- 661 - 6400K White 3800157632164




- 1200** Lumens
- >80** CRI
- >0.5** PF
- <1s** Instant Start
- 15000** On/Off
- 0.26kg** Weight

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	110°	Plastic	300x74.1x24.4mm	30,000 Hours	10

### Prismatic Fittings

**20W** VT-8-20 EAN Code

- 662 - 3000K Warm White 3800157632171
- 663 - 4000K Day White 3800157632188
- 664 - 6400K White 3800157632195



- 2400** Lumens
- >80** CRI
- >0.5** PF
- <1s** Instant Start
- 15000** On/Off
- 0.42kg** Weight

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	110°	Plastic	600x74.1x24.4mm	30,000 Hours	10




\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

# V-TAC<sup>®</sup>

## INNOVATIVE LED LIGHTING

Live . Light . Life  
 www.vtacexports.com | www.v-tac.eu




### Prismatic Fittings

**40W** VT-8-40 EAN Code

- 665 - 3000K Warm White 3800157632201
- 666 - 4000K Day White 3800157632218
- 667 - 6400K White 3800157632225

- 4800** Lumens
- >80** CRI
- >0.9** PF
- <1s** Instant Start
- 15000** On/Off
- 0.84kg** Weight

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	110°	Plastic	1200x74.1x24.4mm	30,000 Hours	10



### Prismatic Fittings

**50W** VT-8-50 EAN Code

- 668 - 4000K Day White 3800157632232
- 669 - 6400K White 3800157632249

- 6000** Lumens
- >80** CRI
- >0.9** PF
- <1s** Instant Start
- 15000** On/Off
- 1kg** Weight

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	110°	Plastic	1500x74.1x24.4mm	30,000 Hours	10



\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

Live . Light . Life  
 www.vtacexports.com | www.v-tac.eu


# V-TAC<sup>®</sup>

## INNOVATIVE LED LIGHTING

### Prismatic Fittings

**60W** VT-9-60

EAN Code



670 - 4000K Day White  
 671 - 6400K White

3800157632256  
 3800157632263



**7200**  
Lumens



**>80**  
CRI



**>0.9**  
PF



**<1s**  
Instant Start



**15000**  
On/Off



**1.2kg**  
Weight

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	110°	Plastic	1800x74.1x24.4mm	30,000 Hours	10



**V-TAC<sup>®</sup>**  
**PRO**

**5 YEARS WARRANTY**

provided by  
**SAMSUNG**

\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty


# V-TAC<sup>®</sup>

## INNOVATIVE LED LIGHTING

Live . Light . Life  
www.vtacexports.com | www.v-tac.eu

**120+** LUMENS  
PER WATT

**SUPER EFFICIENT**



G13-T8 -Nano Plastic Tube-120CM

**18W** VT-122 EAN Code

688 - 3000K Warm White 3800157632911  
672 - 4000K Day White 3800157632928  
673 - 6400K White



**2250**  
Lumens



**45w**  
EQ.Watts



**>80**  
CRI



**>0.5**  
PF



**<0.5 s**  
Instant Start



**15000**  
On/Off




**0.1904kg**  
Weight

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	160°	Plastic	1200x27.9mm	30,000 Hours	25

**120+** LUMENS  
PER WATT

**SUPER EFFICIENT**



G13-T8 -Nano Plastic Tube-150CM

**22W** VT-152 EAN Code

689 - 3000K Warm White 3800157632935  
674 - 4000K Day White 3800157632942  
675 - 6400K White



**3000**  
Lumens



**75w**  
EQ.Watts



**>80**  
CRI



**>0.5**  
PF



**<0.5 s**  
Instant Start




**15000**  
On/Off



**0.2572kg**  
Weight

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	160°	Plastic	1500x27.9mm	30,000 Hours	25

Live . Light . Life  
 www.vtacexports.com | www.v-tac.eu



### G13-T8 -Nano Plastic Tube-60CM


**10W** VT-061 EAN Code

- 650 - 3000K Warm White 3800157632010
- 651 - 4000K Day White 3800157632027
- 652 - 6400K White 3800157632034



- 850 Lumens
- 18w EQ.Watts
- >80 CRI
- >0.5 PF
- <0.5 s Instant Start
- 15000 On/Off
- 0.1264kg Weight


Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	160°	Plastic	600x27.9mm	30,000 Hours	25



### G13-T8 -Nano Plastic Tube-120CM

**18W** VT-121 EAN Code

- 653 - 3000K Warm White 3800157632041
- 654 - 4000K Day White 3800157632058
- 655 - 6400K White 3800157632065



- 1700 Lumens
- 36w EQ.Watts
- >80 CRI
- >0.5 PF
- <0.5 s Instant Start
- 15000 On/Off
- 0.1904kg Weight

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	160°	Plastic	1200x27.9mm	30,000 Hours	25



**5 YEARS WARRANTY**




\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

# V-TAC<sup>®</sup>

## INNOVATIVE LED LIGHTING


Live . Light . Life  
www.vtacexports.com | www.v-tac.eu



### G13-T8 -Nano Plastic Tube-150CM

**22W** VT-151 EAN Code

656 - 3000K Warm White 3800157632072  
657 - 4000K Day White 3800157632089  
658 - 6400K White 3800157632096



**2000**  
Lumens



**58w**  
EQ.Watts



**>80**  
CRI



**>0.5**  
PF



**<0.5 s**  
Instant Start



**15000**  
On/Off



**0.2572kg**  
Weight

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	160°	Plastic	1500x27.9mm	30,000 Hours	25



Live . Light . Life

www.vtacexports.com | www.v-tac.eu

# V-TAC®

## INNOVATIVE LED LIGHTING



Single Batten Fitting-120cm

**18W** VT-12026 EAN Code

6442 - 4000K Day White 3800157631501  
 6443 - 6400K White 3800157631518

### LED TUBE

### INCLUDED

**1700**  
Lumens

**>80**  
CRI**>0.5**  
PF

**15000**  
On/off

Voltage/Frequency	LED Type	Body Type	Dimension	Life span
AC:200-240,50/60Hz	SMD	Iron	1200mm	30,000 Hours



Single Batten Fitting-150cm

**22W** VT-15023 EAN Code

6438 - 4000K Day White 3800157631464  
 6439 - 6400K White 3800157631471

### LED TUBE

### INCLUDED

**2000**  
Lumens

**>80**  
CRI**>0.5**  
PF

**15000**  
On/off

Voltage/Frequency	LED Type	Body Type	Dimension	Life span
AC:200-240,50/60Hz	SMD	Iron	1500mm	30,000 Hours



# 5 YEARS

## WARRANTY



# V-TAC<sup>®</sup>

## INNOVATIVE LED LIGHTING

Live . Light . Life  
www.vtacexports.com | www.v-tac.eu



### Double Batten Fitting-120cm

**36W** VT-12027 EAN Code

6444 - 4000K Day White 3800157631525  
6445 - 6400K White 3800157631532

**LED TUBE  
INCLUDED**



**3400**  
Lumens



**>80**  
CRI



**>0.5**  
PF



**15000**  
On/Off

Voltage/Frequency	LED Type	Body Type	Dimension	Life span
AC:200-240,50/60Hz	SMD	Iron	1200mm	30,000 Hours



### Double Batten Fitting-150cm

**44W** VT-15024 EAN Code

6440 - 4000K Day White 3800157631488  
6441 - 6400K White 3800157631495

**LED TUBE  
INCLUDED**



**4000**  
Lumens



**>80**  
CRI



**>0.5**  
PF



**15000**  
On/Off

Voltage/Frequency	LED Type	Body Type	Dimension	Life span
AC:200-240,50/60Hz	SMD	Iron	1500mm	30,000 Hours



## LED Tri-proof Lights

Our Tri-proof lights just got tougher. 80% lower power consumption than fluorescent lights, IP65 Rating and easy-to-install lights make perfect to use in tough conditions. These high performing Tri-proofs provide the necessary light levels for any indoor and outdoor applications.

- Easy installation and maintenance
- IP65 Rated: Top caliber components used to ensure waterproof/airtight performance
- An ultra-strong enclosure with a minimalistic design
- Great return on investment due to low energy consumption
- Five year warranty

**5** **V-TAC**<sup>®</sup> **PRO**  
**YEAR**  
**WARRANTY**

\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



# V-TAC<sup>®</sup>

## INNOVATIVE LED LIGHTING

Live . Light . Life  
[www.vtacexports.com](http://www.vtacexports.com) | [www.v-tac.eu](http://www.v-tac.eu)

### Waterproof Fittings

**60W** VT-160


EAN Code

678 - 4000K Day White  
 679 - 6400K White

3800157632980  
 3800157632997



**120+** LUMENS PER WATT  
**SUPER EFFICIENT**



**7200**  
Lumens

**>80**  
CRI

**>0.9**  
PF

**15000**  
On/Off

**2.1kg**  
Weight

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	110°	Aluminum	1200x86x70mm	20,000 Hours	9

### Waterproof Fittings


**70W** VT-170

EAN Code

676 - 4000K Day White  
 677 - 6400K White

3800157632966  
 3800157632973

**120+** LUMENS PER WATT  
**SUPER EFFICIENT**



**8400**  
Lumens

**>80**  
CRI

**>0.9**  
PF

**15000**  
On/Off

**2.67kg**  
Weight

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	110°	Aluminum	1500x86x70mm	20,000 Hours	9



\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

Live . Light . Life  
 www.vtacexports.com | www.v-tac.eu

# V-TAC<sup>®</sup>

## INNOVATIVE LED LIGHTING




Waterproof Fittings  
**60W** VT-180

EAN Code

680 - 4000K Day White  
 681 - 6400K White

3800157634731  
 3800157634748



**5400**  
Lumens



**>80**  
CRI



**>0.9**  
PF



**15000**  
On/Off

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	110°	Plastic	1800x66x58mm	30,000 Hours	9



**5** YEARS  
WARRANTY



\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

# V-TAC<sup>®</sup>

## INNOVATIVE LED LIGHTING

Live . Light . Life  
www.vtacexports.com | www.v-tac.eu

Striplights-IP20

**15W** VT-10-240 EAN Code

320 - 3000K Warm White 3800157634564  
321 - 4000K Day White 3800157634571  
322 - 6400K White 3800157634588



**1600**  
Lumens



**>80**  
CRI



Voltage/Frequency	LED Type	Beam Angle	Dimension	Life span	Box Qty.
DC:24V	SMD 2835	120°	10mm	20,000 Hours	80 Packets



**3 YEAR**  
WARRANTY



**V-TAC**<sup>®</sup>  
INNOVATIVE LED LIGHTING



**AESTHETICALLY FUNCTIONAL**



High **CRI**



Experience The  
**TRUE COLORS**

## The Right Track


Perfect ecological alternative to Old Halogen Lights, Track lights are the extensive range of modern LED Track Lights! Delivering high performance, excellent durability, and remarkable light output to serve the general Commercial and Retail market.

### 4 Line Tracklights-Black Body

**7W** VT-407-B EAN Code

- 353 - 3000K Warm White 3800157633963
- 354 - 4000K Day White 3800157633970
- 355 - 5000K White 3800157633987

 **420** Lumens |  **>90** CRI |  **>0.5** PF




Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	COB	24°	Aluminum	180x40.5x50mm	30,000 Hours	40

### 4 Line Tracklights-White Body

**7W** VT-407-W EAN Code

- 350 - 3000K Warm White 3800157633932
- 351 - 4000K Day White 3800157633949
- 352 - 5000K White 3800157633956

 **490** Lumens |  **>90** CRI |  **>0.5** PF



Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	COB	24°	Aluminum	180x40.5x50mm	30,000 Hours	40



# V-TAC<sup>®</sup>

## INNOVATIVE LED LIGHTING

Live . Light . Life  
 www.vtacexports.com | www.v-tac.eu

### 4 Line Tracklights-Black Body

**15W** VT-415-B EAN Code

- 359 - 3000K Warm White 3800157634021
- 360 - 4000K Day White 3800157634038
- 361 - 5000K White 3800157634045




**1050**  
Lumens



**>90**  
CRI



**>0.5**  
PF



Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	COB	24°	Aluminum	200x50x50mm	30,000 Hours	40

### 4 Line Tracklights-White Body

**15W** VT-415-W EAN Code

- 356 - 3000K Warm White 3800157633994
- 357 - 4000K Day White 3800157634007
- 358 - 5000K White 3800157634014




**1200**  
Lumens



**>90**  
CRI



**>0.5**  
PF



Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	COB	24°	Aluminum	200x50x50mm	30,000 Hours	40



**5 YEARS WARRANTY**




\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

### 4 Line Tracklights-Black Body

**20W** VT-420-B EAN Code

- 365 - 3000K Warm White 3800157634083
- 366 - 4000K Day White 3800157634090
- 367 - 5000K White 3800157634106

 **1400** Lumens |  **>90** CRI |  **>0.9** PF




Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	COB	24°	Aluminum	220x60x50mm	30,000 Hours	40

### 4 Line Tracklights-White Body

**20W** VT-420-W EAN Code

- 362 - 3000K Warm White 3800157634052
- 363 - 4000K Day White 3800157634069
- 364 - 5000K White 3800157634076

 **1600** Lumens |  **>90** CRI |  **>0.9** PF



Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	COB	24°	Aluminum	220x60x50mm	30,000 Hours	40



Live . Light . Life  
 www.vtacexports.com | www.v-tac.eu

# V-TAC<sup>®</sup>

## INNOVATIVE LED LIGHTING

### 4 Line Tracklights-Black Body

**33W** VT-433-B EAN Code

- 371 - 3000K Warm White 3800157635462
- 372 - 4000K Day White 3800157635479
- 373 - 5000K White 3800157635486



- 2640** Lumens
- >90** CRI
- >0.9** PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Life span	Box Qty.
AC:220-240V,50Hz	COB	24°-60° Adjustable	Aluminum	30,000 Hours	8

### 4 Line Tracklights-White Body

**33W** VT-433-W EAN Code

- 368 - 3000K Warm White 3800157635431
- 369 - 4000K Day White 3800157635448
- 370 - 5000K White 3800157635455



- 2640** Lumens
- >90** CRI
- >0.9** PF

Voltage/Frequency	LED Type	Beam Angle	Body Type	Life span	Box Qty.
AC:220-240V,50Hz	COB	24°-60° Adjustable	Aluminum	30,000 Hours	8

\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

# V-TAC<sup>®</sup>

## INNOVATIVE LED LIGHTING

### LED Track Lights

Perfect ecological alternative to Old Halogen Lights, Track lights are the extensive range of modern LED Track Lights! Delivering high performance, excellent durability and remarkable light output to serve the general Commercial and Retail market.



- Saves 80% energy
- No Ultraviolet or Infrared Rays
- Totally flexible, Compact & Adjustable design
- No Lead or Mercury content hence environment friendly
- Provides Uniform Radiance & Enhances appeal of any environment.
- Enhances measurable levels of performance as compared to older versions of high wattage halogen & HID light sources in retail & Commercial Lighting applications.

**5** V-TAC<sup>®</sup> PRO  
YEAR WARRANTY

\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



# V-TAC<sup>®</sup>


## INNOVATIVE LED LIGHTING

Live . Light . Life  
www.vtacexports.com | www.v-tac.eu

### Reflector-Highbays

**100W** VT-9-102 EAN Code

566 - 4000K Day White 3800157633048  
567 - 6400K White 3800157633055



**18000** Lumens | **>80** CRI | **>0.9** PF

**Optional**  
**Daylight** Sensor  
SKU - 1369

**1-10V**  
**DIMMABLE**

V-TAC PERFORMANCE  
**180**  
LUMENS/WATT

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:100-277V,50/60Hz	SMD	120°	Aluminum	Ø260x145mm	30,000 Hours	2

### : Cover Options :



Aluminum Reflector  
**90°** SKU-570



Aluminum Reflector  
**120°** SKU-571




PC Transparent Reflector  
**120°** SKU-574

### Reflector-Highbays

**120W** VT-9-120 EAN Code

568 - 4000K Day White 3800157633321  
569 - 6400K White 3800157633338



**21600** Lumens | **>80** CRI | **>0.9** PF

**Optional**  
**Daylight** Sensor  
SKU - 1369

**1-10V**  
**DIMMABLE**

V-TAC PERFORMANCE  
**180**  
LUMENS/WATT

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:100-277V,50/60Hz	SMD	120°	Aluminum	Ø260x145mm	30,000 Hours	2



**5 YEARS WARRANTY**



\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

# V-TAC<sup>®</sup>


## INNOVATIVE LED LIGHTING

Live . Light . Life  
[www.vtacexports.com](http://www.vtacexports.com) | [www.v-tac.eu](http://www.v-tac.eu)

### UFO Series

**100W** VT-9-100 EAN Code

564 - 4000K Day White 3800157632898  
 565 - 6400K White 3800157632904



**12000** Lumens | 
 **>80** CRI | 
 **>0.9** PF | 
 | 
 **IP65** RATING

#### Optional

**Daylight** Sensor




SKU - 1369

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	90°	Die cast Aluminum	Ø280x165mm	30,000 Hours	4

### UFO Series

**150W** VT-9-150 EAN Code

560 - 4000K Day White 3800157632850  
 561 - 6400K White 3800157632867



**18000** Lumens | 
 **>80** CRI | 
 **>0.9** PF | 
 | 
 **IP65** RATING

#### Optional

**Daylight** Sensor



SKU - 1369

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	90°	Die cast Aluminum	Ø340x171mm	30,000 Hours	2



\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

# V-TAC<sup>®</sup>


## INNOVATIVE LED LIGHTING

Live . Light . Life  
 www.vtacexports.com | www.v-tac.eu

### UFO Series

**100W** VT-9-101 EAN Code

562 - 4000K Day White 3800157632874  
 563 - 6400K White 3800157632881



**12000**  
Lumens

**>80**  
CRI

**>0.9**  
PF

**MW**  
MEAN WELL

**IP65**  
RATING

#### Optional

**Daylight** Sensor  
 SKU - 1369


**1-10V**  
DIMMABLE

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	120°	Die cast Aluminum	Ø280x165mm	30,000 Hours	4

### UFO Series

**150W** VT-9-151 EAN Code

558 - 4000K Day White 3800157632836  
 559 - 6400K White 3800157632843



**18000**  
Lumens

**>80**  
CRI

**>0.9**  
PF

**MW**  
MEAN WELL

**IP65**  
RATING

#### Optional

**Daylight** Sensor  
 SKU - 1369

**1-10V**  
DIMMABLE

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	120°	Die cast Aluminum	Ø340x171mm	30,000 Hours	2



**5 YEARS WARRANTY**



\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

# V-TAC<sup>®</sup>

## INNOVATIVE LED LIGHTING

Live . Light . Life  
www.vtacexports.com | www.v-tac.eu

### UFO Series

**100W** VT-9-98 EAN Code


556 - 4000K Day White 3800157632812  
557 - 6400K White 3800157632829

 **8000**  
Lumens

 **>80**  
CRI

 **>0.9**  
PF

 **IP 44**  
Rating



Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	90°	Die cast Aluminum	Ø340x138mm	30,000 Hours	4

### UFO Series

**150W** VT-9-148 EAN Code


552 - 4000K Day White 3800157632775  
553 - 6400K White 3800157632782

 **12000**  
Lumens

 **>80**  
CRI

 **>0.9**  
PF

 **IP 44**  
Rating



Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	90°	Die cast Aluminum	Ø340x138mm	30,000 Hours	2


Live . Light . Life  
 www.vtacexports.com | www.v-tac.eu

# V-TAC<sup>®</sup>

## INNOVATIVE LED LIGHTING

### UFO Series

**100W** VT-9-99 EAN Code




554 - 4000K Day White 3800157632799  
 555 - 6400K White 3800157632805

- 8000** Lumens
- >80** CRI
- >0.9** PF
- IP 44** Rating

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	120°	Die cast Aluminum	Ø280x131mm	30,000 Hours	4

### UFO Series

**150W** VT-9-149 EAN Code



550 - 4000K Day White 3800157632751  
 551 - 6400K White 3800157632768

- 12000** Lumens
- >80** CRI
- >0.9** PF
- IP 44** Rating

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:220-240V,50Hz	SMD	120°	Die cast Aluminum	Ø340x138mm	30,000 Hours	2

\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

# V-TAC<sup>®</sup>


## INNOVATIVE LED LIGHTING

Live . Light . Life  
[www.vtacexports.com](http://www.vtacexports.com) | [www.v-tac.eu](http://www.v-tac.eu)

### LED Canopy

**150W** VT-9-155 EAN Code

572 - 4000K Day White 3800157633369  
 573 - 6400K White 3800157633376




**18000** Lumens | 
 **>80** CRI | 
 **>0.9** PF | 
 **IP 44** Rating

Voltage/Frequency	LED Type	Beam Angle	Body Type	Dimension	Life span	Box Qty.
AC:100-277V,50/60Hz	SMD	110°	Aluminum	380x380x69.5mm	30,000 Hours	2


- Specially designed for gas stations
- Suitable for recessed or surface mounted installation
- Super slim design and nice looking, easier to install
- Instant start, no noise, no flickering.
- Heat and Shock Resistant.
- Reduce maintenance costs up to 90%, almost free of maintenance.
- Suit for both indoor and outdoor use.



\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



# LED Street Light



• Hanging Cable



• Pole Fixing



# V-TAC<sup>®</sup>

INNOVATIVE LED LIGHTING

# COMING SOON

**5** V-TAC<sup>®</sup> PRO  
YEAR WARRANTY

\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



## LED Bulbs Blister Packing

With a focus on the ever-evolving demands, we are engaged in supplying a wide range of LED Bulb Blister Packs.




LED Bulbs-E14

4W VT-2184

7366 - 2700K Warm White 3800157628570



Box Qty. **50 Pcs**



EQ. Watts:	40w	PF:	>0.4
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	300°
Luminous Flux:	400lm	Base:	E14
Commercial Type:	P45	Body Type:	Glass
LED Type:	SMD	Dimension:	45x77mm
CRI:	>80		



LED Bulbs-E27

4W VT-2194

7367 - 2700K Warm White 3800157628587



Box Qty. **50 Pcs**



EQ. Watts:	40w	PF:	>0.4
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	300°
Luminous Flux:	400lm	Base:	E27
Commercial Type:	G45	Body Type:	Glass
LED Type:	SMD	Dimension:	45x75mm
CRI:	>80		



LED Candle Filament Bulbs

4W VT-2104

7282 - 2700K Warm White 3800157623728



Box Qty. **50 Pcs**



EQ. Watts:	40w	PF:	>0.4
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	300°
Luminous Flux:	400lm	Base:	E14
Commercial Type:	Candle	Body Type:	Glass
LED Type:	SMD	Dimension:	35x100mm
CRI:	>80		


## LED Candle Filament Bulbs

# 4W VT-2134D

7284 - 2700K Warm White 3800157623742


 Box Qty.  
**50 Pcs**


EQ. Watts: 35w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 350lm  
 Commercial Type: Candle  
 LED Type: SMD  
 CRI: >80




PF: >0.5  
 Beam Angle: 300°  
 Base: E14  
 Body Type: Glass  
 Dimension: 35x100mm

## LED Candle Filament Bulbs

# 4W VT-2174

7365 - 2700K Warm White 3800157628563


 Box Qty.  
**50 Pcs**


EQ. Watts: 40w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 400lm  
 Commercial Type: Candle  
 LED Type: SMD  
 CRI: >80

PF: >0.4  
 Beam Angle: 300°  
 Base: E14  
 Body Type: Glass  
 Dimension: 35x100mm

## LED Filament Bulbs

# 4W VT-2114

7283 - 2700K Warm White 3800157623735


 Box Qty.  
**25 Pcs**




EQ. Watts: 40w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 400lm  
 Commercial Type: A60  
 LED Type: SMD  
 CRI: >80

PF: >0.4  
 Beam Angle: 300°  
 Base: E27  
 Body Type: Glass  
 Dimension: 60x107mm

LED Bulbs-E27

**6W**    **VT-2186**

7368 - 2700K Warm White    3800157628594





Box Qty.  
**25 Pcs**

EQ. Watts:	<b>55w</b>	PF:	>0.5
Voltage/Frequency:	<b>AC:220-240V,50Hz</b>	Beam Angle:	<b>300°</b>
Luminous Flux:	<b>660lm</b>	Base:	<b>E27</b>
Commercial Type:	<b>A60</b>	Body Type:	<b>Glass</b>
LED Type:	<b>Filament</b>	Dimension:	<b>60x107mm</b>
CRI:	<b>&gt;80</b>		

LED Candle Bulbs

**5.5W**    **VT-2106**

7291 - 2700K Warm White    3800157623810  
 7292 - 4000K Day White    3800157623827  
 7293 - 6400K White    3800157623834





Box Qty.  
**50 Pcs**

EQ. Watts:	<b>40w</b>	PF:	>0.5
Voltage/Frequency:	<b>AC:220-240V,50Hz</b>	Beam Angle:	<b>200°</b>
Luminous Flux:	<b>470lm</b>	Base:	<b>E14</b>
Commercial Type:	<b>Candle</b>	Body Type:	<b>ThermoPlastic</b>
LED Type:	<b>SMD</b>	Dimension:	<b>37x100mm</b>
CRI:	<b>&gt;80</b>		

LED Bulbs-E14

**5.5W**    **VT-2146**

7355 - 2700K Warm White    3800157628136  
 7356 - 4000K Day White    3800157628143



Box Qty.  
**50 Pcs**

EQ. Watts:	<b>40w</b>	PF:	>0.5
Voltage/Frequency:	<b>AC:220-240V,50Hz</b>	Beam Angle:	<b>180°</b>
Luminous Flux:	<b>470lm</b>	Base:	<b>E14</b>
Commercial Type:	<b>P45</b>	Body Type:	<b>ThermoPlastic</b>
LED Type:	<b>SMD</b>	Dimension:	<b>45x81mm</b>
CRI:	<b>&gt;80</b>		



## LED Bulbs-E27


# 5.5W VT-2166

7360 - 2700K Warm White  
7361 - 4000K Day White

3800157628181  
3800157628198

Box Qty.  
**50 Pcs**

EQ. Watts: **40w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **470lm**  
Commercial Type: **G45**  
LED Type: **SMD**  
CRI: **>80**



PF: **>0.4**  
Beam Angle: **180°**  
Base: **E27**  
Body Type: **ThermoPlastic**  
Dimension: **45x82mm**



## LED Bulbs-E27

# 9W VT-2139

7295 - 4000K Day White  
7296 - 6400K White

3800157623858  
3800157623865

Box Qty.  
**25 Pcs**

EQ. Watts: **60w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **806lm**  
Commercial Type: **A60**  
LED Type: **SMD**  
CRI: **>80**



PF: **>0.5**  
Beam Angle: **200°**  
Base: **E27**  
Body Type: **ThermoPlastic**  
Dimension: **60x112mm**



## LED Bulbs-E27



# 11W VT-2111

7297 - 2700K Warm White  
7298 - 4000K Day White  
7299 - 6400K White

3800157623872  
3800157623889  
3800157623896

Box Qty.  
**25 Pcs**

EQ. Watts: **75w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **1055lm**  
Commercial Type: **A60**  
LED Type: **SMD**  
CRI: **>80**



PF: **>0.5**  
Beam Angle: **200°**  
Base: **E27**  
Body Type: **ThermoPlastic**  
Dimension: **60x120mm**


LED Bulbs-E27

**6W VT-2022BP**



7324 - 2700K Warm White 3800157624602  
 7325 - 4000K Day White 3800157624619  
 7326 - 6400K White 3800157624626

Box Qty.  
**40 Pcs**



EQ. Watts: **40w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **470lm**  
 Commercial Type: **A60**  
 LED Type: **SMD**  
 CRI: **>80**

PF: **>0.4**  
 Beam Angle: **200°**  
 Base: **E27**  
 Body Type: **ThermoPlastic**  
 Dimension: **60x112mm**



LED Bulbs-E27

**9w VT-2109**



7285 - 2700K Warm White 3800157623759  
 7286 - 4000K Day White 3800157623766  
 7287 - 6400K White 3800157623773

Box Qty.  
**25 Pcs**



EQ. Watts: **60w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **806lm**  
 Commercial Type: **A60**  
 LED Type: **SMD**  
 CRI: **>80**

PF: **>0.5**  
 Beam Angle: **200°**  
 Base: **E27**  
 Body Type: **ThermoPlastic**  
 Dimension: **60x122mm**



LED Bulbs-E27

**9w VT-2129**



7288 - 2700K Warm White 3800157623780  
 7289 - 4000K Day White 3800157623797  
 7290 - 6400K White 3800157623803

Box Qty.  
**25 Pcs**



EQ. Watts: **60w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **806lm**  
 Commercial Type: **A60**  
 LED Type: **SMD**  
 CRI: **>80**

PF: **>0.5**  
 Beam Angle: **200°**  
 Base: **E27**  
 Body Type: **ThermoPlastic**  
 Dimension: **60x112mm**



## LED Bulbs-E27



# 9w VT-2149

7309 - 3 IN 1

3800157623995

 Box Qty.  
**25 Pcs**

EQ. Watts: **60w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **806lm**  
 Commercial Type: **A60**  
 LED Type: **SMD**  
 CRI: **>80**



PF: **>0.5**  
 Beam Angle: **200°**  
 Base: **E27**  
 Body Type: **ThermoPlastic**  
 Dimension: **60x112mm**

## LED Bulbs-E27


# 15w VT-2117

7300 - 2700K Warm White

3800157623902

 Box Qty.  
**25 Pcs**

EQ. Watts: **100w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **1500lm**  
 Commercial Type: **A65**  
 LED Type: **SMD**  
 CRI: **>80**



PF: **>0.5**  
 Beam Angle: **200°**  
 Base: **E27**  
 Body Type: **ThermoPlastic**  
 Dimension: **66.5x134mm**





## LED Thermoplastic Bulbs

- Lasts 20 times longer than Standard Bulbs
- Broad Range of holders like E27, E14, B22, B15,G24 and R7S
- Uses 80% less energy than Standard Bulbs
- Excellent Heat Radiation Efficiency
- Customized exterior for stronger body
- High Power LED Chips
- Non - Flickering
- Dimmable & Non Dimmable options

## Applications



Perfect choice for Hotels, Bars, Commercial & Residential Lighting and Exhibition Stands.



## Bulbs-A60-E27-RGB

6W VT-2022

7121 - 2700K Warm White 3800157609975  
 7150 - 4000K Day White 3800157610711  
 7151 - 6400K White 3800157610728


 Box Qty.  
**100 Pcs**


EQ. Watts: **40w** PF: >0.5  
 Voltage/Frequency: **AC:220-240V,50Hz** Beam Angle: **200°**  
 Luminous Flux: **470lm** Base: **E27**  
 Commercial Type: **A60** Body Type: **ThermoPlastic**  
 LED Type: **SMD** Dimension: **60x112mm**  
 CRI: >80





- High-efficient RGB light LED bulb with IR remote controller
- Your smart choice to replace your outdated incandescent and fluorescent bulbs
- Provides various colors and light modes for your choice: flash, strobe, fade, smooth, on and off for your choice



## Bulbs-A60-E27-Sensor

9W VT-2016

4459 - 2700K Warm White 3800157608237  
 4460 - 4000K Day White 3800157608244  
 4461 - 6000K White 3800157608251


 Box Qty.  
**100 Pcs**


EQ. Watts: **60w** PF: >0.5  
 Voltage/Frequency: **AC:220-240V,50Hz** Beam Angle: **200°**  
 Luminous Flux: **806lm** Base: **E27**  
 Commercial Type: **A60** Body Type: **ThermoPlastic**  
 LED Type: **SMD** Dimension: **60x122mm**  
 CRI: >80



- Our smart sensor bulbs are built in with photocells with transmits Signal to light source as per lumen conditions smartly and saves power by going onto Light mode, enabling you to save power and reduce consumption of power when not required.





**Bulbs-A60-E27-3 Step Dimming**

**9w VT-2011**

4447 - 2700K Warm White 3800157607988  
 4448 - 4000K Day White 3800157607995  
 4449 - 6400K White 3800157608008



Box Qty.  
**100 Pcs**



EQ. Watts:	<b>60w</b>	PF:	<b>&gt;0.5</b>
Voltage/Frequency:	<b>AC:220-240V,50Hz</b>	Beam Angle:	<b>200°</b>
Luminous Flux:	<b>806lm</b>	Base:	<b>E27</b>
Commercial Type:	<b>A60</b>	Body Type:	<b>ThermoPlastic</b>
LED Type:	<b>SMD</b>	Dimension:	<b>60x112mm</b>
CRI:	<b>&gt;80</b>		



Smart Dimming Technology Without A Dimmer!  
 At the click of button, change the lighting Power from 100% to 50% and if need to Reduce more click again to go to 15%.





**Bulbs-A60-E27-Color Changing**

**9w VT-2119**

7317 - 3 IN 1 3800157624497



Box Qty.  
**100 Pcs**



EQ. Watts:	<b>60w</b>	PF:	<b>&gt;0.5</b>
Voltage/Frequency:	<b>AC:220-240V,50Hz</b>	Beam Angle:	<b>200°</b>
Luminous Flux:	<b>806lm</b>	Base:	<b>E27</b>
Commercial Type:	<b>A60</b>	Body Type:	<b>ThermoPlastic</b>
LED Type:	<b>SMD</b>	Dimension:	<b>60x112mm</b>
CRI:	<b>&gt;80</b>		



- HOW IT WORKS**
1. Switch the light on for cool white.
  2. Turn the Switch off and on again for warm white.
  3. Turn the Switch off and on again for day white.
  4. Switch between these to select your ideal colour.

**new!**


## Fire Flame-Bulb

4W VT-2135

7426 - 1800K Warm White 3800157633109



Flame Effect



Box Qty.

EQ. Watts:	N/A	PF:	>0.6
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	300°
Luminous Flux:	280lm	Base:	E27
Commercial Type:		Body Type:	Plastic
LED Type:	SMD	Dimension:	50x128mm
CRI:	>80		



- Dynamic Moving Flame, Simulate Nature Fire Flicker Flame.
- Soft LED Light Source
- Low Corbin Environment

## Bulbs-A60-E27-DC 24V

9w VT-2059

7417 - 4000K Day White 3800157632744  
7224 - 6400K White 3800157617543Box Qty.  
**100 Pcs**

EQ. Watts:	55w	PF:	>0.7
Voltage/Frequency:	DC:24V	Beam Angle:	200°
Luminous Flux:	720lm	Base:	E27
Commercial Type:	A60	Body Type:	ThermoPlastic
LED Type:	SMD	Dimension:	60x112mm
CRI:	>80		



DC24V




Bulbs-A60-E27

9w VT-2000R

7341 - Red

3800157626033



Box Qty.  
**100 Pcs**

EQ. Watts:	30w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	200°
Luminous Flux:	270lm	Base:	E27
Commercial Type:	A60	Body Type:	ThermoPlastic
LED Type:	SMD	Dimension:	60x112mm
CRI:	>80		




Bulbs-A60-E27

9w VT-2000Y

7342 - Yellow

3800157626040



Box Qty.  
**100 Pcs**

EQ. Watts:	50w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	200°
Luminous Flux:	570lm	Base:	E27
Commercial Type:	A60	Body Type:	ThermoPlastic
LED Type:	SMD	Dimension:	60x112mm
CRI:	>80		



## Bulbs-A60-E27

**9w**     **VT-2000G**

7343 - Green

3800157626057

Box Qty.  
**100 Pcs**

EQ. Watts: **30w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **310lm**  
 Commercial Type: **A60**  
 LED Type: **SMD**  
 CRI: **>80**

PF: **>0.5**  
 Beam Angle: **200°**  
 Base: **E27**  
 Body Type: **ThermoPlastic**  
 Dimension: **60x112mm**



## Bulbs-A60-E27

**9w**     **VT-2000B**


7344 - Blue

3800157626064

Box Qty.  
**100 Pcs**

EQ. Watts: **15w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **120lm**  
 Commercial Type: **A60**  
 LED Type: **SMD**  
 CRI: **>80**

PF: **>0.5**  
 Beam Angle: **200°**  
 Base: **E27**  
 Body Type: **ThermoPlastic**  
 Dimension: **60x112mm**





LED Bulbs-E27

**5w**      **VT-2055**

7266 - 2700K Warm White      3800157622981



Box Qty.  
**30 Pcs**



EQ. Watts:	<b>35w</b>	PF:	<b>&gt;0.5</b>
Voltage/Frequency:	<b>AC:220-240V,50Hz</b>	Beam Angle:	<b>200°</b>
Luminous Flux:	<b>420lm</b>	Base:	<b>E27</b>
Commercial Type:	<b>A55</b>	Body Type:	<b>ThermoPlastic</b>
LED Type:	<b>SMD</b>	Dimension:	<b>55x106mm</b>
CRI:	<b>&gt;80</b>		



Bulbs-A60-E27

**9w**      **VT-2099**

7260 - 2700K Warm White      3800157622110  
 7261 - 4000K Day White      3800157622127  
 7262 - 6400K White      3800157622134



Box Qty.  
**100 Pcs**



EQ. Watts:	<b>60w</b>	PF:	<b>&gt;0.5</b>
Voltage/Frequency:	<b>AC:220-240V,50Hz</b>	Beam Angle:	<b>200°</b>
Luminous Flux:	<b>806lm</b>	Base:	<b>E27</b>
Commercial Type:	<b>A60</b>	Body Type:	<b>ThermoPlastic</b>
LED Type:	<b>SMD</b>	Dimension:	<b>60x112mm</b>
CRI:	<b>&gt;80</b>		



LED Bulbs-E27

**9w**      **VT-1900**

7241 - 4000K Day White      3800157620147  
 7242 - 6400K White      3800157620154



Box Qty.  
**20 Pcs**



EQ. Watts:	<b>60w</b>	PF:	<b>&gt;0.5</b>
Voltage/Frequency:	<b>AC:220-240V,50Hz</b>	Beam Angle:	<b>200°</b>
Luminous Flux:	<b>806lm</b>	Base:	<b>E27</b>
Commercial Type:	<b>A60</b>	Body Type:	<b>ThermoPlastic</b>
LED Type:	<b>SMD</b>	Dimension:	<b>60x112mm</b>
CRI:	<b>&gt;80</b>		

## LED Bulbs-E27



**11W** VT-2113

7352 - 2700K Warm White  
7353 - 4000K Day White  
7354 - 6400K White

3800157627412  
3800157627429  
3800157627436


 Box Qty.  
**40 Pcs**

EQ. Watts: **75w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **1055lm**  
Commercial Type: **A60**  
LED Type: **SMD**  
CRI: **>80**



PF: **>0.5**  
Beam Angle: **200°**  
Base: **E27**  
Body Type: **ThermoPlastic**  
Dimension: **60x120mm**

## Bulbs-A60-E27


**11W** VT-2112

7350 - 2700K Warm White  
7349 - 4000K Day White  
7351 - 6400K White

3800157627399  
3800157627320  
3800157627405


 Box Qty.  
**100 Pcs**

EQ. Watts: **75w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **1055lm**  
Commercial Type: **A60**  
LED Type: **SMD**  
CRI: **>80**



PF: **>0.5**  
Beam Angle: **200°**  
Base: **E27**  
Body Type: **ThermoPlastic**  
Dimension: **60x120mm**



## Bulbs-A60-E27

**12W** VT-1864-E27

4228 - 2700K Warm White

 Box Qty.  
**100 Pcs**

EQ. Watts: **75w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **1055lm**  
Commercial Type: **A60**  
LED Type: **SMD**  
CRI: **>80**



PF: **>0.5**  
Beam Angle: **200°**  
Base: **E27**  
Body Type: **ThermoPlastic**  
Dimension: **60x120mm**




**Bulbs-A65-E27**  
**15w VT-2015-E27**

4453 - 2700K Warm White 3800157608091  
 4454 - 4000K Day White 3800157608107  
 4455 - 6400K White 3800157608114

Box Qty.  
**100 Pcs**

EQ. Watts: **100w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **1500lm**  
 Commercial Type: **A65**  
 LED Type: **SMD**  
 CRI: **>80**



PF: **>0.5**  
 Beam Angle: **200°**  
 Base: **E27**  
 Body Type: **ThermoPlastic**  
 Dimension: **66.5x134mm**





**Bulbs-A65-E27**  
**17w VT-2017**

4456 - 2700K Warm White 3800157608121

Box Qty.  
**100 Pcs**

EQ. Watts: **130w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **1800lm**  
 Commercial Type: **A65**  
 LED Type: **SMD**  
 CRI: **>80**



PF: **>0.5**  
 Beam Angle: **200°**  
 Base: **E27**  
 Body Type: **ThermoPlastic**  
 Dimension: **66.5x134mm**





**LED Bulbs-B22**  
**9w VT-2069-3PC**

7246 - 2700K Warm White 3800157620192

Box Qty.  
**20 Pcs**

EQ. Watts: **60w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **806lm**  
 Commercial Type: **A60**  
 LED Type: **SMD**  
 CRI: **>80**



PF: **>0.5**  
 Beam Angle: **200°**  
 Base: **B22**  
 Body Type: **ThermoPlastic**  
 Dimension: **60x112mm**





## Bulbs-A60-B22



**9w**    **VT-1853**

7401 - 2700K Warm White  
7402 - 4000K Day White  
7403 - 6400K White

3800157629263  
3800157629270  
3800157629287

 Box Qty.  
**100 Pcs**

EQ. Watts: **60w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **806lm**  
Commercial Type: **A60**  
LED Type: **SMD**  
CRI: **>80**



PF: **>0.5**  
Beam Angle: **200°**  
Base: **B22**  
Body Type: **ThermoPlastic**  
Dimension: **60x112mm**

**new!**

## Bulbs-A60-B22


**9w**    **VT-2189**

7422 - 2700K Warm White

3800157634175

 Box Qty.  
**100 Pcs**

EQ. Watts: **60w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **806lm**  
Commercial Type: **A60**  
LED Type: **SMD**  
CRI: **>80**



PF: **>0.5**  
Beam Angle: **200°**  
Base: **B22**  
Body Type: **ThermoPlastic**  
Dimension: **60x106mm**



## Bulbs-A60-B22


**11w**    **VT-1864**

7404 - 2700K Warm White  
7405 - 4000K Day White  
7406 - 6400K White

3800157629294  
3800157629300  
3800157629317

 Box Qty.  
**100 Pcs**

EQ. Watts: **75w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **1055lm**  
Commercial Type: **A60**  
LED Type: **SMD**  
CRI: **>80**



PF: **>0.7**  
Beam Angle: **200°**  
Base: **B22**  
Body Type: **ThermoPlastic**  
Dimension: **60x120mm**





**Bulbs-A60-B22**  
**12w VT-1864-B22**

7223 - 6400K White 3800157617338

Box Qty.  
**100 Pcs**

EQ. Watts: **75w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **1055lm**  
Commercial Type: **A60**  
LED Type: **SMD**  
CRI: **>80**



PF: **>0.7**  
Beam Angle: **200°**  
Base: **B22**  
Body Type: **ThermoPlastic**  
Dimension: **60x120mm**





**Bulbs-A65-B22**  
**15w VT-2015-B22**

7229 - 2700K Warm White 3800157619554  
7399 - 4000K Day White 3800157629010  
7400 - 6400K White 3800157629027

Box Qty.  
**100 Pcs**

EQ. Watts: **100w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **1350lm**  
Commercial Type: **A65**  
LED Type: **SMD**  
CRI: **>80**



PF: **>0.5**  
Beam Angle: **200°**  
Base: **B22**  
Body Type: **ThermoPlastic**  
Dimension: **66.5x134mm**





**Bulbs-G45-B22**  
**3w VT-2053-B22**

7232 - 2700K Warm White 3800157619776  
7233 - 6400K White 3800157619783

Box Qty.  
**200 Pcs**

EQ. Watts: **25w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **250lm**  
Commercial Type: **G45**  
LED Type: **SMD**  
CRI: **>80**



PF: **>0.5**  
Beam Angle: **180°**  
Base: **B22**  
Body Type: **ThermoPlastic**  
Dimension: **45x75mm**



**new!**

**Bulbs-G45-B22**
**5.5W VT-2197D**

7419 - 2700K Warm White 3800157633079

 Box Qty.  
**100 Pcs**


EQ. Watts: 50w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 470lm  
 Commercial Type: G45  
 LED Type: SMD  
 CRI: >80





PF: >0.7  
 Beam Angle: 200°  
 Base: B22  
 Body Type: ThermoPlastic  
 Dimension: 45x81mm


**Bulbs-G45-B22**
**6W VT-1973**

4441 - 2700K Warm White 3800157607674

 Box Qty.  
**100 Pcs**

EQ. Watts: 40w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 470lm  
 Commercial Type: G45  
 LED Type: SMD  
 CRI: >80





PF: >0.5  
 Beam Angle: 180°  
 Base: B22  
 Body Type: ThermoPlastic  
 Dimension: 45x80mm


**Bulbs-Candle-B15**
**6W VT-1857**

 4217 - 3000K Warm White 3800230624802  
 7348 - 6000K White 3800157627306

 Box Qty.  
**200 Pcs**

EQ. Watts: 40w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 470lm  
 Commercial Type: Candle  
 LED Type: SMD  
 CRI: >80



PF: >0.5  
 Beam Angle: 180°  
 Base: B15  
 Body Type: ThermoPlastic  
 Dimension: 37x102mm



**Bulbs-Candle-B22**  
**3w VT-2073**

7230 - 2700K Warm White 3800157619578  
7231 - 6400K White 3800157619585

Box Qty.  
**200 Pcs**



EQ. Watts: **25w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **250lm**  
Commercial Type: **Candle**  
LED Type: **SMD**  
CRI: **>80**



PF: **>0.4**  
Beam Angle: **200°**  
Base: **B22**  
Body Type: **ThermoPlastic**  
Dimension: **37x102mm**

**new!**



**Bulbs-Candle-B22**  
**5.5w VT-2196D**

7418 - 2700K Warm White 3800157633062

Box Qty.  
**200 Pcs**



EQ. Watts: **50w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **470lm**  
Commercial Type: **Candle**  
LED Type: **SMD**  
CRI: **>80**



PF: **>0.5**  
Beam Angle: **200°**  
Base: **B22**  
Body Type: **ThermoPlastic**  
Dimension: **37x100mm**



**Bulbs-Candle-B22**  
**6w VT-1965**

4440 - 2700K Warm White 3800157607667  
7346 - 6400K White 3800157627283

Box Qty.  
**200 Pcs**



EQ. Watts: **40w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **470lm**  
Commercial Type: **Candle**  
LED Type: **SMD**  
CRI: **>80**



PF: **>0.5**  
Beam Angle: **200°**  
Base: **B22**  
Body Type: **ThermoPlastic**  
Dimension: **37x102mm**



## Bulbs-Candle-E14



**3W** VT-2033

7196 - 2700K Warm White  
7197 - 4000K Day White  
7198 - 6400K White

3800157615808  
3800157615815  
3800157615822

 Box Qty.  
**200 Pcs**

EQ. Watts: **25w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **250lm**  
Commercial Type: **Candle**  
LED Type: **SMD**  
CRI: **>80**



PF: **>0.4**  
Beam Angle: **200°**  
Base: **E14**  
Body Type: **ThermoPlastic**  
Dimension: **37x100mm**



## Bulbs-Candle-E14



**4W** VT-1818

4216 - 2700K Warm White  
4166 - 4000K Day White  
4122 - 6400K White

3800230624796  
3800230620675  
3800230620668

 Box Qty.  
**200 Pcs**

EQ. Watts: **30w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **320lm**  
Commercial Type: **Candle**  
LED Type: **SMD**  
CRI: **>80**



PF: **>0.4**  
Beam Angle: **200°**  
Base: **E14**  
Body Type: **ThermoPlastic**  
Dimension: **37x100mm**



## Candle-E14 - 3Pc Pack


**5.5W** VT-2076

7263 - 2700K Warm White  
7264 - 4000K Day White  
7265 - 6400K White

3800157622950  
3800157622967  
3800157622974

 Box Qty.  
**60 Pcs**

EQ. Watts: **40w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **470lm**  
Commercial Type: **Candle**  
LED Type: **SMD**  
CRI: **>80**



PF: **>0.5**  
Beam Angle: **200°**  
Base: **E14**  
Body Type: **ThermoPlastic**  
Dimension: **37x100mm**




**Bulbs-Candle-E14**

**4W VT-1818TP**

4164 - 2700K Warm White 3800230620743  
3800230620736

Box Qty.  
**200 Pcs**

EQ. Watts: **30w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **320lm**  
Commercial Type: **Candle**  
LED Type: **SMD**  
CRI: **>80**



PF: **>0.4**  
Beam Angle: **200°**  
Base: **E14**  
Body Type: **ThermoPlastic**  
Dimension: **37x124mm**



**Bulbs-Candle-E14**



**6W VT-1854D**

4213 - 3000K Warm White 3800230624765

Box Qty.  
**200 Pcs**



EQ. Watts: **40w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **470lm**  
Commercial Type: **Candle**  
LED Type: **SMD**  
CRI: **>80**



PF: **>0.5**  
Beam Angle: **200°**  
Base: **E14**  
Body Type: **ThermoPlastic**  
Dimension: **37x100mm**





**Bulbs-Candle-E14**

**7W VT-2097**

7320 - 6400K White 3800157624527

Box Qty.  
**200 Pcs**

EQ. Watts: **55w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **750lm**  
Commercial Type: **Candle**  
LED Type: **SMD**  
CRI: **>80**



PF: **>0.5**  
Beam Angle: **200°**  
Base: **E14**  
Body Type: **ThermoPlastic**  
Dimension: **37x100mm**





## Bulbs-Candle-E27

# 5.5W VT-1821N

43421 - 2700K Warm White 3800157624381  
 43431 - 4000K Day White 3800157624398  
 43441 - 6400K White 3800157624404

Box Qty.  
**200 Pcs**

EQ. Watts: **40w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **470lm**  
 Commercial Type: **Candle**  
 LED Type: **SMD**  
 CRI: **>80**



PF: **>0.5**  
 Beam Angle: **200°**  
 Base: **E27**  
 Body Type: **ThermoPlastic**  
 Dimension: **37x100mm**





## Bulbs-G45-E27

# 3W VT-2053-E27

7202 - 2700K Warm White 3800157615860  
 7203 - 4000K Day White 3800157615877  
 7204 - 6400K White 3800157615884

Box Qty.  
**200 Pcs**

EQ. Watts: **25w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **250lm**  
 Commercial Type: **G45**  
 LED Type: **SMD**  
 CRI: **>80**



PF: **>0.4**  
 Beam Angle: **180°**  
 Base: **E27**  
 Body Type: **ThermoPlastic**  
 Dimension: **45x76mm**





## Bulbs-G45-E27

# 4W VT-1830

4207 - 6400K White 3800230624611

Box Qty.  
**200 Pcs**

EQ. Watts: **30w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **320lm**  
 Commercial Type: **G45**  
 LED Type: **SMD**  
 CRI: **>80**



PF: **>0.4**  
 Beam Angle: **180°**  
 Base: **E27**  
 Body Type: **ThermoPlastic**  
 Dimension: **45x82mm**



**new!**



**Bulbs-G45-E27**  
**5.5W VT-1879N**

7407 - 2700K Warm White 3800157629485  
7408 - 4000K Day White 3800157629492  
7409 - 6400K White 3800157629508

Box Qty.  
**200 Pcs**





EQ. Watts:	<b>40w</b>	PF:	>0.5
Voltage/Frequency:	<b>AC:220-240V,50Hz</b>	Beam Angle:	<b>180°</b>
Luminous Flux:	<b>470lm</b>	Base:	<b>E27</b>
Commercial Type:	<b>G45</b>	Body Type:	<b>ThermoPlastic</b>
LED Type:	<b>SMD</b>	Dimension:	<b>45x82mm</b>
CRI:	<b>&gt;80</b>		

**Bulbs-G45 - 3Pc Pack**  
**5.5W VT-2176**

7362 - 2700K Warm White 3800157628204  
7363 - 4000K Day White 3800157628211  
7364 - 6400K White 3800157628228

Box Qty.  
**60 Pcs**





EQ. Watts:	<b>40w</b>	PF:	>0.5
Voltage/Frequency:	<b>AC:220-240V,50Hz</b>	Beam Angle:	<b>180°</b>
Luminous Flux:	<b>470lm</b>	Base:	<b>E27</b>
Commercial Type:	<b>G45</b>	Body Type:	<b>ThermoPlastic</b>
LED Type:	<b>SMD</b>	Dimension:	<b>45x82mm</b>
CRI:	<b>&gt;80</b>		

**Bulbs-P45-E14**  
**3W VT-2043**

7199 - 2700K Warm White 3800157615839  
7200 - 4000K Day White 3800157615846  
7201 - 6400K White 3800157615853

Box Qty.  
**200 Pcs**



EQ. Watts:	<b>25w</b>	PF:	>0.4
Voltage/Frequency:	<b>AC:220-240V,50Hz</b>	Beam Angle:	<b>180°</b>
Luminous Flux:	<b>250lm</b>	Base:	<b>E14</b>
Commercial Type:	<b>P45</b>	Body Type:	<b>ThermoPlastic</b>
LED Type:	<b>SMD</b>	Dimension:	<b>45x81mm</b>
CRI:	<b>&gt;80</b>		



## Bulbs-P45-E14



**4W**    **VT-1819**

4124 - 6400K White

3800230621016

Box Qty.  
**200 Pcs**

EQ. Watts:            **30w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux:    **320lm**  
 Commercial Type:   **P45**  
 LED Type:            **SMD**  
 CRI:                    **>80**



PF:                    **>0.4**  
 Beam Angle:        **180°**  
 Base:                 **E14**  
 Body Type:          **ThermoPlastic**  
 Dimension:          **45x82mm**



## Bulbs-P45-E14

**5.5W**    **VT-1880N**

42501 - 2700K Warm White

3800157624367

42511 - 4000K Day White



3800157626408

42521 - 6400K White

3800157624374

Box Qty.  
**200 Pcs**

EQ. Watts:            **40w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux:    **470lm**  
 Commercial Type:   **P45**  
 LED Type:            **SMD**  
 CRI:                    **>80**



PF:                    **>0.5**  
 Beam Angle:        **180°**  
 Base:                 **E14**  
 Body Type:          **ThermoPlastic**  
 Dimension:          **45x81mm**

## LED Bulbs-E14

**5.5W**    **VT-2156**

7357 - 2700K Warm White

3800157628150

7358 - 4000K Day White



3800157628167

7359 - 6400K White

3800157628174

Box Qty.  
**60 Pcs**

EQ. Watts:            **40w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux:    **470lm**  
 Commercial Type:   **P45**  
 LED Type:            **SMD**  
 CRI:                    **>80**





PF:                    **>0.5**  
 Beam Angle:        **180°**  
 Base:                 **E14**  
 Body Type:          **ThermoPlastic**  
 Dimension:          **45x81mm**



**Bulbs-T37-E14**  
**9w VT-2029**

7173 - 2700K Warm White 3800157615495  
7174 - 4000K Day White 3800157615501  
7175 - 6400K White 3800157615518

Box Qty.  
**200 Pcs**





EQ. Watts:	<b>50w</b>	PF:	>0.5
Voltage/Frequency:	<b>AC:220-240V,50/60Hz</b>	Beam Angle:	<b>230°</b>
Luminous Flux:	<b>750lm</b>	Base:	<b>E14</b>
Commercial Type:	<b>T37</b>	Body Type:	<b>ThermoPlastic</b>
LED Type:	<b>SMD</b>	Dimension:	<b>37x115mm</b>
CRI:	<b>&gt;80</b>		



**Bulbs-T37-E27**  
**9w VT-2089**

7256 - 2700K Warm White 3800157621915

Box Qty.  
**200 Pcs**



EQ. Watts:	<b>50w</b>	PF:	>0.5
Voltage/Frequency:	<b>AC:220-240V,50/60Hz</b>	Beam Angle:	<b>230°</b>
Luminous Flux:	<b>750lm</b>	Base:	<b>E27</b>
Commercial Type:	<b>T37</b>	Body Type:	<b>ThermoPlastic</b>
LED Type:	<b>SMD</b>	Dimension:	<b>37x115mm</b>
CRI:	<b>&gt;80</b>		







## Bulbs-R39-E14

**3W**    **VT-1861**

 4220 - 4000K Day White  
 4242 - 6400K White

3800230625489

 Box Qty.  
**200 Pcs**



 EQ. Watts:            **25w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux:     **210lm**  
 Commercial Type:   **R39**  
 LED Type:            **SMD**  
 CRI:                    **>80**

 PF:                    **>0.4**  
 Beam Angle:        **120°**  
 Base:                 **E14**  
 Body Type:          **ThermoPlastic**  
 Dimension:          **39x67mm**


## Bulbs-R50-E14

**6W**    **VT-1876**

4246 - 6400K White



3800230626813  
3800230626967
 Box Qty.  
**200 Pcs**

 EQ. Watts:            **40w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux:     **400lm**  
 Commercial Type:   **R50**  
 LED Type:            **SMD**  
 CRI:                    **>80**

 PF:                    **>0.4**  
 Beam Angle:        **120°**  
 Base:                 **E14**  
 Body Type:          **ThermoPlastic**  
 Dimension:          **50x86mm**


## Bulbs-R63-E27

**8W**    **VT-1862**

 4140 - 4000K Day White  
 4244 - 6400K White
3800230620903  
3800230626820
 Box Qty.  
**200 Pcs**

 EQ. Watts:            **60w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux:     **500lm**  
 Commercial Type:   **R63**  
 LED Type:            **SMD**  
 CRI:                    **>80**

 PF:                    **>0.4**  
 Beam Angle:        **120°**  
 Base:                 **E27**  
 Body Type:          **ThermoPlastic**  
 Dimension:          **63x100mm**



**Bulbs-R7S**

**7W VT-1917**



7123 - 3000K Warm White  
7124 - 4000K Day White

3800157610032  
3800157610049

 Box Qty.  
**100 Pcs**

EQ. Watts: **40w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **470lm**  
Commercial Type: **R7S**  
LED Type: **SMD**  
CRI: **>80**

PF: **>0.5**  
Beam Angle: **360°**  
Base: **R7S**  
Body Type: **ThermoPlastic**  
Dimension: **25x118mm**



**Bulbs-R7S**

**10w VT-1990**



4369 - 3000K Warm White  
4389 - 4000K Day White  
4390 - 6400K White

3800157602952  
3800157604130  
3800157604147

 Box Qty.  
**100 Pcs**

EQ. Watts: **60w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **1000lm**  
Commercial Type: **R7S**  
LED Type: **SMD**  
CRI: **>80**

PF: **>0.5**  
Beam Angle: **360°**  
Base: **R7S**  
Body Type: **ThermoPlastic**  
Dimension: **25x118mm**





## Bulbs-PL-E27



# 6W

 VT-2046-E27

7211 - 3000K Warm White 3800157617031

 Box Qty.  
**50 Pcs**

EQ. Watts: 50w  
 Voltage/Frequency: AC:200-240V,50Hz  
 Luminous Flux: 480lm  
 Commercial Type: PL  
 LED Type: SMD  
 CRI: >80



PF: >0.5  
 Beam Angle: 120°  
 Base: E27  
 Body Type: Plastic+Aluminium  
 Dimension: 38x145mm





## Bulbs-PL-G24

# 6W

 VT-2046-G24
7210 - 3000K Warm White 3800157617024  
7209 - 4500K Day White 3800157617017
 Box Qty.  
**50 Pcs**

EQ. Watts: 50w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 480lm  
 Commercial Type: PL  
 LED Type: SMD  
 CRI: >80



PF: >0.5  
 Beam Angle: 120°  
 Base: G24  
 Body Type: Plastic+Aluminium  
 Dimension: 38x145mm




## Bulbs-PL-G24

# 10W

 VT-2050-G24
7213 - 4000K Day White 3800157617055  
7212 - 6000K White 3800157617048
 Box Qty.  
**50 Pcs**

EQ. Watts: 85w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 820lm  
 Commercial Type: PL  
 LED Type: SMD  
 CRI: >80



PF: >0.5  
 Beam Angle: 120°  
 Base: G24  
 Body Type: Plastic+Aluminium  
 Dimension: 38x157mm

Bulbs-Globe-E27



**13w** VT-1883

4253 - 3000K Warm White  
4274 - 6400K White

3800230627094  
3800230627865



Box Qty.  
**12 Pcs**



EQ. Watts: **75w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **1055lm**  
Commercial Type: **G120**  
LED Type: **SMD**  
CRI: **>80**

PF: **>0.7**  
Beam Angle: **200°**  
Base: **E27**  
Body Type: **ThermoPlastic**  
Dimension: **120x164mm**

Bulbs-Globe-E27


**10w** VT-1893

4276 - 3000K Warm White  
4277 - 4000K Day White  
4278 - 6400K White

3800230627889  
3800230627896  
3800230627902



Box Qty.  
**12 Pcs**



EQ. Watts: **60w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **810lm**  
Commercial Type: **G95**  
LED Type: **SMD**  
CRI: **>80**

PF: **>0.5**  
Beam Angle: **200°**  
Base: **E27**  
Body Type: **ThermoPlastic**  
Dimension: **95x140mm**

Bulbs-Globe-E27



**13w** VT-1884D

4254 - 2700K Warm White

3800230627100



Box Qty.  
**12 Pcs**



EQ. Watts: **75w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **1055lm**  
Commercial Type: **G120**  
LED Type: **SMD**  
CRI: **>80**

PF: **>0.7**  
Beam Angle: **200°**  
Base: **E27**  
Body Type: **ThermoPlastic**  
Dimension: **120x164mm**



## Big Bulbs-T100-E27



24w VT-2125

7275 - 3000K Warm White  
7276 - 4000K Day White  
7277 - 6400K White

3800157623650  
3800157623667  
3800157623674

 Box Qty.  
**40 Pcs**

EQ. Watts: **150w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **2080lm**  
Commercial Type: **T100**  
LED Type: **SMD**  
CRI: **>80**



PF: **>0.5**  
Beam Angle: **200°**  
Base: **E27**  
Body Type: **Plastic**  
Dimension: **100x174mm**



## Bulbs-ED90-E27


40w VT-1940

7132 - 3000K Warm White  
7133 - 4000K Day White  
7134 - 6500K White

3800157610285  
3800157610292  
3800157610308

 Box Qty.  
**30 Pcs**

EQ. Watts: **250w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **3500lm**  
Commercial Type: **ED-90**  
LED Type: **SMD2835**  
CRI: **>80**



PF: **>0.9**  
Beam Angle: **235°**  
Base: **E27**  
Body Type: **Aluminium+PC**  
Dimension: **90x212mm**



UFO-F150-E27  
**15w** VT-2116

7158 - 3000K Warm White  
7159 - 4000K Day White  
7160 - 6400K White

3800157612494  
3800157612500  
3800157612517



Box Qty.  
**20 Pcs**



EQ. Watts:	<b>90w</b>	PF:	>0.5
Voltage/Frequency:	<b>AC:220-240V,50/60Hz</b>	Beam Angle:	<b>120°</b>
Luminous Flux:	<b>1350lm</b>	Base:	<b>E27</b>
Commercial Type:	<b>F150</b>	Body Type:	<b>Plastic</b>
LED Type:	<b>SMD</b>	Dimension:	<b>150x80mm</b>
CRI:	<b>&gt;80</b>		


UFO-F150-E27  
**24w** VT-2124

7161 - 3000K Warm White  
7162 - 4000K Day White  
7163 - 6400K White

3800157612524  
3800157612531  
3800157612548



Box Qty.  
**20 Pcs**



EQ. Watts:	<b>160w</b>	PF:	>0.5
Voltage/Frequency:	<b>AC:220-240V,50/60Hz</b>	Beam Angle:	<b>120°</b>
Luminous Flux:	<b>2610lm</b>	Base:	<b>E27</b>
Commercial Type:	<b>F150</b>	Body Type:	<b>Plastic</b>
LED Type:	<b>SMD</b>	Dimension:	<b>200x80mm</b>
CRI:	<b>&gt;80</b>		


UFO-F150-E27  
**36w** VT-2136

7164 - 3000K Warm White  
7165 - 4000K Day White  
7166 - 6400K White

3800157612555  
3800157612562  
3800157612579



Box Qty.  
**20 Pcs**



EQ. Watts:	<b>190w</b>	PF:	>0.9
Voltage/Frequency:	<b>AC:220-240V,50/60Hz</b>	Beam Angle:	<b>120°</b>
Luminous Flux:	<b>3240lm</b>	Base:	<b>E27</b>
Commercial Type:	<b>F150</b>	Body Type:	<b>Plastic</b>
LED Type:	<b>SMD</b>	Dimension:	<b>250x80mm</b>
CRI:	<b>&gt;80</b>		



## LED Filament Bulbs

- Classic Vintage Design
- Available in Amber cover, White cover and Frost cover
- Lasts 20 times longer than Standard Bulbs
- Low power consumption
- No mercury, enviromental protection
- Uses 80% less energy than Standard Bulbs
- Excellent Heat Radiation Efficiency
- Dimmable & Non Dimmable options

## Applications

Perfect choice for Restaurants, Lobbies, Coffee shops, Hotels and Bars



Amber Cover -LED Filament Bulbs

4w VT-2154

7335 - 2200K Warm White 3800157625197



Box Qty. **50 Pcs**



EQ. Watts:	40w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	300°
Luminous Flux:	360lm	Base:	E27
Commercial Type:	A60	Body Type:	Glass
LED Type:	Filament	Dimension:	60x98mm
CRI:	>80		



Filament-A60-E27

4w VT-2164

7336 - 2700K Warm White 3800157625203



Box Qty. **50 Pcs**




EQ. Watts:	40w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	300°
Luminous Flux:	400lm	Base:	E27
Commercial Type:	A60	Body Type:	Glass
LED Type:	Filament	Dimension:	60x98mm
CRI:	>80		



Amber Cover -Filament-ST64-E27

4w VT-2144

7327 - 2200K Warm White 3800157624718



Box Qty. **100 Pcs**



EQ. Watts:	40w	PF:	>0.4
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	300°
Luminous Flux:	400lm	Base:	E27
Commercial Type:	ST64	Body Type:	Glass
LED Type:	Filament	Dimension:	64x140mm
CRI:	>80		





## Amber Cover -Filament-A60-E27

**3W**    **VT-2063**

7219 - 2200K Warm White    3800157617277

 Box Qty.  
**100 Pcs**

EQ. Watts:	20w	PF:	>0.4
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	300°
Luminous Flux:	150lm	Base:	E27
Commercial Type:	A60	Body Type:	Glass
LED Type:	Filament	Dimension:	60x105mm
CRI:	>80		





## Amber Cover -Filament-ST64-E27

**5W**    **VT-2065**

7218 - 2200K Warm White    3800157617260

 Box Qty.  
**100 Pcs**

EQ. Watts:	30w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	300°
Luminous Flux:	300lm	Base:	E27
Commercial Type:	ST64	Body Type:	Glass
LED Type:	Filament	Dimension:	64x140mm
CRI:	>80		



## Amber Cover -Filament-Globe-E27

**6W**    **VT-2126**

7328 - 2200K Warm White    3800157624725

 Box Qty.  
**100 Pcs**

EQ. Watts:	55w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	300°
Luminous Flux:	480lm	Base:	E27
Commercial Type:	G125	Body Type:	Glass
LED Type:	Filament	Dimension:	125x175mm
CRI:	>70		







Amber Cover -Filament-ST64-E27

**5W**     **VT-2066**

7220 - 2200K Warm White     3800157617284

Box Qty. **100 Pcs**

EQ. Watts: **30w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **300lm**  
 Commercial Type: **ST64**  
 LED Type: **Filament**  
 CRI: **>80**



PF: **>0.5**  
 Beam Angle: **300°**  
 Base: **E27**  
 Body Type: **Glass**  
 Dimension: **64x140mm**





Amber Cover -Filament-Globe-E27

**5W**     **VT-2085**

7216 - 2200K Warm White     3800157617246

Box Qty. **20 Pcs**

EQ. Watts: **30w**  
 Voltage/Frequency: **AC:220-240V,50/60Hz**  
 Luminous Flux: **300lm**  
 Commercial Type: **G125**  
 LED Type: **Filament**  
 CRI: **>80**



PF: **>0.5**  
 Beam Angle: **300°**  
 Base: **E27**  
 Body Type: **Glass**  
 Dimension: **125x175mm**





Amber Cover -Filament-Globe-E27

**5W**     **VT-2075**

7217 - 2200K Warm White     3800157617253

Box Qty. **50 Pcs**

EQ. Watts: **30w**  
 Voltage/Frequency: **AC:220-240V,50/60Hz**  
 Luminous Flux: **300lm**  
 Commercial Type: **G95**  
 LED Type: **Filament**  
 CRI: **>80**



PF: **>0.5**  
 Beam Angle: **300°**  
 Base: **E27**  
 Body Type: **Glass**  
 Dimension: **95x138mm**




## Amber Cover -Filament-Globe-E27

**4W**     **VT-2024**

7146 - 2200K Warm White     3800157610612

 Box Qty.  
**50 Pcs**

EQ. Watts:	35w	PF:	> 0.4
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	300°
Luminous Flux:	400lm	Base:	E27
Commercial Type:	G95	Body Type:	Glass
LED Type:	Filament	Dimension:	95x140mm
CRI:	>80		





## Amber Cover -Filament-Globe-E27

**7W**     **VT-2027**

7147 - 2200K Warm White     3800157610629

 Box Qty.  
**50 Pcs**

EQ. Watts:	60w	PF:	> 0.5
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	300°
Luminous Flux:	700lm	Base:	E27
Commercial Type:	G95	Body Type:	Glass
LED Type:	Filament	Dimension:	95x140mm
CRI:	>80		





## Amber Cover -Filament-Globe-E27

**4W**     **VT-2004**

7148 - 2200K Warm White     3800157610636

 Box Qty.  
**100 Pcs**

EQ. Watts:	35w	PF:	> 0.4
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	300°
Luminous Flux:	400lm	Base:	E27
Commercial Type:	G80	Body Type:	Glass
LED Type:	Filament	Dimension:	80x140mm
CRI:	>80		




Amber Cover -Filament-Globe-E27

4W VT-1956

4473 - 2200K Warm White 3800157609074



Box Qty. **12 Pcs**



EQ. Watts:	55w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	300°
Luminous Flux:	550lm	Base:	E27
Commercial Type:	G125	Body Type:	Glass
LED Type:	Filament	Dimension:	125x165mm
CRI:	>80		

**new!**


Amber Cover -Filament-Globe-E27

5W VT-2085D

7415 - 2200K Warm White 3800157631990



Box Qty. **20 Pcs**



EQ. Watts:	30w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	300°
Luminous Flux:	300lm	Base:	E27
Commercial Type:	G125	Body Type:	Glass
LED Type:	Filament	Dimension:	125x175mm
CRI:	>80		



Amber Cover -Filament-Globe-E27

8W VT-2019

7145 - 2200K Warm White 3800157610605



Box Qty. **50 Pcs**



EQ. Watts:	65w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	300°
Luminous Flux:	800lm	Base:	E27
Commercial Type:	G95	Body Type:	Glass
LED Type:	Filament	Dimension:	95x140mm
CRI:	>80		





## Amber Cover -Filament-T30-E27

**2W**    **VT-2052**

7252 - 2200K Warm White    3800157620833

 Box Qty.  
**100 Pcs**



 EQ. Watts:            **20w**  
 Voltage/Frequency: **AC:220-240V,50/60Hz**  
 Luminous Flux:     **200lm**  
 Commercial Type:   **T30**  
 LED Type:            **Filament**  
 CRI:                    **>80**

 PF:                    **>0.5**  
 Beam Angle:        **300°**  
 Base:                 **E27**  
 Body Type:          **Glass**  
 Dimension:          **30x136mm**


## Filament-T30-E27

**2W**    **VT-2042**

7251 - 2700K Warm White    3800157620826

 Box Qty.  
**100 Pcs**


 EQ. Watts:            **20w**  
 Voltage/Frequency: **AC:220-240V,50/60Hz**  
 Luminous Flux:     **200lm**  
 Commercial Type:   **T30**  
 LED Type:            **Filament**  
 CRI:                    **>80**

 PF:                    **>0.5**  
 Beam Angle:        **300°**  
 Base:                 **E27**  
 Body Type:          **Glass**  
 Dimension:          **30x136mm**


## Amber Cover -Filaments-T30-E27

**5W**    **VT-2005**

7142 - 2200K Warm White    3800157610575

 Box Qty.  
**100 Pcs**

 EQ. Watts:            **45w**  
 Voltage/Frequency: **AC:220-240V,50/60Hz**  
 Luminous Flux:     **500lm**  
 Commercial Type:   **T30**  
 LED Type:            **Filament**  
 CRI:                    **>80**

 PF:                    **>0.5**  
 Beam Angle:        **300°**  
 Base:                 **E27**  
 Body Type:          **Glass**  
 Dimension:          **30x300mm**



Amber Cover -Filaments-T30-E27

**6W VT-2006**

7143 - 2200K Warm White 3800157610582



Box Qty.  
**100 Pcs**



EQ. Watts:	<b>50w</b>	PF:	>0.5
Voltage/Frequency:	<b>AC:220-240V,50/60Hz</b>	Beam Angle:	<b>300°</b>
Luminous Flux:	<b>600lm</b>	Base:	<b>E27</b>
Commercial Type:	<b>T30</b>	Body Type:	<b>Glass</b>
LED Type:	<b>Filament</b>	Dimension:	<b>30x185mm</b>
CRI:	<b>&gt;80</b>		



Amber Cover -Filaments-T30-E27

**7W VT-2008**

7144 - 2200K Warm White 3800157610599



Box Qty.  
**100 Pcs**



EQ. Watts:	<b>60w</b>	PF:	>0.5
Voltage/Frequency:	<b>AC:220-240V,50/60Hz</b>	Beam Angle:	<b>300°</b>
Luminous Flux:	<b>700lm</b>	Base:	<b>E27</b>
Commercial Type:	<b>T30</b>	Body Type:	<b>Glass</b>
LED Type:	<b>Filament</b>	Dimension:	<b>30x300mm</b>
CRI:	<b>&gt;80</b>		



Amber Cover -Filament-Candle-E14

**4W VT-1955**

7113 - 2200K Warm White 3800157609883



Box Qty.  
**100 Pcs**



EQ. Watts:	<b>40w</b>	PF:	>0.4
Voltage/Frequency:	<b>AC:220-240V,50Hz</b>	Beam Angle:	<b>300°</b>
Luminous Flux:	<b>350lm</b>	Base:	<b>E14</b>
Commercial Type:	<b>Candle</b>	Body Type:	<b>Glass</b>
LED Type:	<b>Filament</b>	Dimension:	<b>35x100mm</b>
CRI:	<b>&gt;80</b>		



## Amber Cover -Filament-Candle-E14

**4W**     **VT-1949**

7114 - 2200K Warm White     3800157609890

 Box Qty.  
**100 Pcs**

 EQ. Watts:     35w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux:     350lm  
 Commercial Type:     Candle  
 LED Type:     Filament  
 CRI:     >80

 PF:     >0.4  
 Beam Angle:     300°  
 Base:     E14  
 Body Type:     Glass  
 Dimension:     35x121mm


## Amber Cover -Filament-Candle-E14

**4W**     **VT-1948**

7115 - 2200K Warm White     3800157609906

 Box Qty.  
**100 Pcs**

 EQ. Watts:     35w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux:     350lm  
 Commercial Type:     Candle  
 LED Type:     Filament  
 CRI:     >80


 PF:     >0.4  
 Beam Angle:     300°  
 Base:     E14  
 Body Type:     Glass  
 Dimension:     35x100mm


## Amber Cover -Filament-Candle-E14

**4W**     **VT-1947**

7116 - 2200K Warm White     3800157609913

 Box Qty.  
**100 Pcs**

 EQ. Watts:     35w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux:     350lm  
 Commercial Type:     Candle  
 LED Type:     Filament  
 CRI:     >80

 PF:     >0.4  
 Beam Angle:     300°  
 Base:     E14  
 Body Type:     Glass  
 Dimension:     35x121mm





**Amber Cover -Filament-A60-E27**

**4w VT-1954**

4498 - 2200K Warm White 3800157609739

 Box Qty. **50 Pcs**

EQ. Watts: **35w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **350lm**  
 Commercial Type: **A60**  
 LED Type: **Filament**  
 CRI: **>80**



PF: **>0.4**  
 Beam Angle: **300°**  
 Base: **E27**  
 Body Type: **Glass**  
 Dimension: **60x107mm**





**Amber Cover -Filament-A60-E27**

**8w VT-1958**

4472 - 2200K Warm White 3800157609067

 Box Qty. **50 Pcs**

EQ. Watts: **60w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **720lm**  
 Commercial Type: **A67**  
 LED Type: **Filament**  
 CRI: **>80**



PF: **>0.5**  
 Beam Angle: **300°**  
 Base: **E27**  
 Body Type: **Glass**  
 Dimension: **67x123mm**




**Amber Cover -Filament-A67-E27**

**10w VT-2028**

7157 - 2200K Warm White 3800157612227

 Box Qty. **50 Pcs**

EQ. Watts: **65w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **900lm**  
 Commercial Type: **A67**  
 LED Type: **Filament**  
 CRI: **>80**




PF: **>0.5**  
 Beam Angle: **300°**  
 Base: **E27**  
 Body Type: **Glass**  
 Dimension: **67x123mm**

**new!**



## Amber Cover -Filament-ST64-B22

4W VT-2145

7421 - 2200K Warm White 3800157633093



EQ. Watts: 30w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 350lm  
 Commercial Type: ST64  
 LED Type: Filament  
 CRI: >80



PF: >0.5  
 Beam Angle: 300°  
 Base: B22  
 Body Type: Glass  
 Dimension: 64x138mm

**new!**



## Amber Cover -Filament-ST64-B22

4W VT-2145D

7420 - 2200K Warm White 3800157633086



EQ. Watts: 25w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 350lm  
 Commercial Type: ST64  
 LED Type: Filament  
 CRI: >80



PF: >0.5  
 Beam Angle: 300°  
 Base: B22  
 Body Type: Glass  
 Dimension: 64x138mm



## Amber Cover -Filament-ST64-E27

4W VT-1964D



4368 - 2200K Warm White 3800157602945



100 Pcs



EQ. Watts: 30w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 350lm  
 Commercial Type: ST64  
 LED Type: Filament  
 CRI: >80



PF: >0.7  
 Beam Angle: 300°  
 Base: E27  
 Body Type: Glass  
 Dimension: 64x138mm





Amber Cover -Filament-ST64-E27

**4w**     **VT-1964**

4361 - 2200K Warm White     3800157602747

Box Qty. **50 Pcs**

EQ. Watts: **40w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **350lm**  
 Commercial Type: **ST64**  
 LED Type: **Filament**  
 CRI: **>80**



PF: **>0.4**  
 Beam Angle: **300°**  
 Base: **E27**  
 Body Type: **Glass**  
 Dimension: **64x138mm**

**new!**



Amber Cover -Filament-ST64-E27



**5w**     **VT-2065D**

7416 - 2200K Warm White     3800157632003

Box Qty. **100 Pcs**



EQ. Watts: **30w**  
 Voltage/Frequency: **AC:220-240V,50/60Hz**  
 Luminous Flux: **300lm**  
 Commercial Type: **ST64**  
 LED Type: **Filament**  
 CRI: **>80**



PF: **>0.5**  
 Beam Angle: **300°**  
 Base: **E27**  
 Body Type: **Glass**  
 Dimension: **64x140mm**





Amber Cover -Filament-ST64-E27

**6w**     **VT-1966**

4362 - 2200K Warm White     3800157602754

Box Qty. **50 Pcs**

EQ. Watts: **45w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **500lm**  
 Commercial Type: **ST64**  
 LED Type: **Filament**  
 CRI: **>80**



PF: **>0.5**  
 Beam Angle: **300°**  
 Base: **E27**  
 Body Type: **Glass**  
 Dimension: **64x138mm**





## Amber Cover -Filament-ST64-E27

**8W**    **VT-1968**

4421 - 2200K Warm White    3800157606356

 Box Qty.  
**50 Pcs**



 EQ. Watts:            **60w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux:     **700lm**  
 Commercial Type:   **ST64**  
 LED Type:            **Filament**  
 CRI:                    **>80**

 PF:                    **>0.5**  
 Beam Angle:        **300°**  
 Base:                 **E27**  
 Body Type:          **Glass**  
 Dimension:          **64x138mm**


## Amber Cover -Filament-Globe-E27

**8W**    **VT-2018D**

7155 - 2200K Warm White    3800157612203

 Box Qty.  
**12 Pcs**


 EQ. Watts:            **60w**  
 Voltage/Frequency: **AC:220-240V,50/60Hz**  
 Luminous Flux:     **700lm**  
 Commercial Type:   **G125**  
 LED Type:            **Filament**  
 CRI:                    **>80**

 PF:                    **>0.7**  
 Beam Angle:        **300°**  
 Base:                 **E27**  
 Body Type:          **Glass**  
 Dimension:          **125x177mm**


## Amber Cover -Filament-Globe-E27

**6W**    **VT-2026D**

7156 - 2200K Warm White    3800157612210

 Box Qty.  
**12 Pcs**

 EQ. Watts:            **50w**  
 Voltage/Frequency: **AC:220-240V,50/60Hz**  
 Luminous Flux:     **500lm**  
 Commercial Type:   **G95**  
 LED Type:            **Filament**  
 CRI:                    **>80**

 PF:                    **>0.7**  
 Beam Angle:        **300°**  
 Base:                 **E27**  
 Body Type:          **Glass**  
 Dimension:          **95x135mm**



**White Cover -Filament-Candle-E14**



**4w VT-1924**

7102 - 4000K Day White  
7103 - 6400K White

3800157609777  
3800157609784

Box Qty.  
**100 Pcs**

EQ. Watts: **35w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **350lm**  
Commercial Type: **Candle**  
LED Type: **Filament**  
CRI: **>80**



PF: **>0.4**  
Beam Angle: **300°**  
Base: **E14**  
Body Type: **Glass**  
Dimension: **35x100mm**



**Cross Filament-Candle-E14**



**4w VT-1924C**

71011 - 2700K Warm White  
71031 - 6400K White

3800157628617  
3800157624244

Box Qty.  
**100 Pcs**

EQ. Watts: **35w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **350lm**  
Commercial Type: **Candle**  
LED Type: **Filament**  
CRI: **>80**



PF: **>0.4**  
Beam Angle: **300°**  
Base: **E14**  
Body Type: **Glass**  
Dimension: **35x100mm**



**White Cover -Filament-A60-E27**



**4w VT-1939**

4489 - 2700K Warm White  
4490 - 4000K Day White  
4491 - 6400K White

3800157609647  
3800157609654  
3800157609661

Box Qty.  
**50 Pcs**

EQ. Watts: **40w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **350lm**  
Commercial Type: **A60**  
LED Type: **Filament**  
CRI: **>80**



PF: **>0.4**  
Beam Angle: **300°**  
Base: **E27**  
Body Type: **Glass**  
Dimension: **60x107mm**




## White Cover -Filament-Candle-E14

**4W**    **VT-1927**

 7105 - 4000K Day White  
 7106 - 6400K White

 3800157609807  
 3800157609814

 Box Qty.  
**100 Pcs**


 EQ. Watts:            **40w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux:      **350lm**  
 Commercial Type:   **Candle**  
 LED Type:            **Filament**  
 CRI:                    **>80**

 PF:                    **>0.4**  
 Beam Angle:        **300°**  
 Base:                 **E14**  
 Body Type:          **Glass**  
 Dimension:         **35x121mm**


## Cross Filament-Candle-E14

**4W**    **VT-1927C**

71041 - 2700K Warm White    3800157624299

 Box Qty.  
**100 Pcs**

 EQ. Watts:            **40w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux:      **350lm**  
 Commercial Type:   **Candle**  
 LED Type:            **Filament**  
 CRI:                    **>80**

 PF:                    **>0.4**  
 Beam Angle:        **300°**  
 Base:                 **E14**  
 Body Type:          **Glass**  
 Dimension:         **35x121mm**



## Frost Cover -Filament-Candle-E14

**4W**    **VT-1936**

 4474 - 2700K Warm White  
 4475 - 4000K Day White  
 4476 - 6400K White

 3800157609081  
 3800157609098  
 3800157609104

 Box Qty.  
**100 Pcs**

 EQ. Watts:            **40w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux:      **400lm**  
 Commercial Type:   **Candle**  
 LED Type:            **Filament**  
 CRI:                    **>80**

 PF:                    **>0.4**  
 Beam Angle:        **300°**  
 Base:                 **E14**  
 Body Type:          **Glass**  
 Dimension:         **35x100mm**




**Frost Cover -Filament-Candle-E14**

**4w VT-1937**

- 4477 - 2700K Warm White 3800157609111
- 4478 - 4000K Day White 3800157609128
- 4479 - 6400K White 3800157609135

Box Qty. **100 Pcs**

EQ. Watts:	<b>40w</b>	PF:	<b>&gt;0.4</b>
Voltage/Frequency:	<b>AC:220-240V,50Hz</b>	Beam Angle:	<b>300°</b>
Luminous Flux:	<b>400lm</b>	Base:	<b>E14</b>
Commercial Type:	<b>Candle</b>	Body Type:	<b>Glass</b>
LED Type:	<b>Filament</b>	Dimension:	<b>35x121mm</b>
CRI:	<b>&gt;80</b>		





**Frost Cover -Filament-Candle-E14**

**4w VT-1928**

- 7108 - 4000K Day White 3800157609838
- 7109 - 6400K White 3800157609845

Box Qty. **100 Pcs**

EQ. Watts:	<b>40w</b>	PF:	<b>&gt;0.4</b>
Voltage/Frequency:	<b>AC:220-240V,50Hz</b>	Beam Angle:	<b>300°</b>
Luminous Flux:	<b>400lm</b>	Base:	<b>E14</b>
Commercial Type:	<b>Candle</b>	Body Type:	<b>Glass</b>
LED Type:	<b>Filament</b>	Dimension:	<b>35x100mm</b>
CRI:	<b>&gt;80</b>		




**Cross Filament-Candle-E14**

**4w VT-1928C**

- 71071 - 2700K Warm White 3800157624213
- 71081 - 4000K Day White 3800157624220
- 71091 - 6400K White 3800157624237

Box Qty. **100 Pcs**

EQ. Watts:	<b>40w</b>	PF:	<b>&gt;0.4</b>
Voltage/Frequency:	<b>AC:220-240V,50Hz</b>	Beam Angle:	<b>300°</b>
Luminous Flux:	<b>400lm</b>	Base:	<b>E14</b>
Commercial Type:	<b>Candle</b>	Body Type:	<b>Glass</b>
LED Type:	<b>Filament</b>	Dimension:	<b>35x100mm</b>
CRI:	<b>&gt;80</b>		






## Frost Cover -Filament-Candle-E14

**4W VT-1923**

7110 - 2700K Warm White 3800157609852  
 7111 - 4000K Day White 3800157609869  
 7112 - 6400K White 3800157609876

 Box Qty.  
**100 Pcs**

EQ. Watts:	<b>40w</b>	PF:	>0.4
Voltage/Frequency:	<b>AC:220-240V,50Hz</b>	Beam Angle:	<b>300°</b>
Luminous Flux:	<b>400lm</b>	Base:	<b>E14</b>
Commercial Type:	<b>Candle</b>	Body Type:	<b>Glass</b>
LED Type:	<b>Filament</b>	Dimension:	<b>35x121mm</b>
CRI:	<b>&gt;80</b>		





## Frost Cover -Filament-Candle-E14

**4W VT-2054D**

7176 - 2700K Warm White 3800157615525

 Box Qty.  
**100 Pcs**


EQ. Watts:	<b>35w</b>	PF:	>0.4
Voltage/Frequency:	<b>AC:220-240V,50/60Hz</b>	Beam Angle:	<b>300°</b>
Luminous Flux:	<b>350lm</b>	Base:	<b>E14</b>
Commercial Type:	<b>Candle</b>	Body Type:	<b>Glass</b>
LED Type:	<b>Filament</b>	Dimension:	<b>35x100mm</b>
CRI:	<b>&gt;80</b>		




## Frost Cover -Filament-Candle-E14

**4W VT-2056D**

7177 - 2700K Warm White 3800157615532

 Box Qty.  
**100 Pcs**


EQ. Watts:	<b>35w</b>	PF:	>0.4
Voltage/Frequency:	<b>AC:220-240V,50/60Hz</b>	Beam Angle:	<b>300°</b>
Luminous Flux:	<b>350lm</b>	Base:	<b>E14</b>
Commercial Type:	<b>Candle</b>	Body Type:	<b>Glass</b>
LED Type:	<b>Filament</b>	Dimension:	<b>35x121mm</b>
CRI:	<b>&gt;80</b>		



Frost Cover -Filament-Globe-E27



**4W VT-1974**

4496 - 4000K Day White  
4497 - 6400K White

3800157609715  
3800157609722



 Box Qty.  
**100 Pcs**



EQ. Watts:	<b>40w</b>	PF:	>0.4
Voltage/Frequency:	<b>AC:220-240V,50Hz</b>	Beam Angle:	<b>300°</b>
Luminous Flux:	<b>400lm</b>	Base:	<b>E27</b>
Commercial Type:	<b>G45</b>	Body Type:	<b>Glass</b>
LED Type:	<b>Filament</b>	Dimension:	<b>45x75mm</b>
CRI:	<b>&gt;80</b>		

Frost Cover -Filament-P45-E14



**4W VT-1835C**

44921 - 2700K Warm White  
44941 - 6400K White

3800157624268  
3800157624282



 Box Qty.  
**100 Pcs**



EQ. Watts:	<b>40w</b>	PF:	>0.4
Voltage/Frequency:	<b>AC:220-240V,50Hz</b>	Beam Angle:	<b>300°</b>
Luminous Flux:	<b>400lm</b>	Base:	<b>E14</b>
Commercial Type:	<b>P45</b>	Body Type:	<b>Glass</b>
LED Type:	<b>Filament</b>	Dimension:	<b>45x77mm</b>
CRI:	<b>&gt;80</b>		

Frost Cover -Filament-A60-E27



**4W VT-1934**

4486 - 2700K Warm White  
4487 - 4000K Day White  
4488 - 6400K White

3800157609616  
3800157609623  
3800157609630



 Box Qty.  
**50 Pcs**



EQ. Watts:	<b>40w</b>	PF:	>0.4
Voltage/Frequency:	<b>AC:220-240V,50Hz</b>	Beam Angle:	<b>300°</b>
Luminous Flux:	<b>400lm</b>	Base:	<b>E27</b>
Commercial Type:	<b>A60</b>	Body Type:	<b>Glass</b>
LED Type:	<b>Filament</b>	Dimension:	<b>60x107mm</b>
CRI:	<b>&gt;80</b>		



## Frost Cover -Filament-A60-E27

**5w**    **VT-2045**

7178 - 2700K Warm White    3800157615549  
 7179 - 4000K Day White    3800157615556  
 7180 - 6400K White    3800157615563

 Box Qty.  
**50 Pcs**

EQ. Watts:	<b>50w</b>	PF:	>0.5
Voltage/Frequency:	<b>AC:220-240V,50/60Hz</b>	Beam Angle:	<b>300°</b>
Luminous Flux:	<b>600lm</b>	Base:	<b>E27</b>
Commercial Type:	<b>A60</b>	Body Type:	<b>Glass</b>
LED Type:	<b>Filament</b>	Dimension:	<b>60x107mm</b>
CRI:	<b>&gt;80</b>		




## Frost Cover -Filament-A60-E27

**6w**    **VT-1935C**

44801 - 2700K Warm White    3800157624091

 Box Qty.  
**50 Pcs**

EQ. Watts:	<b>55w</b>	PF:	>0.5
Voltage/Frequency:	<b>AC:220-240V,50Hz</b>	Beam Angle:	<b>300°</b>
Luminous Flux:	<b>660lm</b>	Base:	<b>E27</b>
Commercial Type:	<b>A60</b>	Body Type:	<b>Glass</b>
LED Type:	<b>Filament</b>	Dimension:	<b>60x107mm</b>
CRI:	<b>&gt;80</b>		




## Frost Cover -Filament-A60-E27

**6w**    **VT-1935**

4481 - 4000K Day White    3800157609159  
 4482 - 6400K White    3800157609166

 Box Qty.  
**50 Pcs**

EQ. Watts:	<b>55w</b>	PF:	>0.5
Voltage/Frequency:	<b>AC:220-240V,50Hz</b>	Beam Angle:	<b>300°</b>
Luminous Flux:	<b>660lm</b>	Base:	<b>E27</b>
Commercial Type:	<b>A60</b>	Body Type:	<b>Glass</b>
LED Type:	<b>Filament</b>	Dimension:	<b>60x107mm</b>
CRI:	<b>&gt;80</b>		





**Frost Cover -Filament-A60-E27**

**7W VT-2047**

- 7181 - 2700K Warm White      3800157615570
- 7182 - 4000K Day White      3800157615587
- 7183 - 6400K White          3800157615594

 Box Qty.  
**50 Pcs**





EQ. Watts:	<b>60w</b>	PF:	>0.5
Voltage/Frequency:	<b>AC:220-240V,50/60Hz</b>	Beam Angle:	<b>300°</b>
Luminous Flux:	<b>840lm</b>	Base:	<b>E27</b>
Commercial Type:	<b>A60</b>	Body Type:	<b>Glass</b>
LED Type:	<b>Filament</b>	Dimension:	<b>60x107mm</b>
CRI:	<b>&gt;80</b>		

**Frost Cover -Filament-A60-E27**

**7W VT-2047C**

- 71811 - 2700K Warm White      3800157624107

 Box Qty.  
**50 Pcs**




EQ. Watts:	<b>60w</b>	PF:	>0.5
Voltage/Frequency:	<b>AC:220-240V,50/60Hz</b>	Beam Angle:	<b>300°</b>
Luminous Flux:	<b>840lm</b>	Base:	<b>E27</b>
Commercial Type:	<b>A60</b>	Body Type:	<b>Glass</b>
LED Type:	<b>Filament</b>	Dimension:	<b>60x107mm</b>
CRI:	<b>&gt;80</b>		

**Frost Cover -Filament-A67-E27**

**8W VT-1938**

- 4483 - 2700K Warm White      3800157609586
- 4484 - 4000K Day White      3800157609593
- 4485 - 6400K White          3800157609609

 Box Qty.  
**50 Pcs**



EQ. Watts:	<b>60w</b>	PF:	>0.5
Voltage/Frequency:	<b>AC:220-240V,50Hz</b>	Beam Angle:	<b>300°</b>
Luminous Flux:	<b>800lm</b>	Base:	<b>E27</b>
Commercial Type:	<b>A67</b>	Body Type:	<b>Glass</b>
LED Type:	<b>Filament</b>	Dimension:	<b>67x123mm</b>
CRI:	<b>&gt;80</b>		

## Frost Cover -Filament-A67-E27


# 10w VT-2023

7153 - 4000K Day White  
7154 - 6400K White

3800157612180  
3800157612197

Box Qty.  
**50 Pcs**

EQ. Watts: **75w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **1055lm**  
Commercial Type: **A67**  
LED Type: **Filament**  
CRI: **>80**



## Frost Cover -Filament-A67-E27


# 9w VT-2049

7184 - 2700K Warm White  
7185 - 4000K Day White  
7186 - 6400K White

3800157615600  
3800157615617  
3800157615624

Box Qty.  
**50 Pcs**

EQ. Watts: **80w**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **1100lm**  
Commercial Type: **A67**  
LED Type: **Filament**  
CRI: **>80**



## Frost Cover -Filament-Globe-E27


# 7w VT-2057

7187 - 2700K Warm White  
7188 - 6400K White

3800157615631  
3800157615648

Box Qty.  
**12 Pcs**

EQ. Watts: **60w**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **840lm**  
Commercial Type: **G95**  
LED Type: **Filament**  
CRI: **>80**






Frost Cover -Filament-Globe-E27

7W VT-2067

7189 - 2700K Warm White 3800157615655  
7190 - 6400K White 3800157615662

Box Qty.  
12 Pcs

EQ. Watts:	60w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	300°
Luminous Flux:	840lm	Base:	E27
Commercial Type:	G125	Body Type:	Glass
LED Type:	Filament	Dimension:	125x177mm
CRI:	>80		



Frost Cover -Filament-Globe-E27


7W VT-2067D

7191 - 2700K Warm White 3800157615679

Box Qty.  
12 Pcs



EQ. Watts:	55w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	300°
Luminous Flux:	750lm	Base:	E27
Commercial Type:	G125	Body Type:	Glass
LED Type:	Filament	Dimension:	125x177mm
CRI:	>80		





Clear Glass-Filament-A60-E27

4W VT-1885

4259 - 2700K Warm White 3800230627179

Box Qty.  
50 Pcs

EQ. Watts:	40w	PF:	>0.4
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	300°
Luminous Flux:	400lm	Base:	E27
Commercial Type:	A60	Body Type:	Glass
LED Type:	Filament	Dimension:	60x107mm
CRI:	>80		







## Clear Glass-Filament-A60-E27

**4W**    **VT-1885C**

42591 - 2700K Warm White    3800157624312

 Box Qty.  
**50 Pcs**



 EQ. Watts:            **40w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux:      **400lm**  
 Commercial Type:    **A60**  
 LED Type:            **Filament**  
 CRI:                    **>80**

 PF:                    **>0.4**  
 Beam Angle:        **300°**  
 Base:                 **E27**  
 Body Type:          **Glass**  
 Dimension:         **60x107mm**


## Clear Glass-Filament-A60-E27

**4W**    **VT-1885DC**

43641 - 2700K Warm White    3800157624305

 Box Qty.  
**50 Pcs**


 EQ. Watts:            **30w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux:      **350lm**  
 Commercial Type:    **A60**  
 LED Type:            **Filament**  
 CRI:                    **>80**

 PF:                    **>0.5**  
 Beam Angle:        **300°**  
 Base:                 **E27**  
 Body Type:          **Glass**  
 Dimension:         **60x107mm**


## Clear Glass-Filament-A67-E27

**8W**    **VT-1978**

 4407 - 2700K Warm White    3800157606165  
 4409 - 6400K White            3800157606189

 Box Qty.  
**100 Pcs**

 EQ. Watts:            **60w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux:      **800lm**  
 Commercial Type:    **A67**  
 LED Type:            **Filament**  
 CRI:                    **>80**

 PF:                    **>0.5**  
 Beam Angle:        **300°**  
 Base:                 **E27**  
 Body Type:          **Glass**  
 Dimension:         **67x123mm**





Clear Glass-Filament-A60-B22

**5w**    **VT-2035**

7170 - 2700K Warm White    3800157615464

Box Qty. **50 Pcs**

EQ. Watts: **50w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **600lm**  
 Commercial Type: **A60**  
 LED Type: **Filament**  
 CRI: **>80**



PF: **>0.5**  
 Beam Angle: **300°**  
 Base: **B22**  
 Body Type: **Glass**  
 Dimension: **60x107mm**



Clear Glass-Filament-Candle-E14



**4w**    **VT-1986D**

4365 - 2700K Warm White    3800157602914

Box Qty. **100 Pcs**



EQ. Watts: **30w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **350lm**  
 Commercial Type: **Candle**  
 LED Type: **Filament**  
 CRI: **>80**



PF: **>0.5**  
 Beam Angle: **300°**  
 Base: **E14**  
 Body Type: **Glass**  
 Dimension: **37x100mm**





Clear Glass-Filament-ST26-E14

**2w**    **VT-1952**

4444 - 2700K Warm White    3800157607858  
 4445 - 4000K Day White    3800157607865  
 4446 - 6400K White    3800157607872

Box Qty. **100 Pcs**

EQ. Watts: **20w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **180lm**  
 Commercial Type: **ST26**  
 LED Type: **Filament**  
 CRI: **>80**



PF: **>0.4**  
 Beam Angle: **300°**  
 Base: **E14**  
 Body Type: **Glass**  
 Dimension: **26x58mm**



**new!**

## Clear Glass-Filament-ST64-E27

**4W**    **VT-2105D**

7414 - 2700K Warm White    3800157630320



 Box Qty.  
**100 Pcs**

EQ. Watts:            **45w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux:     **490lm**  
Commercial Type:   **ST64**  
LED Type:            **Filament**  
CRI:                    **>80**

PF:                    **>0.4**  
Beam Angle:        **300°**  
Base:                 **E27**  
Body Type:          **Glass**  
Dimension:          **64x145mm**


## Clear Glass-Filament-Candle-E14



**4W**    **VT-1986**

4301 - 2700K Warm White    3800230629951

 Box Qty.  
**100 Pcs**

EQ. Watts:            **40w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux:     **400lm**  
Commercial Type:   **Candle**  
LED Type:            **Filament**  
CRI:                    **>80**

PF:                    **>0.4**  
Beam Angle:        **300°**  
Base:                 **E14**  
Body Type:          **Glass**  
Dimension:          **35x100mm**


## Clear Glass-Filament-Candle-E14

**4W**    **VT-1986C**
43011 - 2700K Warm White    3800157624114  
44141 - 6400K White    3800157624121
 Box Qty.  
**100 Pcs**

EQ. Watts:            **40w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux:     **400lm**  
Commercial Type:   **Candle**  
LED Type:            **Filament**  
CRI:                    **>80**

PF:                    **>0.4**  
Beam Angle:        **300°**  
Base:                 **E14**  
Body Type:          **Glass**  
Dimension:          **35x100mm**



Clear Glass-Filament-Candle-E14



4w VT-1986DC

43651 - 2700K Warm White 3800157624176

Box Qty. **100 Pcs**



EQ. Watts: **30w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **350lm**  
 Commercial Type: **Candle**  
 LED Type: **Filament**  
 CRI: **>80**



PF: **>0.5**  
 Beam Angle: **300°**  
 Base: **E14**  
 Body Type: **Glass**  
 Dimension: **35x100mm**





Clear Glass-Filament-Candle-E14

4w VT-1985C

43071 - 2700K Warm White 3800157624183

Box Qty. **100 Pcs**

EQ. Watts: **40w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **400lm**  
 Commercial Type: **Candle**  
 LED Type: **Filament**  
 CRI: **>80**



PF: **>0.4**  
 Beam Angle: **300°**  
 Base: **E14**  
 Body Type: **Glass**  
 Dimension: **35x100mm**




Clear Glass-Filament-Candle-E14

4w VT-1995

4308 - 2700K Warm White 3800157600354  
 4431 - 4000K Day White 3800157606455  
 4432 - 6400K White 3800157606462

Box Qty. **100 Pcs**

EQ. Watts: **40w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **400lm**  
 Commercial Type: **Candle**  
 LED Type: **Filament**  
 CRI: **>80**



PF: **>0.4**  
 Beam Angle: **300°**  
 Base: **E14**  
 Body Type: **Glass**  
 Dimension: **35x121mm**




## Clear Glass-Filament-Candle-E14

**4W**     **VT-1995D**

4388 - 2700K Warm White     3800157603973

 Box Qty.  
**100 Pcs**


 EQ. Watts:     **40w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux:     **320lm**  
 Commercial Type:     **Candle**  
 LED Type:     **Filament**  
 CRI:     **>80**

 PF:     **>0.5**  
 Beam Angle:     **300°**  
 Base:     **E14**  
 Body Type:     **Glass**  
 Dimension:     **35x121mm**


## Clear Glass-Filament-Candle-E14

**4W**     **VT-1995DC**

43881 - 2700K Warm White     3800157624251

 Box Qty.  
**100 Pcs**


 EQ. Watts:     **30w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux:     **350lm**  
 Commercial Type:     **Candle**  
 LED Type:     **Filament**  
 CRI:     **>80**

 PF:     **>0.5**  
 Beam Angle:     **300°**  
 Base:     **E14**  
 Body Type:     **Glass**  
 Dimension:     **35x121mm**


## Clear Glass-Filament-Candle-E14

**4W**     **VT-1997**

4302 - 2700K Warm White     3800230629968

 Box Qty.  
**50 Pcs**

 EQ. Watts:     **40w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux:     **400lm**  
 Commercial Type:     **Candle**  
 LED Type:     **Filament**  
 CRI:     **>80**

 PF:     **>0.4**  
 Beam Angle:     **300°**  
 Base:     **E14**  
 Body Type:     **Glass**  
 Dimension:     **35x121mm**




Clear Glass-Filament-Candle-E14

**4w VT-1997D**

4366 - 2700K Warm White 3800157602921

Box Qty. **100 Pcs**



EQ. Watts: **30w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **320lm**  
 Commercial Type: **Candle**  
 LED Type: **Filament**  
 CRI: **>80**

PF: **>0.5**  
 Beam Angle: **300°**  
 Base: **E14**  
 Body Type: **Glass**  
 Dimension: **35x121mm**




Clear Glass-Filament-Candle-E14

**4w VT-1997C**

44291 - 4000K Day White 3800157624190  
 44301 - 6400K White 3800157624206

Box Qty. **100 Pcs**



EQ. Watts: **40w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **400lm**  
 Commercial Type: **Candle**  
 LED Type: **Filament**  
 CRI: **>80**

PF: **>0.4**  
 Beam Angle: **300°**  
 Base: **E14**  
 Body Type: **Glass**  
 Dimension: **35x121mm**

**new!**





Clear Glass-Filament-Candle-E14

**6w VT-2127**

7423 - 3000K Warm White 3800157632577  
 7424 - 4000K Day White 3800157632584  
 7425 - 6400K White 3800157632591

Box Qty. **200 Pcs**



EQ. Watts: **45w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **600lm**  
 Commercial Type: **Candle**  
 LED Type: **SMD**  
 CRI: **>80**

PF: **>0.5**  
 Beam Angle: **300°**  
 Base: **E14**  
 Body Type: **Glass**  
 Dimension: **35x100mm**





## Clear Glass-Filament-Globe-E27

**4W**    **VT-1980**

 4427 - 4000K Day White  
 4428 - 6400K White

 3800157606417  
 3800157606424

 Box Qty.  
**100 Pcs**



 EQ. Watts:            **40w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux:     **400lm**  
 Commercial Type:   **G45**  
 LED Type:            **Filament**  
 CRI:                    **>80**

 PF:                    **>0.4**  
 Beam Angle:        **300°**  
 Base:                 **E27**  
 Body Type:          **Glass**  
 Dimension:         **45x75mm**


## Clear Glass-Filament-Globe-E27

**4W**    **VT-1980C**

43061 - 2700K Warm White    3800157624329

 Box Qty.  
**100 Pcs**



 EQ. Watts:            **40w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux:     **400lm**  
 Commercial Type:   **G45**  
 LED Type:            **Filament**  
 CRI:                    **>80**

 PF:                    **>0.4**  
 Beam Angle:        **300°**  
 Base:                 **E27**  
 Body Type:          **Glass**  
 Dimension:         **45x75mm**


## Amber Glass Bulbs-G45-E27

**4W**    **VT-1957**

71001 - 2200K Warm White    3800157628624

 Box Qty.  
**100 Pcs**


 EQ. Watts:            **40w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux:     **350lm**  
 Commercial Type:   **G45**  
 LED Type:            **Filament**  
 CRI:                    **>80**

 PF:                    **>0.4**  
 Beam Angle:        **300°**  
 Base:                 **E27**  
 Body Type:          **Glass**  
 Dimension:         **45x75mm**



Color Bulbs-G45-E27

2W VT-2132-P

7410 - Pink



Box Qty.  
**100 Pcs**


EQ. Watts:	10w	PF:	>0.4
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	300°
Luminous Flux:	60lm	Base:	E27
Commercial Type:	G45	Body Type:	Glass
LED Type:	Filament	Dimension:	45x75mm
CRI:	>80		



Color Bulbs-G45-E27

2W VT-2132-G

7411 - Green



Box Qty.  
**100 Pcs**


EQ. Watts:	10w	PF:	>0.4
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	300°
Luminous Flux:	60lm	Base:	E27
Commercial Type:	G45	Body Type:	Glass
LED Type:	Filament	Dimension:	45x75mm
CRI:	>80		



Color Bulbs-G45-E27

2W VT-2132-B

7412 - Blue



Box Qty.  
**100 Pcs**

EQ. Watts:	10w	PF:	>0.4
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	300°
Luminous Flux:	60lm	Base:	E27
Commercial Type:	G45	Body Type:	Glass
LED Type:	Filament	Dimension:	45x75mm
CRI:	>80		




## Color Bulbs-G45-E27

2W VT-2132-R

7413 - Red

 Box Qty.  
**100 Pcs**

EQ. Watts:	10w	PF:	>0.4
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	300°
Luminous Flux:	60lm	Base:	E27
Commercial Type:	G45	Body Type:	Glass
LED Type:	Filament	Dimension:	45x75mm
CRI:	>80		



## Clear Glass-Filament-P45-E14



4W VT-1996D

4394 - 2700K Warm White 3800157604314

 Box Qty.  
**100 Pcs**



EQ. Watts:	30w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	300°
Luminous Flux:	320lm	Base:	E14
Commercial Type:	P45	Body Type:	Glass
LED Type:	Filament	Dimension:	45x77mm
CRI:	>80		




## Clear Glass-Filament-P45-E14

4W VT-1996

4426 - 6400K White 3800157606394  
3800157606400

 Box Qty.  
**100 Pcs**

EQ. Watts:	40w	PF:	>0.4
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	300°
Luminous Flux:	400lm	Base:	E14
Commercial Type:	P45	Body Type:	Glass
LED Type:	Filament	Dimension:	45x77mm
CRI:	>80		






Clear Glass-Filament-P45-E14

**4w VT-1996C**

43001 - 2700K Warm White 3800157624138  
 44251 - 4000K Day White 3800157628600

Box Qty.  
**100 Pcs**

EQ. Watts: **40w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **400lm**  
 Commercial Type: **P45**  
 LED Type: **Filament**  
 CRI: **>80**



PF: **>0.4**  
 Beam Angle: **300°**  
 Base: **E14**  
 Body Type: **Glass**  
 Dimension: **45x77mm**



Clear Glass-Filament-Globe-E27


**4w VT-1994D**

4399 - 2700K Warm White 3800157605021

Box Qty.  
**20 Pcs**



EQ. Watts: **30w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **320lm**  
 Commercial Type: **G125**  
 LED Type: **Filament**  
 CRI: **>80**



PF: **>0.5**  
 Beam Angle: **300°**  
 Base: **E27**  
 Body Type: **Glass**  
 Dimension: **125x177mm**

**new!**




Clear Glass-Filament-Globe-E27

**6w VT-2147**

7427 - 6400K White 3800157633116

Box Qty.

EQ. Watts: **60w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **806lm**  
 Commercial Type: **G125**  
 LED Type: **Filament**  
 CRI: **>80**



PF: **>0.5**  
 Beam Angle: **300°**  
 Base: **E27**  
 Body Type: **Glass**  
 Dimension: **125x177mm**



## PAR38 Bulbs-E27



15W VT-1125

4417 - 6400K White

3800157606295

Box Qty.  
**30 Pcs**

EQ. Watts: 100w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 1000lm  
 Commercial Type: PAR38  
 LED Type: SMD  
 CRI: >80



PF: >0.5  
 Beam Angle: 40°  
 Base: E27  
 Body Type: Plastic Coated Aluminium  
 Dimension: 120x133mm



## PAR38 Bulbs-E27

15W VT-1125-G

4418 - Green

4419 - Red

4420 - Blue



3800157606318

3800157606325

3800157606301

Box Qty.  
**40 Pcs**

EQ. Watts: 100w  
 Voltage/Frequency: AC:180-240V,50/60Hz  
 Luminous Flux: 1200lm  
 Commercial Type: PAR38  
 LED Type: SMD  
 CRI: >80



PF: >0.5  
 Beam Angle: 40°  
 Base: E27  
 Body Type: Plastic Coated Aluminium  
 Dimension: Ø120x133mm





**VT-798**

B22-E27 Converter-Bulbs

3420

3800157608435

 Box Qty.  
**250 Pcs**

Aluminium+PC

**VT-7135**

String Light-WP Socket-E27

3698

3800157634182

 Box Qty.  
**4 Pcs**

10 Meter Long String

10 Holders With 1 Meter Distance



**VT-713**

String Light-WP Socket-E27

3673

3800157625173

 Box Qty.  
**4 Pcs**

15 Meter Long String

15 Holders With 1 Meter Distance



# LED Spotlights

Introducing a sustainable and energy efficient replacement for power consuming 35W and 50W Halogen Spotlights. An extensive range of LED Spotlights (1.2W-8W)



## Product Features

- Uses 80% less energy than Standard Bulbs
- Excellent Heat Radiation Efficiency
- Customized exterior for stronger body
- Choice of beam angle from 38° to 300°
- Premium Quality Power Driver
- Broad Range of holders like GU10, MR16, G9 and G4
- Wide Voltage Range from AC: 180 - 240 V , 50/60 Hz & 12 v options
- Dimmable & Non Dimmable options

## Applications

Perfect choice for Hotels, Bars, Commercial & Residential Lighting and Exhibition Stands

Spotlights-GU10-Lens-38°


2W VT-2002



7167 - 3000K Warm White  
7168 - 4000K Day White  
7169 - 6400K White

3800157612807  
3800157612814  
3800157612821

Box Qty.  
**200 Pcs**



EQ. Watts: **15w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **180lm**  
LED Type: **SMD**  
CRI: **>80**

PF: **>0.4**  
Beam Angle: **38°**  
Base: **GU10**  
Body Type: **Plastic**  
Dimension: **35x46.5mm**

Spotlights-GU10-Lens-110°



7W VT-2778



1672 - 3000K Warm White  
1673 - 4500K Day White  
1674 - 6400K White

3800157602136  
3800157602143  
3800157602150

Box Qty.  
**200 Pcs**



EQ. Watts: **45w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **500lm**  
LED Type: **SMD**  
CRI: **>80**

PF: **>0.5**  
Beam Angle: **110°**  
Base: **GU10**  
Body Type: **Plastic**  
Dimension: **50x57mm**

Spotlights-GU10-Lens-38°



7W VT-2666



1657 - 3000K Warm White  
1658 - 4500K Day White  
1659 - 6000K White

3800157601641  
3800157601658  
3800157601665

Box Qty.  
**200 Pcs**



EQ. Watts: **50w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **550lm**  
LED Type: **SMD**  
CRI: **>80**

PF: **>0.5**  
Beam Angle: **38°**  
Base: **GU10**  
Body Type: **Plastic**  
Dimension: **50x57mm**




## Spotlights-GU10-Lens-38°

7W VT-2886D

1666 - 3000K Warm White 3800157602075  
 1667 - 4500K Day White 3800157602082  
 1668 - 6000K White 3800157602099

 Box Qty.  
**200 Pcs**


EQ. Watts: **50w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **550lm**  
 LED Type: **SMD**  
 CRI: **>80**



PF: **>0.5**  
 Beam Angle: **38°**  
 Base: **GU10**  
 Body Type: **Plastic**  
 Dimension: **50x57mm**




## Spotlights-MR16-Lens-38°

7W VT-1967

1663 - 3000K Warm White 3800157602044  
 1664 - 4500K Day White 3800157602051  
 1665 - 6000K White 3800157602068

 Box Qty.  
**200 Pcs**

EQ. Watts: **50w**  
 Voltage/Frequency: **AC/DC:12V,50Hz**  
 Luminous Flux: **550lm**  
 LED Type: **SMD**  
 CRI: **>80**



PF: **>0.5**  
 Beam Angle: **38°**  
 Base: **MR16**  
 Body Type: **Plastic**  
 Dimension: **50x50mm**




## Spotlights-GU10-Lens-38°

8W VT-2889

1693 - 3000K Warm White 3800157608947  
 1694 - 4000K Day White 3800157608954  
 1695 - 6400K White 3800157608961

 Box Qty.  
**200 Pcs**

EQ. Watts: **80w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **750lm**  
 LED Type: **SMD**  
 CRI: **>80**



PF: **>0.5**  
 Beam Angle: **38°**  
 Base: **GU10**  
 Body Type: **Plastic**  
 Dimension: **50x55mm**


Spotlights-GU10-Milky Cover-110°

3W VT-1933



7126 - 3000K Warm White 3800157610148  
 7127 - 4000K Day White 3800157610155  
 7128 - 6400K White 3800157610162

Box Qty.  
**200 Pcs**



EQ. Watts:	25w	PF:	>0.4
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	110°
Luminous Flux:	210lm	Base:	GU10
LED Type:	SMD	Body Type:	Plastic
CRI:	>80	Dimension:	50x57mm


Spotlights-GU10-3PC Pack

5W VT-2095



7269 - 3000K Warm White 3800157623018  
 7270 - 4000K Day White 3800157623025  
 7271 - 6400K White 3800157623032

Box Qty.  
**60 Pcs**



EQ. Watts:	35w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	110°
Luminous Flux:	400lm	Base:	GU10
LED Type:	SMD	Body Type:	Plastic
CRI:	>80	Dimension:	50x57mm


Spotlights-GU10-Milky Cover-110°

5W VT-1975



1685 - 3000K Warm White 3800157606240  
 1686 - 4000K Day White 3800157606257  
 1687 - 6000K White 3800157606264

Box Qty.  
**200 Pcs**



EQ. Watts:	40w	PF:	>0.4
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	110°
Luminous Flux:	320lm	Base:	GU10
LED Type:	SMD	Body Type:	Plastic
CRI:	>80	Dimension:	50x57mm



## Spotlights-GU10-Milky Cover-110°


6W VT-2096

7310 - 3000K Warm White 3800157624428

 Box Qty.  
200 Pcs

EQ. Watts: 45w  
Voltage/Frequency: AC:220-240V,50Hz  
Luminous Flux: 500lm  
LED Type: SMD  
CRI: >80

PF: >0.5  
Beam Angle: 110°  
Base: GU10  
Body Type: Plastic  
Dimension: 50x57mm



## Spotlights-GU10-Blister Pack


6W VT-2107

7303 - 3000K Warm White 3800157623933  
7304 - 4000K Day White 3800157623940  
7305 - 6400K White 3800157623957

 Box Qty.  
50 Pcs

EQ. Watts: 40w  
Voltage/Frequency: AC:220-240V,50Hz  
Luminous Flux: 500lm  
LED Type: SMD  
CRI: >80

PF: >0.5  
Beam Angle: 110°  
Base: GU10  
Body Type: Plastic  
Dimension: 50x57mm



## Spotlights-GU10-Blister Pack


6.5W VT-2108D

7306 - 3000K Warm White 3800157623964  
7307 - 4000K Day White 3800157623971  
7308 - 6400K White 3800157623988

 Box Qty.  
50 Pcs

EQ. Watts: 40w  
Voltage/Frequency: AC:220-240V,50Hz  
Luminous Flux: 450lm  
LED Type: SMD  
CRI: >80

PF: >0.5  
Beam Angle: 38°  
Base: GU10  
Body Type: Plastic  
Dimension: 50x57mm





Spotlights-GU10-Lens-110°

**7W VT-2887D**



1669 - 3000K Warm White 3800157602105  
 1670 - 4500K Day White 3800157602112  
 1671 - 6000K White 3800157602129

Box Qty.  
**200 Pcs**



EQ. Watts:	<b>45w</b>	PF:	>0.5
Voltage/Frequency:	<b>AC:220-240V,50Hz</b>	Beam Angle:	<b>110°</b>
Luminous Flux:	<b>500lm</b>	Base:	<b>GU10</b>
LED Type:	<b>SMD</b>	Body Type:	<b>Plastic</b>
CRI:	<b>&gt;80</b>	Dimension:	<b>50x57mm</b>



Spotlights-GU10-Milky Cover-110°

**7W VT-2779**



1682 - 3000K Warm White 3800157605359  
 1683 - 4500K Day White 3800157605366  
 1684 - 6000K White 3800157605373

Box Qty.  
**200 Pcs**



EQ. Watts:	<b>45w</b>	PF:	>0.5
Voltage/Frequency:	<b>AC:220-240V,50Hz</b>	Beam Angle:	<b>110°</b>
Luminous Flux:	<b>500lm</b>	Base:	<b>GU10</b>
LED Type:	<b>SMD</b>	Body Type:	<b>Plastic</b>
CRI:	<b>&gt;80</b>	Dimension:	<b>50x57mm</b>



Spotlights-MR16-Milky Cover-110°

**7W VT-1977**



1688 - 3000K Warm White 3800157606950  
 1689 - 4500K Day White 3800157606967  
 1690 - 6000K White 3800157606974

Box Qty.  
**200 Pcs**





EQ. Watts:	<b>45w</b>	PF:	>0.5
Voltage/Frequency:	<b>AC/DC:12V,50Hz</b>	Beam Angle:	<b>110°</b>
Luminous Flux:	<b>500lm</b>	Base:	<b>MR16</b>
LED Type:	<b>SMD</b>	Body Type:	<b>Plastic</b>
CRI:	<b>&gt;80</b>	Dimension:	<b>50x50mm</b>

## Reflector-Round

**5W**      **VT-1100RD**

7329 - 3000K Warm White  
7330 - 4000K Day White  
7331 - 6400K White

3800157624824  
3800157624831  
3800157624848


 Box Qty.  
**100 Pcs**


EQ. Watts: **35w**  
Voltage/Frequency: **AC:100-240V,50/60Hz**  
Luminous Flux: **350lm**  
LED Type: **SMD**  
CRI: **>80**



PF: **>0.4**  
Beam Angle: **68°**  
Base: **N/A**  
Body Type: **ABS+PC**  
Dimension: **Ø90x 45mm**

## Reflector-Square

**5W**      **VT-1100SQ**

7332 - 3000K Warm White  
7333 - 4000K Day White  
7334 - 6400K White

3800157624855  
3800157624862  
3800157624879


 Box Qty.  
**50 Pcs**


EQ. Watts: **35w**  
Voltage/Frequency: **AC:100-240V,50/60Hz**  
Luminous Flux: **350lm**  
LED Type: **SMD**  
CRI: **>80**



PF: **>0.4**  
Beam Angle: **68°**  
Base: **N/A**  
Body Type: **ABS+PC**  
Dimension: **90x90x45mm**

## PAR-GX53

**7W**      **VT-1969**

4438 - 4500K Day White  
4439 - 6000K White

3800157607049  
3800157607056


 Box Qty.  
**100 Pcs**


EQ. Watts: **45w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **550lm**  
LED Type: **SMD**  
CRI: **>80**



PF: **>0.5**  
Beam Angle: **110°**  
Base: **Gx53**  
Body Type: **Thermoplastic**  
Dimension: **75x29mm**



Capsules-G4  
**1.5W VT-1942N**

4465 - 6400K White 3800157608992

Box Qty.  
**400 Pcs**





EQ. Watts:	15w	PF:	>0.4
Voltage/Frequency:	AC/DC:12V	Beam Angle:	300°
Luminous Flux:	100lm	Base:	G4
LED Type:	SMD	Body Type:	Plastic
CRI:	>80	Dimension:	12x38.5mm



Capsules-G9-Blister Pack  
**2W VT-2102BP**

7340 - 3000K Warm White 3800157625630

Box Qty.  
**400 Pcs**





EQ. Watts:	20w	PF:	>0.7
Voltage/Frequency:	AC:200-240V,50/60Hz	Beam Angle:	230°
Luminous Flux:	230lm	Base:	G9
LED Type:	COB	Body Type:	Glass
CRI:	>80	Dimension:	14.5x43.5mm



Capsules-G9  
**2W VT-2102**

7337 - 3000K Warm White 3800157625210  
7338 - 4000K Day White 3800157625227  
7339 - 6000K White 3800157625234

Box Qty.  
**400 Pcs**



EQ. Watts:	20w	PF:	>0.7
Voltage/Frequency:	AC:200-240V,50/60Hz	Beam Angle:	230°
Luminous Flux:	230lm	Base:	G9
LED Type:	COB	Body Type:	Glass
CRI:	>80	Dimension:	14.5x43.5mm



### Capsules-G9



## 2.5W VT-1946

7205 - 3000K Warm White  
7206 - 4000K Day White  
7207 - 6400K White

3800157616317  
3800157616324  
3800157616331

Box Qty.  
**400 Pcs**

EQ. Watts: **25w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **200lm**  
LED Type: **SMD**  
CRI: **>80**



PF: **>0.4**  
Beam Angle: **300°**  
Base: **G9**  
Body Type: **Plastic**  
Dimension: **16.5x48.7mm**



### Capsules-G9-Milky Cover

## 3W VT-2083D



7253 - 2700K Warm White  
7254 - 4000K Day White  
7255 - 6400K White

3800157621656  
3800157621663  
3800157621670

Box Qty.  
**360 Pcs**



EQ. Watts: **30w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **225lm**  
LED Type: **SMD**  
CRI: **>80**



PF: **>0.5**  
Beam Angle: **360°**  
Base: **G9**  
Body Type: **Plastic**  
Dimension: **18.5x55.5mm**






**SURFACE MOUNTED  
GU10 FITTINGS**

Easy Installation  
*Elegant Design*


## Fitting-Square-GU10



Box Qty.  
**50 Pcs**

Model No: VT-797-WH  
 SKU Code: 3630  
 Base: GU10  
 Material: Die Cast Aluminium  
 Shape: Square  
 Color of Fixture: White  
 Dimension: 142x100x100mm  
 Cutting Size: N/A  
 EAN Code: 3800157612074


## Fitting-Square-GU10



Box Qty.  
**50 Pcs**

Model No: VT-797-SN  
 SKU Code: 3632  
 Base: GU10  
 Material: Die Cast Aluminium  
 Shape: Square  
 Color of Fixture: Satin Nickel  
 Dimension: 100x100x142mm  
 Cutting Size: N/A  
 EAN Code: 3800157612098


## Fitting-Square-GU10



Box Qty.  
**50 Pcs**

Model No: VT-797-B  
 SKU Code: 3631  
 Base: GU10  
 Material: Die Cast Aluminium  
 Shape: Square  
 Color of Fixture: Black  
 Dimension: 100x100x142mm  
 Cutting Size: N/A  
 EAN Code: 3800157612081


## Fitting-Round-GU10



Box Qty.  
**50 Pcs**

Model No: VT-796-WH  
 SKU Code: 3627  
 Base: GU10  
 Material: Die Cast Aluminium  
 Shape: Round  
 Color of Fixture: White  
 Dimension: Ø142x100mm  
 Cutting Size: N/A  
 EAN Code: 3800157612043


Fitting-Round-GU10



Box Qty.  
**50 Pcs**

Model No: VT-796-B  
 SKU Code: 3628  
 Base: GU10  
 Material: Die Cast Aluminium  
 Shape: Round  
 Color of Fixture: Black  
 Dimension: Ø142x100mm  
 Cutting Size: N/A  
 EAN Code: 3800157612050


GX53-Accessory



Box Qty.  
**50 Pcs**

Model No: VT-715-W  
 SKU Code: 3675  
 Base: GX53  
 Material: Iron  
 Shape: Round  
 Color of Fixture: White  
 Dimension: Ø105x40mm  
 Cutting Size: 90mm  
 EAN Code: 3800157625241


Fitting-Round-GU10



Box Qty.  
**50 Pcs**

Model No: VT-796-SN  
 SKU Code: 3629  
 Base: GU10  
 Material: Die Cast Aluminium  
 Shape: Round  
 Color of Fixture: Satin Nickel  
 Dimension: Ø142x100mm  
 Cutting Size: N/A  
 EAN Code: 3800157612067


GX53-Accessory



Box Qty.  
**50 Pcs**

Model No: VT-715-G  
 SKU Code: 3676  
 Base: GX53  
 Material: Iron  
 Shape: Round  
 Color of Fixture: Gold  
 Dimension: Ø105x40mm  
 Cutting Size: 90mm  
 EAN Code: 3800157625258

## GX53-Accessory


 Box Qty.  
**50 Pcs**

Model No: VT-715-CH  
 SKU Code: 3677  
 Base: GX53  
 Material: Iron  
 Shape: Round  
 Color of Fixture: Chrome  
 Dimension:  $\varnothing 105 \times 40 \text{mm}$   
 Cutting Size: 90mm  
 EAN Code: 3800157625265

## Fitting-Round-GU10


 Box Qty.  
**36 Pcs**

Model No: VT-727RD  
 SKU Code: 3665  
 Base: GU10  
 Material: Gypsum  
 Shape: Round  
 Color of Fixture: White  
 Dimension:  $\varnothing 70 \times 75 \text{mm}$   
 Cutting Size: N/A  
 EAN Code: 3800157624596

## Fitting-Square-GU10


 Box Qty.  
**36 Pcs**


Model No: VT-727SQ  
 SKU Code: 3664  
 Base: GU10  
 Material: Gypsum  
 Shape: Square  
 Color of Fixture: White  
 Dimension:  $70 \times 70 \times 75 \text{mm}$   
 Cutting Size: N/A  
 EAN Code: 3800157624589

## Fitting-Square-GU10


 Box Qty.  
**36 Pcs**

Model No: VT-716SQ  
 SKU Code: 3666  
 Base: GU10  
 Material: Gypsum  
 Shape: Square  
 Color of Fixture: White  
 Dimension:  $75 \times 75 \times 75 \text{mm}$   
 Cutting Size: N/A  
 EAN Code: 3800157624732


**Fitting-Round-GU10**



Box Qty.  
**36 Pcs**

Model No: VT-716RD  
 SKU Code: 3667  
 Base: GU10  
 Material: Gypsum  
 Shape: Round  
 Color of Fixture: White  
 Dimension: Ø75x75mm  
 Cutting Size: N/A  
 EAN Code: 3800157624749


**Fitting-Square-GU10**



Box Qty.  
**24 Pcs**

Model No: VT-763  
 SKU Code: 3649  
 Base: GU10  
 Material: Gypsum  
 Shape: Square  
 Color of Fixture: White  
 Dimension: 120x120x50mm  
 Cutting Size: 123x123mm  
 EAN Code: 3800157618595


**Fitting-Square-GU10**



Box Qty.  
**20 Pcs**

Model No: VT-762  
 SKU Code: 3648  
 Base: GU10  
 Material: Gypsum  
 Shape: Round  
 Color of Fixture: White  
 Dimension: 215x120x60mm  
 Cutting Size: 215x120mm  
 EAN Code: 3800157618588

**Fitting-Round-GU10**



Box Qty.  
**20 Pcs**

Model No: VT-764  
 SKU Code: 3650  
 Base: GU10  
 Material: Gypsum  
 Shape: Round  
 Color of Fixture: White  
 Dimension: Ø140x40mm  
 Cutting Size: Ø140mm  
 EAN Code: 3800157618601

## Fitting-Square-GU10


 Box Qty.  
**30 Pcs**

Model No: VT-765  
 SKU Code: 3651  
 Base: GU10  
 Material: Gypsum  
 Shape: Square  
 Color of Fixture: White  
 Dimension: 100x100x30mm  
 Cutting Size: 103x103mm  
 EAN Code: 3800157618618

## Fitting-Square-GU10


 Box Qty.  
**20 Pcs**


Model No: VT-772  
 SKU Code: 3653  
 Base: GU10  
 Material: Gypsum  
 Shape: Round  
 Color of Fixture: White  
 Dimension: 132x132x74mm  
 Cutting Size: 135x135mm  
 EAN Code: 3800157618632

## Fitting-Round-GU10


 Box Qty.  
**20 Pcs**

Model No: VT-771  
 SKU Code: 3652  
 Base: GU10  
 Material: Gypsum  
 Shape: Round  
 Color of Fixture: White  
 Dimension: Ø100x30mm  
 Cutting Size: Ø103mm  
 EAN Code: 3800157618625


## Fitting-Round-GU10


 Box Qty.  
**24 Pcs**

Model No: VT-776RD  
 SKU Code: 3640  
 Base: GU10  
 Material: Gypsum  
 Shape: Round  
 Color of Fixture: White  
 Dimension: Ø120x40mm  
 Cutting Size: Ø123mm  
 EAN Code: 3800157616348


### Fitting-Square-GU10



 Box Qty. **24 Pcs**  
 Model No **VT-776SQ**  
 SKU Code: **3641**  
 Base: **GU10**  
 Material: **Gypsum**  
 Shape: **Square**  
 Color of Fixture: **White**  
 Dimension: **120x120x40mm**  
 Cutting Size: **123x123mm**  
 EAN Code: **3800157616355**


### Fitting-Square-GU10



 Box Qty. **24 Pcs**  
 Model No **VT-714**  
 SKU Code: **3674**  
 Base: **GU10**  
 Material: **Gypsum**  
 Shape: **Square**  
 Color of Fixture: **White**  
 Dimension: **120x120x45mm**  
 Cutting Size: **123x123mm**  
 EAN Code: **3800157625180**


### Fitting-Round-GU10



 Box Qty. **20 Pcs**  
 Model No **VT-773**  
 SKU Code: **3654**  
 Base: **GU10**  
 Material: **Gypsum**  
 Shape: **Round**  
 Color of Fixture: **White**  
 Dimension: **Ø132x74mm**  
 Cutting Size: **Ø132mm**  
 EAN Code: **3800157618649**

### Fitting-Square-GU10-Frost Glass



 Box Qty. **24 Pcs**  
 Model No **VT-801SQ**  
 SKU Code: **3691**  
 Base: **GU10**  
 Material: **Gypsum**  
 Shape: **Square**  
 Color of Fixture: **White**  
 Dimension: **120x120x60mm**  
 Cutting Size: **123x123mm**  
 EAN Code: **3800157628938**

## Fitting-Round-GU10-Frost Glass


 Box Qty.  
**24 Pcs**

Model No: VT-801RD  
 SKU Code: 3692  
 Base: GU10  
 Material: Gypsum  
 Shape: Round  
 Color of Fixture: White  
 Dimension: Ø120x60mm  
 Cutting Size: Ø123mm  
 EAN Code: 3800157628945

## Fitting-Round-GU10-2Pc Pack


 Box Qty.  
**200 Pcs**

Model No: VT-778-SN  
 SKU Code: 3585  
 Base: GU10  
 Material: Ferrum  
 Shape: Round  
 Color of Fixture: Satin Nickel  
 Dimension: Ø80x30mm  
 Cutting Size: Ø65mm  
 EAN Code: 3800157607148

## Fitting-Round-GU10-2Pc Pack


 Box Qty.  
**200 Pcs**

Model No: VT-778-WH  
 SKU Code: 3584  
 Base: GU10  
 Material: Ferrum  
 Shape: Round  
 Color of Fixture: White  
 Dimension: Ø80x30mm  
 Cutting Size: Ø65mm  
 EAN Code: 3800157607131

## Fitting-Round-GU10-2Pc Pack


 Box Qty.  
**200 Pcs**

Model No: VT-778-CH  
 SKU Code: 3586  
 Base: GU10  
 Material: Ferrum  
 Shape: Round  
 Color of Fixture: Chrome  
 Dimension: Ø80x30mm  
 Cutting Size: Ø65mm  
 EAN Code: 3800157607155

Fitting-Round-GU10-Changing Angle



Box Qty.  
**100 Pcs**

Model No: VT-780-WH  
 SKU Code: 3593  
 Base: GU10  
 Material: Ferrum  
 Shape: Round  
 Color of Fixture: White  
 Dimension: Ø100x45mm  
 Cutting Size: Ø90mm  
 EAN Code: 3800157607223

Fitting-Round-GU10



Box Qty.  
**100 Pcs**

Model No: VT-774-WH  
 SKU Code: 3642  
 Base: GU10  
 Material: Aluminium  
 Shape: Round  
 Color of Fixture: White  
 Dimension: Ø81x34mm  
 Cutting Size: Ø73mm  
 EAN Code: 3800157617086



Fitting-Round-GU10-Changing Angle



Box Qty.  
**100 Pcs**

Model No: VT-780-SN  
 SKU Code: 3594  
 Base: GU10  
 Material: Ferrum  
 Shape: Round  
 Color of Fixture: Satin Nickel  
 Dimension: Ø100x45mm  
 Cutting Size: Ø90mm  
 EAN Code: 3800157607230

Fitting-Round-GU10




Box Qty.  
**100 Pcs**

Model No: VT-774-SN  
 SKU Code: 3643  
 Base: GU10  
 Material: Aluminium  
 Shape: Round  
 Color of Fixture: Satin Nickel  
 Dimension: Ø81x34mm  
 Cutting Size: Ø73mm  
 EAN Code: 3800157617093



## Fitting-Round-GU10




Box Qty.  
**100 Pcs**

Model No: VT-774-MG  
 SKU Code: 3644  
 Base: GU10  
 Material: Aluminium  
 Shape: Round  
 Color of Fixture: Metallic Grey  
 Dimension: Ø81x34mm  
 Cutting Size: Ø73mm  
 EAN Code: 3800157617109



## Fitting-Round-GU10




Box Qty.  
**100 Pcs**

Model No: VT-775-SN  
 SKU Code: 3646  
 Base: GU10  
 Material: Aluminium  
 Shape: Round  
 Color of Fixture: Satin Nickel  
 Dimension: Ø95x32mm  
 Cutting Size: Ø85mm  
 EAN Code: 3800157617123



## Fitting-Round-GU10




Box Qty.  
**100 Pcs**

Model No: VT-775-WH  
 SKU Code: 3645  
 Base: GU10  
 Material: Aluminium  
 Shape: Round  
 Color of Fixture: White  
 Dimension: Ø95x32mm  
 Cutting Size: Ø85mm  
 EAN Code: 3800157617116



## Fitting-Round-GU10



Box Qty.  
**100 Pcs**

Model No: VT-775-MG  
 SKU Code: 3647  
 Base: GU10  
 Material: Aluminium  
 Shape: Round  
 Color of Fixture: Metallic Grey  
 Dimension: Ø95x32mm  
 Cutting Size: Ø85mm  
 EAN Code: 3800157617130



Fitting-Round-GU10



Box Qty.  
**100 Pcs**

Model No: VT-782RD-WH  
 SKU Code: 3599  
 Base: GU10  
 Material: Aluminium  
 Shape: Round  
 Color of Fixture: White  
 Dimension: Ø91x25mm  
 Cutting Size: Ø75mm  
 EAN Code: 3800157607285

Fitting-Round-GU10



Box Qty.  
**50 Pcs**

Model No: VT-783RD-WH  
 SKU Code: 3601  
 Base: 2XGU10  
 Material: Aluminium  
 Shape: Round  
 Color of Fixture: White  
 Dimension: 173x91x25mm  
 Cutting Size: 155x75mm  
 EAN Code: 3800157607308

Fitting-Round-GU10



Box Qty.  
**100 Pcs**

Model No: VT-782RD-AB  
 SKU Code: 3600  
 Base: GU10  
 Material: Aluminium  
 Shape: Round  
 Color of Fixture: Aluminium Brush  
 Dimension: Ø91x25mm  
 Cutting Size: Ø75mm  
 EAN Code: 3800157607292

Fitting-Round-GU10



Box Qty.  
**50 Pcs**

Model No: VT-783RD-AB  
 SKU Code: 3602  
 Base: 2XGU10  
 Material: Aluminium  
 Shape: Round  
 Color of Fixture: Aluminium Brush  
 Dimension: 173x91x25mm  
 Cutting Size: 155x75mm  
 EAN Code: 3800157607315

## Fitting-Round-GU10


 Box Qty.  
**50 Pcs**

Model No: VT-784RD-WH  
 SKU Code: 3603  
 Base: 3XGU10  
 Material: Aluminium  
 Shape: Round  
 Color of Fixture: White  
 Dimension: 255x91x25  
 Cutting Size: 235x75mm  
 EAN Code: 3800157607322

## Fitting-Square-GU10


 Box Qty.  
**100 Pcs**

Model No: VT-782SQ-WH  
 SKU Code: 3605  
 Base: 1XGU10  
 Material: Aluminium  
 Shape: Square  
 Color of Fixture: White  
 Dimension: 91x91x25mm  
 Cutting Size: 75x75mm  
 EAN Code: 3800157607346

## Fitting-Round-GU10


 Box Qty.  
**50 Pcs**

Model No: VT-784RD-AB  
 SKU Code: 3604  
 Base: 3XGU10  
 Material: Aluminium  
 Shape: Round  
 Color of Fixture: Aluminium Brush  
 Dimension: 255x91x25mm  
 Cutting Size: 235x75mm  
 EAN Code: 3800157607339

## Fitting-Square-GU10


 Box Qty.  
**100 Pcs**

Model No: VT-782SQ-AB  
 SKU Code: 3606  
 Base: 1XGU10  
 Material: Aluminium  
 Shape: Square  
 Color of Fixture: Aluminium Brush  
 Dimension: 91x91x25mm  
 Cutting Size: 235x75mm  
 EAN Code: 3800157607353

Fitting-Square-GU10



Box Qty.  
**50 Pcs**

Model No: VT-783SQ-WH  
 SKU Code: 3607  
 Base: 2XGU10  
 Material: Aluminium  
 Shape: Square  
 Color of Fixture: White  
 Dimension: 173x91x25mm  
 Cutting Size: 155x75mm  
 EAN Code: 3800157607360

Fitting-Square-GU10



Box Qty.  
**50 Pcs**

Model No: VT-784SQ-WH  
 SKU Code: 3609  
 Base: 3XGU10  
 Material: Aluminium  
 Shape: Square  
 Color of Fixture: White  
 Dimension: 255x91x25mm  
 Cutting Size: 235x75mm  
 EAN Code: 3800157607384

Fitting-Square-GU10



Box Qty.  
**50 Pcs**

Model No: VT-783SQ-AB  
 SKU Code: 3608  
 Base: GU10  
 Material: Aluminium  
 Shape: Square  
 Color of Fixture: Aluminium Brush  
 Dimension: 173x91x25mm  
 Cutting Size: 155x75mm  
 EAN Code: 3800157607377


Fitting-Square-GU10



Box Qty.  
**50 Pcs**

Model No: VT-784SQ-AB  
 SKU Code: 3610  
 Base: 3XGU10  
 Material: Aluminium  
 Shape: Square  
 Color of Fixture: Aluminium Brush  
 Dimension: 255x91x25mm  
 Cutting Size: 235x75mm  
 EAN Code: 3800157607391


## Fitting-Round-GU10



Box Qty.  
**100 Pcs**

Model No: VT-7227RD-WH  
 SKU Code: 3469  
 Base: GU10  
 Material: Ferrum  
 Shape: Round  
 Color of Fxture: White  
 Dimension: Ø82x25mm  
 Cutting Size: Ø74mm  
 EAN Code: 3800157605885


## Fitting-Round-GU10



Box Qty.  
**100 Pcs**

Model No: VT-7227RD-SS  
 SKU Code: 3471  
 Base: GU10  
 Material: Ferrum  
 Shape: Round  
 Color of Fxture: Stainless Steel  
 Dimension: Ø82x25mm  
 Cutting Size: Ø74mm  
 EAN Code: 3800157605908


## Fitting-Round-GU10



Box Qty.  
**100 Pcs**

Model No: VT-7227RD-SN  
 SKU Code: 3470  
 Base: GU10  
 Material: Ferrum  
 Shape: Round  
 Color of Fxture: Satin Nickel  
 Dimension: Ø82x25mm  
 Cutting Size: Ø74mm  
 EAN Code: 3800157605892


## Fitting-Round-GU10



Box Qty.  
**100 Pcs**

Model No: VT-785  
 SKU Code: 3611  
 Base: GU10  
 Material: Aluminium  
 Shape: Round  
 Color of Fxture: White  
 Dimension: 88x38mm  
 Cutting Size: Ø75mm  
 EAN Code: 3800157607407


**Fitting-Round-GU10**



Box Qty.  
**100 Pcs**

Model No: VT-786  
 SKU Code: 3612  
 Base: GU10  
 Material: Aluminium  
 Shape: Round  
 Color of Fixture: White  
 Dimension: 88x38mm  
 Cutting Size: Ø75mm  
 EAN Code: 3800157607414


**Fitting-Square-GU10**



Box Qty.  
**100 Pcs**

Model No: VT-7227SQ-SN  
 SKU Code: 3473  
 Base: GU10  
 Material: Ferrum  
 Shape: Square  
 Color of Fixture: Satin Nickel  
 Dimension: 82x82x22mm  
 Cutting Size: 74x74mm  
 EAN Code: 3800157605922


**Fitting-Square-GU10**



Box Qty.  
**100 Pcs**

Model No: VT-7227SQ-WH  
 SKU Code: 3472  
 Base: GU10  
 Material: Ferrum  
 Shape: Square  
 Color of Fixture: White  
 Dimension: 82x82x22mm  
 Cutting Size: 74x74mm  
 EAN Code: 3800157605915

**Fitting-Square-GU10**



Box Qty.  
**100 Pcs**

Model No: VT-7227SQ-SS  
 SKU Code: 3474  
 Base: GU10  
 Material: Ferrum  
 Shape: Square  
 Color of Fixture: Stainless Steel  
 Dimension: 82x82x22mm  
 Cutting Size: 74x74mm  
 EAN Code: 3800157605939

### Fitting-Round-GU10



Box Qty.  
**50 Pcs**



Model No: VT-711-W-RD  
 SKU Code: 3669  
 Base: GU10  
 Material: Zinc Alloy+Ferrum  
 Shape: Round  
 Color of Fixture: White  
 Dimension: 82x101mm  
 Cutting Size: N/A  
 EAN Code: 3800157625135

### Zoom Fitting



Box Qty.  
**50 Pcs**

Model No: VT-700S  
 SKU Code: 3690  
 Base: GU10  
 Material: Aluminium  
 Shape: Round  
 Color of Fixture: Satin Nickel  
 Dimension: Ø102x46mm  
 Cutting Size: 93mm  
 EAN Code: 3800157628518

### Zoom Fitting



Box Qty.  
**50 Pcs**

Model No: VT-700W  
 SKU Code: 3689  
 Base: GU10  
 Material: Aluminium  
 Shape: Round  
 Color of Fixture: White  
 Dimension: Ø102x46mm  
 Cutting Size: 93mm  
 EAN Code: 3800157628501

### Fitting-Square-GU10




Box Qty.  
**100 Pcs**



Model No: VT-787RD-WH  
 SKU Code: 3613  
 Base: GU10  
 Material: Zinc Alloy+Ferrum  
 Shape: Round  
 Color of Fixture: White  
 Dimension: 84x38mm  
 Cutting Size: 75mm  
 EAN Code: 3800157607421


**Fitting-Round-GU10**



Box Qty.  
**100 Pcs**

Model No: VT-787RD-SN  
 SKU Code: 3614  
 Base: GU10  
 Material: Zinc Alloy+Ferrum  
 Shape: Round  
 Color of Fixture: White  
 Dimension: 84x38mm  
 Cutting Size: 75mm  
 EAN Code: 3800157607438


**Fitting-Square-GU10**



Box Qty.  
**100 Pcs**

Model No: VT-787SQ-SN  
 SKU Code: 3616  
 Base: GU10  
 Material: Zinc Alloy+Ferrum  
 Shape: Square  
 Color of Fixture: Satin Nickel  
 Dimension: 84x84x38mm  
 Cutting Size: 75mm  
 EAN Code: 3800157607452


**Fitting-Square-GU10**



Box Qty.  
**100 Pcs**

Model No: VT-787SQ-WH  
 SKU Code: 3615  
 Base: GU10  
 Material: Zinc Alloy+Ferrum  
 Shape: Square  
 Color of Fixture: White  
 Dimension: 84x84x38mm  
 Cutting Size: 75mm  
 EAN Code: 3800157607445


**Fitting-Round-GU10**



Box Qty.  
**100 Pcs**

Model No: VT-781RD-WH  
 SKU Code: 3595  
 Base: GU10  
 Material: Aluminium+Ferrum  
 Shape: Round  
 Color of Fixture: White  
 Dimension: 100x45mm  
 Cutting Size: 90mm  
 EAN Code: 3800157607247


## Fitting-Round-GU10



Box Qty.  
**100 Pcs**

Model No: VT-781RD-SN  
 SKU Code: 3596  
 Base: GU10  
 Material: Aluminium+Ferrum  
 Shape: Round  
 Color of Fixture: Satin Nickel  
 Dimension: 100x45mm  
 Cutting Size: 90mm  
 EAN Code: 3800157607254


## Fitting-Square-GU10



Box Qty.  
**100 Pcs**

Model No: VT-781SQ-SN  
 SKU Code: 3598  
 Base: GU10  
 Material: Aluminium+Ferrum  
 Shape: Square  
 Color of Fixture: Satin Nickel  
 Dimension: 100x100x38mm  
 Cutting Size: 90x90mm  
 EAN Code: 3800157607278


## Fitting-Square-GU10



Box Qty.  
**100 Pcs**

Model No: VT-781SQ-WH  
 SKU Code: 3597  
 Base: GU10  
 Material: Aluminium+Ferrum  
 Shape: Square  
 Color of Fixture: White  
 Dimension: 100x100x38mm  
 Cutting Size: 90x90mm  
 EAN Code: 3800157607261


## Fitting-Round-GU10



Box Qty.  
**100 Pcs**

Model No: VT-779-WH-RD  
 SKU Code: 3587  
 Base: GU10  
 Material: Zinc Alloy  
 Shape: Round  
 Color of Fixture: White  
 Dimension: 82x25mm  
 Cutting Size: 74mm  
 EAN Code: 3800157607162


Fitting-Round-GU10



Box Qty.  
**100 Pcs**

Model No: VT-779-SN-RD  
 SKU Code: 3588  
 Base: GU10  
 Material: Zinc Alloy  
 Shape: Round  
 Color of Fixture: Satin Nickel  
 Dimension: 82x25mm  
 Cutting Size: 74mm  
 EAN Code: 3800157607179


Fitting-Square-GU10



Box Qty.  
**100 Pcs**

Model No: VT-779-WH-SQ  
 SKU Code: 3590  
 Base: GU10  
 Material: Zinc Alloy  
 Shape: Square  
 Color of Fixture: White  
 Dimension: 82x82x22mm  
 Cutting Size: 74mm  
 EAN Code: 3800157607193


Fitting-Round-GU10



Box Qty.  
**100 Pcs**

Model No: VT-779-CH-RD  
 SKU Code: 3589  
 Base: GU10  
 Material: Zinc Alloy  
 Shape: Round  
 Color of Fixture: Chrome  
 Dimension: 82x25mm  
 Cutting Size: 74mm  
 EAN Code: 3800157607186


Fitting-Square-GU10



Box Qty.  
**100 Pcs**

Model No: VT-779-SN-SQ  
 SKU Code: 3591  
 Base: GU10  
 Material: Zinc Alloy  
 Shape: Square  
 Color of Fixture: Satin Nickel  
 Dimension: 82x82x25mm  
 Cutting Size: 74mm  
 EAN Code: 3800157607209

## Fitting-Square-GU10




Box Qty.  
**100 Pcs**

Model No: VT-779-CH-SQ  
 SKU Code: 3592  
 Base: GU10  
 Material: Zinc Alloy  
 Shape: Square  
 Color of Fixture: Chrome  
 Dimension: 82x82x25mm  
 Cutting Size: 74mm  
 EAN Code: 3800157607216

**new!**

## Fitting-Square-G9




Box Qty.  
**24 Pcs**

Model No: VT-858SQ  
 SKU Code: 3695  
 Base: G9  
 Material: Gypsum  
 Shape: Square  
 Color of Fixture: White  
 Dimension: 70x100x100mm  
 Cutting Size: N/A  
 EAN Code: 3800157633543

**new!**

## Fitting-Round-G9




Box Qty.  
**24 Pcs**

Model No: VT-858RD  
 SKU Code: 3694  
 Base: G9  
 Material: Gypsum  
 Shape: Round  
 Color of Fixture: White  
 Dimension: 70x90x95mm  
 Cutting Size: N/A  
 EAN Code: 3800157633536

**new!**

## Fitting-Square-GU10




Box Qty.  
**40 Pcs**

Model No: VT-859SQ  
 SKU Code: 3696  
 Base: GU10  
 Material: Gypsum  
 Shape: Square  
 Color of Fixture: White  
 Dimension: 100x100x40mm  
 Cutting Size: 103x103mm  
 EAN Code: 3800157633550

**new!**

Fitting-Round-GU10




Box Qty.  
**40 Pcs**

Model No: VT-859RD  
 SKU Code: 3697  
 Base: GU10  
 Material: Gypsum  
 Shape: Round  
 Color of Fixture: White  
 Dimension: ø100x40mm  
 Cutting Size: ø103  
 EAN Code: 3800157633567

**new!**

Fitting-Pendant Metal-1XGU10




Box Qty.  
**9 pcs**

Model No: VT-864-GBC  
 SKU Code: 3134  
 Base: GU10  
 Material: Gypsum with metal  
 Shape: Round  
 Color of Fixture: Grey+Gun Black  
 Dimension: ø250x80mm  
 Cutting Size: N/A  
 EAN Code: 3800157635332

**new!**

Fitting-Suspended-GU10




Box Qty.  
**9 Pcs**

Model No: VT-864-G  
 SKU Code: 3111  
 Base: GU10  
 Material: Gypsum with metal  
 Shape: Round  
 Color of Fixture: White+Matt Rose Gold  
 Dimension: ø250x80mm  
 Cutting Size: N/A  
 EAN Code: 3800157634366

**new!**

Fitting-Pendant Metal-1XGU10




Box Qty.  
**9 pcs**

Model No: VT-864CHC  
 SKU Code: 3135  
 Base: GU10  
 Material: Gypsum with metal  
 Shape: Round  
 Color of Fixture: Grey+Chrome  
 Dimension: ø250x80mm  
 Cutting Size: N/A  
 EAN Code: 3800157635349

**new!**


## Fitting-Pendant Metal-1XGU10


 Box Qty.  
**9 pcs**

Model No: VT-864-GB  
 SKU Code: 3112  
 Base: GU10  
 Material: Gypsum with metal  
 Shape: Round  
 Color of Fixture: White+Gun Black  
 Dimension: ø250x80mm  
 Cutting Size: N/A  
 EAN Code: 3800157634373

**new!**


## Fitting-Pendant Metal-1XGU10


 Box Qty.  
**9 pcs**

Model No: VT-864-MR  
 SKU Code: 3130  
 Base: GU10  
 Material: Gypsum with metal  
 Shape: Round  
 Color of Fixture: Grey+Matt Rose Gold  
 Dimension: ø250x80mm  
 Cutting Size: N/A  
 EAN Code: 3800157635325

**new!**


## Fitting-Pendant Metal-1XGU10


 Box Qty.  
**9 pcs**

Model No: VT-864-CH  
 SKU Code: 3129  
 Base: GU10  
 Material: Gypsum with metal  
 Shape: Round  
 Color of Fixture: White+Chrome  
 Dimension: ø250x80mm  
 Cutting Size: N/A  
 EAN Code: 3800157634540

**new!**


## Fitting-Surface Metal-1XGU10


 Box Qty.  
**9 pcs**

Model No: VT-865-GBM  
 SKU Code: 3136  
 Base: GU10  
 Material: Gypsum with metal  
 Shape: Round  
 Color of Fixture: White+Gun Black  
 Dimension: ø200x80mm  
 Cutting Size: N/A  
 EAN Code: 3800157635356

**new!**

Fitting-Surface Metal-1XGU10




Box Qty.  
**9 pcs**

Model No: VT-865-MRC  
 SKU Code: 3137  
 Base: GU10  
 Material: Gypsum with metal  
 Shape: Round  
 Color of Fixture: Grey+Matt Rose Gold  
 Dimension: ø200x80mm  
 Cutting Size: N/A  
 EAN Code: 3800157635363

**new!**

Fitting-Surface Metal-1XGU10




Box Qty.  
**9 pcs**

Model No: VT-865-GBC  
 SKU Code: 3139  
 Base: GU10  
 Material: Gypsum with metal  
 Shape: Round  
 Color of Fixture: Grey+Gun Black  
 Dimension: ø200x80mm  
 Cutting Size: N/A  
 EAN Code: 3800157635387

**new!**

Fitting-Surface Metal-1XGU10




Box Qty.  
**9 pcs**

Model No: VT-865CHC  
 SKU Code: 3138  
 Base: GU10  
 Material: Gypsum with metal  
 Shape: Round  
 Color of Fixture: Grey+Chrome  
 Dimension: ø200x80mm  
 Cutting Size: N/A  
 EAN Code: 3800157635370

**new!**

Fitting-Surface Metal-1XGU10




Box Qty.  
**9 pcs**

Model No: VT-865-MRM  
 SKU Code: 3113  
 Base: GU10  
 Material: Gypsum with metal  
 Shape: Round  
 Color of Fixture: White+Matt Rose Gold  
 Dimension: ø200x80mm  
 Cutting Size: N/A  
 EAN Code: 3800157634380

**new!**


## Fitting-Surface Metal-1XGU10

Box Qty.  
**9 pcs**

Model No: VT-865CHM  
 SKU Code: 3114  
 Base: GU10  
 Material: Gypsum with metal  
 Shape: Round  
 Color of Fixture: White+Chrome  
 Dimension: ø200x80mm  
 Cutting Size: N/A  
 EAN Code: 3800157634397

**new!**


## Fitting-Square Metal-1XGU10

Box Qty.  
**12 pcs**

Model No: VT-860-MRM  
 SKU Code: 3141  
 Base: GU10  
 Material: Gypsum with metal  
 Shape: Square  
 Color of Fixture: Grey+Matt Rose Gold  
 Dimension: 100x100x130mm  
 Cutting Size: N/A  
 EAN Code: 3800157635400

**new!**


## Fitting-Square Metal-1XGU10

Box Qty.  
**12 pcs**

Model No: VT-860-GB  
 SKU Code: 3140  
 Base: GU10  
 Material: Gypsum with metal  
 Shape: Square  
 Color of Fixture: White+Gun Black  
 Dimension: 100x100x130mm  
 Cutting Size: N/A  
 EAN Code: 3800157635394

**new!**


## Fitting-Square Metal-1XGU10

Box Qty.  
**12 pcs**

Model No: VT-860-CHM  
 SKU Code: 3142  
 Base: GU10  
 Material: Gypsum with metal  
 Shape: Square  
 Color of Fixture: Grey+Chrome  
 Dimension: 100x100x130mm  
 Cutting Size: N/A  
 EAN Code: 3800157635417

**new!**

Fitting-Square Metal-1XGU10




Box Qty.  
**12pcs**

Model No: VT-860-GBM  
 SKU Code: 3143  
 Base: GU10  
 Material: Gypsum with metal  
 Shape: Square  
 Color of Fixture: Grey+Gun Black  
 Dimension: 100x100x130mm  
 Cutting Size: N/A  
 EAN Code: 3800157635424

**new!**

Fitting-Square Metal-1XGU10




Box Qty.  
**12pcs**

Model No: VT-860-CH  
 SKU Code: 3116  
 Base: GU10  
 Material: Gypsum with metal  
 Shape: Square  
 Color of Fixture: White+Chrome  
 Dimension: 100x100x130mm  
 Cutting Size: N/A  
 EAN Code: 3800157634410

**new!**

Fitting-Square Metal-1XGU10




Box Qty.  
**12pcs**

Model No: VT-860-MR  
 SKU Code: 3115  
 Base: GU10  
 Material: Gypsum with metal  
 Shape: Square  
 Color of Fixture: White+Matt Rose Gold  
 Dimension: 100x100x130mm  
 Cutting Size: N/A  
 EAN Code: 3800157634403

**new!**

Fitting-Recessed-1XGU10



Box Qty.  
**24 pcs**

Model No: VT-862-MRW  
 SKU Code: 3117  
 Base: GU10  
 Material: Gypsum with metal  
 Shape: Square  
 Color of Fixture: White+Matt Rose Gold  
 Dimension: 100x100x40mm  
 Cutting Size: ø80mm  
 EAN Code: 3800157634427

**new!**

## Fitting-Recessed-1XGU10

Box Qty.  
**24 pcs**

Model No: VT-862-MRG  
 SKU Code: 3118  
 Base: GU10  
 Material: Gypsum with metal  
 Shape: Square  
 Color of Fixture: Grey+Matt Rose Gold  
 Dimension: 100x100x40mm  
 Cutting Size: ø80mm  
 EAN Code: 3800157634434

**new!**

## Fitting-Recessed-1XGU10

Box Qty.  
**24 pcs**

Model No: VT-862-CHG  
 SKU Code: 3120  
 Base: GU10  
 Material: Gypsum with metal  
 Shape: Square  
 Color of Fixture: Grey+Chrome  
 Dimension: 100x100x40mm  
 Cutting Size: ø80mm  
 EAN Code: 3800157634458

**new!**


## Fitting-Recessed-1XGU10

Box Qty.  
**24 pcs**

Model No: VT-862-CHW  
 SKU Code: 3119  
 Base: GU10  
 Material: Gypsum with metal  
 Shape: Square  
 Color of Fixture: White+Chrome  
 Dimension: 100x100x40mm  
 Cutting Size: ø80mm  
 EAN Code: 3800157634441

**new!**

## Fitting-Recessed-1XGU10

Box Qty.  
**24 pcs**

Model No: VT-862-MRR  
 SKU Code: 3121  
 Base: GU10  
 Material: Gypsum with metal  
 Shape: Square  
 Color of Fixture: Off White+Matt Rose Gold  
 Dimension: 100x100x40mm  
 Cutting Size: ø80mm  
 EAN Code: 3800157634465

**new!**

Fitting-Recessed-1XGU10




Box Qty.  
**24 pcs**

Model No VT-862-CHR  
 SKU Code: 3122  
 Base: GU10  
 Material: Gypsum with metal  
 Shape: Square  
 Color of Fixture: Off White+Chrome  
 Dimension: 100x100x40mm  
 Cutting Size: ø80mm  
 EAN Code: 3800157634472

**new!**

Fitting-Recessed-1XGU10



Box Qty.  
**24 pcs**

Model No VT-862-MGRD  
 SKU Code: 3124  
 Base: GU10  
 Material: Gypsum with metal  
 Shape: Round  
 Color of Fixture: Grey+Matt Rose Gold  
 Dimension: ø100x40mm  
 Cutting Size: ø80mm  
 EAN Code: 3800157634496

**new!**

Fitting-Recessed-1XGU10



Box Qty.  
**24 pcs**

Model No VT-862-MRP  
 SKU Code: 3123  
 Base: GU10  
 Material: Gypsum with metal  
 Shape: Round  
 Color of Fixture: White+Matt Rose Gold  
 Dimension: ø100x40mm  
 Cutting Size: ø80mm  
 EAN Code: 3800157634489

**new!**

Fitting-Recessed-1XGU10




Box Qty.  
**24 pcs**

Model No VT-862-MRC  
 SKU Code: 3125  
 Base: GU10  
 Material: Gypsum with metal  
 Shape: Round  
 Color of Fixture: Off White+Matt Rose Gold  
 Dimension: ø100x40mm  
 Cutting Size: ø80mm  
 EAN Code: 3800157634502

**new!**


## Fitting-Recessed-1XGU10

Box Qty.  
**24 pcs**

Model No: VT-862-MRD  
 SKU Code: 3126  
 Base: GU10  
 Material: Gypsum with metal  
 Shape: Round  
 Color of Fixture: Off White+Chrome  
 Dimension:  $\varnothing 100 \times 40 \text{mm}$   
 Cutting Size:  $\varnothing 80 \text{mm}$   
 EAN Code: 3800157634519

**new!**


## Fitting-Recessed-1XGU10

Box Qty.  
**24 pcs**

Model No: VT-862-MG  
 SKU Code: 3128  
 Base: GU10  
 Material: Gypsum with metal  
 Shape: Round  
 Color of Fixture: Grey+Chrome  
 Dimension:  $\varnothing 100 \times 40 \text{mm}$   
 Cutting Size:  $\varnothing 80 \text{mm}$   
 EAN Code: 3800157634533

**new!**


## Fitting-Recessed-1XGU10

Box Qty.  
**24 pcs**

Model No: VT-862-CRD  
 SKU Code: 3127  
 Base: GU10  
 Material: Gypsum with metal  
 Shape: Round  
 Color of Fixture: White+Chrome  
 Dimension:  $\varnothing 100 \times 40 \text{mm}$   
 Cutting Size:  $\varnothing 80 \text{mm}$   
 EAN Code: 3800157634526

**new!**

## Fitting-Ceiling Metal-1XGU10

Box Qty.  
**12 pcs**

Model No: VT-863  
 SKU Code: 3144  
 Base: GU10  
 Material: Gypsum with metal  
 Shape: Square  
 Color of Fixture: White  
 Dimension:  $200 \times 200 \text{mm}$   
 Cutting Size:  $206 \times 206 \text{mm}$   
 EAN Code: 3800157634557

**new!**

Fitting-Recessed-Black Metal-Round



Box Qty.  
**30 pcs**

Model No: VT-866-BRD  
 SKU Code: 3145  
 Base: GU10  
 Material: Gypsum with metal  
 Shape: Round  
 Color of Fixture: White+Black  
 Dimension: ø100mm  
 Cutting Size: ø103mm  
 EAN Code: 3800157635592

**new!**

Fitting-Recessed-Matt Rose Gold Met-



Box Qty.  
**30 pcs**

Model No: VT-866-MRD  
 SKU Code: 3147  
 Base: GU10  
 Material: Gypsum with metal  
 Shape: Round  
 Color of Fixture: White+Matt Rose Gold  
 Dimension: ø100mm  
 Cutting Size: ø103mm  
 EAN Code: 3800157635615

**new!**

Fitting-Recessed-Chrome Metal-Round



Box Qty.  
**30 pcs**

Model No: VT-866-CRD  
 SKU Code: 3146  
 Base: GU10  
 Material: Gypsum with metal  
 Shape: Round  
 Color of Fixture: White+Chrome  
 Dimension: ø100mm  
 Cutting Size: ø103mm  
 EAN Code: 3800157635608

**new!**

Fitting-Recessed-Black Metal-Square



Box Qty.  
**30 pcs**

Model No: VT-866-BSQ  
 SKU Code: 3148  
 Base: GU10  
 Material: Gypsum with metal  
 Shape: Square  
 Color of Fixture: White+Black  
 Dimension: ø100x100mm  
 Cutting Size: 103x103mm  
 EAN Code: 3800157635622

**new!**

## Fitting-Recessed-Chrome Metal-Square


 Box Qty.  
**30 pcs**

Model No	VT-866-CSQ
SKU Code:	3149
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fixture:	White+Chrome
Dimension:	ø100x100mm
Cutting Size:	103x103mm
EAN Code:	3800157635639

**new!**

## Fitting-Recessed-Square


 Box Qty.  
**24 Pcs**

Model No	VT-867-SQ
SKU Code:	3151
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fixture:	White
Dimension:	ø120x120mm
Cutting Size:	127x127mm
EAN Code:	3800157635653

**new!**


## Fitting-Recessed-Matt Rose Gold


 Box Qty.  
**30 pcs**

Model No	VT-866-GSQ
SKU Code:	3150
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fixture:	White+Matt Rose Gold
Dimension:	ø100x100mm
Cutting Size:	103x103mm
EAN Code:	3800157635646

**new!**

## Fitting-Recessed-Round


 Box Qty.  
**24 Pcs**

Model No	VT-867-RD
SKU Code:	3152
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fixture:	White
Dimension:	ø120mm
Cutting Size:	ø127mm
EAN Code:	3800157635660

### Gu10-Holder-PVC Cable



Box Qty.  
**500 Pcs**

Model No           PVC Cable  
SKU Code:         **3423**  
Base:               **GU10**  
Material:           **Ceramic**  
Wire length:       **150mm**  
EAN Code:         **3800157607827**

### GU10 Silicon Wire



Box Qty.  
**500 Pcs**

Model No           **VT-791-W**  
SKU Code:         **3620**  
Base:               **GU10**  
Material:           **Aluminium Ceramic**  
Color of Fxture:   **White**  
Wire length:       **158mm**  
EAN Code:         **3800157607704**

### Gu10-Holder-PVC Cable



Box Qty.  
**100 Pcs**

Model No           PVC Cable-5pc  
SKU Code:         **34235**  
Base:               **GU10**  
Material:           **Ceramic**  
Wire length:       **150mm**  
EAN Code:         **3800157609982**

### Mr16-Lampholder-5Pc Pack




Box Qty.  
**100 Pcs**

Model No           **VT-7889**  
SKU Code:         **36265**  
Base:               **MR16**  
Material:           **Ceramic**  
Color of Fxture:   **White**  
Wire length:       **150mm**  
EAN Code:         **3800157609999**

# LED PAR Lamps & AR111

: V-TAC's LED PAR Lamps offer great quality of light and work as a perfect replacement for Standard Halogen PAR Lamps. Boasting energy efficiency and an impressive lamp life.



## Product Features

- Eco friendly and Power Saving alternative for Standard Halogen Par Lamps with a longer life.
- Each lamp is a direct retrofit for a comparable Halogen Par Lamp e.g. AR111, PAR 30 & PAR 38
- Exceptional Heat Radiation Efficiency
- Premium Quality Power Driver
- Creates better Lighting effect than the old halogen bulb
- Dimmable & Non Dimmable options available

## Applications



Widely used in Showrooms, Exhibition Stands, Stores, Offices and Reception areas, Hotels, Bars and Commercial Lighting



AR111 Downlight  
20W VT-1120-20

- 1243 - 3000K Warm White 3800157606004
- 1244 - 4500K Day White 3800157606011
- 1245 - 6000K White 3800157606028

Box Qty.  
**50 Pcs**





EQ. Watts:	<b>100w</b>	PF:	<b>&gt;0.7</b>
Voltage/Frequency:	<b>AC:220-240V,50/60Hz</b>	Beam Angle:	<b>20°</b>
Luminous Flux:	<b>1800lm</b>	Base:	<b>N/A</b>
LED Type:	<b>COB</b>	Body Type:	<b>Die Cast Aluminium</b>
CRI:	<b>&gt;80</b>	Dimension:	<b>Ø111x53mm</b>



AR111 Downlight  
20W VT-1120-40

- 1246 - 3000K Warm White 3800157606035
- 1247 - 4500K Day White 3800157606042
- 1248 - 6000K White 3800157606059

Box Qty.  
**50 Pcs**



EQ. Watts:	<b>100w</b>	PF:	<b>&gt;0.7</b>
Voltage/Frequency:	<b>AC:220-240V,50/60Hz</b>	Beam Angle:	<b>40°</b>
Luminous Flux:	<b>1800lm</b>	Base:	<b>N/A</b>
LED Type:	<b>COB</b>	Body Type:	<b>Die Cast Aluminium</b>
CRI:	<b>&gt;80</b>	Dimension:	<b>Ø111x53mm</b>





AR111-G53  
15w VT-1110-20

4084 - 3000K Warm White 3800230620064  
4062 - 4000K Day White 3800230620057  
4061 - 6400K White 3800230620040

Box Qty.  
**60 Pcs**

EQ. Watts: **75w**  
Voltage/Frequency: **AC/DC:12V,50Hz**  
Luminous Flux: **950lm**  
LED Type: **COB**  
CRI: **>80**



PF: **>0.9**  
Beam Angle: **20°**  
Base: **G53**  
Body Type: **Plastic Clad Aluminium**  
Dimension: **Ø111x86x63mm**





AR111-G53  
15w VT-1110-40

4257 - 3000K Warm White 3800230628664  
4256 - 4000K Day White 3800230628657  
4255 - 6400K White 3800230628640

Box Qty.  
**60 Pcs**

EQ. Watts: **25w**  
Voltage/Frequency: **AC/DC:12V,50Hz**  
Luminous Flux: **950lm**  
LED Type: **COB**  
CRI: **>80**





PF: **>0.9**  
Beam Angle: **40°**  
Base: **G53**  
Body Type: **Plastic Clad Aluminium**  
Dimension: **Ø111x86x63mm**



AR111-GU10  
**12W** VT-1112

4224 - 2700K Warm White 3800230626257  
4223 - 4000K Day White 3800230626219  
4225 - 6400K White 3800230626264

Box Qty.  
**60 Pcs**



EQ. Watts: **60w**  
Voltage/Frequency: **AC:200-240V,50Hz**  
Luminous Flux: **900lm**  
LED Type: **COB**  
CRI: **>80**



PF: **>0.9**  
Beam Angle: **40°**  
Base: **GU10**  
Body Type: **Plastic Clad Aluminium**  
Dimension: **Ø111x86mm**



AR111-GU10  
**12W** VT-1112D

7234 - 3000K Warm White 3800157620055  
7235 - 4500K Day White 3800157620062  
7236 - 6000K White 3800157620079

Box Qty.  
**60 Pcs**




EQ. Watts: **60w**  
Voltage/Frequency: **AC:200-240V,50Hz**  
Luminous Flux: **900lm**  
LED Type: **COB**  
CRI: **>80**

PF: **>0.9**  
Beam Angle: **40°**  
Base: **GU10**  
Body Type: **Plastic Clad Aluminium**  
Dimension: **Ø111x86mm**

## AR111-Accessories

 Box Qty.  
**24 Pcs**



Model No: VT-7221-W  
 SKU Code: 3575  
 Base: 1XAR111  
 Material: Aluminium  
 Color of Fixture: White  
 Dimension: 174x174 mm  
 Cutting Size: 168x155mm  
 EAN Code: 3800157604765



## AR111-Accessories

 Box Qty.  
**12 Pcs**



Model No: VT-7222-W  
 SKU Code: 3576  
 Base: 2XAR111  
 Material: Aluminium  
 Color of Fixture: White  
 Dimension: 325x174mm  
 Cutting Size: 306x162mm  
 EAN Code: 3800157604772



## AR111-Accessories

 Box Qty.  
**12 Pcs**


Model No: VT-7223-W  
 SKU Code: 3577  
 Base: 3XAR111  
 Material: Aluminium  
 Color of Fixture: White  
 Dimension: 475x174mm  
 Cutting Size: 455x168 mm  
 EAN Code: 3800157604789



AR111-Accessories

Box Qty.  
**24 Pcs**


Model No: **VT-7221-B**  
SKU Code: **3581**  
Base: **1XAR111**  
Material: **Aluminium**  
Color of Fixture: **Black**  
Dimension: **174x174 mm**  
Cutting Size: **168x155mm**  
EAN Code: **3800157607063**



AR111-Accessories

Box Qty.  
**12 Pcs**



Model No: **VT-7222-B**  
SKU Code: **3582**  
Base: **2XAR111**  
Material: **Aluminium**  
Color of Fixture: **Black**  
Dimension: **325x174 mm**  
Cutting Size: **306x162mm**  
EAN Code: **3800157607070**



AR111-Accessories

Box Qty.  
**12 Pcs**

Model No: **VT-7223-B**  
SKU Code: **3583**  
Base: **3XAR111**  
Material: **Aluminium**  
Color of Fixture: **Black**  
Dimension: **475x174mm**  
Cutting Size: **455x168 mm**  
EAN Code: **3800157607087**



# LED Floodlights

V-TAC's LED Floodlights are ideal for lighting Driveways, Gardens and Buildings. These energy efficient lights emit Bright, Vibrant Light and make an eco-friendly alternative for traditional Halogen Floodlights and Metal Halide fixtures.



## Product Features

- Available in White , Warm White, Day White and RGB light output option
- Available from 10W up to 1000W
- Premium Quality Aluminium Alloy body
- Fascia glass sealed with SILICONE RUBBER ensuring superior waterproof / airtight performance
- High Power LED chip
- Built in constant current driver
- Built in Power supply, No external ballast required

## Applications

Widely used for Lighting Driveways, Gardens & Buildings, Commercial Bill Boards & Hoardings, Sports Grounds & Parking Lots

Slimline-White Body-White Wire

**50w** VT-4955W


5826 - 4000K Day White 3800157615006  
 5827 - 6400K White 3800157615013

Box Qty.  
**10 Pcs**


**IP65**  
 RATING

Sensor Compatible: Yes  
 Voltage/Frequency: AC:220-240V,50/60Hz  
 Luminous Flux: 4250lm  
 CRI: >70  
 PF: >0.9  
 Beam Angle: 100°  
 Color of Fixture: White  
 Body Type: Die Cast Aluminium  
 IP Rating: IP65  
 Dimension: 237x194x38mm

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The beam angle is for reference only. The actual beam angle may vary due to the installation angle.



Slimline-White Body-White Wire

**100w** VT-49100W


5844 - 4000K Day White 3800157615181  
 5845 - 6400K White 3800157615198

Box Qty.  
**4 Pcs**


**IP65**  
 RATING

Sensor Compatible: Yes  
 Voltage/Frequency: AC:220-240V,50/60Hz  
 Luminous Flux: 8500lm  
 CRI: >70  
 PF: >0.9  
 Beam Angle: 100°  
 Color of Fixture: White  
 Body Type: Die Cast Aluminium  
 IP Rating: IP65  
 Dimension: 293x41x231mm

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The beam angle is for reference only. The actual beam angle may vary due to the installation angle.



## Slimline-White Body-White Wire

# 100w VT-49101W

5970 - 3000K Warm White      3800157626231  
 5971 - 4000K Day White        3800157626248  
 5972 - 6400K White            3800157626255





Box Qty.  
**4 Pcs**



**IP65**  
RATING

Sensor Compatible: Yes  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 8500lm  
 CRI: >70  
 PF: >0.9  
 Beam Angle: 100°  
 Color of Fixture: White  
 Body Type: Die Cast Aluminium  
 IP Rating: IP65  
 Dimension: 291x240x30mm



## Slimline-Black/Grey Body

# 150w VT-49150GB

5858 - 3000K Warm White      3800157615327  
 5860 - 6400K White            3800157615341






Box Qty.  
**2 Pcs**



**IP65**  
RATING

Sensor Compatible: Yes  
 Voltage/Frequency: AC:220-240V,50/60Hz  
 Luminous Flux: 12750lm  
 CRI: >70  
 PF: >0.9  
 Beam Angle: 100°  
 Color of Fixture: Black+Grey  
 Body Type: Die Cast Aluminium  
 IP Rating: IP65  
 Dimension: 411x313x51mm

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Slimline-Grey Body-Sand Finish



10w VT-4911G

5782 - 6400K White 3800157614566

Box Qty.  
**20 Pcs**

**IP65**  
RATING

- Sensor Compatible: Yes
- Voltage/Frequency: AC:220-240V,50/60Hz
- Luminous Flux: 800lm
- CRI: >70
- PF: >0.9
- Beam Angle: 100°
- Color of Fixture: Grey
- Body Type: Die Cast Aluminium
- IP Rating: IP65
- Dimension: 136x113x28mm



Slimline-Grey Body-Sand Finish



20w VT-4922G

5800 - 6400K White 3800157614740

Box Qty.  
**20 Pcs**

**IP65**  
RATING

- Sensor Compatible: Yes
- Voltage/Frequency: AC:220-240V,50/60Hz
- Luminous Flux: 1600lm
- CRI: >70
- PF: >0.9
- Beam Angle: 100°
- Color of Fixture: Grey
- Body Type: Die Cast Aluminium
- IP Rating: IP65
- Dimension: 181x148x34mm



## Slimline-Grey Body-Sand Finish

# 30w VT-4933G



5818 - 6400K White

3800157614924


 Box Qty.  
**20 Pcs**
**IP65**  
 RATING

Sensor Compatible: Yes  
 Voltage/Frequency: AC:220-240V,50/60Hz  
 Luminous Flux: 2550lm  
 CRI: >70  
 PF: >0.9  
 Beam Angle: 100°  
 Color of Fixture: Grey  
 Body Type: Die Cast Aluminium  
 IP Rating: IP65  
 Dimension: 217x174x35mm

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves Indicate the illuminated area and the average illumination when the luminaire is at different distance.



## Slimline-Grey Body-Sand Finish

# 100w VT-49100G

5853 - 4000K Day White

3800157615273


5854 - 6400K White

3800157615280


 Box Qty.  
**4 Pcs**
**IP65**  
 RATING

Sensor Compatible: Yes  
 Voltage/Frequency: AC:220-240V,50/60Hz  
 Luminous Flux: 8500lm  
 CRI: >70  
 PF: >0.9  
 Beam Angle: 100°  
 Color of Fixture: Grey  
 Body Type: Die Cast Aluminium  
 IP Rating: IP65  
 Dimension: 293x41x231mm

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves Indicate the illuminated area and the average illumination when the luminaire is at different distance.



Slimline-Grey Body-Sand Finish

150w VT-49150G




5864 - 3000K Warm White 3800157615389

Box Qty.  
**2 Pcs**

**IP65**  
RATING

- Sensor Compatible: Yes
- Voltage/Frequency: AC:220-240V,50/60Hz
- Luminous Flux: 12750lm
- CRI: >70
- PF: >0.9
- Beam Angle: 100°
- Color of Fixture: Grey
- Body Type: Die Cast Aluminium
- IP Rating: IP65
- Dimension: 411x313x51mm

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



## I Series-Black Body

# 10w

**VT-4611B**

5876 - 4500K Day White  
5877 - 6000K White



3800157615983  
3800157615990



Box Qty.  
**50 Pcs**



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50Hz
Luminous Flux:	850lm
CRI:	>70
PF:	>0.9
Beam Angle:	110°
Color of Fixture:	Black
Body Type:	Aluminium
IP Rating:	IP65
Dimension:	122x105x30mm



## I Series-Black Body

# 30w

**VT-4631**

5883 - 6000K White



3800157616058



Box Qty.  
**20 Pcs**



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50Hz
Luminous Flux:	2550lm
CRI:	>70
PF:	>0.9
Beam Angle:	110°
Color of Fixture:	Black
Body Type:	Aluminium
IP Rating:	IP65
Dimension:	213x168x32mm



I Series-Black Body



50w VT-4651B

- 5884 - 3000K Warm White 3800157616065
- 5885 - 4500K Day White 3800157616072
- 5886 - 6000K White 3800157616089

Box Qty.  
**10 Pcs**

**IP65**  
RATING

- Sensor Compatible: Yes
- Voltage/Frequency: AC:200-240V,50Hz
- Luminous Flux: 4250lm
- CRI: >70
- PF: >0.9
- Beam Angle: 110°
- Color of Fixture: Black
- Body Type: Aluminium
- IP Rating: IP65
- Dimension: 255x196x36mm



I Series-Black Body



100w VT-46100

- 5889 - 6000K White 3800157616119

Box Qty.  
**10 Pcs**

**IP65**  
RATING

- Sensor Compatible: Yes
- Voltage/Frequency: AC:200-240V,50Hz
- Luminous Flux: 8500lm
- CRI: >70
- PF: >0.9
- Beam Angle: 110°
- Color of Fixture: Black
- Body Type: Aluminium
- IP Rating: IP65
- Dimension: 345x265x45mm



## I Series-Black Body



150w VT-46150

5891 - 6000K White

3800157616133

Box Qty.  
5 PcsIP65  
RATING

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	12750lm
CRI:	>70
PF:	>0.9
Beam Angle:	110°
Color of Fixture:	Black
Body Type:	Aluminium
IP Rating:	IP65
Dimension:	375x292x45mm



## I Series-Black Body



200w VT-46200B

5893 - 6000K White

3800157616157

Box Qty.  
5 PcsIP65  
RATING

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	17000lm
CRI:	>70
PF:	>0.9
Beam Angle:	110°
Color of Fixture:	Black
Body Type:	Aluminium
IP Rating:	IP65
Dimension:	415x332x45mm



I Series-White Body



10w VT-4611W

5899 - 4500K Day White 3800157619226  
 5900 - 6000K White 3800157619233

Box Qty.  
**20 Pcs**

**IP65**  
 RATING

Sensor Compatible: Yes  
 Voltage/Frequency: AC:200-240V,50Hz  
 Luminous Flux: 850lm  
 CRI: >70  
 PF: >0.9  
 Beam Angle: 110°  
 Color of Fixture: White  
 Body Type: Aluminium  
 IP Rating: IP65  
 Dimension: 122x105x30mm



I Series-White Body



50w VT-4651W

5904 - 3000K Warm White 3800157619370  
 5905 - 4500K Day White 3800157619387  
 5906 - 6000K White 3800157619394

Box Qty.  
**10 Pcs**

**IP65**  
 RATING

Sensor Compatible: Yes  
 Voltage/Frequency: AC:200-240V,50Hz  
 Luminous Flux: 4250lm  
 CRI: >70  
 PF: >0.9  
 Beam Angle: 110°  
 Color of Fixture: White  
 Body Type: Aluminium  
 IP Rating: IP65  
 Dimension: 255x196x36mm



I Series-White Body



200w VT-46200W

5908 - 6000K White

3800157619417

Box Qty.  
5 Pcs

Sensor Compatible: Yes  
 Voltage/Frequency: AC:220-240V,50/60Hz  
 Luminous Flux: 17000lm  
 CRI: >70  
 PF: >0.9  
 Beam Angle: 110°  
 Color of Fixture: White  
 Body Type: Aluminium  
 IP Rating: IP65  
 Dimension: 415x332x45mm



E Series-White Body



10w VT-4011W

- 5943 - 3000K Warm White 3800157625364
- 5944 - 4000K Day White 3800157625371
- 5945 - 6500K White 3800157625388

Box Qty.  
**40 Pcs**

**IP65**  
RATING

- Sensor Compatible: Yes
- Voltage/Frequency: AC:220-240V,50Hz
- Luminous Flux: 850lm
- CRI: >70
- PF: >0.9
- Beam Angle: 110°
- Color of Fixture: White
- Body Type: Aluminium
- IP Rating: IP65
- Dimension: 110x112x22mm



E Series-White Body



20w VT-4021W

- 5949 - 3000K Warm White 3800157625425
- 5950 - 4000K Day White 3800157625432
- 5951 - 6500K White 3800157625449

Box Qty.  
**20 Pcs**

**IP65**  
RATING

- Sensor Compatible: Yes
- Voltage/Frequency: AC:220-240V,50/60Hz
- Luminous Flux: 1700lm
- CRI: >70
- PF: >0.9
- Beam Angle: 110°
- Color of Fixture: White
- Body Type: Aluminium
- IP Rating: IP65
- Dimension: 150x143x26mm



## E Series-White Body

# 30W

## VT-4031W

5955 - 3000K Warm White	3800157625487
5956 - 4000K Day White	3800157625494
5957 - 6500K White	3800157625500





Box Qty.  
**20 Pcs**



**IP65**  
RATING

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	2550lm
CRI:	>70
PF:	>0.9
Beam Angle:	110°
Color of Fixture:	White
Body Type:	Aluminium
IP Rating:	IP65
Dimension:	185x163x26mm



## E Series-White Body

# 50W

## VT-4051W

5961 - 3000K Warm White	3800157625548
5962 - 4000K Day White	3800157625555
5963 - 6500K White	3800157625562





Box Qty.  
**10 Pcs**



**IP65**  
RATING

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	4250lm
CRI:	>70
PF:	>0.9
Beam Angle:	110°
Color of Fixture:	White
Body Type:	Aluminium
IP Rating:	IP65
Dimension:	245x192x28mm



E Series-White Body



100w VT-40101W

5967 - 3000K Warm White 3800157625609  
 5968 - 4000K Day White 3800157625616  
 5969 - 6500K White 3800157625623

Box Qty.  
**5 Pcs**

**IP65**  
 RATING

Sensor Compatible: Yes  
 Voltage/Frequency: AC:220-240V,50/60Hz  
 Luminous Flux: 8500lm  
 CRI: >70  
 PF: >0.9  
 Beam Angle: 110°  
 Color of Fixture: White  
 Body Type: Aluminium  
 IP Rating: IP65  
 Dimension: 330x271x33mm



E Series-White Body



10w VT-4011B

5940 - 3000K Warm White 3800157625333  
 5941 - 4000K Day White 3800157625340  
 5942 - 6500K White 3800157625357

Box Qty.  
**40 Pcs**

**IP65**  
 RATING

Sensor Compatible: Yes  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 850lm  
 CRI: >70  
 PF: >0.9  
 Beam Angle: 110°  
 Color of Fixture: Black  
 Body Type: Aluminium  
 IP Rating: IP65  
 Dimension: 110x112x22mm



## E Series-White Body

# 20w

## VT-4021B

5946 - 3000K Warm White	3800157625395
5947 - 4000K Day White	3800157625401
5948 - 6500K White	3800157625418





Box Qty.  
**20 Pcs**



**IP65**  
RATING

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1700lm
CRl:	>70
PF:	>0.9
Beam Angle:	110°
Color of Fixture:	Black
Body Type:	Aluminium
IP Rating:	IP65
Dimension:	150x143x26mm



## E Series-White Body

# 30w

## VT-4031B

5952 - 3000K Warm White	3800157625456
5953 - 4000K Day White	3800157625463
5954 - 6500K White	3800157625470





Box Qty.  
**20 Pcs**



**IP65**  
RATING

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	2550lm
CRl:	>70
PF:	>0.9
Beam Angle:	110°
Color of Fixture:	Black
Body Type:	Aluminium
IP Rating:	IP65
Dimension:	185x163x26mm



E Series-White Body



50w VT-4051B

- 5958 - 3000K Warm White 3800157625517
- 5959 - 4000K Day White 3800157625524
- 5960 - 6500K White 3800157625531

Box Qty.  
**10 Pcs**

**IP65**  
RATING

- Sensor Compatible: Yes
- Voltage/Frequency: AC:220-240V,50Hz
- Luminous Flux: 4250lm
- CRI: >70
- PF: >0.9
- Beam Angle: 110°
- Color of Fixture: Black
- Body Type: Aluminium
- IP Rating: IP65
- Dimension: 245x192x28mm



E Series-White Body



100w VT-40101B

- 5964 - 3000K Warm White 3800157625579
- 5965 - 4000K Day White 3800157625586
- 5966 - 6500K White 3800157625593

Box Qty.  
**5 Pcs**

**IP65**  
RATING

- Sensor Compatible: Yes
- Voltage/Frequency: AC:220-240V,50Hz
- Luminous Flux: 8500lm
- CRI: >70
- PF: >0.9
- Beam Angle: 110°
- Color of Fixture: Black
- Body Type: Aluminium
- IP Rating: IP65
- Dimension: 330x271x33mm



## Floodlight With Stand- EU Plug

**30w**    **VT-4230**

 5927 - 4000K Day White  
 5928 - 6400K White

 3800157622837  
 3800157622844

 Box Qty.  
**10 Pcs**

**IP65**  
 RATING



Sensor Compatible: Yes  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 2550lm  
 CRI: >70  
 PF: >0.9  
 Beam Angle: 100°  
 Color of Fixture: Black  
 Body Type: Die Cast Aluminium  
 IP Rating: IP65  
 Dimension: 243x275x184mm

## 3 METER WIRE

## EU PLUG



LUMINOUS EFFICIENCY IDENTIFICATION DIAGRAM



## Floodlight With Stand- EU Plug

**50w**    **VT-4250**

 5929 - 4000K Day White  
 5930 - 6400K White

 3800157622851  
 3800157622868

 Box Qty.  
**10 Pcs**

**IP65**  
 RATING



Sensor Compatible: Yes  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 4250lm  
 CRI: >70  
 PF: >0.9  
 Beam Angle: 100°  
 Color of Fixture: Black  
 Body Type: Die Cast Aluminium  
 IP Rating: IP65  
 Dimension: 278x313x183mm

## 3 METER WIRE

## EU PLUG



LUMINOUS EFFICIENCY IDENTIFICATION DIAGRAM



Floodlight With Stand- EU Plug

100w VT-42100

5931 - 4000K Day White  
5932 - 6400K White

3800157622875  
3800157622882

Box Qty.  
**4 Pcs**

**IP65**  
RATING



- Sensor Compatible: Yes
- Voltage/Frequency: AC:220-240V,50Hz
- Luminous Flux: 8500lm
- CRI: >70
- PF: >0.9
- Beam Angle: 100°
- Color of Fixture: Black
- Body Type: Die Cast Aluminium
- IP Rating: IP65
- Dimension: 354x378x184mm

3 METER WIRE

**EU PLUG**



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



**new!**

Solar-Floodlight

10w VT-787-10

9869 - 4000K Day White

Box Qty.  
**8Pcs**

- Sensor Compatible: Yes
- Voltage/Frequency: AC:220-240V,50/60Hz
- Luminous Flux: 1100lm
- CRI: >70
- PF: >0.5
- Beam Angle: 90°
- Color of Fixture: Black
- Body Type: Aluminium
- IP Rating: IP65
- Dimension: 175x43x266mm



**IP65**  
RATING

## High Lumen-Meanwell Driver

500w VT-49500

5934 - 4500K Day White 3800157623605  
5935 - 6000K White 3800157623612




**5** V-TAC<sup>®</sup> PRO  
— YEAR —  
WARRANTY

\*Substitue for 10-12 hours daily, usage of the product for 24 hours a day would void warranty.

**120** LUMENS  
+ PER WATT  
**SUPER EFFICIENT**



Sensor Compatible: Yes  
Voltage/Frequency: AC:100-240V,50/60Hz  
Luminous Flux: 60000lm  
CRI: >70  
PF: >0.9  
Beam Angle: 100°  
Color of Fixture: Grey  
Body Type: Die Cast Aluminium  
IP Rating: IP65  
Dimension: 658x154x537mm



Luminous Intensity Distribution Curve(cd/klm)



## High Lumen-Meanwell Driver

500w VT-49501

5936 - 4000K Day White 3800157624985  
5937 - 6000K White 3800157624992





**5** V-TAC<sup>®</sup> PRO  
— YEAR —  
WARRANTY

\*Substitue for 10-12 hours daily, usage of the product for 24 hours a day would void warranty.

**120** LUMENS  
+ PER WATT  
**SUPER EFFICIENT**



Sensor Compatible: Yes  
Voltage/Frequency: AC:100-240V,50/60Hz  
Luminous Flux: 60000lm  
CRI: >70  
PF: >0.9  
Beam Angle: 120°  
Color of Fixture: Black  
Body Type: Die Cast Aluminium  
IP Rating: IP65  
Dimension: 658x154x537mm



High Lumen-Meanwell Driver  
**1000wVT-491001**

5938 - 4000K Day White      3800157625005  
5939 - 6000K White          3800157625012





**5** V-TAC PRO  
**YEAR WARRANTY**  
\*Subjete to 10-12 hours daily usage of the product for 24 hours a day would void warranty

**120 LUMENS + PER WATT**  
**SUPER EFFICIENT**



- Sensor Compatible: Yes
- Voltage/Frequency: AC:100-240V,50/60Hz
- Luminous Flux: 120000lm
- CRI: >70
- PF: >0.9
- Beam Angle: 60°
- Color of Fixture: Black
- Body Type: Die Cast Aluminium
- IP Rating: IP65
- Dimension: 748x762x154mm



# LED PIR Floodlights

V-TAC's LED Floodlights with PIR are sleek and durable, ideal for lighting Driveways, Gardens and Buildings. These high-performance lights emit a Bright and Vibrant Light making it a sustainable replacement for traditional Halogen Floodlights and Metal Halide fixtures.



The advanced motion sensor PIR detects movement within a range of 2 - 8 meter and can also be adjusted to 3 different functions.

## Colour Temperatures



## Salient Features

- Available in two refined body colour options (black and white)
- ⚡ Available from 10W up to 50W
- 📦 Premium Quality Aluminium Alloy body
- 🛡️ Corrosion Resistant
- ⚙️ High Power LED chip
- 🔌 Built in driver - no external power supply required
- 👤 High quality Fresnel lens for excellent coverage area
- ⚙️ Integrated circuit designed for instant start-up on Detection

Elevated level of Energy saving with LED + PIR



100°  
 DETECTION ANGLE



PIR-Slimline-White Body

10w VT-4911PIRW



- 5786 - 3000K Warm White 3800157614603
- 5787 - 4500K Day White 3800157614610
- 5788 - 6000K White 3800157614627

Box Qty.  
**20 Pcs**


- Detection Angle: **120°**
- Detection Distance: **2-8m**
- Voltage/Frequency: **AC:220-240V,50/60Hz**
- Luminous Flux: **800lm**
- CRI: **>70**
- PF: **>0.9**
- Beam Angle: **100°**
- Color of Fixture: **White**
- Body Type: **Die Cast Aluminium**
- IP Rating: **IP44**
- Dimension: **113x178x47mm**



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves indicate the illuminated area and the average illumination when the luminaires is at different distance.



PIR-Slimline-White Body

20w VT-4922PIRW



- 5804 - 3000K Warm White 3800157614788
- 5805 - 4500K Day White 3800157614795
- 5806 - 6000K White 3800157614801

Box Qty.  
**20 Pcs**


- Detection Angle: **120°**
- Detection Distance: **2-8m**
- Voltage/Frequency: **AC:220-240V,50/60Hz**
- Luminous Flux: **1600lm**
- CRI: **>70**
- PF: **>0.9**
- Beam Angle: **100°**
- Color of Fixture: **White**
- Body Type: **Die Cast Aluminium**
- IP Rating: **IP44**
- Dimension: **181x205x57mm**



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves indicate the illuminated area and the average illumination when the luminaires is at different distance.



## PIR-Slimline-White Body

# 30w

 VT-4933PIRW



5822 - 3000K Warm White	3800157614962
5823 - 4000K Day White	3800157614979
5824 - 6400K White	3800157614986

 Box Qty.  
**20 Pcs**


Detection Angle:	120°
Detection Distance:	2-8m
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	2550lm
CRI:	>70
PF:	>0.9
Beam Angle:	100°
Color of Fixture:	White
Body Type:	Die Cast Aluminium
IP Rating:	IP44
Dimension:	217x231x59mm



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves Indicate the illuminated area and the average illumination when the luminaires is at different distance.



## PIR-Slimline-White Body

# 50w

 VT-4955PIRW



5840 - 3000K Warm White	3800157615143
5841 - 4000K Day White	3800157615150
5842 - 6400K White	3800157615167

 Box Qty.  
**10 Pcs**


Detection Angle:	120°
Detection Distance:	2-8m
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	4250lm
CRI:	>70
PF:	>0.9
Beam Angle:	100°
Color of Fixture:	White
Body Type:	Die Cast Aluminium
IP Rating:	IP44
Dimension:	237x251x62mm



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves Indicate the illuminated area and the average illumination when the luminaires is at different distance.



PIR-Slimline-Black Body

10w VT-4911PIRB



5783 - 3000K Warm White 3800157614573

Box Qty.  
20 Pcs


- Detection Angle: 120°
- Detection Distance: 2-8m
- Voltage/Frequency: AC:220-240V,50/60Hz
- Luminous Flux: 800lm
- CRI: >70
- PF: >0.9
- Beam Angle: 100°
- Color of Fixture: Black
- Body Type: Die Cast Aluminium
- IP Rating: IP44
- Dimension: 113x178x47mm



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves indicate the illuminated area and the average illumination when the luminance is at different distance.



PIR-Slimline-Black Body

20w VT-4922PIRB



5801 - 3000K Warm White 3800157614757

Box Qty.  
20 Pcs


- Detection Angle: 120°
- Detection Distance: 2-8m
- Voltage/Frequency: AC:220-240V,50/60Hz
- Luminous Flux: 1600lm
- CRI: >70
- PF: >0.9
- Beam Angle: 100°
- Color of Fixture: Black
- Body Type: Die Cast Aluminium
- IP Rating: IP44
- Dimension: 181x205x57mm



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves indicate the illuminated area and the average illumination when the luminance is at different distance.



## PIR-Slimline-Black Body

# 30w

 VT-4933PIRB



5819 - 3000K Warm White      3800157614931  
5821 - 6400K White            3800157614955

Box Qty.  
**20 Pcs**


Detection Angle: **120°**  
Detection Distance: **2-8m**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **2550lm**  
CRI: **>70**  
PF: **>0.9**  
Beam Angle: **100°**  
Color of Fixture: **Black**  
Body Type: **Die Cast Aluminium**  
IP Rating: **IP44**  
Dimension: **217x231x59mm**



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves Indicate the illuminated area and the average illumination when the luminaires is at different distance.



## PIR-Slimline-Black Body

# 50w

 VT-4955PIRB



5837 - 3000K Warm White      3800157615112  
5838 - 4000K Day White        3800157615129  
5839 - 6400K White            3800157615136

Box Qty.  
**10 Pcs**


Detection Angle: **120°**  
Detection Distance: **2-8m**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **4250lm**  
CRI: **>70**  
PF: **>0.9**  
Beam Angle: **100°**  
Color of Fixture: **Black**  
Body Type: **Die Cast Aluminium**  
IP Rating: **IP44**  
Dimension: **237x251x62mm**



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves Indicate the illuminated area and the average illumination when the luminaires is at different distance.



PIR-Slimline-White Body

10w VT-4810PIRW


5746 - 3000K Warm White 3800157608213  
 5747 - 4500K Day White 3800157608206

Box Qty.  
**20 Pcs**

- Detection Angle: 120°
- Detection Distance: 2-8m
- Voltage/Frequency: AC:220-240V,50/60Hz
- Luminous Flux: 800lm
- CRI: >70
- PF: >0.9
- Beam Angle: 100°
- Color of Fixture: White
- Body Type: Die Cast Aluminium
- IP Rating: IP44
- Dimension: 133x178x47mm




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



The average luminous efficacy types

Beam Angle	Beam Diameter	Beam Area	Beam Area	Beam Area	Beam Area	Beam Area	Beam Area	Beam Area	Beam Area	
100°	1000mm	785398mm <sup>2</sup>	1000mm	785398mm <sup>2</sup>	1000mm	785398mm <sup>2</sup>	1000mm	785398mm <sup>2</sup>	1000mm	785398mm <sup>2</sup>
100°	800mm	502654mm <sup>2</sup>	800mm	502654mm <sup>2</sup>	800mm	502654mm <sup>2</sup>	800mm	502654mm <sup>2</sup>	800mm	502654mm <sup>2</sup>
100°	600mm	282743mm <sup>2</sup>	600mm	282743mm <sup>2</sup>	600mm	282743mm <sup>2</sup>	600mm	282743mm <sup>2</sup>	600mm	282743mm <sup>2</sup>
100°	400mm	125663mm <sup>2</sup>	400mm	125663mm <sup>2</sup>	400mm	125663mm <sup>2</sup>	400mm	125663mm <sup>2</sup>	400mm	125663mm <sup>2</sup>
100°	200mm	314159mm <sup>2</sup>	200mm	314159mm <sup>2</sup>	200mm	314159mm <sup>2</sup>	200mm	314159mm <sup>2</sup>	200mm	314159mm <sup>2</sup>
100°	100mm	785398mm <sup>2</sup>	100mm	785398mm <sup>2</sup>	100mm	785398mm <sup>2</sup>	100mm	785398mm <sup>2</sup>	100mm	785398mm <sup>2</sup>

Note: The Curves indicate the illuminated area and the average illumination when the luminaires is at different distance.



PIR-Slimline-White Body

20w VT-4820PIRW


5756 - 3000K Warm White 3800157611688  
 5750 - 6000K White 3800157608879

Box Qty.  
**15 Pcs**

- Detection Angle: 120°
- Detection Distance: 2-8m
- Voltage/Frequency: AC:220-240V,50/60Hz
- Luminous Flux: 1600lm
- CRI: >70
- PF: >0.9
- Beam Angle: 100°
- Color of Fixture: White
- Body Type: Die Cast Aluminium
- IP Rating: IP44
- Dimension: 185x211x50mm




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



The average luminous efficacy types

Beam Angle	Beam Diameter	Beam Area	Beam Area	Beam Area	Beam Area	Beam Area	Beam Area	Beam Area	Beam Area	
100°	1000mm	785398mm <sup>2</sup>	1000mm	785398mm <sup>2</sup>	1000mm	785398mm <sup>2</sup>	1000mm	785398mm <sup>2</sup>	1000mm	785398mm <sup>2</sup>
100°	800mm	502654mm <sup>2</sup>	800mm	502654mm <sup>2</sup>	800mm	502654mm <sup>2</sup>	800mm	502654mm <sup>2</sup>	800mm	502654mm <sup>2</sup>
100°	600mm	282743mm <sup>2</sup>	600mm	282743mm <sup>2</sup>	600mm	282743mm <sup>2</sup>	600mm	282743mm <sup>2</sup>	600mm	282743mm <sup>2</sup>
100°	400mm	125663mm <sup>2</sup>	400mm	125663mm <sup>2</sup>	400mm	125663mm <sup>2</sup>	400mm	125663mm <sup>2</sup>	400mm	125663mm <sup>2</sup>
100°	200mm	314159mm <sup>2</sup>	200mm	314159mm <sup>2</sup>	200mm	314159mm <sup>2</sup>	200mm	314159mm <sup>2</sup>	200mm	314159mm <sup>2</sup>
100°	100mm	785398mm <sup>2</sup>	100mm	785398mm <sup>2</sup>	100mm	785398mm <sup>2</sup>	100mm	785398mm <sup>2</sup>	100mm	785398mm <sup>2</sup>

Note: The Curves indicate the illuminated area and the average illumination when the luminaires is at different distance.



## PIR-Slimline-White Body

# 30w

 VT-4830PIRW

5752 - 6000K White


3800157608893

 Box Qty.  
**10 Pcs**


Detection Angle: **120°**  
 Detection Distance: **2-8m**  
 Voltage/Frequency: **AC:220-240V,50/60Hz**  
 Luminous Flux: **2400lm**  
 CRI: **>70**  
 PF: **>0.9**  
 Beam Angle: **100°**  
 Color of Fixture: **White**  
 Body Type: **Die Cast Aluminium**  
 IP Rating: **IP44**  
 Dimension: **217x231x51mm**



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves indicate the illuminated area and the average illumination when the luminaires is at different distance.



## PIR-Slimline-White Body

# 50w

 VT-4850PIRW

5758 - 3000K Warm White

3800157611701

5753 - 4500K Day White

3800157608909

5754 - 6000K White

3800157608916

 Box Qty.  
**10 Pcs**


Detection Angle: **120°**  
 Detection Distance: **2-8m**  
 Voltage/Frequency: **AC:220-240V,50/60Hz**  
 Luminous Flux: **4000lm**  
 CRI: **>70**  
 PF: **>0.9**  
 Beam Angle: **100°**  
 Color of Fixture: **White**  
 Body Type: **Die Cast Aluminium**  
 IP Rating: **IP44**  
 Dimension: **237x255x51mm**



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves indicate the illuminated area and the average illumination when the luminaires is at different distance.



PIR-Slimline-Black Body

20w VT-4820PIRB

5697 - 3000K Warm White 3800157604338

Box Qty.  
**15 Pcs**


- Detection Angle: 120°
- Detection Distance: 2-8m
- Voltage/Frequency: AC:220-240V,50/60Hz
- Luminous Flux: 1600lm
- CRI: >70
- PF: >0.9
- Beam Angle: 100°
- Color of Fixture: Black
- Body Type: Die Cast Aluminium
- IP Rating: IP44
- Dimension: 185x211x50mm



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curve indicate the illuminated area and the average illumination when the luminaire is at different distance.



PIR-Slimline-Black Body

30w VT-4830PIRB

5699 - 3000K Warm White 3800157604352  
 5700 - 4500K Day White 3800157604369  
 5716 - 6000K White 3800157604956

Box Qty.  
**10 Pcs**


- Detection Angle: 120°
- Detection Distance: 2-8m
- Voltage/Frequency: AC:220-240V,50/60Hz
- Luminous Flux: 2400lm
- CRI: >70
- PF: >0.9
- Beam Angle: 100°
- Color of Fixture: Black
- Body Type: Die Cast Aluminium
- IP Rating: IP44
- Dimension: 217x231x51mm



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curve indicate the illuminated area and the average illumination when the luminaire is at different distance.



## PIR-Slimline-Black Body

# 50w VT-4850PIRB

5701 - 3000K Warm White  
5717 - 6000K White

3800157604376  
3800157604963

Box Qty.  
**10 Pcs**

Detection Angle: **120°**  
 Detection Distance: **2-8m**  
 Voltage/Frequency: **AC:220-240V,50/60Hz**  
 Luminous Flux: **4000lm**  
 CRI: **>70**  
 PF: **>0.9**  
 Beam Angle: **100°**  
 Color of Fixture: **Black**  
 Body Type: **Die Cast Aluminium**  
 IP Rating: **IP44**  
 Dimension: **237x255x51mm**




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



The average luminous efficacy types

Power (W)	Beam Angle (°)	Average Luminous Efficacy (lm/W)
50	120	80
100	120	80
150	120	80
200	120	80
250	120	80
300	120	80
350	120	80
400	120	80
450	120	80
500	120	80

Note: The Curves indicate the illuminated area and the average illumination when the luminaires is at different distance.



## Floodlight-Infrared-RGB

# 10w VT-4711RF


5894 - RGB

3800157617512

Box Qty.  
**20 Pcs**

**IP65**  
RATING

Sensor Compatible: **Yes**  
 Voltage/Frequency: **AC:220-240V,50/60Hz**  
 Luminous Flux: **800lm**  
 CRI: **>80**  
 PF: **>0.9**  
 Beam Angle: **100°**  
 Color of Fixture: **White**  
 Body Type: **Die Cast Aluminium**  
 IP Rating: **IP65**  
 Dimension: **87X115X85mm**



### Floodlight-Infrared-RGB

10w VT-4711IF

5895 - RGB


3800157617529

Box Qty.  
**20 Pcs**

**IP65**  
RATING



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **800lm**  
CRt: **>80**  
PF: **>0.9**  
Beam Angle: **100°**  
Color of Fixture: **Grey**  
Body Type: **Die Cast Aluminium**  
IP Rating: **IP65**  
Dimension: **87X115X85mm**



### Floodlight-Remote Control-RGB

30w VT-4732

5755 - RGB


3800157609517

Box Qty.  
**6 Pcs**

**IP65**  
RATING



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:100-240V**  
Luminous Flux: **2400lm**  
CRt: **>80**  
PF: **>0.9**  
Beam Angle: **100°**  
Color of Fixture: **Grey**  
Body Type: **Die Cast Aluminium**  
IP Rating: **IP65**  
Dimension: **136x227x206mm**



## Floodlight-Remote Control-RGB


# 50w VT-4752

5691 - RGB

3800157603508

Box Qty.  
**6 Pcs****IP65**  
RATING

Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	4000lm
CRI:	>80
PF:	>0.9
Beam Angle:	120°
Color of Fixture:	Grey
Body Type:	Die Cast Aluminium
IP Rating:	IP65
Dimension:	136x227x206mm



## Rechargeable-IP44

# 20w VT-4822

5692 - 4000K Day White  
5735 - 6000K White3800157603515  
3800157606929Box Qty.  
**10 Pcs**

Sensor Compatible:	No
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	1600lm
PF:	>70
Beam Angle:	100°
Color of Fixture:	Green
Body Type:	Plastic+Aluminium
IP Rating:	IP44
Dimension:	208x204x355mm



Battery Capacity:	3.7V,8800mAh
Charging Time:	5-6 Hours
Working Time:	High Light 2-3 Hours/ Low Light 6Hours

PIR Sensor-WIFI-Camera

18w VT-4818W 5745 - 6000K White 3800157608268

Box Qty.  
4 Pcs

- Video Compression: H.264 / MJPEG dual video stream
- Image Resolution: 1280\*720
- Image sensor: 1/4 " 1Megapixel CMOS
- Pixels: 1 million pixels
- Delay Time: 0-30S
- Voltage/Frequency: AC:100-240V,50/60Hz
- Luminous Flux: 600lm
- CRI: >70
- PF: >0.5
- Beam Angle: 180°
- Color of Fixture: White
- Body Type: ABS+Aluminium
- IP Rating: IP20
- Dimension: 248x 162x 181mm



**3-in-1 Floodlight**

PIR Sensor-WIFI-Camera

18w VT-4818B 5917 - 6000K White 3800157620925

Box Qty.  
4 Pcs

- Video Compression: H.264 / MJPEG dual video stream
- Image Resolution: 1280\*720
- Image sensor: 1/4 " 1Megapixel CMOS
- Pixels: 1 million pixels
- Delay Time: 0-30S
- Voltage/Frequency: AC:100-240V,50/60Hz
- Luminous Flux: 600lm
- CRI: >70
- PF: >0.5
- Beam Angle: 180°
- Color of Fixture: Black
- Body Type: ABS+Aluminium
- IP Rating: IP20
- Dimension: 248x162x181mm



**3-in-1 Floodlight**

## Waterproof Box Terminal Block

VT-7224-B

3578

Box Qty.  
**160 Pcs**

Voltage: 250V Max  
Material: Polypropylene (PP)  
Size: 123x46x33mm  
Wire range: 0.5-2.5mm<sup>2</sup>



## Waterproof Box Terminal Block

VT-792-B

3621

Box Qty.  
**500 Pcs**

Voltage: AC:220V  
Size: Ø27x76mm  
Wire range: 4-6.5mm



## Waterproof Box Terminal Block

VT-7224-W

5897

Box Qty.  
**240 Pcs**

Voltage: 250V Max  
Material: Polypropylene (PP)  
Size: 123x46x33mm  
Wire range: 0.5-2.5mm<sup>2</sup>



## Waterproof Box Terminal Block

VT-792-W

5896

Box Qty.  
**500 Pcs**

Voltage: AC:220V  
Size: Ø27x76mm  
Wire range: 4-6.5mm



Tripod Stand-Yellow

**VT-41150Y**

9104

Size: 900x940~1800mm

 Box Qty.  
**8 Pcs**



Tripod Stand-Black

**VT-41150B**

9546

Size: 900x940~1800mm

 Box Qty.  
**8 Pcs**



Billboard Stand

**VT-793**

3622

Size: 870x200mm

 Box Qty.  
**4 Pcs**



**87cm**

Suitable For:

70w - 100w - 120w - 150w - 200w

Billboard Stand

**VT-794**

3623

Size: 850x150mm

 Box Qty.  
**4 Pcs**



**85cm**

Suitable For:

10w - 20w - 30w - 50w

Floodlight spike

**VT-854-G**

7533 3800157630467

Size: Ø35xH150



Box Qty.  
**200 Pcs**



**new!**

**Grey**

Body Type: Aluminium



Floodlight spike

**VT-854-W**

7534 3800157630474

Size: Ø35xH150



Box Qty.  
**200 Pcs**



**new!**

**White**

Body Type: Aluminium



Floodlight spike

**VT-854-B**

7535 3800157630481

Size: Ø35xH150



Box Qty.  
**200 Pcs**



**new!**

**Black**

Body Type: Aluminium



Floodlight spike

**VT-855-G**

7536 3800157630498

Size: Ø60xH265

 Box Qty. **100 Pcs**



**new!**

**Grey**

Body Type: Aluminium

 **IP65**  
RATING

Floodlight spike

**VT-855-W**

7537 3800157630504

Size: Ø60xH265

 Box Qty. **100 Pcs**



**new!**

**White**

Body Type: Aluminium

 **IP65**  
RATING

Floodlight spike

**VT-855-B**

7538 3800157630511

Size: Ø60xH265

 Box Qty. **100 Pcs**



**new!**

**Black**

Body Type: Aluminium

 **IP65**  
RATING

# LED Panels

Experience consistent illumination and zero hot or cold spots, introducing slim and sleek LED Panel Lighting from V-TAC.



## Product Features

- Ultra Slim Design
- Contemporary & Elegant Design
- Higher Light Transmission Rate
- Exterior shell, cannot be easily damaged
- No infrared, does not attract flies
- Easy to install
- No Lead or Mercury content hence environment friendly
- Dimmable options available in selected models

## Applications

Offices, Conference Room, Hospitals, Hotels, Shopping Malls, Showroom, Kitchen and Domestic Lighting etc.



**5** **V-TAC**<sup>®</sup> **PRO**  
**YEAR WARRANTY**

\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty


Box Qty.  
**6 Pcs**

Big Panels-60x60

**45w VT-6165**

6419 - 3000K Warm White  
6420 - 4000K Day White

3800157626828  
3800157626835



Emergency Pack: **Available**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **3600lm**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.9**

Beam Angle: **120°**  
Body Type: **Aluminium+PMMA**  
Shape: **Square**  
Dimension: **595x595x14mm**




Box Qty.  
**6 Pcs**

Big Panels-60x60

**45W** VT-6060-6

60286 - 3000K Warm White	3800230624482
60246 - 4000K Day White	3800230623652
60256 - 6400K White	3800230623584



Emergency Pack:	<b>Available</b>
Voltage/Frequency:	<b>AC:220-240V,50/60Hz</b>
Luminous Flux:	<b>3600lm</b>

LED Type:	<b>SMD</b>
CRI:	<b>&gt;80</b>
PF:	<b>&gt;0.9</b>

Beam Angle:	<b>120°</b>
Body Type:	<b>Aluminium+PMMA+PP</b>
Shape:	<b>Square</b>
Dimension:	<b>595x595x14mm</b>




Big Panels-UGR<19-60x60

45W VT-6068-6

62206 - 3000K Warm White 3800157619516  
 62186 - 4000K Day White 3800157609265  
 62196 - 6400K White 3800157609272

Box Qty.  
6 Pcs

LG7 Compliant   
UGR < 19



Emergency Pack: Available  
 Voltage/Frequency: AC:220-240V,50/60Hz  
 Luminous Flux: 3600lm

LED Type: SMD  
 CRI: >80  
 PF: >0.9

Beam Angle: 120°  
 Body Type: Aluminium+PMMA+PP  
 Shape: Square  
 Dimension: 595x595x14mm




Big Panels-UGR<19-62x62

45W VT-6069

6222 - 3000K Warm White 3800157604918  
 6217 - 4000K Day White 3800157604857  
 6221 - 6400K White 3800157604901

Box Qty.  
6 Pcs

LG7 Compliant   
UGR < 19



Emergency Pack: Available  
 Voltage/Frequency: AC:220-240V,50/60Hz  
 Luminous Flux: 3600lm

LED Type: SMD  
 CRI: >80  
 PF: >0.9

Beam Angle: 120°  
 Body Type: Aluminium+PMMA+PP  
 Shape: Square  
 Dimension: 620x620x14mm



## Big Panels-High Lumen-60x60

29w VT-6129-6

62406 - 3000K Warm White

62416 - 4000K Day White


62426 - 6400K White

3800157619608

3800157609289

3800157609296

 Box Qty.  
6 Pcs

**120** + LUMENS  
PER WATT  
**SUPER EFFICIENT**


Emergency Pack: Available  
Voltage/Frequency: AC:220-240V,50/60Hz  
Luminous Flux: 3600lm

LED Type: SMD  
CRI: >80  
PF: >0.9

Beam Angle: 120°  
Body Type: Aluminium+PMMA+PC  
Shape: Square  
Dimension: 595x595x13mm



## Big Panels-High Lumen-60x60

45w VT-6145-6

63776 - 3000K Warm White

62366 - 4000K Day White


62376 - 6400K White

3800157622158

3800157615723

3800157615730

 Box Qty.  
6 Pcs

**120** + LUMENS  
PER WATT  
**SUPER EFFICIENT**


Emergency Pack: Available  
Voltage/Frequency: AC:220-240V,50/60Hz  
Luminous Flux: 5400lm

LED Type: SMD  
CRI: >80  
PF: >0.9

Beam Angle: 120°  
Body Type: Aluminium+PMMA+PP  
Shape: Square  
Dimension: 595x595x13mm



Big Panels-High Lumen-60x60


36W VT-6136

6376 - 3000K Warm White  
6238 - 4000K Day White  
6239 - 6400K White

3800157622141  
3800157607636  
3800157607643

Box Qty.  
6 Pcs

**120+ LUMENS PER WATT**  
**SUPER EFFICIENT**



Emergency Pack: Available  
Voltage/Frequency: AC:220-240V,50/60Hz  
Luminous Flux: 4320lm

LED Type: SMD  
CRI: >80  
PF: >0.9

Beam Angle: 120°  
Body Type: Aluminium+PMMA+PC  
Shape: Square  
Dimension: 595x595x13mm



Big Panels-High Lumen-62x62


36W VT-6137

63786 - 3000K Warm White  
62436 - 4000K Day White  
63796 - 6400K White

3800157622165  
3800157619622  
3800157622172

Box Qty.  
6 Pcs

**120+ LUMENS PER WATT**  
**SUPER EFFICIENT**



Emergency Pack: Available  
Voltage/Frequency: AC:220-240V,50/60Hz  
Luminous Flux: 4320lm

LED Type: SMD  
CRI: >80  
PF: >0.9

Beam Angle: 120°  
Body Type: Aluminium+PMMA+PC  
Shape: Square  
Dimension: 620x620x13mm




Box Qty.  
**4 Pcs**

Big Panels-Surfaced/Recessed-60x60

**36w** VT-6139

6380 - 4000K Day White  
6381 - 6400K White

3800157624008  
3800157624015



**2IN1**  
RECESSED OR SURFACE

Emergency Pack: **Available**  
Voltage/Frequency: **AC:200-240V,50/60Hz**  
Luminous Flux: **2880lm**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.9**

Beam Angle: **120°**  
Body Type: **Iron+PS**  
Shape: **Square**  
Dimension: **595x595x19mm**

Big Panels-High Lumen-120x30

29w VT-12031


6256 - 3000K Warm White  
6257 - 4000K Day White  
6258 - 6400K White

3800157610414  
3800157610421  
3800157610438



Box Qty.  
**6 Pcs**

**120+ LUMENS PER WATT**  
**SUPER EFFICIENT**



Emergency Pack: **Available**  
Voltage/Frequency: **AC:200-240V,50/60Hz**  
Luminous Flux: **3400lm**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.9**

Beam Angle: **120°**  
Body Type: **Aluminium+PMMA+PS**  
Shape: **Rectangle**  
Dimension: **1195x295x14mm**

Big Panel-High Lumen-120x30

45w VT-12046


6384 - 4000K Day White  
6385 - 6000K White

3800157624770  
3800157624787



Box Qty.  
**6 Pcs**

**120+ LUMENS PER WATT**  
**SUPER EFFICIENT**



Emergency Pack: **Available**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **5400lm**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.9**

Beam Angle: **120°**  
Body Type: **Aluminium+PMMA+PS**  
Shape: **Rectangle**  
Dimension: **1195x295x14mm**

## Big Panels-120x30


45w VT-12030

60696 - 3000K Warm White  
60266 - 4000K Day White  
60276 - 6400K White

3800157609326  
3800230623638  
3800157609319



Box Qty.  
**6 Pcs**



Emergency Pack: **Available**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **3600lm**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.9**

Beam Angle: **120°**  
Body Type: **Aluminium+PMMA+PS**  
Shape: **Rectangle**  
Dimension: **1195x295x14mm**

## Big Panels-UGR&lt;19-120x30

45w VT-12032


6329 - 4000K Day White

3800157619615



Box Qty.  
**6 Pcs**

**LG7 Compliant**   
**UGR < 19**



Emergency Pack: **Available**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **3600lm**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.9**

Beam Angle: **120°**  
Body Type: **Aluminium+PMMA+PS**  
Shape: **Rectangle**  
Dimension: **1195x295x14mm**



Big Panels-High Lumen-120x60

45W VT-12047

6426 - 6400K White


3800157626989

Box Qty.  
**1 Pcs**

**5** V-TAC® PRO  
**YEAR WARRANTY**

\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

**120+ LUMENS PER WATT**  
**SUPER EFFICIENT**



Emergency Pack: **Available**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **5400lm**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.9**

Beam Angle: **120°**  
Body Type: **Aluminium+PMMA**  
Shape: **Rectangle**  
Dimension: **1195x595x14mm**



Big Panels-High Lumen-120x60

45W VT-12045

6332 - 4000K Day White


3800157620321

6333 - 6400K White

3800157620338

Box Qty.  
**2 Pcs**

**120+ LUMENS PER WATT**  
**SUPER EFFICIENT**



Emergency Pack: **Available**  
Voltage/Frequency: **AC:200-240V,50/60Hz**  
Luminous Flux: **5400lm**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.9**

Beam Angle: **120°**  
Body Type: **Aluminium+PMMA+PS**  
Shape: **Rectangle**  
Dimension: **1195x595x14mm**



### Round-Suspended Panel

40w

VT-6141B

6433 - 4000K Day White

3800157628129

 Box Qty.  
**1 Pcs**

Emergency Pack: **Available**  
 Voltage/Frequency: **AC:85-265V,50/60Hz**  
 Luminous Flux: **3200lm**

LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.9**

Beam Angle: **120°**  
 Body Type: **Aluminium**  
 Shape: **Round**  
 Dimension: **Ø400mm**



### Round-Suspended Panel

40w

VT-6141

6432 - 4000K Day White

3800157628112

 Box Qty.  
**1 Pcs**

Emergency Pack: **Available**  
 Voltage/Frequency: **AC:85-265V,50/60Hz**  
 Luminous Flux: **3200lm**

LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.9**

Beam Angle: **120°**  
 Body Type: **Aluminium**  
 Shape: **Round**  
 Dimension: **Ø400mm**



30w

Box Qty. **50 Pcs**

SKU Code: **3110**  
 Dimmable: **No**  
 Voltage: **AC:200-240V,50/60Hz**  
 EAN Code: **3800157622103**



29w

Box Qty. **20 Pcs**

SKU Code: **6268**  
 Dimmable: **Yes**  
 Voltage: **AC:200-240V,50/60Hz**  
 EAN Code: **3800157614412**



29w

Box Qty. **50 Pcs**

SKU Code: **6271**  
 Dimmable: **No**  
 Voltage: **AC:200-240V,50/60Hz**  
 EAN Code: **3800157614443**



36w

Box Qty. **20 Pcs**

SKU Code: **6436**  
 Dimmable: **No**  
 Voltage: **AC:200-240V,50/60Hz**  
 EAN Code: **3800157629386**



42w

Box Qty. **50 Pcs**

SKU Code: **6029**  
 Dimmable: **No**  
 Voltage: **AC:220-240V,50/60Hz**  
 EAN Code: **3800157608626**



45w

Box Qty. **50 Pcs**

SKU Code: **6019**  
 Dimmable: **Yes**  
 Voltage: **AC:200-240V,50/60Hz**  
 EAN Code: **3800157604017**



45w

Box Qty.  
20 Pcs

SKU Code: 6437  
Dimmable: Yes  
Voltage: AC:100-277V,50/60Hz  
EAN Code: 3800157630337



45w

Box Qty.  
50 Pcs

SKU Code: 6386  
Dimmable: No  
Voltage: AC:200-240V,50/60Hz  
EAN Code: 3800157624886



45w

SKU Code: 6269  
Dimmable: Yes  
Voltage: AC:200-240V,50/60Hz  
EAN Code: 3800157614429



Box Qty.  
50 Pcs



45w

Box Qty.  
50 Pcs

SKU Code: 6427  
Dimmable: No  
Voltage: AC:200-240V,50/60Hz  
EAN Code: 3800157626996



45w

Box Qty.  
50 Pcs

SKU Code: 6270  
Dimmable: No  
Voltage: AC:200-240V,50/60Hz  
EAN Code: 3800157614436



70w

SKU Code: 6328  
Dimmable: Yes  
Voltage: AC:200-240V,50/60Hz  
EAN Code: 3800157619592

Box Qty.  
50 Pcs





### Suspended Mounting



Box Qty.  
**100 Pcs**

SKU Code: **6018**  
EAN Code: **3800230623669**

Adjustable height from 0.3 to 1m. This product can be used for all sizes of panels, that is

- 300 x 300
- 600 x 600
- 1200 x 300
- 1200 x 600



### Surface Mounting-120x30



Box Qty.  
**6 Pcs**

SKU Code: **9969**  
EAN Code: **3800230623683**



### Surface Mounting-120x60



Box Qty.  
**5 Pcs**

SKU Code: **9989**  
EAN Code: **3800230623614**



### Extension Frame-60x60



Box Qty.  
**13 Pcs**

SKU Code: **9968**  
EAN Code: **3800230623706**



### Surface Mounting-30x30



Box Qty.  
**5 Pcs**

SKU Code: **9970**

EAN Code: **3800230623690**

Convert the recessed panel to surface panel and install it easily on solid surfaces.



### Surface Mounting-62x62



Box Qty.  
**5 Pcs**

SKU Code: **9997**

EAN Code: **3800157633130**

Convert the recessed panel to surface panel and install it easily on solid surfaces.



### Surface Mounting-60x60



Box Qty.  
**5 Pcs**

SKU Code: **9999**

EAN Code: **3800230623676**

Convert the recessed panel to surface panel and install it easily on solid surfaces.



### Surface Frame-60x60



Box Qty.  
**25 Pcs**

SKU Code: **3678**

EAN Code: **3800157625272**

Easily fixable frame available in compact packing and easy to install with user manual.

Foldable kit  
**DIY** ✂  
DO IT YOURSELF



### Surface Frame-120x30

Box Qty.  
**12 Pcs**

SKU Code: **3679**  
EAN Code: **3800157625289**

Foldable kit  
**DIY**  
DO IT YOURSELF

Easily fixable frame available in compact packing and easy to install with user manual.



### Waterproof Surface Kit

Box Qty.

SKU Code: **8119**  
EAN Code: **3800157624763**



### Surface Mounting-60x60

Box Qty.  
**20 Pcs**

SKU Code: **6327**  
EAN Code: **3800157619424**



### Emergency Pack-6W to 24W

#### VT-525


8275

3800157627474

Box Qty.  
**20 Pcs**

Voltage: DC:20-80V  
 Led output power: AC:220-240V,50/60Hz  
 Charging time: 24 Hours  
 Working time: 3 hours

Battery: Ni-Cd7.2V/2000mAh  
 Color of Fixture: Silver  
 Body Type: Aluminium  
 Size: 455x52x33mm  
 Emergency switch on time: < 1s



3Hr LED emergency lighting kit, designed to suit a wide range of LED types and circuits. The models have sealed Ni-Cd batteries able to guarantee high efficiency with high temperatures.



### Emergency Pack-29W to 45W

#### VT-518


60303

3800157617451

Box Qty.  
**12 Pcs**

Voltage: DC:30-42V  
 Led output power: AC:220-240V,50/60Hz  
 Charging time: 24 Hours  
 Working time: 3 Hours

Battery: NI-CD, 7.2V, 4400 mAh  
 Color of Fixture: Silver  
 Body Type: Aluminium  
 Size: 465x52x33mm  
 Emergency switch on time: < 1s



3Hr LED emergency lighting kit, designed to suit a wide range of LED types and circuits. The models have sealed Ni-Cd batteries able to guarantee high efficiency with high temperatures.



# LED Mini Panels

The innovation of SMD lighting brought about the creation of the slim panels – a game changing answer to traditional downlight fixtures! Classy as it is, a mini panel fixture with built in LEDs also amounts to less than the old fittings.




Mini panels transform every setting into an ambiance with a modern touch to it with its systematic radiance and uniform lighting.





V-TAC offers the widest range in this product category. We also stock all three colour outputs from white to warm white and day light .They all come in retrofit cut out sizes from 4 inches, 6 inches and 8 inches.



## Salient Features

-  Ultra Slim Design
-  Contemporary & Elegant Design
-  Higher Light Transmission Rate

-  Exterior robust shell
-  Easy to install - Plug and play version



## Linear Lights

10w VT-10001

6401 - 3000K Warm White	3800157626620
6402 - 4000K Day White	3800157626637
6403 - 6400K White	3800157626644

 Box Qty.  
**20 Pcs**

Emergency Pack:	<b>Available</b>	PF:	>0.5
Voltage/Frequency:	<b>AC:85-265V,50/60Hz</b>	Beam Angle:	<b>120°</b>
Luminous Flux:	<b>750lm</b>	Body Type:	<b>Aluminium</b>
LED Type:	<b>SMD</b>	Shape:	<b>Rectangle</b>
CRI:	>80	Dimension:	<b>160x45x65mm</b>

Cutting Size: 138x32mm



## Linear Lights

20w VT-20001

6404 - 3000K Warm White	3800157626651
6405 - 4000K Day White	3800157626668
6406 - 6400K White	3800157626675

 Box Qty.  
**20 Pcs**

Emergency Pack:	<b>Available</b>	PF:	>0.5
Voltage/Frequency:	<b>AC:85-265V,50/60Hz</b>	Beam Angle:	<b>120°</b>
Luminous Flux:	<b>1600lm</b>	Body Type:	<b>Aluminium</b>
LED Type:	<b>SMD</b>	Shape:	<b>Rectangle</b>
CRI:	>80	Dimension:	<b>290x45x65mm</b>

Cutting Size: 170x32mm



## Linear Lights

30w VT-30001

6407 - 3000K Warm White	3800157626682
6408 - 4000K Day White	3800157626699
6409 - 6400K White	3800157626705

 Box Qty.  
**10 Pcs**

Emergency Pack:	<b>Available</b>	PF:	>0.9
Voltage/Frequency:	<b>AC:85-265V,50/60Hz</b>	Beam Angle:	<b>120°</b>
Luminous Flux:	<b>2400lm</b>	Body Type:	<b>Aluminium</b>
LED Type:	<b>SMD</b>	Shape:	<b>Rectangle</b>
CRI:	>80	Dimension:	<b>430x45x65mm</b>

Cutting Size: 405x32mm



Linear Lights  
**10W VT-10002**

6410 - 3000K Warm White 3800157626712  
 6411 - 4000K Day White 3800157626729  
 6412 - 6400K White 3800157626736

Box Qty.  
**20 Pcs**

Emergency Pack:	<b>Available</b>	PF:	<b>&gt;0.5</b>
Voltage/Frequency:	<b>AC:85-265V,50/60Hz</b>	Beam Angle:	<b>120°</b>
Luminous Flux:	<b>700lm</b>	Body Type:	<b>Aluminium</b>
LED Type:	<b>SMD</b>	Shape:	<b>Rectangle</b>
CRI:	<b>&gt;80</b>	Dimension:	<b>160x45x72mm</b>

Cutting Size: **138x32mm**



Linear Lights  
**20W VT-20002**

6413 - 3000K Warm White 3800157626743  
 6414 - 4000K Day White 3800157626750  
 6415 - 6400K White 3800157626767

Box Qty.  
**20 Pcs**

Emergency Pack:	<b>Available</b>	PF:	<b>&gt;0.5</b>
Voltage/Frequency:	<b>AC:85-265V,50/60Hz</b>	Beam Angle:	<b>120°</b>
Luminous Flux:	<b>1400lm</b>	Body Type:	<b>Aluminium</b>
LED Type:	<b>SMD</b>	Shape:	<b>Rectangle</b>
CRI:	<b>&gt;80</b>	Dimension:	<b>290x45x72mm</b>

Cutting Size: **170x32mm**



Linear Lights  
**30W VT-30002**

6416 - 3000K Warm White 3800157626774  
 6417 - 4000K Day White 3800157626781  
 6418 - 6400K White 3800157626798

Box Qty.  
**10 Pcs**

Emergency Pack:	<b>Available</b>	PF:	<b>&gt;0.9</b>
Voltage/Frequency:	<b>AC:85-265V,50/60Hz</b>	Beam Angle:	<b>120°</b>
Luminous Flux:	<b>2100lm</b>	Body Type:	<b>Aluminium</b>
LED Type:	<b>SMD</b>	Shape:	<b>Rectangle</b>
CRI:	<b>&gt;80</b>	Dimension:	<b>430x45x72mm</b>

Cutting Size: **405x32mm**




## Premium Series-Round

# 3W VT-307RD

6292 - 3000K Warm White	3800157616751
6293 - 4000K Day White	3800157616768
6294 - 6400K White	3800157616775

Box Qty.  
**40 Pcs**

Cutting Size:  $\varnothing 73\text{mm}$ 

Emergency Pack:	<b>Available</b>	PF:	>0.5
Voltage/Frequency:	<b>AC:85-265V,50/60Hz</b>	Beam Angle:	<b>120°</b>
Luminous Flux:	<b>210lm</b>	Body Type:	<b>Aluminium</b>
LED Type:	<b>SMD</b>	Shape:	<b>Round</b>
CRI:	>80	Dimension:	<b><math>\varnothing 84 \times 12\text{mm}</math></b>




## Premium Series-Round

# 6W VT-607RD

4854 - 3000K Warm White	3800230629753
4855 - 4000K Day White	3800230629760
4856 - 6400K White	3800230629777

Box Qty.  
**40 Pcs**

Cutting Size:  $\varnothing 110\text{mm}$ 

Emergency Pack:	<b>Available</b>	PF:	>0.5
Voltage/Frequency:	<b>AC:85-265V,50/60Hz</b>	Beam Angle:	<b>120°</b>
Luminous Flux:	<b>420lm</b>	Body Type:	<b>Aluminium</b>
LED Type:	<b>SMD</b>	Shape:	<b>Round</b>
CRI:	>80	Dimension:	<b><math>\varnothing 120 \times 12\text{mm}</math></b>




## Premium Series-Round

# 12W VT-1207RD

4857 - 3000K Warm White	3800230629784
4858 - 4000K Day White	3800230629791
4859 - 6400K White	3800230629807

Box Qty.  
**20 Pcs**

Cutting Size:  $\varnothing 155\text{mm}$ 


Emergency Pack:	<b>Available</b>	PF:	>0.6
Voltage/Frequency:	<b>AC:85-265V,50/60Hz</b>	Beam Angle:	<b>120°</b>
Luminous Flux:	<b>1000lm</b>	Body Type:	<b>Aluminium</b>
LED Type:	<b>SMD</b>	Shape:	<b>Round</b>
CRI:	>80	Dimension:	<b><math>\varnothing 170 \times 12\text{mm}</math></b>



Premium Series-Round  
**18W VT-1807RD**

4860 - 3000K Warm White 3800230629814  
4861 - 4000K Day White 3800230629821  
4862 - 6400K White 3800230629838

Box Qty.  
**20 Pcs**



Cutting Size:  $\varnothing$ 210mm


Emergency Pack:	<b>Available</b>	PF:	<b>&gt;0.6</b>
Voltage/Frequency:	<b>AC:85-265V,50/60Hz</b>	Beam Angle:	<b>120°</b>
Luminous Flux:	<b>1500lm</b>	Body Type:	<b>Aluminium</b>
LED Type:	<b>SMD</b>	Shape:	<b>Round</b>
CRI:	<b>&gt;80</b>	Dimension:	<b><math>\varnothing</math>225x12mm</b>



Premium Series-Round  
**22W VT-2207RD**

6422 - 3000K Warm White 3800157626941  
6423 - 4000K Day White 3800157626958  
6424 - 6400K White 3800157626965

Box Qty.  
**20 Pcs**



Cutting Size:  $\varnothing$ 220 mm


Emergency Pack:	<b>Available</b>	PF:	<b>&gt;0.9</b>
Voltage/Frequency:	<b>AC:85-265V,50/60Hz</b>	Beam Angle:	<b>120°</b>
Luminous Flux:	<b>1800lm</b>	Body Type:	<b>Aluminium</b>
LED Type:	<b>SMD</b>	Shape:	<b>Round</b>
CRI:	<b>&gt;80</b>	Dimension:	<b><math>\varnothing</math>240x12mm</b>



Premium Series-Round  
**24W VT-2407RD**

4872 - 3000K Warm White 3800157601559  
4873 - 4000K Day White 3800157601566  
4874 - 6400K White 3800157601573

Box Qty.  
**10 Pcs**



Cutting Size:  $\varnothing$ 285mm

Emergency Pack:	<b>Available</b>	PF:	<b>&gt;0.9</b>
Voltage/Frequency:	<b>AC:85-265V,50/60Hz</b>	Beam Angle:	<b>120°</b>
Luminous Flux:	<b>2000lm</b>	Body Type:	<b>Aluminium</b>
LED Type:	<b>SMD</b>	Shape:	<b>Round</b>
CRI:	<b>&gt;80</b>	Dimension:	<b><math>\varnothing</math>300x12mm</b>




## Premium Series-Square

# 3W

## VT-3075Q

6295 - 3000K Warm White	3800157616782
6296 - 4000K Day White	3800157616799
6297 - 6400K White	3800157616805

Box Qty.  
**40 Pcs**

Cutting Size: **74x73mm**

Emergency Pack:	<b>Available</b>	PF:	>0.5
Voltage/Frequency:	<b>AC:85-265V,50/60Hz</b>	Beam Angle:	<b>120°</b>
Luminous Flux:	<b>210lm</b>	Body Type:	<b>Aluminium</b>
LED Type:	<b>SMD</b>	Shape:	<b>Square</b>
CRI:	>80	Dimension:	<b>84x84x12mm</b>




## Premium Series-Square

# 6W

## VT-6075Q

4863 - 3000K Warm White	3800230629845
4864 - 4000K Day White	3800230629852
4865 - 6400K White	3800230629869

Box Qty.  
**40 Pcs**

Cutting Size: **110mm**

Emergency Pack:	<b>Available</b>	PF:	>0.7
Voltage/Frequency:	<b>AC:85-265V,50/60Hz</b>	Beam Angle:	<b>120°</b>
Luminous Flux:	<b>420lm</b>	Body Type:	<b>Aluminium</b>
LED Type:	<b>SMD</b>	Shape:	<b>Square</b>
CRI:	>80	Dimension:	<b>120x120x12mm</b>




## Premium Series-Square

# 12W

## VT-12075Q

4866 - 3000K Warm White	3800230629876
4867 - 4000K Day White	3800230629883
4868 - 6400K White	3800230629890

Box Qty.  
**20 Pcs**

Cutting Size: **155x155mm**

Emergency Pack:	<b>Available</b>	PF:	>0.6
Voltage/Frequency:	<b>AC:85-265V,50/60Hz</b>	Beam Angle:	<b>120°</b>
Luminous Flux:	<b>1000lm</b>	Body Type:	<b>Aluminium</b>
LED Type:	<b>SMD</b>	Shape:	<b>Square</b>
CRI:	>80	Dimension:	<b>170x170x12mm</b>




Premium Series-Square

18W VT-1807SQ

4869 - 3000K Warm White  
 4870 - 4000K Day White  
 4871 - 6400K White

3800230629906  
 3800230629913  
 3800230629920

Box Qty.  
**20 Pcs**



Cutting Size: 205x205mm

Emergency Pack: **Available**  
 Voltage/Frequency: **AC:85-265V,50/60Hz**  
 Luminous Flux: **1500lm**

LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.6**

Beam Angle: **120°**  
 Body Type: **Aluminium**  
 Shape: **Square**  
 Dimension: **225x225x12mm**




Premium Series-Square

24W VT-2407SQ

4887 - 3000K Warm White  
 4888 - 4000K Day White  
 4889 - 6400K White

3800157602198  
 3800157602204  
 3800157602211

Box Qty.  
**10 Pcs**



Cutting Size: 285x285mm

Emergency Pack: **Available**  
 Voltage/Frequency: **AC:85-265V,50/60Hz**  
 Luminous Flux: **2000lm**

LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.9**

Beam Angle: **120°**  
 Body Type: **Aluminium**  
 Shape: **Square**  
 Dimension: **300x300x12mm**




## Premium Series-Round

# 30w VT-3107RD

6428 - 4000K Day White  
6429 - 6400K White

3800157628075  
3800157628082

 Box Qty.  
**10 Pcs**



Cutting Size:  $\varnothing 280\text{mm}$

Emergency Pack: **Available**  
Voltage/Frequency: **AC:85-265V,50/60Hz**  
Luminous Flux: **2400lm**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.9**

Beam Angle: **120°**  
Body Type: **Aluminium**  
Shape: **Round**  
Dimension:  **$\varnothing 300 \times 12\text{mm}$**




## Premium Series-Square

# 36w VT-3107SQ

6430 - 4000K Day White  
6431 - 6400K White

3800157628099  
3800157628105

 Box Qty.  
**10 Pcs**



Cutting Size: **280x280mm**

Emergency Pack: **Available**  
Voltage/Frequency: **AC:85-265V,50/60Hz**  
Luminous Flux: **2400lm**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.9**

Beam Angle: **120°**  
Body Type: **Aluminium**  
Shape: **Square**  
Dimension: **300x300x12mm**




SG Series-Square

8W VT-800 SQ

4818 - 6400K White

3800230622563

Box Qty.  
**20 Pcs**



Cutting Size: 125x125mm

Emergency Pack: **Available**  
Voltage/Frequency: **AC:85-265V,50/60Hz**  
Luminous Flux: **800lm**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.9**

Beam Angle: **120°**  
Body Type: **Aluminium(PKW)**  
Shape: **Square**  
Dimension: **145x145x20mm**




SG Series-Round

8W VT-800 RD

4821 - 6400K White

3800230622587

Box Qty.  
**20 Pcs**



Cutting Size:  $\varnothing$ 105mm

Emergency Pack: **Available**  
Voltage/Frequency: **AC:85-265V,50/60Hz**  
Luminous Flux: **800lm**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.9**

Beam Angle: **120°**  
Body Type: **Aluminium(PKW)**  
Shape: **Round**  
Dimension:  **$\varnothing$ 120x20mm**



## SG Series-Square

# 15w VT-1500 SQ

4826 - 3000K Warm White


3800230622617

4825 - 4000K Day White

3800230624994

4824 - 6400K White

3800230622600

 Box Qty.  
20 Pcs


Cutting Size: 140x140mm

Emergency Pack: Available  
Voltage/Frequency: AC:85-265V,50/60Hz  
Luminous Flux: 1500lm

LED Type: SMD  
CRI: >80  
PF: >0.9

Beam Angle: 120°  
Body Type: Aluminium(PKW)  
Shape: Square  
Dimension: 160x160x20mm




## SG Series-Round

# 15w VT-1500 RD

4827 - 6400K White

3800230622624

 Box Qty.  
20 Pcs


Cutting Size: Ø160mm

Emergency Pack: Available  
Voltage/Frequency: AC:85-265V,50/60Hz  
Luminous Flux: 1500lm

LED Type: SMD  
CRI: >80  
PF: >0.9

Beam Angle: 120°  
Body Type: Aluminium(PKW)  
Shape: Round  
Dimension: Ø180x20mm




SG Series-Square

22W VT-2200 SQ

4833 - 6400K White

3800230622648

Box Qty.  
**20 Pcs**



Cutting Size: 195x195mm

Emergency Pack: **Available**  
Voltage/Frequency: **AC:85-265V,50/60Hz**  
Luminous Flux: **2200lm**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.9**

Beam Angle: **120°**  
Body Type: **Aluminium(PKW)**  
Shape: **Square**  
Dimension: **220x220x20mm**




SG Series-Round

22W VT-2200 RD

4833 - 6400K White

3800230622662

Box Qty.  
**20 Pcs**



Cutting Size:  $\varnothing$ 220mm

Emergency Pack: **Available**  
Voltage/Frequency: **AC:85-265V,50/60Hz**  
Luminous Flux: **2200lm**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.9**

Beam Angle: **120°**  
Body Type: **Aluminium(PKW)**  
Shape: **Round**  
Dimension:  **$\varnothing$ 240x20mm**




## Trimless Panel-Round

**8W**     **VT-888RD**

4931 - 3000K Warm White  
 4932 - 4000K Day White  
 4933 - 6400K White

3800157606479  
 3800157606486  
 3800157606493

 Box Qty.  
**100 Pcs**
Cutting Size:  $\varnothing 75\text{mm}$ 

Emergency Pack: **Available**  
 Voltage/Frequency: **AC:85-265V,50/60Hz**  
 Luminous Flux: **800lm**

LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.9**

Beam Angle: **120°**  
 Body Type: **Aluminium**  
 Shape: **Round**  
 Dimension:  **$\varnothing 90 \times 8\text{mm}$**




## Trimless Panel-Round

**15W**     **VT-1515RD**

4934 - 3000K Warm White  
 4935 - 4000K Day White  
 4936 - 6400K White

3800157606509  
 3800157606516  
 3800157606523

 Box Qty.  
**40 Pcs**
Cutting Size:  $\varnothing 130\text{mm}$ 

Emergency Pack: **Available**  
 Voltage/Frequency: **AC:85-265V,50/60Hz**  
 Luminous Flux: **1500lm**

LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.9**

Beam Angle: **120°**  
 Body Type: **Aluminium**  
 Shape: **Round**  
 Dimension:  **$\varnothing 146 \times 8\text{mm}$**




Trimless Panel-Round

**22W** VT-2222RD

4937 - 3000K Warm White  
 4938 - 4000K Day White  
 4939 - 6400K White

3800157606530  
 3800157606547  
 3800157606554

Box Qty.  
**40 Pcs**



Cutting Size:  $\varnothing 155\text{mm}$

Emergency Pack: **Available**  
 Voltage/Frequency: **AC:85-265V,50/60Hz**  
 Luminous Flux: **2200lm**

LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.9**

Beam Angle: **120°**  
 Body Type: **Aluminium**  
 Shape: **Round**  
 Dimension:  **$\varnothing 170 \times 8\text{mm}$**




Trimless Panel-Round

**29W** VT-2929RD

4940 - 3000K Warm White  
 4941 - 4000K Day White  
 4942 - 6400K White

3800157606561  
 3800157606578  
 3800157606585

Box Qty.  
**40 Pcs**



Cutting Size:  $\varnothing 195\text{mm}$

Emergency Pack: **Available**  
 Voltage/Frequency: **AC:85-265V,50/60Hz**  
 Luminous Flux: **2900lm**

LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.9**

Beam Angle: **120°**  
 Body Type: **Aluminium**  
 Shape: **Round**  
 Dimension:  **$\varnothing 220 \times 8\text{mm}$**



## Trimless Panel-Square

**8W**    **VT-888SQ**

4943 - 3000K Warm White


4944 - 4000K Day White

4945 - 6400K White

3800157606592

3800157606608

3800157606615

 Box Qty.  
**100 Pcs**
Cutting Size: **75x75mm**

Emergency Pack: **Available**  
 Voltage/Frequency: **AC:85-265V,50/60Hz**  
 Luminous Flux: **800lm**

LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.9**

Beam Angle: **120°**  
 Body Type: **Aluminium**  
 Shape: **Square**  
 Dimension: **90x90x8mm**



## Trimless Panel-Square

**15W**    **VT-1515SQ**

4946 - 3000K Warm White


4947 - 4000K Day White

4948 - 6400K White

3800157606622

3800157606639

3800157606646

 Box Qty.  
**40 Pcs**
Cutting Size: **130x130mm**

Emergency Pack: **Available**  
 Voltage/Frequency: **AC:85-265V,50/60Hz**  
 Luminous Flux: **1500lm**

LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.9**

Beam Angle: **120°**  
 Body Type: **Aluminium**  
 Shape: **Square**  
 Dimension: **146x146x8mm**




Trimless Panel-Square

22W VT-2222SQ

4949 - 3000K Warm White  
 4797 - 4000K Day White  
 4798 - 6400K White

3800157606653  
 3800157606660  
 3800157606677

Box Qty.  
**40 Pcs**



Cutting Size: 155x155mm

Emergency Pack: **Available**  
 Voltage/Frequency: **AC:85-265V,50/60Hz**  
 Luminous Flux: **2200lm**

LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.9**

Beam Angle: **120°**  
 Body Type: **Aluminium**  
 Shape: **Square**  
 Dimension: **170x170x8mm**




Trimless Panel-Square

29W VT-2929SQ

5031 - 3000K Warm White  
 5032 - 4000K Day White  
 5033 - 6400K White

3800157606660  
 3800157606677  
 3800157606684

Box Qty.  
**40 Pcs**



Cutting Size: 195x195mm

Emergency Pack: **Available**  
 Voltage/Frequency: **AC:85-265V,50/60Hz**  
 Luminous Flux: **2900lm**

LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.9**


Beam Angle: **120°**  
 Body Type: **Aluminium**  
 Shape: **Square**  
 Dimension: **220x220x8mm**



## Slim Surface-Round

**6W VT-605RD**

4904 - 3000K Warm White 3800157605380  
 4905 - 4000K Day White 3800157605397  
 4906 - 6400K White 3800157605403

 Box Qty.  
**40 Pcs**



Emergency Pack:	<b>Available</b>	PF:	<b>&gt;0.9</b>
Voltage/Frequency:	<b>AC:85-265V,50/60Hz</b>	Beam Angle:	<b>120°</b>
Luminous Flux:	<b>420lm</b>	Body Type:	<b>Aluminium</b>
LED Type:	<b>SMD</b>	Shape:	<b>Round</b>
CRI:	<b>&gt;80</b>	Dimension:	<b>Ø90x24mm</b>



## Slim Surface-Round

**12W VT-1205 RD**

4910 - 3000K Warm White 3800157605441  
 4911 - 4000K Day White 3800157605458  
 4912 - 6400K White 3800157605465

 Box Qty.  
**40 Pcs**



Emergency Pack:	<b>Available</b>	PF:	<b>&gt;0.9</b>
Voltage/Frequency:	<b>AC:85-265V,50/60Hz</b>	Beam Angle:	<b>120°</b>
Luminous Flux:	<b>900lm</b>	Body Type:	<b>Aluminium</b>
LED Type:	<b>SMD</b>	Shape:	<b>Round</b>
CRI:	<b>&gt;80</b>	Dimension:	<b>Ø140x24mm</b>



## Slim Surface-Round

**18W VT-1805RD**

4916 - 3000K Warm White 3800157605502  
 4917 - 4000K Day White 3800157605519  
 4918 - 6400K White 3800157605526

 Box Qty.  
**20 Pcs**


Emergency Pack:	<b>Available</b>	PF:	<b>&gt;0.9</b>
Voltage/Frequency:	<b>AC:85-265V,50/60Hz</b>	Beam Angle:	<b>120°</b>
Luminous Flux:	<b>1440lm</b>	Body Type:	<b>Aluminium</b>
LED Type:	<b>SMD</b>	Shape:	<b>Round</b>
CRI:	<b>&gt;80</b>	Dimension:	<b>Ø190x24mm</b>




Slim Surface-Square

6W VT-605SQ

4907 - 3000K Warm White 3800157605410  
 4908 - 4000K Day White 3800157605427  
 4909 - 6400K White 3800157605434

Box Qty.  
**40 Pcs**



Emergency Pack: **Available** PF: **>0.9**  
 Voltage/Frequency: **AC:85-265V,50/60Hz** Beam Angle: **120°**  
 Luminous Flux: **420lm** Body Type: **Aluminium**  
 LED Type: **SMD** Shape: **Square**  
 CRI: **>80** Dimension: **90x90x24mm**




Slim Surface-Square

12W VT-1205 SQ

4913 - 3000K Warm White 3800157605472  
 4914 - 4000K Day White 3800157605489  
 4915 - 6400K White 3800157605496

Box Qty.  
**40 Pcs**



Emergency Pack: **Available** PF: **>0.9**  
 Voltage/Frequency: **AC:85-265V,50/60Hz** Beam Angle: **120°**  
 Luminous Flux: **900lm** Body Type: **Aluminium**  
 LED Type: **SMD** Shape: **Square**  
 CRI: **>80** Dimension: **140x140x24mm**




Slim Surface-Square

18W VT-1805SQ

4919 - 3000K Warm White 3800157605533  
 4920 - 4000K Day White 3800157605540  
 4921 - 6400K White 3800157605557

Box Qty.  
**20 Pcs**



Emergency Pack: **Available** PF: **>0.9**  
 Voltage/Frequency: **AC:85-265V,50/60Hz** Beam Angle: **120°**  
 Luminous Flux: **1440lm** Body Type: **Aluminium**  
 LED Type: **SMD** Shape: **Square**  
 CRI: **>80** Dimension: **190x190x24mm**




## Surface Series-Round

# 8W VT-1408 RD

4805 - 3000K Warm White	3800230622730
4804 - 4000K Day White	3800230622723
4803 - 6400K White	3800230622716

Box Qty.  
**20 Pcs**



Emergency Pack:	<b>Available</b>	PF:	>0.9
Voltage/Frequency:	<b>AC:85-265V,50/60Hz</b>	Beam Angle:	<b>120°</b>
Luminous Flux:	<b>800lm</b>	Body Type:	<b>Aluminium</b>
LED Type:	<b>SMD</b>	Shape:	<b>Round</b>
CRI:	>80	Dimension:	<b>Ø110x35mm</b>




## Surface Series-Round

# 15W VT-1415 RD

4811 - 3000K Warm White	3800230622792
4810 - 4000K Day White	3800230622785
4809 - 6400K White	3800230622778

Box Qty.  
**20 Pcs**



Emergency Pack:	<b>Available</b>	PF:	>0.9
Voltage/Frequency:	<b>AC:85-265V,50/60Hz</b>	Beam Angle:	<b>120°</b>
Luminous Flux:	<b>1500lm</b>	Body Type:	<b>Aluminium</b>
LED Type:	<b>SMD</b>	Shape:	<b>Round</b>
CRI:	>80	Dimension:	<b>Ø160x35mm</b>




## Surface Series-Round

# 22W VT-1422 RD

4817 - 3000K Warm White	3800230622853
4816 - 4000K Day White	3800230622846
4815 - 6400K White	3800230622839

Box Qty.  
**20 Pcs**



Emergency Pack:	<b>Available</b>	PF:	>0.9
Voltage/Frequency:	<b>AC:85-265V,50/60Hz</b>	Beam Angle:	<b>120°</b>
Luminous Flux:	<b>2200lm</b>	Body Type:	<b>Aluminium</b>
LED Type:	<b>SMD</b>	Shape:	<b>Round</b>
CRI:	>80	Dimension:	<b>Ø205x35mm</b>




Surface Series-Square

**8W VT-1408 SQ**

- 4802 - 3000K Warm White      3800230622709
- 4801 - 4000K Day White      3800230622693
- 4800 - 6400K White          3800230622686

Box Qty.  
**40 Pcs**



Emergency Pack:	<b>Available</b>	PF:	<b>&gt;0.9</b>
Voltage/Frequency:	<b>AC:85-265V,50/60Hz</b>	Beam Angle:	<b>120°</b>
Luminous Flux:	<b>800lm</b>	Body Type:	<b>Aluminium</b>
LED Type:	<b>SMD</b>	Shape:	<b>Square</b>
CRI:	<b>&gt;80</b>	Dimension:	<b>107x107x35mm</b>




Surface Series-Square

**15W VT-1415 SQ**

- 4808 - 3000K Warm White      3800230622761
- 4807 - 4000K Day White      3800230622754
- 4806 - 6400K White          3800230622747

Box Qty.  
**20 Pcs**



Emergency Pack:	<b>Available</b>	PF:	<b>&gt;0.9</b>
Voltage/Frequency:	<b>AC:85-265V,50/60Hz</b>	Beam Angle:	<b>120°</b>
Luminous Flux:	<b>1500lm</b>	Body Type:	<b>Aluminium</b>
LED Type:	<b>SMD</b>	Shape:	<b>Square</b>
CRI:	<b>&gt;80</b>	Dimension:	<b>155x155x35mm</b>




Surface Series-Square

**22W VT-1422 SQ**

- 4814 - 3000K Warm White      3800230622822
- 4813 - 4000K Day White      3800230622815
- 4812 - 6400K White          3800230622808

Box Qty.  
**20 Pcs**



Emergency Pack:	<b>Available</b>	PF:	<b>&gt;0.9</b>
Voltage/Frequency:	<b>AC:85-265V,50/60Hz</b>	Beam Angle:	<b>120°</b>
Luminous Flux:	<b>2200lm</b>	Body Type:	<b>Aluminium</b>
LED Type:	<b>SMD</b>	Shape:	<b>Square</b>
CRI:	<b>&gt;80</b>	Dimension:	<b>205x205x35mm</b>




## Slim Series-Chrome-Round

# 6W VT-607CH

6334 - 3000K Warm White  
6335 - 4000K Day White  
6336 - 6400K White

3800157621182  
3800157621199  
3800157621205

 Box Qty.  
**40 Pcs**



Cutting Size:  $\varnothing 105\text{mm}$

Emergency Pack: **Available**  
Voltage/Frequency: **AC:85-265V,50/60Hz**  
Luminous Flux: **420lm**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.5**

Beam Angle: **120°**  
Body Type: **Aluminium+Chrome**  
Shape: **Round**  
Dimension:  **$\varnothing 120 \times 25\text{mm}$**




## Slim Series-Chrome-Round

# 12W VT-1207CH

6340 - 3000K Warm White  
6341 - 4000K Day White  
6342 - 6400K White

3800157621243  
3800157621250  
3800157621267

 Box Qty.  
**20 Pcs**



Cutting Size:  $\varnothing 155\text{mm}$

Emergency Pack: **Available**  
Voltage/Frequency: **AC:85-265V,50/60Hz**  
Luminous Flux: **1000lm**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.5**

Beam Angle: **120°**  
Body Type: **Aluminium+Chrome**  
Shape: **Round**  
Dimension:  **$\varnothing 170 \times 25\text{mm}$**




Slim Series-Chrome-Round

18W VT-1807CH

- 6346 - 3000K Warm White 3800157621304
- 6347 - 4000K Day White 3800157621311
- 6348 - 6400K White 3800157621328

Box Qty.  
**20 Pcs**



Cutting Size:  $\varnothing$ 205mm

Emergency Pack: **Available**  
Voltage/Frequency: **AC:85-265V,50/60Hz**  
Luminous Flux: **1500lm**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.5**

Beam Angle: **120°**  
Body Type: **Aluminium+Chrome**  
Shape: **Round**  
Dimension:  **$\varnothing$ 225x25mm**




Slim Series-Chrome-Round

24W VT-2407CH

- 6352 - 3000K Warm White 3800157621366
- 6353 - 4000K Day White 3800157621373
- 6354 - 6400K White 3800157621380

Box Qty.  
**10 Pcs**



Cutting Size:  $\varnothing$ 285mm

Emergency Pack: **Available**  
Voltage/Frequency: **AC:85-265V,50/60Hz**  
Luminous Flux: **2000lm**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.5**

Beam Angle: **120°**  
Body Type: **Aluminium+Chrome**  
Shape: **Round**  
Dimension:  **$\varnothing$ 300x25mm**




## Slim Series-Satin Nickel-Round

**6W**     **VT-607SN**

6337 - 3000K Warm White  
6338 - 4000K Day White  
6339 - 6400K White

3800157621212  
3800157621229  
3800157621236

 Box Qty.  
**40 Pcs**
Cutting Size:  $\varnothing 105\text{mm}$ 

Emergency Pack: **Available**  
Voltage/Frequency: **AC:85-265V,50/60Hz**  
Luminous Flux: **420lm**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.5**

Beam Angle: **120°**  
Body Type: **Aluminium+Satin Nickel**  
Shape: **Round**  
Dimension:  **$\varnothing 120 \times 25\text{mm}$**




## Slim Series-Satin Nickel-Round

**12W**     **VT-1207SN**

6343 - 3000K Warm White  
6344 - 4000K Day White  
6345 - 6400K White

3800157621274  
3800157621281  
3800157621298

 Box Qty.  
**20 Pcs**
Cutting Size:  $\varnothing 155\text{mm}$ 

Emergency Pack: **Available**  
Voltage/Frequency: **AC:85-265V,50/60Hz**  
Luminous Flux: **1000lm**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.5**

Beam Angle: **120°**  
Body Type: **Aluminium+Satin Nickel**  
Shape: **Round**  
Dimension:  **$\varnothing 170 \times 25\text{mm}$**




Slim Series-Satin Nickel-Round

18W VT-1807SN

6349 - 3000K Warm White  
6350 - 4000K Day White  
6351 - 6400K White

3800157621335  
3800157621342  
3800157621359

Box Qty.  
**20 Pcs**



Cutting Size:  $\varnothing$ 205mm

Emergency Pack: **Available**  
Voltage/Frequency: **AC:85-265V,50/60Hz**  
Luminous Flux: **1500lm**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.5**

Beam Angle: **120°**  
Body Type: **Aluminium+Satin Nickel**  
Shape: **Round**  
Dimension:  **$\varnothing$ 225x25mm**




Slim Series-Satin Nickel-Round

24W VT-2407SN

6355 - 3000K Warm White  
6356 - 4000K Day White  
6357 - 6400K White

3800157621397  
3800157621403  
3800157621410

Box Qty.  
**10 Pcs**



Cutting Size:  $\varnothing$ 285mm

Emergency Pack: **Available**  
Voltage/Frequency: **AC:85-265V,50/60Hz**  
Luminous Flux: **2000lm**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.5**


Beam Angle: **120°**  
Body Type: **Aluminium+Satin Nickel**  
Shape: **Round**  
Dimension:  **$\varnothing$ 300x25mm**



## Slim Surface-Chrome-Round

6W VT-605CH

6358 - 3000K Warm White 3800157621427  
 6359 - 4000K Day White 3800157621434  
 6360 - 6400K White 3800157621441

 Box Qty.  
**40 Pcs**



Emergency Pack:	<b>Available</b>	PF:	>0.5
Voltage/Frequency:	<b>AC:85-265V,50/60Hz</b>	Beam Angle:	<b>120°</b>
Luminous Flux:	<b>420lm</b>	Body Type:	<b>Aluminium+Chrome</b>
LED Type:	<b>SMD</b>	Shape:	<b>Round</b>
CRI:	>80	Dimension:	<b>Ø90x24mm</b>



## Slim Surface-Chrome-Round

12W VT-1205CH

6364 - 3000K Warm White 3800157621489  
 6365 - 4000K Day White 3800157621496  
 6366 - 6400K White 3800157621502

 Box Qty.  
**40 Pcs**



Emergency Pack:	<b>Available</b>	PF:	>0.6
Voltage/Frequency:	<b>AC:85-265V,50/60Hz</b>	Beam Angle:	<b>120°</b>
Luminous Flux:	<b>1000lm</b>	Body Type:	<b>Aluminium+Chrome</b>
LED Type:	<b>SMD</b>	Shape:	<b>Round</b>
CRI:	>80	Dimension:	<b>Ø140x24mm</b>



## Slim Surface-Chrome-Round

18W VT-1805CH

6370 - 3000K Warm White 3800157621540  
 6371 - 4000K Day White 3800157621557  
 6372 - 6400K White 3800157621564

 Box Qty.  
**20 Pcs**


Emergency Pack:	<b>Available</b>	PF:	>0.6
Voltage/Frequency:	<b>AC:85-265V,50/60Hz</b>	Beam Angle:	<b>120°</b>
Luminous Flux:	<b>1500lm</b>	Body Type:	<b>Aluminium+Chrome</b>
LED Type:	<b>SMD</b>	Shape:	<b>Round</b>
CRI:	>80	Dimension:	<b>Ø190x24mm</b>




Slim Surface-Satin Nickel-Round

**6W VT-605SN**

- 6361 - 3000K Warm White 3800157621458
- 6362 - 4000K Day White 3800157621465
- 6363 - 6400K White 3800157621472

Box Qty.  
**40 Pcs**



Emergency Pack:	<b>Available</b>	PF:	<b>&gt;0.5</b>
Voltage/Frequency:	<b>AC:85-265V,50/60Hz</b>	Beam Angle:	<b>120°</b>
Luminous Flux:	<b>420lm</b>	Body Type:	<b>Aluminium+Satin Nickel</b>
LED Type:	<b>SMD</b>	Shape:	<b>Round</b>
CRI:	<b>&gt;80</b>	Dimension:	<b>Ø90x24mm</b>




Slim Surface-Satin Nickel-Round

**12W VT-1205SN**

- 6367 - 3000K Warm White 3800157621519
- 6368 - 4000K Day White 3800157621526
- 6369 - 6400K White 3800157621533

Box Qty.  
**40 Pcs**



Emergency Pack:	<b>Available</b>	PF:	<b>&gt;0.6</b>
Voltage/Frequency:	<b>AC:85-265V,50/60Hz</b>	Beam Angle:	<b>120°</b>
Luminous Flux:	<b>1000lm</b>	Body Type:	<b>Aluminium+Satin Nickel</b>
LED Type:	<b>SMD</b>	Shape:	<b>Round</b>
CRI:	<b>&gt;80</b>	Dimension:	<b>Ø140x24mm</b>




Slim Surface-Satin Nickel-Round

**18W VT-1805SN**

- 6373 - 3000K Warm White 3800157621571
- 6374 - 4000K Day White 3800157621588
- 6375 - 6400K White 3800157621595

Box Qty.  
**20 Pcs**




Emergency Pack:	<b>Available</b>	PF:	<b>&gt;0.6</b>
Voltage/Frequency:	<b>AC:85-265V,50/60Hz</b>	Beam Angle:	<b>120°</b>
Luminous Flux:	<b>1500lm</b>	Body Type:	<b>Aluminium+Satin Nickel</b>
LED Type:	<b>SMD</b>	Shape:	<b>Round</b>
CRI:	<b>&gt;80</b>	Dimension:	<b>Ø190x24mm</b>



## Twin LED-Square

8W VT-809SQ

4922 - 3000K Warm White 3800157605564  
 4923 - 4000K Day White 3800157605571  
 4924 - 6400K White 3800157605588

 Box Qty.  
**20 Pcs**



Emergency Pack:	<b>Available</b>	PF:	>0.9
Voltage/Frequency:	<b>AC:85-265V,50/60Hz</b>	Beam Angle:	<b>120°</b>
Luminous Flux:	<b>800lm</b>	Body Type:	<b>Aluminium</b>
LED Type:	<b>SMD</b>	Shape:	<b>Square</b>
CRI:	<b>&gt;80</b>	Dimension:	<b>142x142x40mm</b>



## Twin LED-Square

15W VT-1509SQ

4925 - 3000K Warm White 3800157605595  
 4926 - 4000K Day White 3800157605601  
 4927 - 6400K White 3800157605618

 Box Qty.  
**20 Pcs**



Emergency Pack:	<b>Available</b>	PF:	>0.9
Voltage/Frequency:	<b>AC:85-265V,50/60Hz</b>	Beam Angle:	<b>120°</b>
Luminous Flux:	<b>1500lm</b>	Body Type:	<b>Aluminium</b>
LED Type:	<b>SMD</b>	Shape:	<b>Square</b>
CRI:	<b>&gt;80</b>	Dimension:	<b>192x192x40mm</b>



## Twin LED-Square

22W VT-2209SQ

4928 - 3000K Warm White 3800157605625  
 4929 - 4000K Day White 3800157605632  
 4930 - 6400K White 3800157605649

 Box Qty.  
**20 Pcs**



Emergency Pack:	<b>Available</b>	PF:	>0.9
Voltage/Frequency:	<b>AC:85-265V,50/60Hz</b>	Beam Angle:	<b>120°</b>
Luminous Flux:	<b>2200lm</b>	Body Type:	<b>Aluminium</b>
LED Type:	<b>SMD</b>	Shape:	<b>Square</b>
CRI:	<b>&gt;80</b>	Dimension:	<b>240x240x40mm</b>



Twin LED-Round  
**8W VT-809RD**

4890 - 3000K Warm White 3800157602594  
4891 - 4000K Day White 3800157602600  
4892 - 6400K White 3800157602617

Box Qty.  
**20 Pcs**




Emergency Pack:	<b>Available</b>	PF:	<b>&gt;0.9</b>
Voltage/Frequency:	<b>AC:85-265V,50/60Hz</b>	Beam Angle:	<b>120°</b>
Luminous Flux:	<b>800lm</b>	Body Type:	<b>Aluminium</b>
LED Type:	<b>SMD</b>	Shape:	<b>Round</b>
CRI:	<b>&gt;80</b>	Dimension:	<b>142x40mm</b>



Twin LED-Round  
**15W VT-1509RD**

4893 - 3000K Warm White 3800157602624  
4894 - 4000K Day White 3800157602631  
4895 - 6400K White 3800157602648

Box Qty.  
**20 Pcs**




Emergency Pack:	<b>Available</b>	PF:	<b>&gt;0.9</b>
Voltage/Frequency:	<b>AC:85-265V,50/60Hz</b>	Beam Angle:	<b>120°</b>
Luminous Flux:	<b>1500lm</b>	Body Type:	<b>Aluminium</b>
LED Type:	<b>SMD</b>	Shape:	<b>Round</b>
CRI:	<b>&gt;80</b>	Dimension:	<b>192x40mm</b>



Twin LED-Round  
**22W VT-2209RD**

4896 - 3000K Warm White 3800157602655  
4897 - 4000K Day White 3800157602662  
4898 - 6400K White 3800157602679

Box Qty.  
**20 Pcs**



Emergency Pack:	<b>Available</b>	PF:	<b>&gt;0.9</b>
Voltage/Frequency:	<b>AC:85-265V,50/60Hz</b>	Beam Angle:	<b>120°</b>
Luminous Flux:	<b>2200lm</b>	Body Type:	<b>Aluminium</b>
LED Type:	<b>SMD</b>	Shape:	<b>Round</b>
CRI:	<b>&gt;80</b>	Dimension:	<b>240x40mm</b>




## Glass Panel-Round

# 6W VT-602G RD

4740 - 3000K Warm White 3800230622891  
 6277 - 4000K Day White 3800157615754  
 4739 - 6400K White 3800230622884

Box Qty.  
**40 Pcs**



Cutting Size:  $\varnothing 75\text{mm}$

Emergency Pack:	<b>Available</b>	PF:	>0.9
Voltage/Frequency:	<b>AC:100-240V,50/60Hz</b>	Beam Angle:	<b>120°</b>
Luminous Flux:	<b>420lm</b>	Body Type:	<b>Aluminium+Glass</b>
LED Type:	<b>SMD</b>	Shape:	<b>Round</b>
CRI:	>80	Dimension:	<b><math>\varnothing 100 \times 40\text{mm}</math></b>




## Glass Panel-Round

# 12W VT-1202G RD

4744 - 3000K Warm White 3800230622938  
 6279 - 4000K Day White 3800157615778  
 4743 - 6400K White 3800230622921

Box Qty.  
**20 Pcs**



Cutting Size:  $\varnothing 120\text{mm}$

Emergency Pack:	<b>Available</b>	PF:	>0.9
Voltage/Frequency:	<b>AC:100-240V,50/60Hz</b>	Beam Angle:	<b>120°</b>
Luminous Flux:	<b>840lm</b>	Body Type:	<b>Aluminium+Glass</b>
LED Type:	<b>SMD</b>	Shape:	<b>Round</b>
CRI:	>80	Dimension:	<b><math>\varnothing 160 \times 40\text{mm}</math></b>




## Glass Panel-Round

# 18W VT-1881G RD

4760 - 3000K Warm White 3800230622976  
 6281 - 4000K Day White 3800157615792  
 4759 - 6400K White 3800230622969

Box Qty.  
**20 Pcs**



Cutting Size:  $\varnothing 145\text{mm}$

Emergency Pack:	<b>Available</b>	PF:	>0.9
Voltage/Frequency:	<b>AC:100-240V,50/60Hz</b>	Beam Angle:	<b>120°</b>
Luminous Flux:	<b>1260lm</b>	Body Type:	<b>Aluminium+Glass</b>
LED Type:	<b>SMD</b>	Shape:	<b>Round</b>
CRI:	>80	Dimension:	<b><math>\varnothing 198 \times 40\text{mm}</math></b>




Glass Panel-Square

6W VT-602G SQ

4738 - 3000K Warm White 3800230622877  
 6276 - 4000K Day White 3800157615747  
 4737 - 6400K White 3800230622860

Box Qty.  
**40 Pcs**



Cutting Size: 75x75mm

Emergency Pack: **Available** PF: >0.9  
 Voltage/Frequency: **AC:100-240V,50/60Hz** Beam Angle: **120°**  
 Luminous Flux: **420lm** Body Type: **Aluminium+Glass**  
 LED Type: **SMD** Shape: **Square**  
 CRI: >80 Dimension: **100x100x40mm**




Glass Panel-Square

12W VT-1202G SQ


4742 - 3000K Warm White 3800230622914  
 6278 - 4000K Day White 3800157615761  
 4741 - 6400K White 3800230622907

Box Qty.  
**20 Pcs**



Cutting Size: 120x120mm

Emergency Pack: **Available** PF: >0.9  
 Voltage/Frequency: **AC:100-240V,50/60Hz** Beam Angle: **120°**  
 Luminous Flux: **840lm** Body Type: **Aluminium+Glass**  
 LED Type: **SMD** Shape: **Square**  
 CRI: >80 Dimension: **160x160x40mm**




Glass Panel-Square

18W VT-1881G SQ

4746 - 3000K Warm White 3800230622952  
 6280 - 4000K Day White 3800157615785  
 4745 - 6400K White 3800230622945

Box Qty.  
**20 Pcs**



Cutting Size: 145x145mm

Emergency Pack: **Available** PF: >0.9  
 Voltage/Frequency: **AC:100-240V,50/60Hz** Beam Angle: **120°**  
 Luminous Flux: **1260lm** Body Type: **Aluminium+Glass**  
 LED Type: **SMD** Shape: **Square**  
 CRI: >80 Dimension: **198x198x40mm**



6w

Box Qty.  
200 Pcs

SKU Code: **8073**  
Dimmable: **Yes**  
Voltage: **AC:180-240V,50/60Hz**  
EAN Code: **3800157605823**



12w

Box Qty.  
200 Pcs

SKU Code: **8074**  
Dimmable: **Yes**  
Voltage: **AC:180-240V,50/60Hz**  
EAN Code: **3800157605830**



18w

Box Qty.  
200 Pcs

SKU Code: **8075**  
Dimmable: **Yes**  
Voltage: **AC:180-240V,50/60Hz**  
EAN Code: **3800157605847**



18/24w

Box Qty.  
50 Pcs

SKU Code: **8070**  
Dimmable: **Yes**  
Voltage: **AC:180-240V,50/60Hz**  
EAN Code: **3800157616836**



24w

Box Qty.  
200 Pcs

SKU Code: **8076**  
Dimmable: **Yes**  
Voltage: **AC:180-240V,50/60Hz**  
EAN Code: **3800157605946**



# LED Tube Lights

V-TAC's LED Tube Series fits perfectly into existing linear fixtures, providing better light quality and energy efficiency compared to linear fluorescent systems.



## Product Features

- Cost effective, safe retrofit for T8 Tubes
- Perfectly matches with the traditional daylight tube fixture
- Easy Installation
- No Lead or Mercury content hence Environment friendly
- No Ultraviolet or Infrared rays
- Long Lifespan, Low maintenance and energy saving
- Available in 60 cm, 120 cm, 150 cm & 180 cm
- Ballast or Starter NOT REQUIRED - DIRECT AC POWER

## Applications

Widely used for Domestic and Commercial Lighting, Offices, Supermarkets, Shops, Hotels & similar environment

T8-Nano Plastic-Rotatable-60cm



10w VT-6072-R Box Qty. **25Pcs**

- 6229 - 3000K Warm White 3800157605212
- 6230 - 4000K Day White 3800157605229
- 6231 - 6400K White 3800157605236



**3 YEAR WARRANTY**

\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty.



EQ. Watts:	18w	PF:	>0.5	On/Off:	>15,000
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	160°	Life span:	20,000 Hours
Luminous Flux:	850lm	Body Type:	Nano Plastic	Gross weight:	125g
LED Type:	SMD	Holder:	G13	Dimension:	27.9x600mm
CRI:	>80	Instant start :	0-100% in < 1s		

T8-Nano Plastic-60cm



10w VT-6072-NR Box Qty. **25Pcs**

- 6392 - 3000K Warm White 3800157625296
- 6393 - 4000K Day White 3800157625302
- 6394 - 6400K White 3800157625319



**3 YEAR WARRANTY**

\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty.



EQ. Watts:	18w	PF:	>0.5	On/Off:	>15,000
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	160°	Life span:	20,000 Hours
Luminous Flux:	850lm	Body Type:	Nano Plastic	Gross weight:	126.4g
LED Type:	SMD	Holder:	G13	Dimension:	27.9x600mm
CRI:	>80	Instant start :	0-100% in < 1s		



## T8-Nano Plastic-90cm

**14w VT-9077**

 Box Qty.  
**25Pcs**

 6272 - 4000K Day White  
 6262 - 6400K White

 3800157615419  
 3800157612128

Substrate for 10-12 hours daily usage of the product for 24 hours a day would void warranty.

**Dummy Starter  
Included**

EQ. Watts: **25w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **1200lm**  
 LED Type: **SMD**  
 CRI: **>80**

PF: **>0.5**  
 Beam Angle: **160°**  
 Body Type: **Nano Plastic**  
 Holder: **G13**  
 Instant start: **0-100% in < 1s**

On/Off: **>15,000**  
 Life span: **20,000 Hours**  
 Gross weight: **145.6g**  
 Dimension: **27.9x900mm**



## T8-Nano Plastic-120cm

**18w VT-1277**

 Box Qty.  
**25 Pcs**

 6263 - 3000K Warm White  
 6273 - 4000K Day White  
 6264 - 6400K White

 3800157612135  
 3800157615426  
 3800157612142

Substrate for 10-12 hours daily usage of the product for 24 hours a day would void warranty.

**Dummy Starter  
Included**

EQ. Watts: **36w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **1700lm**  
 LED Type: **SMD**  
 CRI: **>80**

PF: **>0.5**  
 Beam Angle: **160°**  
 Body Type: **Nano Plastic**  
 Holder: **G13**  
 Instant start: **0-100% in < 1s**

On/Off: **>15,000**  
 Life span: **20,000 Hours**  
 Gross weight: **200g**  
 Dimension: **27.9x1200mm**

T8-Nano Plastic-150cm

22W VT-1577

Box Qty.  
25 Pcs



6265 - 3000K Warm White  
6309 - 4000K Day White  
6310 - 6400K White

3800157612159  
3800157617437  
3800157617444



**3 YEAR WARRANTY**

\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



Dummy Starter  
Included

EQ. Watts:	58w	PF:	>0.5	On/Off:	>15,000
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	160°	Life span:	30,000 Hours
Luminous Flux:	2000lm	Body Type:	Nano Plastic	Gross weight:	283.4g
LED Type:	SMD	Holder:	G13	Dimension:	27.9x1500mm
CRI:	>80	Instant start :	0-100% in < 1s		

T8-Nano Plastic-Rotatable-High Lu-

9w VT-6085

Box Qty.  
25 Pcs

6299 - 3000K Warm White  
6301 - 4000K Day White  
6302 - 6400K White


3800157617345  
3800157617352  
3800157617369



**5 YEAR WARRANTY**

\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

**120+ LUMENS PER WATT**  
**SUPER EFFICIENT**



Dummy Starter  
Included



EQ. Watts:	25w	PF:	>0.5	On/Off:	>15,000
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	160°	Life span:	30,000 Hours
Luminous Flux:	1100lm	Body Type:	Nano Plastic	Gross weight:	125g
LED Type:	SMD	Holder:	G13	Dimension:	27.9x600mm
CRI:	>80	Instant start :	0-100% in < 1s		



## T8-Nano Plastic-High Lumen-120cm

18w VT-1285

 Box Qty.  
25 Pcs

6305 - 6400K White

3800157617390


**120+** LUMENS  
PER WATT  
**SUPER EFFICIENT**

**Dummy Starter  
Included**


EQ. Watts: 45w

Voltage/Frequency: AC:220-240V,50/60Hz

Luminous Flux: 2250lm

LED Type: SMD

CRI: &gt;80

PF: &gt;0.5

Beam Angle: 160°

Body Type: Nano Plastic

Holder: G13

Instant start: 0-100% in &lt; 1s

On/Off: &gt;15,000

Life span: 30,000 Hours

Gross weight: 200g

Dimension: 27.9x1200mm

## T8-Nano Plastic-High Lumen-150cm

22w VT-1585

 Box Qty.  
25 Pcs

6306 - 3000K Warm White


6307 - 4000K Day White

6308 - 6400K White

3800157617406

3800157617413

3800157617420


**120+** LUMENS  
PER WATT  
**SUPER EFFICIENT**

**Dummy Starter  
Included**


EQ. Watts: 75w

Voltage/Frequency: AC:220-240V,50/60Hz

Luminous Flux: 3000lm

LED Type: SMD

CRI: &gt;80

PF: &gt;0.5

Beam Angle: 160°

Body Type: Nano Plastic

Holder: G13

Instant start: 0-100% in &lt; 1s

On/Off: &gt;15,000

Life span: 30,000 Hours

Gross weight: 1000g

Dimension: 27.9x1500mm

T8-Nano Plastic-60cm


**18w VT-6077**

6313 - 4000K Day White  
6314 - 6400K White

Box Qty.  
**10 Pcs**

3800157618656  
3800157618663

**120** LUMENS  
+ PER WATT  
**SUPER EFFICIENT**



EQ. Watts:	<b>36w</b>	PF:	<b>&gt;0.9</b>	On/Off:	<b>&gt;15,000</b>
Voltage/Frequency:	<b>AC:200-240V,50Hz</b>	Beam Angle:	<b>160°</b>	Life span:	<b>20,000 Hours</b>
Luminous Flux:	<b>2500lm</b>	Body Type:	<b>Nano Plastic</b>	Gross weight:	<b>290g</b>
LED Type:	<b>SMD</b>	Holder:	<b>G13</b>	Dimension:	<b>18.5x549mm</b>
CRI:	<b>&gt;80</b>	Instant start :	<b>0-100% in &lt; 1s</b>		

T8-Nano Plastic-120cm


**36w VT-12077**

6315 - 4000K Day White  
6316 - 6400K White

Box Qty.  
**10 Pcs**

3800157618670  
3800157618687

**120** LUMENS  
+ PER WATT  
**SUPER EFFICIENT**



EQ. Watts:	<b>72w</b>	PF:	<b>&gt;0.9</b>	On/Off:	<b>&gt;15,000</b>
Voltage/Frequency:	<b>AC:200-240V,50Hz</b>	Beam Angle:	<b>160°</b>	Life span:	<b>20,000 Hours</b>
Luminous Flux:	<b>4500lm</b>	Body Type:	<b>Nano Plastic</b>	Gross weight:	<b>400g</b>
LED Type:	<b>SMD</b>	Holder:	<b>G13</b>	Dimension:	<b>18.5x1149mm</b>
CRI:	<b>&gt;80</b>	Instant start :	<b>0-100% in &lt; 1s</b>		


### T5-Glass Plastic-60cm

8w VT-6005

Box Qty.  
25 Pcs

6318 - 4000K Day White  
6319 - 6500K White

3800157619271  
3800157619288



EQ. Watts:	14w	PF:	>0.5	On/Off:	>15,000
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	160°	Life span:	20,000 Hours
Luminous Flux:	800lm	Body Type:	Glass with PET	Gross weight:	120g
LED Type:	SMD	Holder:	G5	Dimension:	18.4x549mm
CRI:	>80	Instant start :	0-100% in < 1s		


### T5-Glass Plastic-120cm

16w VT-1225

Box Qty.  
25 Pcs

6320 - 4000K Day White  
6321 - 6500K White

3800157619295  
3800157619301



EQ. Watts:	28w	PF:	>0.5	On/Off:	>15,000
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	160°	Life span:	20,000 Hours
Luminous Flux:	1600lm	Body Type:	Glass with PET	Gross weight:	208g
LED Type:	SMD	Holder:	G5	Dimension:	18.4x1149mm
CRI:	>80	Instant start :	0-100% in < 1s		


### T8-Aluminium Plastic-180cm

40w VT-1840

Box Qty.  
25 Pcs

6251 - 4500K Day White  
6250 - 6000K White

3800157607841  
3800157607834



EQ. Watts:	80w	PF:	>0.9	On/Off:	>15,000
Voltage/Frequency:	AC:85-265V,50/60Hz	Beam Angle:	120°	Life span:	20,000 Hours
Luminous Flux:	3800lm	Body Type:	Aluminium+PC	Gross weight:	800g
LED Type:	SMD	Holder:	G13	Dimension:	28x1800mm
CRI:	>80	Instant start :	0-100% in < 1s		



T8 Bread Tube-120cm

18w VT-1228-B

Box Qty. **25 Pcs**

SKU-6322

3800157619318



EQ. Watts:	36w	PF:	>0.9	On/Off:	>15,000
Voltage/Frequency:	AC:180-240V,50Hz	Beam Angle:	160°	Life span:	20,000 Hours
Luminous Flux:	1530lm	Body Type:	Glass with PET	Gross weight:	320g
LED Type:	SMD	Holder:	G13	Dimension:	26x1200mm
CR:	>95	Instant start :	0-100% in < 1s		



T8 Meat Tube-120cm

18w VT-1228-M

Box Qty. **25 Pcs**

SKU-6323

3800157619325



EQ. Watts:	36w	PF:	>0.9	On/Off:	>15,000
Voltage/Frequency:	AC:180-240V,50/60Hz	Beam Angle:	160°	Life span:	20,000 Hours
Luminous Flux:	1530lm	Body Type:	Glass with PET	Gross weight:	320g
LED Type:	SMD	Holder:	G13	Dimension:	26x1200mm
CR:	>95	Instant start :	0-100% in < 1s		

## T8 Vegetable Tube-120cm



18w

VT-1228-V

Box Qty.  
25 Pcs

SKU-6324

3800157619332



EQ. Watts: 36w  
Voltage/Frequency: AC:180-240V,50Hz  
Luminous Flux: 1530lm  
LED Type: SMD  
CRI: >95

PF: >0.9  
Beam Angle: 160°  
Body Type: Glass with PET  
Holder: G13  
Instant start: 0-100% in < 1s

On/Off: >15,000  
Life span: 20,000 Hours  
Gross weight: 320g  
Dimension: 26x1200mm

## T8 Seafood Tube-120cm



18w

VT-1228-S

Box Qty.  
25 Pcs

SKU-6325

3800157619349



EQ. Watts: 36w  
Voltage/Frequency: AC:180-240V,50/60Hz  
Luminous Flux: 1530lm  
LED Type: SMD  
CRI: >95

PF: >0.9  
Beam Angle: 160°  
Body Type: Glass with PET  
Holder: G13  
Instant start: 0-100% in < 1s

On/Off: >15,000  
Life span: 20,000 Hours  
Gross weight: 320g  
Dimension: 26x1200mm

## T8 Plant Tube-120cm



18w

VT-1228-P

Box Qty.  
25 Pcs

SKU-6326

3800157619356



EQ. Watts: 36w  
Voltage/Frequency: AC:180-240V,50Hz  
Luminous Flux: 860lm  
LED Type: SMD  
CRI: >95

PF: >0.9  
Beam Angle: 160°  
Body Type: Glass with PET  
Holder: G13  
Instant start: 0-100% in < 1s

On/Off: >15,000  
Life span: 20,000 Hours  
Gross weight: 320g  
Dimension: 26x1200mm



Tube-Batten Fitting

**VT-16011**

Box Qty.  
**20 Pcs**

SKU Code: **6053**  
Body Type: **Aluminium**  
Size: **60x2mm**  
EAN Code: **3800230624659**



Tube-Batten Fitting

**VT-12020**

Box Qty.  
**20 Pcs**

SKU Code: **6054**  
Body Type: **Aluminium**  
Size: **1200mm**  
EAN Code: **3800230624666**



Tube-Batten Fitting

**VT-12021**

Box Qty.  
**12 Pcs**

SKU Code: **6055**  
Body Type: **Aluminium**  
Size: **1200x2mm**  
EAN Code: **3800230624673**



Tube-Batten Fitting

**VT-15020**

Box Qty.  
**20 Pcs**

SKU Code: **6056**  
Body Type: **Aluminium**  
Size: **1500mm**  
EAN Code: **3800230624680**



Tube-Batten Fitting

**VT-15021**

Box Qty.  
**12 Pcs**

SKU Code: **6057**  
Body Type: **Aluminium**  
Size: **1500x2mm**  
EAN Code: **3800230624697**

## Batten Fitting-Linkable

40w VT-80404

 Box Qty.  
**10 Pcs**

6389 - 3000K Warm White 3800157625104  
 6390 - 4000K Day White 3800157625111  
 6391 - 6400K White 3800157625128


Sensor Compatible: **Yes**Voltage/Frequency: **AC:100-240V,50/60Hz**Luminous Flux: **3200lm**LED Type: **SMD**CRI: **>80**PF: **>0.9**Beam Angle: **110°**Body Type: **AL+PC**On/Off: **>15,000**Life span: **30,000 Hours**Gross weight: **780g**Dimension: **1200x75x26mm**

## Prismatic Fitting-30cm

10w VT-8013

 Box Qty.  
**10 Pcs**

4987 - 3000K Warm White 3800157601955

Sensor Compatible: **Yes**Voltage/Frequency: **AC:200-240V,50Hz**Luminous Flux: **900lm**LED Type: **SMD**CRI: **>80**PF: **>0.5**Beam Angle: **110°**Body Type: **Aluminium+Plastic**On/Off: **>10,000**Life span: **20,000 Hours**Gross weight: **260g**Dimension: **300x75x25mm**


T5-With Fitting-30cm

4W VT-3033

Box Qty. 50 Pcs

6166 - 3000K Warm White  
6167 - 4500K Day White  
6168 - 6000K White

3800230629159  
3800230629166  
3800230629173



Upto 5Pcs Interlinkable



Sensor Compatible:	Yes	CRI:	>80	On/Off:	>10,000
Voltage/Frequency:	AC:200-240V,50/60Hz	PF:	>0.5	Life span:	20,000 Hours
Luminous Flux:	360lm	Beam Angle:	120°	Gross weight:	140g
LED Type:	SMD	Body Type:	Plastic	Dimension:	300x22x33mm


T5-With Fitting-60cm

7W VT-6073

Box Qty. 50 Pcs

6169 - 3000K Warm White  
6170 - 4500K Day White  
6171 - 6000K White

3800230629180  
3800230629197  
3800230629203



Upto 5Pcs Interlinkable



Sensor Compatible:	Yes	CRI:	>80	On/Off:	>10,000
Voltage/Frequency:	AC:200-240V,50/60Hz	PF:	>0.9	Life span:	20,000 Hours
Luminous Flux:	630lm	Beam Angle:	120°	Gross weight:	210g
LED Type:	SMD	Body Type:	Plastic	Dimension:	600x22x33mm


T5-With Fitting-120cm

14W VT-1273

Box Qty. 50 Pcs

6172 - 3000K Warm White  
6173 - 4500K Day White  
6174 - 6000K White

3800230629210  
3800230629227  
3800230629234



Upto 5Pcs Interlinkable



Sensor Compatible:	Yes	CRI:	>80	On/Off:	>10,000
Voltage/Frequency:	AC:200-240V,50/60Hz	PF:	>0.9	Life span:	20,000 Hours
Luminous Flux:	1260lm	Beam Angle:	120°	Gross weight:	300g
LED Type:	SMD	Body Type:	Plastic	Dimension:	1200x22x33mm


## Cabinet Fitting

# 10w VT-8112

 Box Qty.  
**12 Pcs**

5068 - 3000K Warm White  
5069 - 4500K Day White  
5070 - 6000K White

3800157606714  
3800157606721  
3800157606738

Sensor Compatible: **Yes**CRI: **>80**On/Off: **>10,000**Voltage/Frequency: **AC:220-240V,50/60Hz**PF: **>0.9**Life span: **20,000 Hours**Luminous Flux: **800lm**Beam Angle: **110°**Gross weight: **600g**LED Type: **SMD**Body Type: **Aluminium Body,**Dimension: **579x78x35mm**


## Wall Fitting-60cm

# 10w VT-8111

 Box Qty.  
**25 Pcs**

5071 - 3000K Warm White  
5072 - 4500K Day White  
5073 - 6000K White

3800157606745  
3800157606752  
3800157606769

Sensor Compatible: **Yes**CRI: **>80**On/Off: **>10,000**Voltage/Frequency: **AC:85-265V,50/60Hz**PF: **>0.6**Life span: **20,000 Hours**Luminous Flux: **900lm**Beam Angle: **120°**Gross weight: **240g**LED Type: **SMD**Body Type: **Aluminium+PC**Dimension: **600x32x25mm**


## Wall Fitting-120cm

# 20w VT-8121

 Box Qty.  
**25 Pcs**

5074 - 3000K Warm White  
5075 - 4500K Day White  
5076 - 6000K White

3800157606776  
3800157606783  
3800157606790

Sensor Compatible: **Yes**CRI: **>80**On/Off: **>10,000**Voltage/Frequency: **AC:85-265V,50/60Hz**PF: **>0.6**Life span: **20,000 Hours**Luminous Flux: **1800lm**Beam Angle: **120°**Gross weight: **370g**LED Type: **SMD**Body Type: **Aluminium+PC**Dimension: **1200x32x25mm**

# LED Waterproof Fittings

Introducing our IP65 Ingress Protection Waterproof tubes, built dust-tight allowing it to resist rain and jets of water.



## Product Features

- Luminous efficacy up to 120lm/W and 80lm/W
- Easy to install
- IP65, free from water and dirt
- Without opening the lampshade for direct wiring
- Perfect replacement for the whole set of T8 fluorescent lighting fixture
- Save up to 80% in electricity consumption compared to fluorescent lighting fixture

## Applications

Widely used for Domestic and Commercial Lighting, Offices, Supermarkets, Shops, Hotels & similar environment


## Waterproof Fitting-Tubes

# 36w VT-12023

 Box Qty.  
**10 Pcs**

6387 - 4000K Day White  
6399 - 6400K White

3800157625036  
3800157626385



## 2 LED TUBES INCLUDED

Voltage/Frequency: **AC:200-240V,50/60Hz**Beam Angle: **120°**On/Off: **>10,000**Luminous Flux: **3400lm**Body Type: **ABS+PC**Life span: **30,000 Hours**CRI: **>80**IP Rating: **IP65**Gross weight: **1.33 kg**PF: **>0.9**LED Type: **SMD**Dimension: **1260x112x63mm**


## Waterproof Fitting-Tubes

# 44w VT-15022

 Box Qty.  
**10 Pcs**

6388 - 4000K Day White  
6400 - 6400K White

3800157625043  
3800157626392



## 2 LED TUBES INCLUDED

Voltage/Frequency: **AC:200-240V,50/60Hz**Beam Angle: **120°**On/Off: **>10,000**Luminous Flux: **4000lm**Body Type: **ABS+PC**Life span: **30,000 Hours**CRI: **>80**IP Rating: **IP65**Gross weight: **1.65 kg**PF: **>0.9**LED Type: **SMD**Dimension: **1560x112x63mm**


Waterproof Fitting-G Series

18w VT-6076

Box Qty.  
12 Pcs

6283 - 4000K Day White  
6282 - 6400K White

3800157616478  
3800157616461



Voltage/Frequency: AC:220-240V,50Hz  
Luminous Flux: 1440lm  
CRI: >70  
PF: >0.5

Beam Angle: 120°  
Body Type: ABS+PC  
IP Rating: IP65  
LED Type: SMD

On/Off: >10,000  
Life span: 20,000 Hours  
Gross weight: 0.60 kg  
Dimension: 600x65x58mm


Waterproof Fitting-G Series

36w VT-1249

Box Qty.  
12 Pcs

6285 - 4000K Day White  
6284 - 6400K White

3800157616492  
3800157616485



Voltage/Frequency: AC:220-240V,50Hz  
Luminous Flux: 2880lm  
CRI: >70  
PF: >0.9

Beam Angle: 120°  
Body Type: ABS+PC  
IP Rating: IP65  
LED Type: SMD


On/Off: >10,000  
Life span: 20,000 Hours  
Gross weight: 0.60 kg  
Dimension: 1200x65x58mm

## Waterproof Fitting-G Series

48w VT-1574

 Box Qty.  
12 Pcs

 6287 - 4000K Day White  
 6286 - 6000K White

 3800157616515  
 3800157616508


Voltage/Frequency: AC:220-240V,50Hz

Beam Angle: 120°

On/Off: &gt;10,000

Luminous Flux: 3840lm

Body Type: ABS+PC

Life span: 20,000 Hours

CRI: &gt;70

IP Rating: IP65

Gross weight: 1.1 kg

PF: &gt;0.9

LED Type: SMD


Dimension: 1500x65x58mm

## Waterproof Fitting

18w VT-6048

 Box Qty.  
12 Pcs

 6198 - 4500K Day White  
 6199 - 6000K White

 3800157603256  
 3800157603263


Voltage/Frequency: AC:200-240V,50Hz

Beam Angle: 120°

On/Off: &gt;10,000

Luminous Flux: 1440lm

Body Type: Plastic

Life span: 20,000 Hours

CRI: &gt;70

IP Rating: IP65

Gross weight: 0.80 kg

PF: &gt;0.9

LED Type: SMD


Dimension: 600x76x66mm

Waterproof Fitting  
**36w VT-1248**

6200 - 4500K Day White  
6201 - 6000K White

Box Qty.  
**12 Pcs**

3800157603270  
3800157603287




Voltage/Frequency:	AC:200-240V,50Hz	Beam Angle:	120°	On/Off:	>10,000
Luminous Flux:	2880lm	Body Type:	Plastic	Life span:	20,000 Hours
CRI:	>70	IP Rating:	IP65	Gross weight:	1.42 kg
PF:	>0.9	LED Type:	SMD	Dimension:	1200x76x66mm

Waterproof Fitting  
**48w VT-1548**

6184 - 4500K Day White  
6185 - 6000K White

Box Qty.  
**12 Pcs**

3800157602389  
3800157602396



Voltage/Frequency:	AC:200-240V,50/60Hz	Beam Angle:	120°	On/Off:	>10,000
Luminous Flux:	3920lm	Body Type:	Plastic	Life span:	20,000 Hours
CRI:	>70	IP Rating:	IP65	Gross weight:	1.86 kg
PF:	>0.7	LED Type:	SMD	Dimension:	1480x76x66mm


## Waterproof Fitting

60W VT-1260 SMD

 Box Qty.  
9 Pcs

6062 - 6000K White

3800230625212


**120+** LUMENS  
PER WATT

**SUPER EFFICIENT**


Voltage/Frequency: AC:200-240V,50Hz

Beam Angle: 120°

On/Off: &gt;10,000

Luminous Flux: 7200lm

Body Type: Aluminium

Life span: 20,000 Hours

CRI: &gt;70

IP Rating: IP65

Gross weight: 2.15 kg


PF: &gt;0.9

LED Type: SMD

Dimension: 1200x86x70mm

## Waterproof Fitting

70W VT-1573

 Box Qty.  
6 Pcs
6266 - 4000K Day White  
6267 - 6000K White3800157612586  
3800157612593
**120+** LUMENS  
PER WATT

**SUPER EFFICIENT**


Voltage/Frequency: AC:200-240V,50/60Hz

Beam Angle: 120°

On/Off: &gt;10,000

Luminous Flux: 8400lm

Body Type: Aluminium

Life span: 20,000 Hours

CRI: &gt;70

IP Rating: IP65

Gross weight: 2.75 kg

PF: &gt;0.9

LED Type: SMD

Dimension: 1500x86x70mm


Waterproof-Emergency Kit

36W VT-1250

Box Qty. **12 Pcs**

6448 - 4000K Day White  
6449 - 6500K White

3800157632126  
3800157632133



**Waterproof  
Emergency Kit**

**Charging Time:** 24 Hours  
**Emergency Operation Time:** 3 Hours  
**Emergency Switch on time:** <1 Second

Voltage/Frequency:	AC:220-240V,50/60Hz	PF:	>0.9	O/P Emmergency:	7W Max
Battery Type:	9.6V 2200mAh Ni-Cd	Beam Angle:	120°	Ambient Temp:	50 max
Luminous Flux:	2880lm	Body Type:	ABS+PC	Gross weight:	1.9 kg
LED Type:	SMD	IP Rating:	IP65	Dimension:	1200x76x66mm
CRI:	>70	Life span:	20,000 Hours		


Waterproof-Emergency Kit

48W VT-1550

Box Qty. **12 Pcs**

6446 - 4000K Day White  
6447 - 6500K White

3800157632102  
3800157632119



**Waterproof  
Emergency Kit**

**Charging Time:** 24 Hours  
**Emergency Operation Time:** 3 Hours  
**Emergency Switch on time:** <1 Second

Voltage/Frequency:	AC:220-240V,50/60Hz	PF:	>0.9	O/P Emmergency:	7W Max
Battery Type:	9.6V 2200mAh Ni-Cd	Beam Angle:	120°	Ambient Temp:	50 max
Luminous Flux:	3920lm	Body Type:	ABS+PC	Gross weight:	2.35 kg
LED Type:	SMD	IP Rating:	IP65	Dimension:	1500x76x66mm
CRI:	>70	Life span:	20,000 Hours		

# LED Highbays

V-TAC's new UFO and Linear High bays are designed for widespread illumination, efficiency, and resistance to harsh conditions. The UFO high-bays are supported by Meanwell drivers to boost their performance, are IP65 rated and have a sturdy body to ensure endurance, and have two options of beam angle to choose from, for even light distribution.



## Product Features

- Powerful LED light source with a unique design
- Extensive Options can replace all types of Standard MH Highbays
- Aluminium Diffuser with multiple Beam Angle's to choose from 45°D / 90°D / 120°D
- Shatter Proof Perspex Lens
- High Thermal Conductivity, Low Luminous Decay, Pure Colours & No Heavy Shade
- The unique design of Radiator fuses with the Lamp Box perfectly hence diffuses the heat conduction efficiently which reduces the temperature of inside lamp

## Applications

Perfect fit for Industrial Usage, Warehouse & Super Markets, Workshops, Factories, Warehouses, Highway, toll Stations, Gas Stations, Malls, Exhibition Halls, Stadiums & other vast areas.

---



UFO-High Lumen-Meanwell Driver

100w VT-9120


5550 - 4500K Day White

3800157619714


Box Qty.  
**1 Pcs**

**5** V-TAC<sup>®</sup> PRO  
**YEAR WARRANTY**

\*Guarantee for 10-12 hours daily, usage of the product for 24 hours a day would void warranty.



Luminous Intensity Distribution Curve



Sensor Compatible:	Yes	PF:	> 0.9
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	120°
Luminous Flux:	12000lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP65
CRI:	>70	Dimension:	Ø280x162mm



UFO-High Lumen-Meanwell Driver

100w VT-9107

5587 - 4000K Day White

3800157622295


5588 - 6400K White

3800157622301


Box Qty.  
**4 Pcs**

**5** V-TAC<sup>®</sup> PRO  
**YEAR WARRANTY**

\*Guarantee for 10-12 hours daily, usage of the product for 24 hours a day would void warranty.



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




Sensor Compatible:	Yes	PF:	> 0.9
Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	90°
Luminous Flux:	13000lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP65
CRI:	>70	Dimension:	280x165mm




## UFO-High Lumen-Meanwell Driver

100w VT-9117

5585 - 4000K Day White  
5586 - 6400K White3800157622271  
3800157622288Box Qty.  
4 Pcs


\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty.


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Sensor Compatible:	Yes	PF:	> 0.9
Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	120°
Luminous Flux:	13000lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP65
CRI:	> 70	Dimension:	280x165mm




## UFO-High Lumen-Meanwell Driver

150w VT-9167


5592 - 6400K White

3800157622349

Box Qty.  
2 Pcs


\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty.


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Sensor Compatible:	Yes	PF:	> 0.9
Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	90°
Luminous Flux:	19500lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP65
CRI:	> 70	Dimension:	340x171mm



UFO-High Lumen-Meanwell Driver  
**200w VT-9217**


5594 - 6400K White

3800157622363


Box Qty.  
**2 Pcs**

**5** V-TAC<sup>®</sup> PRO  
**YEAR WARRANTY**

\*Guarantee for 10-12 hours daily, usage of the product for 24 hours a day would void warranty.



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Sensor Compatible:	Yes	PF:	> 0.9
Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	120°
Luminous Flux:	26000lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP65
CRI:	>70	Dimension:	400x187mm



UFO-High Lumen-Meanwell Driver  
**200w VT-9207**


5595 - 4000K White

3800157622370


Box Qty.  
**2 Pcs**

**5** V-TAC<sup>®</sup> PRO  
**YEAR WARRANTY**

\*Guarantee for 10-12 hours daily, usage of the product for 24 hours a day would void warranty.



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Sensor Compatible:	Yes	PF:	> 0.9
Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	90°
Luminous Flux:	26000lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP65
CRI:	>70	Dimension:	400x187mm



UFO-High Lumen-Meanwell Driver

500w VT-9500

5607 - 4000K Day White  
5608 - 6400K White



3800157625050  
3800157625067

 Box Qty.  
1 Pcs



\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty


Sensor Compatible:	Yes	PF:	> 0.9
Voltage/Frequency:	AC:90-295V,50Hz	Beam Angle:	120°
Luminous Flux:	65000lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP65
CRI:	> 80	Dimension:	Ø360






UFO-Highbay-120°  
**50w VT-9053**

5554 - 4500K Day White  
5555 - 6400K White

3800157620895  
3800157620901

 Box Qty.  
**4 Pcs**



**▲120°**  
BEAM ANGLE

Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	120°
Luminous Flux:	4000lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP44
CRI:	>70	Dimension:	Ø221x85mm





## UFO-Highbay-120°

50w VT-9065-W

5609 - 3000K Warm White



5610 - 4000K Day White

5611 - 6400K White


3800157626507

3800157626514

3800157626521

Box Qty.  
8 Pcs120°  
BEAM ANGLE

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Sensor Compatible: Yes

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 4000lm

LED Type: SMD

CRI: &gt;70

PF: &gt;0.9

Beam Angle: 120°

Body Type: Die Cast Aluminium

IP Rating: IP44

Dimension: 220x114mm



## UFO-Highbay-120°

100w VT-9115-W

5612 - 3000K Warm White


5613 - 4000K Day White

5614 - 6400K White


3800157626538

3800157626545

3800157626552

Box Qty.  
2 Pcs120°  
BEAM ANGLE

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Sensor Compatible: Yes

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 8000lm

LED Type: SMD

CRI: &gt;70

PF: &gt;0.9

Beam Angle: 120°

Body Type: Die Cast Aluminium

IP Rating: IP44

Dimension: 280x131mm




UFO-Highbay-120°  
50w VT-9065

5557 - 4000K Day White  
5558 - 6400K White


3800157621946  
3800157621953

Box Qty.  
**8 Pcs**

**120°**  
BEAM ANGLE



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Sensor Compatible:	Yes	PF:	> 0.9
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	120°
Luminous Flux:	4000lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP44
CRI:	>70	Dimension:	220x114mm




UFO-Highbay-90°  
50w VT-9055

5559 - 4000K Day White  
5560 - 6400K White


3800157621960  
3800157621977

Box Qty.  
**8 Pcs**

**90°**  
BEAM ANGLE



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Sensor Compatible:	Yes	PF:	> 0.9
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	90°
Luminous Flux:	4000lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP44
CRI:	>70	Dimension:	220x114mm




### UFO-Highbay-120° 100w VT-9115-B


5574 - 6400K White

3800157621991

 Box Qty.  
4 Pcs

 **120°**  
BEAM ANGLE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




Sensor Compatible: **Yes**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **8000lm**  
 LED Type: **SMD**  
 CRI: **>70**

PF: **>0.9**  
 Beam Angle: **120°**  
 Body Type: **Die Cast Aluminium**  
 IP Rating: **IP44**  
 Dimension: **280x131mm**




### UFO-Highbay-90° 100w VT-9105

5575 - 4000K Day White  
5576 - 6400K White3800157622004  
3800157622011
 Box Qty.  
4 Pcs

 **90°**  
BEAM ANGLE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Sensor Compatible: **Yes**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **8000lm**  
 LED Type: **SMD**  
 CRI: **>70**

PF: **>0.9**  
 Beam Angle: **90°**  
 Body Type: **Die Cast Aluminium**  
 IP Rating: **IP44**  
 Dimension: **280x131mm**




UFO-Highbay-120°  
150W VT-9175

5577 - 4000K Day White  
5578 - 6400K White


3800157622028  
3800157622035

Box Qty.  
**2 Pcs**

**120°**  
BEAM ANGLE



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	120°
Luminous Flux:	12000lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP44
CRI:	>70	Dimension:	340x138mm




UFO-Highbay-90°  
150W VT-9165

5580 - 6400K White


3800157622059

Box Qty.  
**2 Pcs**

**90°**  
BEAM ANGLE



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	90°
Luminous Flux:	12000lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP44
CRI:	>70	Dimension:	340x138mm




## UFO-Highbay-120° 200W VT-9215

5581 - 4000K Day White  
5582 - 6400K White


3800157622066  
3800157622073

Box Qty.  
**2 Pcs**

**120°**  
BEAM ANGLE



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **16000lm**  
LED Type: **SMD**  
CRI: **>70**

PF: **>0.9**  
Beam Angle: **120°**  
Body Type: **Die Cast Aluminium**  
IP Rating: **IP44**  
Dimension: **400x115mm**




## UFO-Highbay-90° 200W VT-9205

5583 - 4000K Day White  
5584 - 6400K White


3800157622080  
3800157622097

Box Qty.  
**2 Pcs**

**90°**  
BEAM ANGLE



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **16000lm**  
LED Type: **SMD**  
CRI: **>70**

PF: **>0.9**  
Beam Angle: **90°**  
Body Type: **Die Cast Aluminium**  
IP Rating: **IP44**  
Dimension: **400x115mm**



 **120°**  
**BEAM ANGLE**

**100<sup>++</sup>** LM/W  
**HIGH LUMENS**

NEW  
**LINEAR**  
LOWBAY

Narrow distribution fixtures are ideal for aisles or higher ceilings. Placing fixtures parallel to aisles is approximately 50% more efficient than a perpendicular alignment and decreases eye strain. This layout is also easier to control with motion sensors. Wide distribution fixtures are better suited for open areas.




Box Qty.  
**1 Pcs**

### Linear Highbay-120° 100w VT-9108


5599 - 4000K Day White  
5600 - 6000K White

3800157624909  
3800157624916

**120°**  
BEAM ANGLE



Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	120°
Luminous Flux:	10000lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP44
CRI:	>70	Dimension:	625x110x115mm




Box Qty.  
**1 Pcs**

### Linear Highbay-120° 150w VT-9158


5601 - 4000K Day White  
5602 - 6000K White

3800157624923  
3800157624930

**120°**  
BEAM ANGLE



Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	120°
Luminous Flux:	15000lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP44
CRI:	>70	Dimension:	898x110x115mm




Box Qty.  
**1 Pcs**

Linear Highbay-120°  
**200w VT-9208**


5603 - 4000K Day White  
5604 - 6000K White

3800157624947  
3800157624954

**120°**  
BEAM ANGLE



Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	120°
Luminous Flux:	20000lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP44
CRI:	>70	Dimension:	1170x110x115mm




Box Qty.  
**1 Pcs**

Linear Highbay-120°  
**300w VT-9308**

5605 - 4000K Day White  
5606 - 6000K White

3800157624961  
3800157624978

**120°**  
BEAM ANGLE



Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	120°
Luminous Flux:	30000lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP44
CRI:	>70	Dimension:	1717x110x115mm

# LED Street Lights

Light the path to the future with LED Street Lights. This state of the art LED Technology provides uniform Brightness and Illumination. Featuring V-TAC's eco-friendly street lights.



## Product Features

- Perfect replacement for traditional lights
- Saves 80% Electricity cost, Better Efficiency and Longer Life Span
- Dedicated IP65 Sealed Optical Cavities
- Optically Optimized Glass Lenses
- Uniformity in Light Distribution - Maximizes Efficiency
- Fully Operational in Extreme Weather up to -25° Celsius
- Low maintenance & Low Power consumption
- Reduced CO<sup>2</sup> emissions

## Applications

Out Door Applications like Streets, Projects, Cross Roads, Tunnels, Car Parks, Industrial Facilities etc.

Streetlight  
**30w VT-15030ST**





5487 - 4000K Day White  
5488 - 6400K White

3800157623469  
3800157623476

Box Qty.  
**1 Pcs**

**IP65**  
RATING



Sensor Compatible:	Yes	PF:	> 0.9
Voltage/Frequency:	AC:190-240V,50/60Hz	Beam Angle:	100°
Luminous Flux:	2400lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP65
CRI:	>70	Dimension:	175x373x52mm

Streetlight-Photo Cell Sensor  
**30w VT-15031ST**





5489 - 4000K Day White  
5490 - 6400K White

3800157623483  
3800157623490

Box Qty.  
**1 Pcs**

**IP65**  
RATING



**PHOTOCELL SENSOR**  
Auto Turns On At Night  
Auto Turns Off At Day Time

Sensor Compatible:	Yes	PF:	> 0.9
Voltage/Frequency:	AC:190-240V,50/60Hz	Beam Angle:	100°
Luminous Flux:	2400lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP65
CRI:	>70	Dimension:	175x373x52mm

## Streetlight

## 50w VT-15051ST



5491 - 4000K Day White  
5492 - 6400K White

3800157623506  
3800157623513



Box Qty.  
**1 Pcs**

**IP65**  
RATING



Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:190-240V,50/60Hz	Beam Angle:	100°
Luminous Flux:	4000lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP65
CRI:	>70	Dimension:	213.5x460x62mm

## Streetlight-Photo Cell Sensor

## 50w VT-15052ST



5493 - 4000K Day White  
5494 - 6400K White

3800157623520  
3800157623537



Box Qty.  
**1 Pcs**

**IP65**  
RATING



**PHOTOCELL SENSOR**  
Auto Turns On At Night  
Auto Turns Off At Day Time

Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:190-240V,50/60Hz	Beam Angle:	100°
Luminous Flux:	4000lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP65
CRI:	>70	Dimension:	213.5x460x62mm

Streetlight

100w VT-15101ST





5495 - 4000K Day White  
5496 - 6400K White

3800157623544  
3800157623551

Box Qty.  
**1 Pcs**

**IP65**  
RATING



Sensor Compatible:	Yes	PF:	> 0.9
Voltage/Frequency:	AC:190-240V,50/60Hz	Beam Angle:	100°
Luminous Flux:	8000lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP65
CRI:	>70	Dimension:	264x538x68mm

Streetlight

120w VT-15123ST





5497 - 4000K Day White  
5498 - 6400K White

3800157623568  
3800157623575

Box Qty.  
**1 Pcs**

**IP65**  
RATING



Sensor Compatible:	Yes	PF:	> 0.9
Voltage/Frequency:	AC:190-240V,50/60Hz	Beam Angle:	100°
Luminous Flux:	9600lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP65
CRI:	>70	Dimension:	264x538x68mm




Streetlight  
150w VT-15156ST

5499 - 4000K Day White  
5500 - 6400K White

3800157623582  
3800157623599




Box Qty.  
**1 Pcs**



316mm

635mm

80 mm



Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:190-240V,50/60Hz	Beam Angle:	100°
Luminous Flux:	12000lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP65
CRI:	>70	Dimension:	316x635x80mm





Streetlight-High Lumen  
**30w VT-15131ST**

5473 - 6000K White

Box Qty.  
**1 Pcs**

**IP65**  
RATING

**120 LUMENS PER WATT**  
**SUPER EFFICIENT**



Sensor Compatible:	Yes	PF:	>0.95
Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	100°
Luminous Flux:	3720lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP65
CRI:	>75	Dimension:	400x180x55mm



Streetlight-High Lumen  
**50w VT-15151ST**



5475 - 4500K Day White  
5476 - 6000K White

3800157608770  
3800157608787

Box Qty.  
**1 Pcs**

**IP65**  
RATING

**120 LUMENS PER WATT**  
**SUPER EFFICIENT**




Sensor Compatible:	Yes	PF:	>0.95
Voltage/Frequency:	AC:100-240V,50Hz	Beam Angle:	100°
Luminous Flux:	6200lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP65
CRI:	>75	Dimension:	477x216x55mm

**new!**


Streetlight

50w VT-15050ST

9757 - 6000K White


 Box Qty.  
**1 Pcs**
**IP65**  
 RATING


Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:85-265V,50/60Hz	Beam Angle:	100°
Luminous Flux:	4250lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP65
CRI:	>70	Dimension:	495x210x55mm

**new!**


Streetlight-High Lumen

100w VT-15105ST

5501 - 3000K Warm White  
5477 - 4500K Day White3800157634595  
3800157608794
 Box Qty.  
**1 Pcs**
**IP65**  
 RATING

**120 LUMENS PER WATT**  
**SUPER EFFICIENT**

Sensor Compatible:	Yes	PF:	>0.90
Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	100°
Luminous Flux:	12400lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP65
CRI:	>70	Dimension:	566x268x62mm




Adapter  
VT-795

3624



Box Qty.  
**10 Pcs**

3800157608152



Compatible with 100W,120W and 150W models, this adapter allows the angle of the streetlight to be adjusted as per client's requirements.



Adapter  
VT-795-1

3668



Box Qty.  
**12 Pcs**

3800157625029



Compatible with 30W and 50W models, this adapter allows the angle of the streetlight to be adjusted as per client's requirements.

# LED Strip Lights

Add an extensive array of lights and colors to any setting or interior, rejuvenate and transform the ambience of any environment at the flick of a switch with V-TAC's LED Strip Light Series. Easy installation with minimal space requirement makes this the right choice for Restaurants, Auditoriums, Meeting Rooms etc.



## Product Features

- LED strip is a low Voltage flexible Ribbon available in DC:12V
- Flexible & easy installation
- Exceptionally low power consumption
- Multiple visual effects in unending colours and shades
- Available in DC:12V and 220V with different color range from Warm White to RGB
- Available in IP20 and IP65 rating
- Available in 8mm or 10mm width
- Available in 1 or 1.5 meter rigid bar options with different options of Aluminium Profiles

## Applications

Ideal for illuminating Borders, Edges, Cabinets, Bars and any area with limited space for installation.



**Blister Pack**



Bed Lights-PIR Sensor

**3W**

**VT-8067**

Box Qty. **25 Pcs**

2548 - 3000K Warm White  
2549 - 4500K Day White

3800157628433  
3800157628440

Watts: 3w  
Voltage: DC:12V  
LED/M: 30  
Strips length: 1.2 m x1  
Sensor Distance: 2-5m  
Delay time: 30sec, 130sec, 380sec



**Blister Pack**



Bed Lights-PIR Sensor

**6W**

**VT-8068**

Box Qty. **18 Pcs**

2550 - 3000K Warm White  
2551 - 4500K Day White

3800157628457  
3800157628464

Watts: 6w  
Voltage: DC:12V  
LED/M: 30  
Strips length: 1.2 m x2  
Sensor Distance: 2-5 m  
Delay time: 30sec, 130sec, 380sec



## Strip Sets-5050 60 LEDs

# 10w

## VT-5050 60 IP20-Set

2545 - 3000K Warm White	3800157626804
2546 - 6000K White	3800157626811
2544 - RGB	3800157625975



Box Qty.  
**20 Pcs**

LED Type:	SMD	lm/M:	1000lm
Watt/M:	10w	lm/LED:	9-11lm
Current/M:	1.5A	Beam Angle:	120°
Voltage:	AC:100-265V,50/60Hz	IP Rating:	IP20
LED Qty	60	Width:	8mm



**BS PLUG**



## Strip Sets-5050 60 LEDs

# 10w

## VT-5050 60 IP20-RGB Set

2558-RGB	3800157634144
----------	---------------



Box Qty.  
**20 Pcs**

LED Type:	SMD	lm/M:	1000lm
Watt/M:	10w	lm/LED:	9-11lm
Current/M:	1.5A	Beam Angle:	120°
Voltage:	AC:100-265V,50/60Hz	IP Rating:	IP20
LED Qty	60	Width:	8mm



**EU PLUG**



Tape-2835 240 LEDs-High Lumen

**18w** VT-2835 240-H

2164 - 3000K Warm White 3800157610117  
 2165 - 4500K Day White 3800157610124  
 2166 - 6000K White 3800157610131



Box Qty.  
**400 Meters**

LED Type:	SMD	lm/M:	3000lm
Watt/M:	18w	lm/LED:	20-22lm
Current/M:	1.5A	Beam Angle:	120°
Voltage:	DC:12V	IP Rating:	IP20
LED Qty	240	Width:	10mm

**3000 LUMENS**  
PER METER  
**SUPER EFFICIENT**

Tape-2835 204 LEDs

**18w** VT-2835 204

2461 - 3000K Warm White 3800157612234  
 2462 - 4500K Day White 3800157612241  
 2463 - 6000K White 3800157612258



Box Qty.  
**400 Meters**

LED Type:	SMD	lm/M:	1700lm
Watt/M:	18w	lm/LED:	9-11lm
Current/M:	1.5A	Beam Angle:	120°
Voltage:	DC:12V	IP Rating:	IP20
LED Qty	204	Width:	10mm

## Tape-5730 120 LEDs-High Lumen

# 18w

**VT-5730 120**

2162 - 3000K Warm White	3800157610094
2163 - 4500K Day White	3800157610100
2161 - 6000K White	3800157610087



LED Type:	SMD	lm/M:	3000lm
Watt/M:	18w	lm/LED:	20-22lm
Current/M:	1.5A	Beam Angle:	120°
Voltage:	DC:12V	IP Rating:	IP20
LED Qty	120	Width:	8mm

## CRI >95

## 3000 LUMENS PER METER

**SUPER EFFICIENT**

## Tape-5050 30 LEDs

# 4.8w

**VT-5050 30-IP20**

2135 - 3000K Warm White	3800230621405
2133 - 6000K White	3800230621382
2124 - RGB	3800230621535



LED Type:	SMD	lm/M:	500lm
Watt/M:	4.8w	lm/LED:	14-16lm
Current/M:	0.4A	Beam Angle:	120°
Voltage:	DC:12V	IP Rating:	IP20
LED Qty	30	Width:	10mm

Tape-5050 30 LEDs

4.8W VT-5050 30-IP65

2145 - 3000K Warm White	3800230621412
2460 - 4500K Day White	3800157612166
2144 - 6000K White	3800230621399
2118 - RGB	3800230621528



LED Type:	SMD	lm/M:	500lm
Watt/M:	4.8w	lm/LED:	14 -16lm
Current/M:	0.4A	Beam Angle:	120°
Voltage:	DC:12V	IP Rating:	IP65
LED Qty	30	Width:	10mm

Tape-5050 60 LEDs

10.8W VT-5050 60-IP20

2122 - 3000K Warm White	3800230621504
2143 - 4500K Day White	3800230621467
2126 - 6000K White	3800230621481
2120 - RGB	3800230621542
2128 - Red	3800230624468
2137 - Blue	3800230621429
2138 - Green	3800230621443
2156 - Yellow	3800230628824



LED Type:	SMD	lm/M:	1000lm
Watt/M:	10.8w	lm/LED:	14 -16lm
Current/M:	0.8A	Beam Angle:	120°
Voltage:	DC:12V	IP Rating:	IP20
LED Qty	60	Width:	10mm

## Tape-5050 60 LEDs

## 10.8w VT-5050 60-IP65

2149 - 3000K Warm White	3800230621511
2150 - 4500K Day White	3800230621474
2148 - 6000K White	3800230621498
2155 - RGB	3800230621559



Box Qty.  
**400 Meters**

LED Type:	SMD	lm/M:	1000lm
Watt/M:	10.8w	lm/LED:	14-16lm
Current/M:	0.8A	Beam Angle:	120°
Voltage:	DC:12V	IP Rating:	IP65
LED Qty	60	Width:	10mm

## Tape-3528 60 LEDs

## 3.6w VT-3528 60-IP20

2016 - 3000K Warm White	3800230621160
2041 - 4500K Day White	3800230621184
2005 - 6000K White	3800230621153
2015 - Red	3800230621269
2013 - Blue	3800230621252
2011 - Green	3800230621221
2009 - Yellow	3800230621214



Box Qty.  
**400 Meters**

LED Type:	SMD	lm/M:	400lm
Watt/M:	3.6w	lm/LED:	5-6lm
Current/M:	0.3A	Beam Angle:	120°
Voltage:	DC:12V	IP Rating:	IP20
LED Qty	60	Width:	8mm

Tape-3528 60 LEDs

3.6W VT-3528 60-IP65

2032 - 3000K Warm White	3800230621177
2043 - 4500K Day White	3800230621191
2031 - 6000K White	3800230621146
2036 - Red	3800230621276
2035 - Blue	3800230621245
2034 - Green	3800230621238



Box Qty. **400 Meters**

LED Type:	SMD	lm/M:	400lm
Watt/M:	3.6w	lm/LED:	5-6lm
Current/M:	0.3A	Beam Angle:	120°
Voltage:	DC:12V	IP Rating:	IP65
LED Qty	60	Width:	8mm

Tape-3528 120 LEDs

7.2W VT-3528 120-IP20

2025 - 3000K Warm White	3800230621306
2042 - 4500K Day White	3800230621320
2002 - 6000K White	3800230621283



Box Qty. **400 Meters**

LED Type:	SMD	lm/M:	600lm
Watt/M:	7.2w	lm/LED:	5-6lm
Current/M:	0.6A	Beam Angle:	120°
Voltage:	DC:12V	IP Rating:	IP20
LED Qty	120	Width:	8mm

## Tape-3528 120 LEDs

# 7.2w VT-3528 120-IP65

2038 - 3000K Warm White	3800230621313
2044 - 4500K Day White	3800230621337
2037 - 6000K White	3800230621290



Box Qty.  
**400 Meters**

LED Type:	SMD	lm/M:	600lm
Watt/M:	7.2w	lm/LED:	5-6lm
Current/M:	0.6A	Beam Angle:	120°
Voltage:	DC:12V	IP Rating:	IP65
LED Qty	120	Width:	8mm

## Tape-5050 60 LEDs

# 10.8w VT-5050 60RGBW

2159 - RGB+White	3800230629623
2552 - RGB+Day White	3800157630306
2553 - RGB+Warm White	3800157630313



Box Qty.  
**400 Meters**

LED Type:	SMD	lm/M:	900lm
Watt/M:	10.8w	lm/LED:	15lm
Current/M:	1.2A	Beam Angle:	120°
Voltage:	DC:12V	IP Rating:	IP20
LED Qty	60	Width:	10mm

Tape-3014 204 LEDs

**18w VT-3014 204**

2404 - 3000K Warm White 3800230628060  
 2405 - 4500K Day White 3800157600309  
 2403 - 6000K White 3800230628053



Box Qty.  
**400 Meters**

LED Type:	SMD	lm/M:	1700lm
Watt/M:	18w	lm/LED:	9-11lm
Current/M:	1.5A	Beam Angle:	120°
Voltage:	DC:12V	IP Rating:	IP20
LED Qty	204	Width:	10mm

Tape-5050 60 LEDs

**9w VT-5050 60-24V**

2431 - 3000K Warm White 3800230621573  
 2459 - 4500K Day White 3800157612036  
 2430 - 6000K White 3800230621566



Box Qty.  
**200 Meters**

LED Type:	SMD	lm/M:	600lm
Watt/M:	9w	lm/LED:	14-16lm
Current/M:	0.3A	Beam Angle:	120°
Voltage:	DC:24V	IP Rating:	IP20
LED Qty	60	Width:	10mm

# LED **Neon** Lights



### Neon Flex-White

8W

**VT-555W**



Box Qty.  
**5 Packets**

SKU Code: 2512 - 6000K White  
Voltage: DC:24V  
Lumen lm/M: 320±5%  
FPC Width MM: 7.5  
Power W/M: 8w  
Jacket Dia: 9 x16.5 mm  
Beam Angle: 160°  
EAN Code: 3800157605656



### Neon Flex-Warm White

8W

**VT-555WW**



Box Qty.  
**5 Packets**

SKU Code: 2513 - 3000K Warm  
Voltage: White  
Lumen lm/M: DC:24V  
FPC Width MM: 320±5%  
Power W/M: 7.5  
Jacket Dia: 8w  
Beam Angle: 9 x16.5 mm  
EAN Code: 160°



### Neon Flex-Day White

8W

**VT-555DW**



Box Qty.  
**5 Packets**

SKU Code: 2514 - 4500K Day  
Voltage: White  
Lumen lm/M: DC:24V  
FPC Width MM: 320±5%  
Power W/M: 7.5  
Jacket Dia: 8w  
Beam Angle: 9 x16.5 mm  
EAN Code: 160°



## Neon Flex-Blue

8W

VT-555B

 Box Qty.  
5 Packets

SKU Code: 2515 - Blue  
Voltage: DC:24V  
Lumen lm/M: 320±5%  
FPC Width MM: 7.5  
Power W/M: 8w  
Jacket Dia: 9 x16.5 mm  
Beam Angle: 160°  
EAN Code: 3800157605687





## Neon Flex-Red

8W

VT-555R

 Box Qty.  
5 Packets

SKU Code: 2516 - Red  
Voltage: DC:24V  
Lumen lm/M: 320±5%  
FPC Width MM: 7.5  
Power W/M: 8w  
Jacket Dia: 9 x16.5 mm  
Beam Angle: 160°  
EAN Code: 3800157605694





## Neon Flex-Green

8W

VT-555G

 Box Qty.  
5 Packets

SKU Code: 2517 - Green  
Voltage: DC:24V  
Lumen lm/M: 320±5%  
FPC Width MM: 7.5  
Power W/M: 8w  
Jacket Dia: 9 x16.5 mm  
Beam Angle: 160°  
EAN Code: 3800157605700





Neon Flex-Yellow

8W

**VT-555Y**



Box Qty.  
**5 Packets**

SKU Code: 2518 - Yellow  
Voltage: DC:24V  
Lumen lm/M: 320±5%  
FPC Width MM: 7.5  
Power W/M: 8w  
Jacket Dia: 9 x16.5 mm  
Beam Angle: 160°  
EAN Code: 3800157605717



Neon Flex-Pink

8W

**VT-555P**



Box Qty.  
**5 Packets**

SKU Code: 2529 - Pink  
Voltage: DC:24V  
Lumen lm/M: 320±5%  
FPC Width MM: 7.5  
Power W/M: 8w  
Jacket Dia: 9 x16.5 mm  
Beam Angle: 160°  
EAN Code: 3800157619523



Neon Flex-Violet

8W

**VT-555V**



Box Qty.  
**5 Packets**

SKU Code: 2531 - Violet  
Voltage: DC:24V  
Lumen lm/M: 320±5%  
FPC Width MM: 7.5  
Power W/M: 8w  
Jacket Dia: 9 x16.5 mm  
Beam Angle: 160°  
EAN Code: 3800157619547



## Aluminium Profiles

 Box Qty.  
**2200Pcs**
**6PCS  
Included with  
Neon Flex**

 SKU Code: 2527  
 EAN Code: 3800157608404

## Neon Power Cord

 Box Qty.  
**500 Pcs**

 SKU Code: 3331  
 EAN Code: 3800157616829


## Neon Connector

 Box Qty.  
**3000 Pcs**

 SKU Code: 3333  
 EAN Code: 3800157607889

## Neon End Safe Cap

 Box Qty.  
**2 Pcs**

 SKU Code: 3334  
 EAN Code: 3800157607896

### LED Strip Set -PLUG AND PLAY

LED STRIP LIGHT set is a complete kit where we provide you with 5 meters of LED STRIP LIGHT, along with the POWER SUPPLY and CONNECTOR and REMOTE CONTROL (optional), to make it a complete kit. Available and made in different colour options as per requirement.

- LED Strip
- Remote control (included)
- Driver (included)
- Packing: Blister Pack, 5 meters roll



SKU	Description:	EAN Code:	BOX Qty:
2351	LED Strip Set SMD3528 60 LEDs 4500K IP20	3800230621634	48 Pcs
2350	LED Strip Set SMD5050 30 LEDs RGB IP20	3800230621641	48 Pcs
2352	LED Strip Set SMD5050 30 LEDs RGB IP65	3800230621658	50 Pcs
2353	LED Strip Set SMD5050 60 LEDs RGB IP20	3800230621665	50 Pcs
2354	LED Strip Set SMD5050 60 LEDs RGB IP65	3800230621672	48 Pcs
2355	LED Strip Set SMD5050 60 LEDs White IP20	3800230621689	48 Pcs
2356	LED Strip Set SMD5050 60 LEDs White IP65	3800230621696	48 Pcs

### Strip Connectors



SKU	Description:	EAN Code:	BOX Qty:
3500	Flexible Connector - LED Strip 3528	3800230622051	100 Pcs
3501	Flexible Connector - LED Strip 5050	3800230622068	100 Pcs
3502	Flexible Connector - LED Strip 5050 RGB	3800230622075	100 Pcs
3503	Connector - LED Strip 3528	3800230622082	100 Pcs
3504	Connector - LED Strip 5050	3800230622099	1000 Pcs
3505	Connector - LED Strip 5050 RGB	3800230622105	1000 Pcs
3507	Flexible Connector - LED Strip 3528 DC Female	3800230622112	100 Pcs
3508	Flexible Connector - LED Strip 5050 DC Female	3800157608466	100 Pcs
3509	Connector - LED Strip 3528 Cross Type	3800157608473	100 Pcs
3510	Connector - LED Strip 5050 Cross Type	3800157608480	200 Pcs
3511	Connector - LED Strip 5050 L Type	3800157608497	250 Pcs
3512	Connector - LED Strip DC Female	3800230622112	100 Pcs

## Bar 4014 144 LEDs

18w

VT-4014 144-2Pc

2535 - 3000K Warm White	3800157625883
2536 - 4000K Day White	3800157625890
2537 - 6400K White	3800157625906

Current:	1.5A
Voltage:	DC:12V
Lumens/LED:	20-24lm
LM/M:	1700lm
Size:	1M
LED Type:	SMD
IP Rating:	IP20





## Bar 4014 144 LEDs

18w

VT-4014 144-10Pc

2538 - 3000K Warm White	3800157625913
2539 - 4000K Day White	3800157625920
2540 - 6400K White	3800157625937

Current:	1.5A
Voltage:	DC:12V
Lumens/LED:	20-24lm
LM/M:	1700lm
Size:	1M
LED Type:	SMD
IP Rating:	IP20





## Bar 4014 144 LEDs

18w

VT-4014 144-P


2541 - 3000K Warm White	3800157625944
2542 - 4500K Day White	3800157625951
2543 - 6400K White	3800157625968

Current:	1.5A
Voltage:	DC:12V
Lumens/LED:	20-24lm
LM/M:	1700lm
Size:	1M
LED Type:	SMD
IP Rating:	IP20






**Aluminium Profile-Transparent**




Model No: VT-7101-T  
 SKU Code: 9981  
 Dimension: 16.76x10.3x1000mm  
 Color of Fixture: Transparent  
 EAN Code: 3800230622129

Box Qty. **100 Pcs**



**Aluminium Profile-Matt**




Model No: VT-7101-M  
 SKU Code: 9982  
 Dimension: 16.76x10.3x1000mm  
 Color of Fixture: Matt  
 EAN Code: 3800230622136

Box Qty. **100 Pcs**



**Aluminium Profile-Transparent**




Model No: VT-7102-T  
 SKU Code: 9983  
 Dimension: 16.9x12.48x1000mm  
 Color of Fixture: Transparent  
 EAN Code: 3800230622143

Box Qty. **140 Pcs**



**Aluminium Profile-Matt**




Model No: VT-7102-M  
 SKU Code: 9984  
 Dimension: 16.9x12.48x1000mm  
 Color of Fixture: Matt  
 EAN Code: 3800230622150

Box Qty. **140 Pcs**




### Aluminium Profile-Transparent



Model No:	VT-7103-T
SKU Code:	9985
Dimension:	26.5x9x1000mm
Color of Fixture:	Transparent
EAN Code:	3800230622150




### Aluminium Profile-Matt



Model No:	VT-7103-M
SKU Code:	9986
Dimension:	26.5x9x1000mm
Color of Fixture:	Matt
EAN Code:	3800230622174



### Aluminium Profile-Matt




Model No:	VT-7104-M
SKU Code:	9987
Dimension:	19x19x1000mm
Color of Fixture:	Matt
EAN Code:	3800230622181



**new!**



### Aluminium Profile-2 Meters




Model No:	VT-7104
SKU Code:	9956
Dimension:	19x19x2000mm
Color of Fixture:	Milky
EAN Code:	3800157635509





**Aluminium Profile-2 Meters**




Box Qty. **150 Pcs**

Model No: VT-7109-2Pc  
 SKU Code: 9957  
 Dimension: 22x17x2000mm  
 Color of Fixture: Milky  
 EAN Code: 3800157617208




**Aluminium Profile-Milky**




Box Qty. **150 Pcs**

Model No: VT-7109  
 SKU Code: 9947  
 Dimension: 22x17x1000mm  
 Color of Fixture: Milky  
 EAN Code: 3800157617208



**Aluminium Profile-Milky**




Box Qty. **150 Pcs**

Model No: VT-7105  
 SKU Code: 9990  
 Dimension: 24.6x7.85x1000mm  
 Color of Fixture: Milky  
 EAN Code: 3800230628077




**Aluminium Profile-2 Meters**




Box Qty. **50 Pcs**


Model No: VT-7105-M  
 SKU Code: 9991  
 Dimension: 24.6x7.85x2000mm  
 Color of Fixture: Milky  
 EAN Code: 3800230628794




### Aluminium Profile-2 Meters



Model No:	<b>VT-7106-1</b>
SKU Code:	<b>9992</b>
Dimension:	<b>17.5x7.8x1000/2000mm</b>
Color of Fixture:	<b>Milky</b>
EAN Code:	<b>3800230628800</b>

 Box Qty.  
**150 Pcs**



### Aluminium Profile-2 Meters



Model No:	<b>VT-7106-2</b>
SKU Code:	<b>9993</b>
Dimension:	<b>17.5x7.8x1000/2000mm</b>
Color of Fixture:	<b>Milky</b>
EAN Code:	<b>3800230628817</b>

 Box Qty.  
**70 Pcs**



### Aluminium Profile-Milky



Model No:	<b>VT-7107</b>
SKU Code:	<b>9994</b>
Dimension:	<b>60x35.1x1000mm</b>
Color of Fixture:	<b>Milky</b>
EAN Code:	<b>3800157601399</b>

 Box Qty.  
**16 Pcs**


### Aluminium Profile-Milky



Model No:	<b>VT-7108</b>
SKU Code:	<b>9995</b>
Dimension:	<b>20.54x1000mm</b>
Color of Fixture:	<b>Milky</b>
EAN Code:	<b>3800157601405</b>

 Box Qty.  
**56 Pcs**



### Strip-Controller-Dimmer

**VT-2402**

Box Qty.  
**50 Pcs**

Dimmer for LED Strip with  
Remote Control

SKU Code: 3300  
Max Current /Watt: 8A, 96W  
Input Voltage: DC:12/24V  
EAN Code: 3800230622198



### Strip-Controller-Radio

**VT-2404**

Box Qty.  
**100 Pcs**

Radio Controller with Remote  
Control 4 Buttons

SKU Code: 3303  
Max Current /Watt: 12A, 144W  
Input Voltage: DC:12/24V  
EAN Code: 3800230622204



### Strip-Controller-DMX 512

**VT-DM X 512**

Box Qty.  
**50 Pcs**

SKU Code: 3307  
Max Current /Watt: 4A x3, 360W  
Input Voltage: DC:12V  
EAN Code: 3800230622266



### Strip-Controller-Radio

**VT-2405**

Box Qty.  
**20 Pcs**

Radio Controller with Touch  
Remote Control

SKU Code: 3312  
Max Current /Watt: 3A x4, 144W  
Input Voltage: DC:12/24V  
EAN Code: 3800230622273



### Strip-Controller-Radio

**VT-2406**

Box Qty.  
**50 Pcs**

Radio Controller with Remote  
Control

SKU Code: 3318  
Max Current /Watt: 500W  
Input Voltage: DC:12/24V  
EAN Code: 3800230622235



### Strip-Controller-RF

**3320**

Box Qty.  
**500 Pcs**

Mini RF Controller

SKU Code: **3320**  
Input Voltage: **DC:12V**  
EAN Code: **3800230628022**



### Strip-Controller-Infrared

**VT-2472**

Box Qty.  
**100 Pcs**

Infrared Controller with  
Remote Control 24 Buttons

SKU Code: **3625**  
Max Current /Watt: **72w**  
Input Voltage: **DC:12/24V**  
EAN Code: **3800230629630**



### Strip-Amplifier-5050

**3009**

Box Qty.  
**100 Pcs**

5050 RGB Strip Amplifier

SKU Code: **3009**  
Max Current /Watt: **6A, 72W**  
Input Voltage: **DC:12V**  
EAN Code: **3800230622259**



### Strip-Amplifier-5050

**3018**

Box Qty.  
**1000 Pcs**

5050 RGB Strip Mini-Amplifier

SKU Code: **3018**  
Input Voltage: **DC:12V**  
EAN Code: **3800230622242**



### Strip-Controller

**3319**

Box Qty.  
**500 Pcs**

24B Mini Controller

SKU Code: **3319**  
Input Voltage: **DC:12V**  
EAN Code: **3800230628015**



Strip-Controller-Wifi

**3321**

Box Qty.  
**50 Pcs**

Wi-Fi Single Controller

SKU Code: 3321  
Input Voltage: DC:12V  
EAN Code: 3800230628039



Strip-Controller-Wifi RGB

**3322**

Box Qty.  
**50 Pcs**

Wi-Fi RGB Controller

SKU Code: 3322  
Input Voltage: DC:12V  
EAN Code: 3800230628046



Strip-Controller-5050

**3326**

Box Qty.  
**100 Pcs**

5050 60 RGB+W/WW with LED Controller

SKU Code: 3326  
Input Voltage: DC:12V  
EAN Code: 3800230629630



Strip-Amplifier

**VT-2408**

Box Qty.  
**100 Pcs**

RGB+W Amplifier

SKU Code: 3327  
Input Voltage: DC:12V  
EAN Code: 3800157601047



Strip-Amplifier

**VT-2407**

Box Qty.  
**100Pcs**

RGB Amplifier

SKU Code: 3309  
Input Voltage: DC:12V  
EAN Code: 3800157620819

**new!**

## Bed Light-Sensor

VT-8069

 Box Qty.  
**400Pcs**

SKU Code:	2554
Input voltage:	DC:12V
Sensing Distance:	2-5m
DeLay Time:	3s-6min
EAN Code:	3800157632690

**new!**

## Bed Light-Touch Sensor

VT-8071

 Box Qty.  
**100Pcs**

SKU Code:	2556
Input voltage:	DC:12V
EAN Code:	3800157632713

**new!**

## Bed Light-Hand Wave Sensor

VT-8072

 Box Qty.  
**100Pcs**

SKU Code:	2557
Input voltage:	DC:12V
EAN Code:	3800157632720

**new!**

## Bed Light-Connector Terminal

VT-8070

 Box Qty.  
**400Pcs**

SKU Code:	2555
EAN Code:	3800157632706



### Strip-Controller-Dimmer

**VT-2410**

Box Qty.  
**100 Pcs**

RF Controller+Dimmer

SKU Code: 3663  
Max Current /Watt: 6A 216W/432W  
Input Voltage: DC:12V  
EAN Code: 3800157619509

**new!**



### LED Sync Controller- Dimmer

**VT-2414**

Box Qty.  
**50Pcs**

SKU Code: 3337  
Input Voltage: DC:12/24V  
EAN Code: 3800157634601

**new!**



### LED Sync Controller- RGBW/WW

**VT-2424**

Box Qty.  
**60Pcs**

SKU Code: 3338  
Input Voltage: DC:12/24V  
EAN Code: 3800157634618

**new!**



### LED Sync Controller- RGB

**VT-2420**

Box Qty.  
**60Pcs**

SKU Code: 3339  
Input Voltage: DC:12/24V  
EAN Code: 3800157634625

**new!**



### LED Sync Controller- RGB

**VT-2421**

Box Qty.  
**100Pcs**

SKU Code: 3340  
Input Voltage: DC:12/24V  
EAN Code: 3800157634632

## Modules-3 SMD-IP67

0.72W VT-50303

5116 - 6000K White  
5117 -Red  
5118 - Blue  
5119 - Green

3800157610209  
3800157610216  
3800157610223  
3800157610230

Voltage/Frequency: DC:12V  
Luminous Flux: 66lm  
LED Type: SMD  
CRI: >75  
Beam Angle: 160°  
Dimension: 67x15x8.5mm  
IP Rating: IP67



 Box Qty.  
2000 Pcs

 IP67  
RATING

## Modules-3 SMD-IP67

1W VT-28353

5120 - 6000K White  
5121 -Red  
5122 - Blue  
5123 - Green

3800157610247  
3800157610254  
3800157610261  
3800157610278

Voltage/Frequency: DC:12V  
Luminous Flux: 100lm  
LED Type: SMD  
CRI: >75  
Beam Angle: 120°  
Dimension: 53x12x4.6mm  
IP Rating: IP67



 Box Qty.  
2000 Pcs

 IP67  
RATING

## Modules-3 SMD-IP67

1.5W VT-28356

5124 - 3000K Warm White  
5125 - 6000K White  
5126 -Red  
5127 - Blue  
5128 - Green

3800157621687  
3800157621694  
3800157621700  
3800157621717  
3800157621724

Voltage/Frequency: DC:12V  
Luminous Flux: 120-150lm  
LED Type: SMD  
CRI: >75  
Beam Angle: 120°  
Dimension: 87x15x10mm  
IP Rating: IP67



 Box Qty.  
2000 Pcs

 IP67  
RATING

Modules-4 SMD-IP68

1.44w VT-28358

5129 - 3000K Warm White	3800157621731
5130 - 6000K White	3800157621748
5131 -Red	3800157621755
5132 -Blue	3800157621762
5133 -Green	3800157621779

Voltage/Frequency: DC:12V  
 Luminous Flux: 120-135lm  
 LED Type: SMD  
 CRI: >75  
 Beam Angle: 160°  
 Dimension: 37x37x6.8mm  
 IP Rating: IP68



Box Qty. **100Pcs**

**IP68**  
RATING

Modules-3 SMD-IP67

0.72w VT-50506

5134 - RGB	3800157621786
------------	---------------

Voltage/Frequency: DC:12V  
 Luminous Flux: 20lm  
 LED Type: SMD  
 CRI: >75  
 Beam Angle: 120°  
 Dimension: 68x19.5x5.7mm  
 IP Rating: IP67



Box Qty. **100 Pcs**

**IP67**  
RATING

Modules-SMD-IP68

0.24w VT-50501

5135 - 3000K Warm white	3800157621793
5136 - 6000K White	3800157621809
5137 -Red	3800157621816
5139 - Blue	3800157621830
5140 - Green	3800157621847
5138 - Yellow	3800157621823

Voltage/Frequency: DC:12V  
 Luminous Flux: 20lm  
 LED Type: SMD  
 CRI: >75  
 Beam Angle: 120°  
 Dimension: 12x22mm  
 IP Rating: IP68



Box Qty. **320 Pcs**

**IP68**  
RATING

# Power Supply For LED Strip Lights





Slim Power Supply

**VT-20062**

Box Qty.  
**36 Pcs**

SKU Code: 3246  
Watts: 60w  
Current Capacity: 5A  
Output: DC:12V  
Unit Size: 130x50x31mm  
EAN Code: 3800157628549



Slim Power Supply

**VT-20077**

Box Qty.  
**60 Pcs**

With short circuit protection,  
over load protection, stable  
output voltage

SKU Code: 3247  
Watts: 75w  
Current Capacity: 6A  
Output: DC:12V  
Unit Size: 130x50x31mm  
EAN Code: 3800157628556



Slim Power Supply

**VT-20122**

Box Qty.  
**80 Pcs**

Built in EMI Filter

SKU Code: 3243  
Watts: 120w  
Current Capacity: 10A  
Output: DC:12V  
Unit Size: 190x50x31mm  
EAN Code: 3800157628525



Slim Power Supply

**VT-20152**

Box Qty.  
**60 Pcs**

High efficiency, low  
temperature

SKU Code: 3244  
Watts: 150w  
Current Capacity: 12.5A  
Output: DC:12V  
Unit Size: 200x62x31mm  
EAN Code: 3800157628532



## Power Supply-Metal

**VT-20026**
 Box Qty.  
**100 Pcs**

100% load tested

SKU Code:	3228
Watts:	25w
Current Capacity:	2.1A
Output:	DC:12V
Unit Size:	140x33x27mm
EAN Code:	3800157622929



## Power Supply-Metal

**VT-20350**
 Box Qty.  
**20 Pcs**

Protection Rating : IP20

SKU Code:	3057
Watts:	350w
Current Capacity:	30A
Output:	DC:12V
Unit Size:	215x115x50mm
EAN Code:	3800230621795



## Power Supply-Metal

**VT-20061**
 Box Qty.  
**100 Pcs**

CE, ROHS, EMC approved

SKU Code:	3229
Watts:	60w
Current Capacity:	5A
Output:	DC:12V
Unit Size:	160x40x32mm
EAN Code:	3800157622936



## Power Supply-Metal

**VT-20076**
 Box Qty.  
**60 Pcs**

SKU Code:	3230
Watts:	75w
Current Capacity:	6A
Output:	DC:12V
Unit Size:	188x47x35mm
EAN Code:	3800157622943



Power Supply-Metal

**VT-20121**

Box Qty.  
**36 Pcs**

SKU Code: 3226  
Watts: 120w  
Current Capacity: 10A  
Output: DC:12V  
Unit Size: 188x47x35mm  
EAN Code: 3800157622905



Power Supply-Metal

**VT-20151**

Box Qty.  
**50 Pcs**

SKU Code: 3227  
Watts: 150w  
Current Capacity: 12.5A  
Output: DC:12V  
Unit Size: 200x58x40mm  
EAN Code: 3800157622912

**new!**



Power Supply-Metal

**VT-20153**

Box Qty.  
**50 Pcs**

SKU Code: 3253  
Watts: 150w  
Current Capacity: 6.5A  
Output: DC:24V  
Unit Size: 253x72x45mm  
EAN Code: 3800157635233

**new!**



Power Supply-Metal

**VT-20027**

Box Qty.  
**100 Pcs**

SKU Code: 3254  
Watts: 25w  
Current Capacity: 2A  
Output: DC:12V  
Unit Size: 140x33x27mm  
EAN Code: 3800157635264




LED Power Supply-TRIAC Dimmable

VT-20101D

 Box Qty.  
50 Pcs


SKU Code:	3256
Watts:	100w
Current Capacity:	8.5A
Output:	DC:12V
Unit Size:	199x98x42mm
EAN Code:	3800157635523




LED Power Supply-TRIAC Dimmable

VT-20154D

 Box Qty.  
50 Pcs


SKU Code:	3257
Watts:	150w
Current Capacity:	12.5A
Output:	DC:12V
Unit Size:	199x98x42mm
EAN Code:	3800157635530




LED Power Supply-TRIAC Dimmable

VT-20155D

 Box Qty.  
50 Pcs


SKU Code:	3258
Watts:	150w
Current Capacity:	6.25A
Output:	DC:24V
Unit Size:	199x98x42mm
EAN Code:	3800157635547



LED Power Supply-Rainproof-IP45  
**VT-21151**

**IP45**  
RATING

Box Qty.  
**40 Pcs**

SKU Code: 3231  
Watts: 150w  
Current Capacity: 12.5A  
Output: DC:12V  
Unit Size: 207x74x42mm  
EAN Code: 3800157627979



LED Power Supply-Rainproof-IP45  
**VT-21251**

**IP45**  
RATING

Box Qty.  
**25 Pcs**

SKU Code: 3232  
Watts: 250w  
Current Capacity: 20A  
Output: DC:12V  
Unit Size: 218x95x50mm  
EAN Code: 3800157627986



LED Power Supply-Rainproof-IP45  
**VT-21401**

**IP45**  
RATING

Box Qty.  
**20 Pcs**

SKU Code: 3233  
Watts: 400w  
Current Capacity: 33A  
Output: DC:12V  
Unit Size: 223x118x50mm  
EAN Code: 3800157627993



## Power Supply-Waterproof-IP65

VT-22101

 Box Qty.  
20 Pcs

SKU Code:	3101
Watts:	100w
Current Capacity:	4.2A
Output:	DC:24V
Unit Size:	201x30.5x20mm
EAN Code:	3800157605991



## Power Supply-Waterproof-IP67

VT-22061

 Box Qty.  
40 Pcs

SKU Code:	3234
Watts:	60w
Current Capacity:	5A
Output:	DC:12V
Unit Size:	166x43x33mm
EAN Code:	3800157628006



## Power Supply-Waterproof-IP67

VT-22075

 Box Qty.  
40 Pcs

SKU Code:	3235
Watts:	75w
Current Capacity:	6A
Output:	DC:12V
Unit Size:	166x43x33mm
EAN Code:	3800157628013



## Power Supply-Waterproof-IP67

VT-22153

 Box Qty.  
15 Pcs

SKU Code:	3248
Watts:	150w
Current Capacity:	6A
Output:	DC:12V
Unit Size:	192x52x37mm
EAN Code:	3800157629362



**new!**

Power Supply-Waterproof-IP67



**VT-22155**

SKU Code:	3250
Watts:	150w
Current Capacity:	12.5A
Output:	DC:12V
Unit Size:	192x52x37mm
EAN Code:	3800157630436



Box Qty.  
**20 Pcs**

**5** V-TAC<sup>®</sup> PRO  
**YEAR WARRANTY**

\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

**new!**

Power Supply-Waterproof-IP67



**VT-22105**

SKU Code:	3251
Watts:	100w
Current Capacity:	8.3A
Output:	DC:12V
Unit Size:	192x52x37mm
EAN Code:	3800157630443



Box Qty.  
**25 Pcs**

**5** V-TAC<sup>®</sup> PRO  
**YEAR WARRANTY**

\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

**new!**

Power Supply-Waterproof-IP67



**VT-22065**

SKU Code:	3252
Watts:	60w
Current Capacity:	5A
Output:	DC:12V
Unit Size:	166x43x33mm
EAN Code:	3800157630450



Box Qty.  
**40 Pcs**

**5** V-TAC<sup>®</sup> PRO  
**YEAR WARRANTY**

\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



## Power Supply-Plastic-IP44

VT-23019

 Box Qty.  
**120 Pcs**

SKU Code:	3237
Watts:	18w
Current Capacity:	1.5A
Output:	DC:12V
Unit Size:	73x27x43mm
EAN Code:	3800157628037



## Power Supply-Plastic-IP44

VT-23031

 Box Qty.  
**50 Pcs**

SKU Code:	3238
Watts:	30w
Current Capacity:	2.5A
Output:	DC:12V
Unit Size:	119x52x32mm
EAN Code:	3800157628044



## Power Supply-Plastic-IP44

VT-23061

 Box Qty.  
**50 Pcs**

SKU Code:	3239
Watts:	60w
Current Capacity:	5A
Output:	DC:12V
Unit Size:	119x52x32mm
EAN Code:	3800157628051



Power Supply-Plastic-IP44

**VT-23079**



Box Qty.  
**50 Pcs**

SKU Code: 3240  
Watts: 78w  
Current Capacity: 6.5A  
Output: DC:12V  
Unit Size: 119x52x32mm  
EAN Code: 3800157628068



Power Supply-Plastic-IP44

**VT-23043**



Box Qty.  
**50 Pcs**

SKU Code: 3249  
Watts: 42w  
Current Capacity: 3.5A  
Output: DC:12V  
Unit Size: 119x52x32mm  
EAN Code: 3800157629379



Power Supply-Plastic

**VT-23060**



Box Qty.  
**50 Pcs**

SKU Code: 3035  
Watts: 60w  
Current Capacity: 5A  
Output: DC:12V  
Unit Size: 130x90x45mm  
EAN Code: 3800157601085



## LED Linear Lights

V-TAC LED Linear Trunking System is an energy-efficient, low maintenance alternative to traditional linear fluorescent in a variety of industrial, commercial and light assembly applications. It is the optimal solution for conventional lighting systems and also excellent for new installations due to its low installation cost.

### High lumen output

output:160 lm/W to meet different requirements

**160<sup>++</sup>**  
LM/W  
**HIGH LUMENS**

### Flexible Beam angle


90°, 120°, double-asymmetric



### Modular system

Continous row system, seamless connection, max 3500W /row






**LED Linear Master Trunking**

1360 - 4000K Day White


3800157625647



**LED Linear Master Trunking**

1361 - 4000K Day White


3800157625654



**LED Linear Master Trunking**

1362 - 4000K Day White

3800157625661



50w

VT-4551D

Box Qty.  
2 Pcs

**5** **V-TAC**<sup>®</sup> **PRO**  
**YEAR WARRANTY**

\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty




Sensor Compatible: **Yes**  
 Voltage/Frequency: **AC:220-240V,50/60Hz**  
 Luminous Flux: **8000lm**  
 LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.9**

Color of Fixture: **White**  
 Body Type: **Steel**  
 Dimension: **1500mm**  
 ON/OFF Time: **>15000**  
 Life Span: **50,000 Hours**


V-TAC PERFORMANCE  
**160**  
LUMENS/WATT






LED Linear Follow Trunking

1363 - 4000K Day White  
3800157625678




LED Linear Follow Trunking

1364 - 4000K Day White  
3800157625685



LED Linear Follow Trunking

1365 - 4000K Day White  
3800157625692



50w VT-4550D

Box Qty.  
2 Pcs

Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **8000lm**  
LED Type: **SMD**  
CRI: **>80**  
PF: **>0.9**

**5** V-TAC® PRO  
**YEAR WARRANTY**

\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty.

Color of Fixture: **White**  
Body Type: **Steel**  
Dimension: **1500mm**  
ON/OFF Time: **>15000**  
Life Span: **50,000 Hours**



V-TAC PERFORMANCE  
**160**  
LUMENS/WATT



Linear Track Module

Box Qty.  
**5Pcs**

SKU Code: **1382**  
EAN Code: **3800157626415**



End Cap-Linear Light Accessory

Box Qty.  
**200 Pcs**

SKU Code: **1366**  
EAN Code: **3800157625708**



Suspended Cord-Linear Light

Box Qty.  
**100 Pcs**

SKU Code: **1367**  
EAN Code: **3800157625715**



8 Wire-Feed In Male Connector

Box Qty.  
**200 Pcs**

SKU Code: **1368**  
EAN Code: **3800157625722**



L Node Connector-Linear

Box Qty.  
**8Pcs**

SKU Code: **1383**  
EAN Code: **3800157626422**



T Node Connector-Linear

Box Qty.  
**2Pcs**

SKU Code: **1384**  
EAN Code: **3800157626439**



X Node Connector-Linear

Box Qty.  
**2Pcs**

SKU Code: **1385**  
EAN Code: **3800157626446**



S Line-Follow Trunking Rail

Box Qty.  
**10 Pcs**

SKU Code: **1451**  
EAN Code: **3800157633079**



S Line-PC Blank Cover

Box Qty.  
**35 Pcs**

SKU Code: **1452**  
EAN Code: **3800157633086**

# LED Track Lights

Perfect ecological alternative to Old Halogen Lights, Track lights are the extensive range of modern LED Track Lights! Delivering high performance, excellent durability and remarkable light output to serve the general Commercial and Retail market.



## Product Features

- Available from 10W up to 45W
- Saves 80% energy
- No Ultraviolet or Infrared Rays
- Totally flexible, Compact & Adjustable design
- No Lead or Mercury content hence environment friendly
- Provides Uniform Radiance & Enhances appeal of any environment.
- Enhances measurable levels of performance as compared to older versions of high wattage halogen & HID light sources in retail & Commercial Lighting applications.

## Applications

Perfect choice for Exhibition Stands, Hotels, Bars, Commercial & Residential Lighting.




**15° to 60°**  
Beam Angle  
Adjustable by Rotating



Tracklights-CREE COB-15° to 60°  
**35w VT-4735**


- |                         |               |
|-------------------------|---------------|
| 1357 - 3000K Warm White | 3800157625074 |
| 1358 - 4000K Day White  | 3800157625081 |
| 1359 - 6400K White      | 3800157625098 |

Box Qty.  
**8 Pcs**



**5** **V-TAC®** **PRO**  
**YEAR WARRANTY**

\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **2800lm**  
LED Type: **COB(CREE)**  
CRI: **>80**

PF: **>0.9**  
Beam Angle: **15°-60° (Adjustable)**  
Color of Fixture: **White**  
Body Type: **Aluminium**  
Life span: **30,000 Hours**  
Dimension: **178.4x197.7x95mm**



## Tracklights-Color Changing

18W VT-4718-W


1410 - 3 IN 1

3800157629324

 Box Qty.  
20 Pcs

**CCT Adjustable**  
2800K/4000K/6000K

**Lens Angle Adjustable**  
20°~60°

**Triac Dimmable**


Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	20° ~ 60° (Adjustable)
Luminous Flux:	1450lm	Color of Fixture:	White
LED Type:	COB	Body Type:	Aluminium
CRI:	>95	Life span:	30,000 Hours
		Dimension:	Ø93x93.5x203mm

\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty


## Tracklights-Color Changing

18W VT-4718-B


1411 - 3 IN 1

3800157629331

 Box Qty.  
20 Pcs

**CCT Adjustable**  
2800K/4000K/6000K

**Lens Angle Adjustable**  
20°~60°

**Triac Dimmable**


Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	20° ~ 60° (Adjustable)
Luminous Flux:	1450lm	Color of Fixture:	Black
LED Type:	COB	Body Type:	Aluminium
CRI:	>95	Life span:	30,000 Hours
		Dimension:	Ø93x93.5x203mm

\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty




Tracklights-Color Changing

35W VT-4745-W

1412 - 3 IN 1

3800157629348

Box Qty.  
8 Pcs



**CCT Adjustable**  
2800K/4000K/6000K



**Lens Angle Adjustable**  
20°~60°



**Triac Dimmable**

Sensor Compatible:	Yes	PF:	> 0.9
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	20° ~ 60° (Adjustable)
Luminous Flux:	3000lm	Color of Fixture:	White
LED Type:	COB	Body Type:	Aluminium
CRI:	> 95	Life span:	30,000 Hours
		Dimension:	Ø100x196x262mm



\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty




Tracklights-Color Changing

35W VT-4745-B

1413 - 3 IN 1

3800157629355

Box Qty.  
8 Pcs



**CCT Adjustable**  
2800K/4000K/6000K



**Lens Angle Adjustable**  
20°~60°



**Triac Dimmable**

Sensor Compatible:	Yes	PF:	> 0.9
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	20° ~ 60° (Adjustable)
Luminous Flux:	3000lm	Color of Fixture:	Black
LED Type:	COB	Body Type:	Aluminium
CRI:	> 95	Life span:	30,000 Hours
		Dimension:	Ø100x196x262mm



\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty




## Tracklights-Black-White Body

10W VT-4512


1332 - 3000K Warm White 3800157620604  
 1333 - 4000K Day White 3800157620611  
 1334 - 6000K White 3800157620628

Box Qty.  
**40 Pcs**



**5** **YEAR WARRANTY**

\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty.



Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:220-264V,50/60Hz	Beam Angle:	24°
Luminous Flux:	800lm	Color of Fixture:	Black+White
LED Type:	COB	Body Type:	Aluminium
CRI:	>80	Life span:	30,000 Hours
		Dimension:	209x65x163mm




## Tracklights-Black-White Body

25W VT-4528

1335 - 3000K Warm White 3800157620635  
 1336 - 4000K Day White 3800157620642  
 1337 - 6000K White 3800157620659

Box Qty.  
**20 Pcs**



**5** **YEAR WARRANTY**

\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty.



Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	24°
Luminous Flux:	2100lm	Color of Fixture:	Black+White
LED Type:	COB	Body Type:	Aluminium
CRI:	>80	Life span:	30,000 Hours
		Dimension:	209x85x187mm




Tracklights-Black-White Body

35W VT-4537

- 1338 - 3000K Warm White
- 1339 - 4000K Day White
- 1340 - 6000K White


- 3800157620666
- 3800157620673
- 3800157620680

Box Qty.  
**10 Pcs**



**5** V-TAC<sup>®</sup> PRO  
**YEAR WARRANTY**

\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty.



Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	24°
Luminous Flux:	2850lm	Color of Fixture:	Black+White
LED Type:	COB	Body Type:	Aluminium
CRI:	>80	Life span:	30,000 Hours
		Dimension:	224x100x215mm





## Tracklights-White Body-5 Years



15W VT-4615W

1298 - 3000K Warm White 3800157619851  
 1299 - 4000K Day White 3800157619868  
 1300 - 6400K White 3800157619875

Box Qty.  
**20 Pcs**

**5** **YEAR WARRANTY**

\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty.



Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	24°
Luminous Flux:	1350lm	Color of Fixture:	White
LED Type:	COB	Body Type:	Aluminium
CRI:	>95	Life span:	30,000 Hours
		Dimension:	Ø180x97x155mm



## Tracklights-Black Body-5 Years



15W VT-4615B

1301 - 3000K Warm White 3800157619882  
 1302 - 4000K Day White 3800157619899  
 1303 - 6400K White 3800157619905

Box Qty.  
**20 Pcs**

**5** **YEAR WARRANTY**

\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty.



Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	24°
Luminous Flux:	1350lm	Color of Fixture:	Black
LED Type:	COB	Body Type:	Aluminium
CRI:	>95	Life span:	30,000 Hours
		Dimension:	180x97x155mm



Tracklights-White Body-5 Years


30w VT-4635W

- 1292 - 3000K Warm White 3800157619790
- 1293 - 4000K Day White 3800157619806
- 1294 - 6400K White 3800157619813

Box Qty.  
**20 Pcs**



\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:220-264V,50/60Hz	Beam Angle:	24°
Luminous Flux:	2700lm	Color of Fixture:	White
LED Type:	COB	Body Type:	Aluminium
CRI:	>95	Life span:	30,000 Hours
		Dimension:	180x140x215mm



Tracklights-Black Body-5 Years


30w VT-4635B

- 1295 - 3000K Warm White 3800157619820
- 1296 - 4000K Day White 3800157619837
- 1297 - 6400K White 3800157619844

Box Qty.  
**20 Pcs**



\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:220-264V,50/60Hz	Beam Angle:	24°
Luminous Flux:	2700lm	Color of Fixture:	Black
LED Type:	COB	Body Type:	Aluminium
CRI:	>95	Life span:	30,000 Hours
		Dimension:	180x140x215mm




## Tracklights-Black Body

33W VT-4535


1233 - 3000K Warm White  
1234 - 4000K Day White  
1235 - 5000K White

3800157603720  
3800157603737  
3800157603744

Box Qty.  
**8 Pcs**



LUMINOUS INTENSITY DISTRIBUTION



Experience The  
*True Colors* with  
**CRI95 TRACKS**

**CRI**  
**>95**

Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	25°
Luminous Flux:	1800lm	Color of Fixture:	Black
LED Type:	COB	Body Type:	Die Cast Aluminium
CRI:	>95	Life span:	20,000 Hours
		Dimension:	112x165x205mm




## Tracklights-Black Body

45W VT-4545


1236 - 3000K Warm White  
1237 - 4000K Day White  
1238 - 5000K White

3800157603751  
3800157603768  
3800157603775

Box Qty.  
**8 Pcs**



LUMINOUS INTENSITY DISTRIBUTION



Experience The  
*True Colors* with  
**CRI95 TRACKS**

**CRI**  
**>95**


Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	25°
Luminous Flux:	2300lm	Color of Fixture:	Black
LED Type:	COB	Body Type:	Die Cast Aluminium
CRI:	>95	Life span:	20,000 Hours
		Dimension:	123x165x218mm



Tracklights-Black Body  
20w VT-4521T

1202 - 5000K Day White 3800157600187

Box Qty.  
8 Pcs




Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	46°
Luminous Flux:	1500lm	Color of Fixture:	Black
LED Type:	COB	Body Type:	Die Cast Aluminium
CRI:	>80	Life span:	20,000 Hours
		Dimension:	Ø80x185mm



Tracklights-Black Body  
40w VT-4540T

1191 - 3000K Warm White 3800230629548  
1192 - 5000K Day White 3800230629555

Box Qty.  
8 Pcs



Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	22°
Luminous Flux:	2600lm	Color of Fixture:	Black
LED Type:	COB	Body Type:	Aluminium
CRI:	>70	Life span:	20,000 Hours
		Dimension:	225x185x138mm




### Tracklights-White Body

## 33W VT-4534W


1241 - 3000K Warm White  
1229 - 4000K Day White  
1230 - 5000K White

3800157603997  
3800157602501  
3800157602518

Box Qty.  
**8 Pcs**



#### LUMINOUS INTENSITY DISTRIBUTION



Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	22°
Luminous Flux:	2300lm	Color of Fixture:	White
LED Type:	COB	Body Type:	Die Cast Aluminium
CRI:	>80	Life span:	20,000 Hours
		Dimension:	106x208x206mm




### Tracklights-Black Body

## 33W VT-4534B


1242 - 3000K Warm White  
1231 - 4000K Day White  
1232 - 5000K White

3800157604000  
3800157602525  
3800157602532

Box Qty.  
**8 Pcs**



#### LUMINOUS INTENSITY DISTRIBUTION



Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	22°
Luminous Flux:	2300lm	Color of Fixture:	Black
LED Type:	COB	Body Type:	Die Cast Aluminium
CRI:	>80	Life span:	20,000 Hours
		Dimension:	106x208x206mm




Tracklights-White Body  
35w VT-4536W


1255 - 3000K Warm White  
1256 - 4500K Day White  
1257 - 6000K White

3800157607551  
3800157607568  
3800157607575

Box Qty.  
20 Pcs



LUMINOUS INTENSITY DISTRIBUTION



Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:220-264V,50/60Hz	Beam Angle:	24°
Luminous Flux:	3500lm	Color of Fixture:	White
LED Type:	COB	Body Type:	Aluminium
CRI:	>80	Life span:	20,000 Hours
		Dimension:	92x165x192mm




Tracklights-Black Body  
35w VT-4536B


1285 - 3000K Warm White  
1286 - 4000K Day White  
1287 - 6000K White

3800157618694  
3800157618700  
3800157618717

Box Qty.  
20 Pcs



LUMINOUS INTENSITY DISTRIBUTION



Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:220-264V,50/60Hz	Beam Angle:	24°
Luminous Flux:	3500lm	Color of Fixture:	Black
LED Type:	COB	Body Type:	Aluminium
CRI:	>80	Life span:	20,000 Hours
		Dimension:	92x165x192mm



Track Fittings-4Line-GU10

4 Line White



Box Qty.

**24 Pcs VT-7111-4B**

SKU Code: 3544

EAN Code: 3800230628299



Track Fittings-4Line-PAR20

4 Line White



Box Qty.

**18 Pcs VT-7112-4W**

SKU Code: 3554

EAN Code: 3800230628398



Track Fittings-2Line-PAR20

2 Line White



Box Qty.

**18 Pcs VT-7112-2W**

SKU Code: 3556

EAN Code: 3800230628411



Track Fittings-4Line-PAR30

4 Line White



Box Qty.

**24 Pcs VT-7113-W**

SKU Code: 3548

EAN Code: 3800230628336



Track Fittings-4Line-PAR20

4 Line Black



Box Qty.

**18 Pcs VT-7112-4B**

SKU Code: 3553

EAN Code: 3800230628381



Track Fittings-4Line-E27

4 Line White



Box Qty.

**50 Pcs VT-7115**

SKU Code: 3567

EAN Code: 3800157602402



Track Fittings-4Line-PAR38

4 Line White



Box Qty.

**18 Pcs VT-7116-4W**

SKU Code: 3570

EAN Code: 3800157604252



Track Fittings-4Line-E27

4 Line Black



Box Qty.

**50 Pcs VT-7117**

SKU Code: 3574

EAN Code: 3800157604291



Track-Connectors-4I



Box Qty.

**50 Pcs**

SKU Code: 3522

EAN Code: 3800230623232



Track-Connectors-4I

Box Qty.  
**50 Pcs**

SKU Code: 3523  
EAN Code: 3800230623195



Track-Connectors-4T

Box Qty.  
**25 Pcs**

SKU Code: 3524  
EAN Code: 3800230623201



Track-Connectors-4T

Box Qty.  
**25 Pcs**

SKU Code: 3525  
EAN Code: 3800230623249



Track-Connectors-4X

Box Qty.  
**10 Pcs**

SKU Code: 3526  
EAN Code: 3800230623218



4 Wired Y Series-Connectors

Box Qty.  
**100 Pcs**

SKU Code: 3655  
EAN Code: 3800157619103



4 Wired Y Series-Connectors

Box Qty.  
**100 Pcs**

SKU Code: 3656  
EAN Code: 3800157619110



4 Wired Y Series-Connectors

Box Qty.  
**200 Pcs**

SKU Code: 3657  
EAN Code: 3800157619127



4 Wired Y Series-Connectors

Box Qty.  
**200 Pcs**

SKU Code: 3658  
EAN Code: 3800157619134



4 Wired Y Series-Adaptor

Box Qty.  
**50 Pcs**

SKU Code: 3659  
EAN Code: 3800157619141



4 Wired Y Series-Adaptor

 Box Qty.  
**50 Pcs**

 SKU Code: 3660  
 EAN Code: 3800157619158


Track-Connectors-4X

 Box Qty.  
**10 Pcs**

 SKU Code: 3527  
 EAN Code: 3800230623256


Track-Connectors-4L

 Box Qty.  
**25 Pcs**

 SKU Code: 3528  
 EAN Code: 3800230623225


Track-Connectors-4L

 Box Qty.  
**25 Pcs**

 SKU Code: 3529  
 EAN Code: 3800230623263


Flexible Joint-4 Line

 Box Qty.  
**20 Pcs**

 SKU Code: 3560  
 EAN Code: 3800230628459


Hanging Trackline Kit-1 Meter

 Box Qty.  
**100 Pcs**

 SKU Code: 3565  
 EAN Code: 3800157600019


Hanging Trackline Kit-1 Meter

 Box Qty.  
**100 Pcs**

 SKU Code: 3566  
 EAN Code: 3800157600026



4 Core Track-1 Meter

Box Qty.  
**10 Pcs**

SKU Code: **9944**  
EAN Code: **3800230623133**



4 Core Track-1 Meter

Box Qty.  
**10 Pcs**

SKU Code: **9945**  
EAN Code: **3800230623164**



4 Core Track-1.5 Meter

Box Qty.  
**10 Pcs**

SKU Code: **9952**  
EAN Code: **3800230623140**



4 Core Track-1.5 Meter

Box Qty.  
**10 Pcs**

SKU Code: **9953**  
EAN Code: **3800230623171**



4 Core Track-2 Meter

Box Qty.  
**10 Pcs**

SKU Code: **9954**  
EAN Code: **3800230623157**



4 Core Track-2 Meter

Box Qty.  
**10 Pcs**

SKU Code: **9955**  
EAN Code: **3800230623188**



Track Fitting-Gu10

Box Qty.  
**20 Pcs VT-788**

SKU Code: **3617**  
EAN Code: **3800157607469**



Track Fitting-Gu10

Box Qty.  
**20 Pcs VT-789**

SKU Code: **3618**  
EAN Code: **3800157607476**



Track Fitting-Gu10

Box Qty.  
**10 Pcs VT-790**

SKU Code: **3619**  
EAN Code: **3800157607483**

# LED Downlights

Swap outdated CFL Lights with high quality LED Down Lights for long- lasting energy efficiency and instant brightness. Choose from a wide range of 3W to 40W



## Product Features

- Innumerable styles & Elegant appearance
- Non - Flickering
- Best Quality LED Chips from companies like CREE & SAMSUNG
- Premium Quality Power Driver with lowest power factor saver & high RA
- Easy Installation
- Varied finishes with strong die cast Aluminium body
- Low Maintenance
- All down lights come with premium quality power

## Applications

Residences, Showrooms, Hotels & Boutiques etc.

---

Reflector Series - High Lumen

10w VT-26101


Box Qty. **27 Pcs**



- 1270 - 3000K Warm White 3800157611923
- 1271 - 4000K Day White 3800157611930
- 1272 - 6400K White 3800157611947

**120+ LUMENS PER WATT**

**SUPER EFFICIENT**



Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:100-277V,50/60Hz	Body Type:	PKW
Luminous Flux:	1200lm	Color of Fixture:	White
LED Type:	COB	Shape:	Round
CRI:	>80	Dimension:	Ø135x71mm
PF	>0.5	Cutting Size:	Ø120mm

Reflector Series - High Lumen

20w VT-26201


Box Qty. **18 Pcs**



- 1273 - 3000K Warm White 3800157611954
- 1274 - 4000K Day White 3800157611961
- 1275 - 6400K White 3800157611978

**120+ LUMENS PER WATT**

**SUPER EFFICIENT**



Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:100-277V,50/60Hz	Body Type:	PKW
Luminous Flux:	2400lm	Color of Fixture:	White
LED Type:	COB	Shape:	Round
CRI:	>80	Dimension:	Ø180x83mm
PF	>0.5	Cutting Size:	Ø167mm

## Reflector Series - High Lumen


30w VT-26301

 Box Qty.  
12 Pcs


1276 - 3000K Warm White  
1277 - 4000K Day White  
1278 - 6400K White

3800157611985  
3800157611992  
3800157612005

**120** LUMENS  
+ PER WATT

**SUPER EFFICIENT**


Sensor Compatible: Yes  
Voltage/Frequency: AC:100-277V,50/60Hz  
Luminous Flux: 3600lm  
LED Type: COB  
CRI: >80  
PF >0.9

Beam Angle: 120°  
Body Type: PKW  
Color of Fixture: White  
Shape: Round  
Dimension: Ø220x103mm  
Cutting Size: Ø207mm

## Reflector Series - High Lumen


40w VT-26451

 Box Qty.  
12 Pcs


1453 - 3000K Warm White  
1279 - 4500K Day White

3800157635561  
3800157612012

**120** LUMENS  
+ PER WATT

**SUPER EFFICIENT**


Sensor Compatible: Yes  
Voltage/Frequency: AC:100-270V,50/60Hz  
Luminous Flux: 4800lm  
LED Type: COB  
CRI: >80  
PF >0.9

Beam Angle: 120°  
Body Type: PKW  
Color of Fixture: PKW  
Shape: Round  
Dimension: Ø220x103mm  
Cutting Size: Ø207mm


Reflector Series

10w VT-2610

Box Qty.  
27 Pcs

1100 - 6000K White

3800230622372



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **730lm**  
LED Type: **COB**  
CRI: **>80**  
PF: **>0.5**

Beam Angle: **120°**  
Body Type: **PKW**  
Color of Fixture: **PKW**  
Shape: **Round**  
Dimension: **Ø135x71mm**  
Cutting Size: **Ø105mm**


Reflector Series

20w VT-2620

Box Qty.  
18 Pcs

1103 - 6000K White

3800230622402



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **1500lm**  
LED Type: **COB**  
CRI: **>80**  
PF: **>0.5**

Beam Angle: **120°**  
Body Type: **PKW**  
Color of Fixture: **PKW**  
Shape: **Round**  
Dimension: **Ø182x90mm**  
Cutting Size: **Ø160mm**

## Downlight-Moving Head-Round

3W

VT-1133RD

Box Qty.  
100 Pcs

5094 - 6400K White

3800157609364

Sensor Compatible:	Yes	Beam Angle:	60°
Voltage/Frequency:	AC:220-240V,50/60Hz	Body Type:	Aluminium
Luminous Flux:	200lm	Color of Fixture:	White
LED Type:	COB	Shape:	Round
CRI:	>80	Dimension:	55x42mm
PF	>0.5	Cutting Size:	Ø45mm

## Downlight-Moving Head-Square

3W

VT-1133SQ

Box Qty.  
100 Pcs

5095 - 2700K Warm White

3800157609371

5096 - 4000K Day White

3800157609388

5097 - 6400K White

3800157609395

Sensor Compatible:	Yes	Beam Angle:	60°
Voltage/Frequency:	AC:220-240V,50/60Hz	Body Type:	Aluminium
Luminous Flux:	200lm	Color of Fixture:	White
LED Type:	COB	Shape:	Square
CRI:	>80	Dimension:	55x55x42mm
PF	>0.5	Cutting Size:	45 x 45mm

Downlight-Fixed Type-Square

3W VT-1123SQ

Box Qty. 100 Pcs



5110 - 6400K White

3800157609456

Sensor Compatible:	Yes	Beam Angle:	60°
Voltage/Frequency:	AC:85-265V,50/60Hz	Body Type:	Aluminium
Luminous Flux:	200lm	Color of Fixture:	White
LED Type:	COB	Shape:	Square
CRI:	>80	Dimension:	45x45x35mm
PF	>0.5	Cutting Size:	36 x 36 mm

Downlight-Fixed Type-Square


8W VT-2908SQ

Box Qty. 12 Pcs



1115 - 6000K White

3800230625199



Sensor Compatible:	Yes	Beam Angle:	24°
Voltage/Frequency:	AC:220-240V,50/60Hz	Body Type:	Powder Coating Die cast
Luminous Flux:	530lm	Color of Fixture:	PKW
LED Type:	COB	Shape:	Square
CRI:	>70	Dimension:	103x103x75mm
PF	>0.8	Cutting Size:	90 x 90mm




## Zoom Series - Rectangle

30W VT-2930

 Box Qty.  
20 Pcs

1306 - 3000K Warm White 3800157619936  
 1307 - 4000K Day White 3800157619943  
 1289 - 6400K White 3800157619646



Sensor Compatible: **Yes**  
 Voltage/Frequency: **AC:220-240V,50/60Hz**  
 Luminous Flux: **2450lm**  
 LED Type: **COB**  
 CRI: **>80**  
 PF **>0.9**

Beam Angle: **99°**  
 Body Type: **Die Cast Aluminum**  
 Color of Fixture: **White**  
 Shape: **Rectangle**  
 Dimension: **235x146x139mm**  
 Cutting Size: **220 x 132mm**




## Zoom Series - Round

33W VT-2933

 Box Qty.  
20 Pcs

1304 - 3000K Warm White 3800157619912  
 1305 - 4500K Day White 3800157619929  
 1288 - 6400K White 3800157619639



Sensor Compatible: **Yes**  
 Voltage/Frequency: **AC:220-240V,50/60Hz**  
 Luminous Flux: **2650lm**  
 LED Type: **COB**  
 CRI: **>80**  
 PF **>0.9**

Beam Angle: **24°**  
 Body Type: **Die Cast Aluminum**  
 Color of Fixture: **White**  
 Shape: **Round**  
 Dimension: **Ø165x140mm**  
 Cutting Size: **Ø155**




## Step Light With Sensor

3W VT-8035

 Box Qty.  
100 Pcs

5570 - 4000K Day White 3800157617291



Sensor Compatible: **Sensor Included**  
 Voltage/Frequency: **AC:100-240V, 50/60Hz**  
 Luminous Flux: **100lm**  
 LED Type: **SMD**  
 CRI: **>80**  
 PF **>0.5**

Beam Angle: **45°**  
 Body Type: **Die cast Aluminum**  
 Color of Fixture: **White**  
 Shape: **Square**  
 Dimension: **85x85x42mm**  
 Cutting Size: **85x85mm**

### Step Light-Rectangle-IP65

3W VT-1162-W

Box Qty.  
50 Pcs

IP65  
RATING



1327 - 3000K Warm White 3800157620550  
1326 - 4000K Day White 3800157620543



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:100-240V,50/60Hz**  
Luminous Flux: **110lm**  
LED Type: **SMD**  
CRI: **>80**  
PF: **>0.5**

Beam Angle: **55°**  
Body Type: **PC**  
Color of Fixture: **White**  
Shape: **Rectangle**  
Dimension: **230x80x28mm**

### Step Light-Rectangle-IP65

3W VT-1162-B

Box Qty.  
50 Pcs

IP65  
RATING



1329 - 3000K Warm White 3800157620574  
1328 - 4000K Day White 3800157620567



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:100-240V,50/60Hz**  
Luminous Flux: **110lm**  
LED Type: **SMD**  
CRI: **>80**  
PF: **>0.5**

Beam Angle: **55°**  
Body Type: **PC**  
Color of Fixture: **Black**  
Shape: **Rectangle**  
Dimension: **230x80x28mm**

### Step Light-Rectangle-IP65

3W VT-1162-G

Box Qty.  
50 Pcs

IP65  
RATING



1331 - 3000K Warm White 3800157620598  
1330 - 4000K Day White 3800157620581



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:100-240V,50/60Hz**  
Luminous Flux: **110lm**  
LED Type: **SMD**  
CRI: **>80**  
PF: **>0.5**


Beam Angle: **55°**  
Body Type: **PC**  
Color of Fixture: **Grey**  
Shape: **Rectangle**  
Dimension: **230x80x28mm**



## Step Light-Round-IP65

**2W**    **VT-1142-W**
 Box Qty.  
**50 Pcs**
 **IP65**  
RATING

1315 - 3000K Warm White    3800157620437  
1314 - 4000K Day White    3800157620420



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:100-240V,50/60Hz**  
Luminous Flux: **60lm**  
LED Type: **SMD**  
CRI: **>80**  
PF: **>0.5**


Beam Angle: **55°**  
Body Type: **PC**  
Color of Fixture: **White**  
Shape: **Round**  
Dimension: **150x27mm**



## Step Light-Round-IP65

**2W**    **VT-1142-B**
 Box Qty.  
**50 Pcs**
 **IP65**  
RATING

1317 - 3000K Warm White    3800157620451  
1316 - 4000K Day White    3800157620444



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:100-240V,50/60Hz**  
Luminous Flux: **60lm**  
LED Type: **SMD**  
CRI: **>80**  
PF: **>0.5**


Beam Angle: **55°**  
Body Type: **PC**  
Color of Fixture: **Black**  
Shape: **Round**  
Dimension: **150x27mm**



## Step Light-Round-IP65

**2W**    **VT-1142-G**
 Box Qty.  
**50 Pcs**
 **IP65**  
RATING

1319 - 3000K Warm White    3800157620475  
1318 - 4000K Day White    3800157620468



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:100-240V,50/60Hz**  
Luminous Flux: **60lm**  
LED Type: **SMD**  
CRI: **>80**  
PF: **>0.5**

Beam Angle: **55°**  
Body Type: **PC**  
Color of Fixture: **Grey**  
Shape: **Round**  
Dimension: **150x27mm**




Step Light-Square-IP65

2W VT-1152-W

Box Qty. 50 Pcs

IP65 RATING

1321 - 3000K Warm White 3800157620499  
 1320 - 4000K Day White 3800157620482



Sensor Compatible: Yes  
 Voltage/Frequency: AC:100-240V,50/60Hz  
 Luminous Flux: 60lm  
 LED Type: SMD  
 CRI: >80  
 PF: >0.5

Beam Angle: 55°  
 Body Type: PC  
 Color of Fixture: White  
 Shape: Square  
 Dimension: 124x124x27mm




Step Light-Square-IP65

2W VT-1152-B

Box Qty. 50 Pcs

IP65 RATING

1323 - 3000K Warm White 3800157620512  
 1322 - 4000K Day White 3800157620505



Sensor Compatible: Yes  
 Voltage/Frequency: AC:100-240V,50/60Hz  
 Luminous Flux: 60lm  
 LED Type: SMD  
 CRI: >80  
 PF: >0.5

Beam Angle: 55°  
 Body Type: PC  
 Color of Fixture: Black  
 Shape: Square  
 Dimension: 124x124x27mm




Step Light-Square-IP65

2W VT-1152-G

Box Qty. 50 Pcs

IP65 RATING

1325 - 3000K Warm White 3800157620536  
 1324 - 4000K Day White 3800157620529



Sensor Compatible: Yes  
 Voltage/Frequency: AC:100-240V,50/60Hz  
 Luminous Flux: 60lm  
 LED Type: SMD  
 CRI: >80  
 PF: >0.5

Beam Angle: 55°  
 Body Type: PC  
 Color of Fixture: Grey  
 Shape: Square  
 Dimension: 124x124x27mm



## Step Light - IP65

**3W**    **VT-1172-B**
 Box Qty.  
**20 Pcs**
 **IP65**  
RATING

1398 - 3000K Warm White    3800157628310  
1399 - 4000K Day White    3800157628327

Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:100-240V,50/60Hz**  
Luminous Flux: **210lm**  
LED Type: **SMD**  
CRI: **>80**  
PF **>0.5**

Beam Angle: **90°**  
Body Type: **PC**  
Color of Fixture: **Black**  
Shape: **Square**  
Dimension: **151x72x154mm**



## Step Light - IP65

**3W**    **VT-1172-G**
 Box Qty.  
**20 Pcs**
 **IP65**  
RATING

1400 - 3000K Warm White    3800157628334  
1401 - 4000K Day White    3800157628341

Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:100-240V,50/60Hz**  
Luminous Flux: **210lm**  
LED Type: **SMD**  
CRI: **>80**  
PF **>0.5**

Beam Angle: **90°**  
Body Type: **PC**  
Color of Fixture: **Grey**  
Shape: **Square**  
Dimension: **151x72x154mm**



## Step Light - IP65

**3W**    **VT-1172-W**
 Box Qty.  
**20 Pcs**
 **IP65**  
RATING

1402 - 3000K Warm White    3800157628358  
1403 - 4000K Day White    3800157628365

Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:100-240V,50/60Hz**  
Luminous Flux: **210lm**  
LED Type: **SMD**  
CRI: **>80**  
PF **>0.5**

Beam Angle: **90°**  
Body Type: **PC**  
Color of Fixture: **White**  
Shape: **Square**  
Dimension: **151x72x154mm**



Step Light-Round-IP65

3W VT-1182-B

Box Qty. 20 Pcs

IP65 RATING

1404 - 3000K Warm White 3800157628372  
 1405 - 4000K Day White 3800157628389

Sensor Compatible:	Yes	Beam Angle:	90°
Voltage/Frequency:	AC:100-240V,50/60Hz	Body Type:	PC
Luminous Flux:	210lm	Color of Fixture:	Black
LED Type:	SMD	Shape:	Round
CRI:	>80	Dimension:	Ø166x94mm
PF	>0.5		



Step Light-Round-IP65

3W VT-1182-G

Box Qty. 20 Pcs

IP65 RATING

1406 - 3000K Warm White 3800157628396  
 1407 - 4000K Day White 3800157628402

Sensor Compatible:	Yes	Beam Angle:	90°
Voltage/Frequency:	AC:100-240V,50/60Hz	Body Type:	PC
Luminous Flux:	210lm	Color of Fixture:	Grey
LED Type:	SMD	Shape:	Round
CRI:	>80	Dimension:	Ø166x94mm
PF	>0.5		



Step Light-Round-IP65

3W VT-1182-W

Box Qty. 20 Pcs


IP65 RATING

1408 - 3000K Warm White 3800157628419  
 1409 - 4000K Day White 3800157628426

Sensor Compatible:	Yes	Beam Angle:	90°
Voltage/Frequency:	AC:100-240V,50/60Hz	Body Type:	PC
Luminous Flux:	210lm	Color of Fixture:	White
LED Type:	SMD	Shape:	Round
CRI:	>80	Dimension:	Ø166x94mm
PF	>0.5		



## Steplight-Square


**3W**    **VT-1109**
 **Box Qty.**  
**100 Pcs**
**1209 - 3000K Warm White**  
**1210 - 4200K Day White**
**3800157600255**  
**3800157600262**


Sensor Compatible: **Yes**  
 Voltage/Frequency: **AC:100-240V,50/60Hz**  
 Luminous Flux: **120lm**  
 LED Type: **COB**  
 CRI: **>80**  
 PF: **>0.5**

Beam Angle: **15°**  
 Body Type: **Aluminium**  
 Color of Fixture: **White**  
 Shape: **Square**  
 Dimension: **80x80x51mm**  
 Cutting Size: **62x62mm**



## Steplight-Round


**3W**    **VT-1109RD**
 **Box Qty.**  
**100 Pcs**
**1207 - 3000K Warm White**  
**1208 - 4200K Day White**
**3800157600231**  
**3800157600248**


Sensor Compatible: **Yes**  
 Voltage/Frequency: **AC:100-240V,50/60Hz**  
 Luminous Flux: **120lm**  
 LED Type: **COB**  
 CRI: **>80**  
 PF: **>0.5**

Beam Angle: **15°**  
 Body Type: **Aluminium**  
 Color of Fixture: **White**  
 Shape: **Round**  
 Dimension: **Ø80x51mm**  
 Cutting Size: **Ø62mm**



## Steplight-Square

**3W**    **VT-1143**
 **Box Qty.**  
**100 Pcs**
**1284 - 4000K Day White**
**3800157617307**


Sensor Compatible: **Yes**  
 Voltage/Frequency: **AC:85-265V,50/60Hz**  
 Luminous Flux: **100lm**  
 LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.5**

Beam Angle: **83°**  
 Body Type: **Die Cast Aluminium**  
 Color of Fixture: **White**  
 Shape: **Square**  
 Dimension: **84x84x43mm**  
 Cutting Size: **72x72mm**

**new!**



Steplight-Rectangle

6W VT-856-B

Box Qty.  
50 Pcs

8348 - 3000K Warm White 3800157633383  
8349 - 4000K Day White 3800157633390

Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:100-240V,50/60Hz	Body Type:	Aluminium
Luminous Flux:	240lm	Color of Fixture:	Black
LED Type:	SMD	Shape:	Rectangle
CRI:	>70	Dimension:	210x65x60mm
PF	>0.6	Cutting Size:	195x46mm

**new!**



Steplight-Rectangle

6W VT-856-G

Box Qty.  
50 Pcs

8350 - 3000K Warm White 3800157633406  
8351 - 4000K Day White 3800157633413

Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:100-240V,50/60Hz	Body Type:	Aluminium
Luminous Flux:	240lm	Color of Fixture:	Grey
LED Type:	SMD	Shape:	Rectangle
CRI:	>70	Dimension:	210x65x60mm
PF	>0.6	Cutting Size:	195x46mm

**new!**



Steplight-Rectangle

6W VT-856-W

Box Qty.  
50 Pcs

8352 - 3000K Warm White 3800157633420  
8353 - 4000K Day White 3800157633437

Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:100-240V,50/60Hz	Body Type:	Aluminium
Luminous Flux:	240lm	Color of Fixture:	White
LED Type:	SMD	Shape:	Rectangle
CRI:	>70	Dimension:	210x65x60mm
PF	>0.6	Cutting Size:	195x46mm

# LED Dome Lights

Create a better ambience in any environment with V-TAC's LED Dome Lights. These Compact and Easy to install lights make a perfect replacement for traditional Dome Lights.



## Product Features

- 80% Electricity savings as compared to traditional Incandescent Bulbs
- Non - Flickering
- No UV Radiation
- Easy Installation
- Premium Quality LED Chip
- Premium Quality Power Driver
- Instant start 0-100% in 0.01 seconds
- Extreme Weather toleration (-20 to + 45 Degrees Centigrade)

## Applications

Mostly used in Parking Lots, Passage's in big areas, Exterior Walls of Prestigious Buildings for ambience, Airports, Ports and Malls.

**new!**

Ceiling Lights - Round

**14w VT-8073RD**

 Box Qty.  
**20 Pcs**

1428 - 3000K Warm White  
1429 - 4000K Day White  
1430 - 6400K White

3800157633147  
3800157633154  
3800157633161



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **1000lm**  
IP Rating: **IP20**  
CRI: **>80**  
PF: **>0.5**

Beam Angle: **120°**  
Color of Fixture: **White**  
Body Type: **Iron+PMMA**  
Shape: **Round**  
Dimension: **257x65mm**



**new!**

Ceiling Lights - Round

**20w VT-8074RD**

 Box Qty.  
**10 Pcs**


1431 - 3000K Warm White  
1432 - 4000K Day White  
1433 - 6400K White

3800157633178  
3800157633185  
3800157633192



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **1500lm**  
IP Rating: **IP20**  
CRI: **>80**  
PF: **>0.5**

Beam Angle: **120°**  
Color of Fixture: **White**  
Body Type: **Iron+PMMA**  
Shape: **Round**  
Dimension: **290x65mm**



**new!**
**Ceiling Lights - Square**
**20w VT-8074SQ**
 Box Qty.  
**10 Pcs**

1434 - 3000K Warm White  
 1435 - 4000K Day White  
 1436 - 6400K White

3800157633208  
 3800157633215  
 3800157633222



Sensor Compatible: **Yes**  
 Voltage/Frequency: **AC:220-240V,50/60Hz**  
 Luminous Flux: **1500lm**  
 IP Rating: **IP20**  
 CRI: **>80**  
 PF: **>0.5**

Beam Angle: **120°**  
 Color of Fixture: **White**  
 Body Type: **Iron+PMMA**  
 Shape: **Square**  
 Dimension: **280x280x60mm**


**new!**
**Ceiling Lights - Round**
**24w VT-8075RD**
 Box Qty.  
**10 Pcs**

1437 - 3000K Warm White  
 1438 - 4000K Day White  
 1439 - 6400K White

3800157633239  
 3800157633246  
 3800157633253



Sensor Compatible: **Yes**  
 Voltage/Frequency: **AC:220-240V,50/60Hz**  
 Luminous Flux: **1800lm**  
 IP Rating: **IP20**  
 CRI: **>80**  
 PF: **>0.5**

Beam Angle: **120°**  
 Color of Fixture: **White**  
 Body Type: **Iron+PMMA**  
 Shape: **Round**  
 Dimension: **340x65mm**



**new!**

Ceiling Lights - Square

32w VT-8076SQ

Box Qty. **10 Pcs**

- 1443 - 3000K Warm White
- 1444 - 4000K Day White
- 1445 - 6400K White

- 3800157633291
- 3800157633307
- 3800157633314



Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	2600lm	Body Type:	Iron+PMMA
IP Rating:	IP20	Shape:	Square
CRI:	>80	Dimension:	330x330x65mm
PF:	>0.5		



**new!**

Ceiling Lights - Round

32w VT-8076RD


Box Qty. **10 Pcs**

- 1440 - 3000K Warm White
- 1441 - 4000K Day White
- 1442 - 6400K White

- 3800157633260
- 3800157633277
- 3800157633284



Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	2800lm	Body Type:	Iron+PMMA
IP Rating:	IP20	Shape:	Round
CRI:	>80	Dimension:	Ø390x65mm
PF:	>0.5		



## Ceiling Lights - Square

**15w** VT-8033SQ

 Box Qty.  
**20 Pcs**

1390 - 3000K Warm White  
 5567 - 4000K Day White  
 1391 - 6400K White


3800157626477  
 3800157610360  
 3800157626484



TRIMLESS  
 Luxurious Finish  
 SURFACE MOUNTED

Sensor Compatible: **Yes**  
 Voltage/Frequency: **AC:100-240V,50/60Hz**  
 Luminous Flux: **1250lm**  
 IP Rating: **IP44**  
 CRI: **>80**  
 PF: **>0.6**

Beam Angle: **110°**  
 Color of Fixture: **White**  
 Body Type: **PC**  
 Shape: **Square**  
 Dimension: **200x200x47.5**



## Ceiling Lights - Round

**15w** VT-8033RD

 Box Qty.  
**20 Pcs**

1388 - 3000K Warm White  
 5566 - 4000K Day White  
 1389 - 6400K White


3800157626453  
 3800157610353  
 3800157626460



TRIMLESS  
 Luxurious Finish  
 SURFACE MOUNTED

Sensor Compatible: **Yes**  
 Voltage/Frequency: **AC:100-240V,50/60Hz**  
 Luminous Flux: **1250lm**  
 IP Rating: **IP44**  
 CRI: **>80**  
 PF: **>0.6**

Beam Angle: **110°**  
 Color of Fixture: **White**  
 Body Type: **PC**  
 Shape: **Round**  
 Dimension: **Ø200x47.5mm**



Ceiling Lights - Square

25w VT-8066SQ


Box Qty.  
10 Pcs

- |                         |               |
|-------------------------|---------------|
| 1395 - 3000K Warm White | 3800157628280 |
| 1396 - 4200K Day White  | 3800157628297 |
| 1397 - 6500K White      | 3800157628303 |



TRIMLESS  
Luxurious Finish  
SURFACE MOUNTED

Sensor Compatible:	Yes	Beam Angle:	110°
Voltage/Frequency:	AC:100-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	2000lm	Body Type:	PC
IP Rating:	IP44	Shape:	Square
CRI:	>80	Dimension:	300x300x50mm
PF:	>0.9		



Ceiling Lights - Round

25w VT-8066RD


Box Qty.  
10 Pcs

- |                         |               |
|-------------------------|---------------|
| 1392 - 3000K Warm White | 3800157628259 |
| 1393 - 4200K Day White  | 3800157628266 |
| 1394 - 6500K White      | 3800157628273 |



TRIMLESS  
Luxurious Finish  
SURFACE MOUNTED

Sensor Compatible:	Yes	Beam Angle:	110°
Voltage/Frequency:	AC:100-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	2000lm	Body Type:	PC
IP Rating:	IP44	Shape:	Round
CRI:	>80	Dimension:	Ø300x50mm
PF:	>0.9		



## Dome Series - Rectangle Oval

8W

VT-8038-B

Box Qty.  
20 Pcs


1308 - 3000K Warm White  
1309 - 4500K Day White  
1310 - 6000K White

3800157620260  
3800157620277  
3800157620284



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:200-240V,50/60Hz**  
Luminous Flux: **560lm**  
IP Rating: **IP54**  
CRI: **>70**  
PF: **>0.5**

Beam Angle: **120°**  
Color of Fixture: **Black**  
Body Type: **PC**  
Shape: **Rectangle**  
Dimension: **190x100x55mm**



## Dome Series - Rectangle Oval

8W

VT-8038-W

Box Qty.  
20 Pcs


1311 - 3000K Warm White  
1312 - 4000K Day White  
1313 - 6000K White

3800157620291  
3800157620307  
3800157620314



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:200-240V,50/60Hz**  
Luminous Flux: **560lm**  
IP Rating: **IP54**  
CRI: **>70**  
PF: **>0.5**

Beam Angle: **120°**  
Color of Fixture: **White**  
Body Type: **PC**  
Shape: **Rectangle**  
Dimension: **190x100x55mm**



**Bling Star**

**8W VT-8061**

Box Qty.  
**20 Pcs**


1370 - 3000K Warm White  
1371 - 4000K Day White  
1372 - 6400K White

3800157626262  
3800157626279  
3800157626286



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **560lm**  
IP Rating: **IP20**  
CRI: **>80**  
PF: **>0.5**

Beam Angle: **120°**  
Color of Fixture: **White**  
Body Type: **Iron+PMMA**  
Shape: **Round**  
Dimension: **Ø215x78mm**



**Bling Star**

**12W VT-8062**

Box Qty.  
**10 Pcs**


1373 - 3000K Warm White  
1374 - 4000K Day White  
1375 - 6400K White

3800157626293  
3800157626309  
3800157626316



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **840lm**  
IP Rating: **IP20**  
CRI: **>80**  
PF: **>0.5**

Beam Angle: **120°**  
Color of Fixture: **White**  
Body Type: **Iron+PMMA**  
Shape: **Round**  
Dimension: **Ø260x92mm**




## Bling Star

**18w** VT-8063

 Box Qty.  
**10 Pcs**

1376 - 3000K Warm White  
1377 - 4000K Day White  
1378 - 6400K White

3800157626323  
3800157626330  
3800157626347

Sensor Compatible: **Yes**Voltage/Frequency: **AC:220-240V,50Hz**Luminous Flux: **1260lm**IP Rating: **IP20**CRI: **>80**PF: **>0.5**Beam Angle: **120°**Color of Fixture: **White**Body Type: **Iron+PMMA**Shape: **Round**Dimension: **Ø290x92mm**


## Bling Star

**24w** VT-8064

 Box Qty.  
**10 Pcs**

1379 - 3000K Warm White  
1380 - 4000K Day White  
1381 - 6400K White

3800157626354  
3800157626361  
3800157626378

Sensor Compatible: **Yes**Voltage/Frequency: **AC:220-240V,50Hz**Luminous Flux: **1680lm**IP Rating: **IP20**CRI: **>80**PF: **>0.5**Beam Angle: **120°**Color of Fixture: **White**Body Type: **Iron+PMMA**Shape: **Round**Dimension: **Ø330x102mm**

Ceiling Lights - Round

12w VT-8031

Box Qty.  
16 Pcs


1414 - 3000K Warm White  
5563 - 4500K Day White  
5562 - 6500K White

3800157630092  
3800157610322  
3800157610315



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **800lm**  
IP Rating: **IP20**  
CRI: **>80**  
PF: **>0.5**

Beam Angle: **120°**  
Color of Fixture: **White**  
Body Type: **Metal+PMMA**  
Shape: **Round**  
Dimension: **Ø250x80mm**



Ceiling Lights - Round

24w VT-8032

Box Qty.  
10 Pcs


1415 - 3000K Warm White  
5565 - 4500K Day White  
5564 - 6500K White

3800157630108  
3800157610346  
3800157610339



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **1700lm**  
IP Rating: **IP20**  
CRI: **>80**  
PF: **>0.5**

Beam Angle: **120°**  
Color of Fixture: **White**  
Body Type: **Metal+PMMA**  
Shape: **Round**  
Dimension: **Ø320x95mm**



## Dome Series - Oval

8W

VT-8014-OV-B

Box Qty.  
10 Pcs

1267 - 3000K Warm White  
1266 - 4000K Day White  
1268 - 6400K White

3800157611893  
3800157611886  
3800157611909



Sensor Compatible: Yes

Voltage/Frequency: AC:200-240V,50/60Hz

Luminous Flux: 560lm

IP Rating: IP54

CRI: &gt;70

PF: &gt;0.5


Beam Angle: 120°

Color of Fixture: Black

Body Type: Plastic CLAD Aluminium

Shape: Oval

Dimension: Ø126x76mm



## Dome Series - Oval

8W

VT-8014-OV-W

Box Qty.  
10 Pcs

1264 - 3000K Warm White  
1263 - 4500K Day White  
1265 - 6400K White

3800157611862  
3800157611855  
3800157611879



Sensor Compatible: Yes

Voltage/Frequency: AC:200-240V,50/60Hz

Luminous Flux: 560lm

IP Rating: IP54

CRI: &gt;70

PF: &gt;0.5


Beam Angle: 120°

Color of Fixture: White

Body Type: Plastic CLAD Aluminium

Shape: Oval

Dimension: Ø126x76mm



Dome Series - Round

8W

**VT-8014-RD-W**



Box Qty.  
**10 Pcs**


4999 - 3000K Warm White  
1259 - 4500K Day White  
4997 - 6400K White

3800157602556  
3800157611817  
3800157602259



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:200-240V,50/60Hz**  
Luminous Flux: **560lm**  
IP Rating: **IP54**  
CRI: **>70**  
PF: **>0.5**

Beam Angle: **120°**  
Color of Fixture: **White**  
Body Type: **Plastic CLAD Aluminium**  
Shape: **Round**  
Dimension: **Ø180x82mm**



Dome Series - Round

8W

**VT-8014-RD-B**



Box Qty.  
**10 Pcs**


1261 - 3000K Warm White  
1260 - 4000K Day White  
1262 - 6000K White

3800157611831  
3800157611824  
3800157611848



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:200-240V,50/60Hz**  
Luminous Flux: **560lm**  
IP Rating: **IP54**  
CRI: **>70**  
PF: **>0.5**

Beam Angle: **120°**  
Color of Fixture: **Black**  
Body Type: **Plastic CLAD Aluminium**  
Shape: **Round**  
Dimension: **Ø180x82mm**




## Dome Series - Oval

**12w VT-8016-B**
 Box Qty.  
**10 Pcs**

5056 - 4500K Day White  
 5055 - 6400K White

3800157603980  
 3800157603348


Sensor Compatible: **Yes**Voltage/Frequency: **AC:220-240V,50/60Hz**Luminous Flux: **840lm**IP Rating: **IP54**CRI: **>70**PF: **>0.5**Beam Angle: **120°**Color of Fixture: **Black**Body Type: **Plastic CLAD Aluminium**Shape: **Oval**Dimension: **Ø245x96mm**

## Dome Series - Oval

**12w VT-8016-W**
 Box Qty.  
**10 Pcs**

5054 - 4500K Day White  
 5053 - 6400K White

3800157603331  
 3800157603324

Sensor Compatible: **Yes**Voltage/Frequency: **AC:200-240V,50/60Hz**Luminous Flux: **840lm**IP Rating: **IP54**CRI: **>70**PF: **>0.5**Beam Angle: **120°**Color of Fixture: **White**Body Type: **Plastic CLAD Aluminium**Shape: **Oval**Dimension: **Ø245x96mm**

Dome Series - Oval

12w VT-8015-B

Box Qty.  
10 Pcs


1349 - 3000K Warm White  
5052 - 4000K Day White  
5051 - 6400K White

3800157624046  
3800157603317  
3800157603300



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:200-240V,50/60Hz**  
Luminous Flux: **840lm**  
IP Rating: **IP54**  
CRI: **>70**  
PF: **>0.5**

Beam Angle: **120°**  
Color of Fixture: **Black**  
Body Type: **Plastic CLAD Aluminium**  
Shape: **Round**  
Dimension: **Ø220x105mm**



Dome Series - Round

12w VT-8015-W

Box Qty.  
10 Pcs


4998 - 3000K Warm White  
5050 - 4500K Day White  
4996 - 6400K White

3800157602549  
3800157603294  
3800157602228



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:200-240V,50/60Hz**  
Luminous Flux: **840lm**  
IP Rating: **IP54**  
CRI: **>70**  
PF: **>0.5**

Beam Angle: **120°**  
Color of Fixture: **White**  
Body Type: **Plastic CLAD Aluminium**  
Shape: **Round**  
Dimension: **Ø220x105mm**



## Dome Series - Oval

**12w VT-8010-B**

 Box Qty.  
**10 Pcs**


1350 - 3000K Warm White  
 4973 - 4500K Day White  
 1269 - 6400K White

3800157624053  
 3800230629050  
 3800157611916



Sensor Compatible: **Yes**  
 Voltage/Frequency: **AC:200-240V,50/60Hz**  
 Luminous Flux: **840lm**  
 IP Rating: **IP54**  
 CRI: **>80**  
 PF: **>0.9**

Beam Angle: **120°**  
 Color of Fixture: **Black**  
 Body Type: **Plastic CLAD Aluminium**  
 Shape: **Oval**  
 Dimension: **Ø242x96mm**



## Dome Series - Oval

**12w VT-8010-W**

 Box Qty.  
**10 Pcs**


1351 - 3000K Warm White  
 1352 - 4000K Day White  
 1353 - 6000K White

3800157624060  
 3800157624077  
 3800157624084



Sensor Compatible: **Yes**  
 Voltage/Frequency: **AC:200-240V,50/60Hz**  
 Luminous Flux: **840lm**  
 IP Rating: **IP54**  
 CRI: **>80**  
 PF: **>0.9**

Beam Angle: **110°**  
 Color of Fixture: **White**  
 Body Type: **Plastic CLAD Aluminium**  
 Shape: **Oval**  
 Dimension: **Ø242x96mm**



Dome Sensor Series

**VT-8002C**


Box Qty.  
**5 Pcs**

4966

3800230625816



Sensor Type:	<b>Microwave</b>	Detection Distance:	<b>1-8m(radius) adjustable</b>
Color:	<b>White</b>	Body Type:	<b>PC</b>
Detection Range:	<b>360°</b>	IP Rating:	<b>IP44</b>
Voltage:	<b>AC:220-240V,50/60Hz</b>	Dimension:	<b>Ø296x96mm</b>
Rated Load:	<b>Max. 60W</b>	Time Delay:	<b>Min. 10sec±3sec, Max. 12min±1min</b>
Watts:			



Dome Sensor Series

**16w VT-8001C**

Box Qty.  
**5 Pcs**


1281 - 3000K Warm White  
4965 - 4500K Day White  
1282 - 6000K White

3800157612678  
3800230625809  
3800157612685



**Built In LED**

Sensor Type:	<b>Microwave</b>	Detection Distance:	<b>1-8m(radius) adjustable</b>
Color:	<b>White</b>	Body Type:	<b>PC</b>
Detection Range:	<b>360°</b>	IP Rating:	<b>IP54</b>
Voltage:	<b>AC:200-240V,50/60Hz</b>	Dimension:	<b>Ø296 x 96mm</b>
Rated Load:	<b>16w</b>	Time Delay:	<b>Min. 10 sec to 12 min</b>
Watts:	<b>16w</b>		



Dome Sensor Series

**12w VT-8017**


Box Qty.  
**10 Pcs**

5057 - 3000K Warm White  
5058 - 4000K Day White  
5059 - 6400K White

3800157605250  
3800157605267  
3800157605274



Sensor Type:	<b>PIR</b>	Detection Distance:	<b>Max. 6m(&lt;24°C)</b>
Color:	<b>White</b>	Body Type:	<b>Plastic CLAD Aluminium</b>
Detection Range:	<b>360°</b>	IP Rating:	<b>IP20</b>
Voltage:	<b>AC:110-240V,50/60Hz</b>	Dimension:	<b>Ø290x60mm</b>
Rated Load:	<b>12W(24PCS LED)</b>	Time Delay:	<b>Min. 10sec±3sec, Max. 12min±1min</b>
Watts:	<b>12w</b>		



# LED Bulkhead

Mostly used in Parking Lots, Corridors, Exterior Walls, Airports, and Malls.



## Sleek Design & Durability

Lightweight and energy efficient. Specially designed anti-glare diffuser.



**2D LED Bulkhead**



**2D LED Bulkhead**  
Emergency Battery Back Up



**360°**  
Detection Angle

**2D LED Bulkhead**  
with Microwave Sensor



**360°**  
Detection Angle

**3IN1**  
**2D LED Bulkhead**  
Built In Emergency Battery  
Back Up & Microwave Sensor


2D Bulkhead

8W VT-8039

Box Qty. 10 Pcs

1345 - 4000K Day White

3800157623087



Watts:	8w	On/Off Time:	< 0.5s
Lumens:	720lm	Life Span:	30,000 Hours
No. Of Led:	40	Unit Size:	Ø260x90mm
Beam Angle:	120°	IP Rating:	IP65
Voltage/Frequency:	AC:200-240V,50/60Hz	Body Type:	PC

2D Bulkhead-Microwave Sensor

8W VT-8041


Box Qty. 10 Pcs

1346 - 4000K Day White

3800157623094



Microwave Sensor



Watts:	8w	Detection Angle:	120° / 360°
Lumens:	720lm	Detection Distance:	3m, 5m, 8m, 10m (optional)
Voltage/Frequency:	AC:200-240V,50/60Hz	Detection Range:	Max D10Mx4M
On/Off Time:	< 0.5s	Hold Time:	10S, 1min, 5min, 10min customized
Life Span:	30,000 Hours	Day light Sensor:	Day, 10Lux, 30Lux, 50Lux optional
Unit Size:	Ø260x90mm	Dimmable Function:	Yes, 0, 10%, 20%, 30% optional
IP Rating:	IP65	Detection Motion Speed:	0.5~3m/s
Body Type:	PC		



## 2D Bulkhead-Emergency Pack

10w VT-8042

 Box Qty.  
10 Pcs

1347 - 4000K Day White


3800157623100



**3 YEAR WARRANTY**

Substrate for 10-12 hours daily, usage of the product for 24 hours a day would void warranty.


**IP65 RATING**


**Emergency  Battery Backup**

Watts:	10w
Lumens:	720lm
Voltage/Frequency:	AC:200-240V,50/60Hz
On/Off Time:	< 0.5s
Life Span:	20,000 Hours
Unit Size:	Ø260x90mm
IP Rating:	IP65

Body Type:	PC
Emergency Operation time:	>3 Hours
Emergency Standby Watts:	>1.2 Watts
Battery Charging Current:	60mA
Battery Discharging Current:	200mA
Battery Type:	Ni-CD AA, 7.2V 1.0Ah
Charging indicate:	Green LED

Including battery protection circuit &amp; inhibiting mode



## 2D Bulkhead-Microwave Sensor-Emergency Pack

10w VT-8043

 Box Qty.  
10 Pcs

1348 - 4000K Day White


3800157623117



**3 YEAR WARRANTY**

Substrate for 10-12 hours daily, usage of the product for 24 hours a day would void warranty.


**IP65 RATING**


**31 IN  Battery Backup**  
**Microwave Sensor**

Watts:	10w
Lumens:	720lm
Detection Angle:	120° / 360°
Detection Distance:	3m, 5m, 8m, 10m (optional)
Detection Range:	Max D10Mx4M
Hold Time:	10S, 1min, 5min, 10min customized
Day light Sensor:	Day, 10Lux, 30Lux, 50Lux optional
Dimmable Function:	Yes, 0, 10%, 20%, 30% optional
Detection Motion Speed:	0.5-3m/s

IP Rating:	IP65
Body Type:	PC
Emergency Operation time:	>3 Hours
Emergency Standby Watts:	>1.2 Watts
Battery Charging Current:	60mA
Battery Discharging Current:	200mA
Battery Type:	Ni-CD AA, 7.2V 1.0Ah
Charging indicate:	Green LED


Including battery protection circuit &amp; inhibiting mode

2D Bulkhead  
15w VT-8044

Box Qty.  
10 Pcs

1341 - 4000K Day White

3800157623049



Watts: 15w  
Lumens: 1400lm  
No. Of Led: 72  
Beam Angle: 120°  
Voltage/Frequency: AC:200-240V,50/60Hz

On/Off Time: < 0.5s  
Life Span: 30,000 Hours  
Unit Size: 320x100mm  
IP Rating: IP65  
Body Type: PC

**new!**

2D Bulkhead  
15w VT-8078

Box Qty.  
10 Pcs

1447 - 4000K Day White

3800157632744



Watts: 15w  
Lumens: 1450lm  
No. Of Led: 72  
Beam Angle: 120°  
Voltage/Frequency: AC:200-240V,50/60Hz

On/Off Time: < 0.5s  
Life Span: 30,000 Hours  
Unit Size: 280x80mm  
IP Rating: IP65  
Body Type: ABS+PC




## 2D Bulkhead-Microwave Sensor

15w VT-8045

 Box Qty.  
10 Pcs

1342 - 4000K Day White

3800157623056

\*Substitue for 10-12 hours daily, usage of the product for 24 hours a day would void warranty.


## Microwave Sensor

Watts:	15w
Lumens:	1400lm
Voltage/Frequency:	AC:200-240V,50/60Hz
On/Off Time:	< 0.5s
Life Span:	30,000 Hours
Unit Size:	Ø320x100mm
IP Rating:	IP65
Body Type	PC

Detection Angle:	120° / 360°
Detection Distance:	3m, 5m, 8m, 10m (optional)
Detection Range:	Max D10Mx4M
Hold Time:	10S, 1min, 5min, 10min customized
Day light Sensor:	Yes, 0, 10%, 20%, 30% optional
Dimmable Function:	Yes, 0, 10%, 20%, 30% optional
Detection Motion Speed:	0.5-3m/s



## 2D Bulkhead-Microwave Sensor

15w VT-8079

 Box Qty.  
10 Pcs

1448 - 4000K Day White

3800157632751

\*Substitue for 10-12 hours daily, usage of the product for 24 hours a day would void warranty.


## Microwave Sensor

Watts:	15w
Lumens:	1450lm
Voltage/Frequency:	AC:200-240V,50/60Hz
On/Off Time:	< 0.5s
Life Span:	30,000 Hours
Unit Size:	280x80mm
IP Rating:	IP65
Body Type	ABS+PC

Detection Angle:	360°(Ceiling)120°(Wall)
Detection Distance:	3M,5M,8M,10M optional
Detection Range:	Max D10Mx4M
Hold Time:	10S, 1min, 5min, 10min customized
Day light Sensor:	10Lux, 30Lux, 50Lux optional
Dimmable Function:	N/A
Detection Motion Speed:	0.5-3m/s



2D Bulkhead-Emergency Pack

17W VT-8046

Box Qty. 10 Pcs


1343 - 4000K Day White

3800157623063

**3 YEAR WARRANTY**

\*Substrate for 10-12 hours daily, usage of the product for 24 hours a day would void warranty.

**IP65 RATING**



**Emergency Battery Backup**

Watts:	17w	Body Type:	PC
Lumens:	1400lm	Emergency Operation time:	>3 Hours
Voltage/Frequency:	AC:200-240V,50/60Hz	Emergency Standby Watts:	>1.5 Watts
On/Off Time:	<0.5s	Battery Charging Current:	60mA
Life Span:	20,000 Hours	Battery Discharging Current:	200mA
Unit Size:	Ø320x100mm	Battery Type:	Ni-CD AA, 9.6V 1.0Ah
IP Rating:	IP65	Charging indicate:	Green LED

Including battery protection circuit & inhibiting mode

**new!**



2D Bulkhead-Emergency Pack

17W VT-8080

Box Qty. 10 Pcs

1449 - 4000K Day White

3800157632768

**3 YEAR WARRANTY**

\*Substrate for 10-12 hours daily, usage of the product for 24 hours a day would void warranty.

**IP65 RATING**

**Emergency Battery Backup**

Watts:	17w	Body Type:	ABS+PC
Lumens:	1450lm	Emergency Operation time:	>3 Hours
Voltage/Frequency:	AC:200-240V,50/60Hz	Emergency Standby Watts:	>1.5W
On/Off Time:	<0.5s	Battery Charging Current:	60mA
Life Span:	20,000 Hours	Battery Discharging Current:	200mA
Unit Size:	280x80mm	Battery Type:	Ni-CDA,9.6V 1.0Ah
IP Rating:	IP65	Charging indicate:	Green LED

Including battery protection circuit & inhibiting mode



## 2D Bulkhead-Microwave Sensor-Emergency Pack

17w VT-8047


 Box Qty.  
10 Pcs

1344 - 4000K Day White

3800157623070

**31** IN Emergency Battery Backup  
Microwave Sensor

**3 YEAR**  
WARRANTY  
Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty.

 IP65  
RATING


Watts:	17w	IP Rating:	IP65
Lumens:	1400lm	Body Type:	PC
Detection Angle:	120° / 360°	Emergency Operation time:	> 3 Hours
Detection Distance:	3m, 5m, 8m, 10m (optional)	Emergency Standby Watts:	> 1.5W
Detection Range:	Max. D 10 x 4m	Battery Charging Current:	60mA
Hold Time:	10S, 1min, 5min, 10min customized	Battery Discharging Current:	200mA
Day light Sensor:	Day, 10Lux, 30Lux, 50Lux optional	Battery Type:	Ni-CD AA, 9.6V 1.0 Ah
Dimmable Function:	Yes, 0, 10%, 20%, 30% optional	Charging indicate:	Green LED
Detection Motion Speed:	0.5-3m/s		

Including battery protection circuit &amp; inhibiting mode

**new!**

## 2D Bulkhead-Microwave Sensor-Emergency Pack

17w VT-8081

 Box Qty.  
10 Pcs

1450 - 4000K Day White

3800157632775

**31** IN Emergency Battery Backup  
Microwave Sensor

**3 YEAR**  
WARRANTY  
Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty.

 IP65  
RATING

Watts:	17w	IP Rating:	IP65
Lumens:	1450lm	Body Type:	ABS+PC
Detection Angle:	360(Ceiling) 120(Wall)	Emergency Operation time:	> 3 Hours
Detection Distance:	3M,5M,8M,10M Optional	Emergency Standby Watts:	> 1.5W
Detection Range:	Max D10Mx4M	Battery Charging Current:	60mA
Hold Time:	10S, 1min, 5min, 10min customized	Battery Discharging Current:	200mA
Day light Sensor:	Day, 10Lux, 30Lux, 50Lux optional	Battery Type:	Ni-CD AA, 9.6V 0.7Ah
Dimmable Function:	Yes, 0, 10%, 20%, 30% optional	Charging indicate:	Green LED
Detection Motion Speed:	0.5-3m/s		

Including battery protection circuit &amp; inhibiting mode





## Fire Rated Light With Anti-glare Lens


- ✓ IP65 Rating.
- ✓ Integrated COB LED (Non-replaceable).
- ✓ Isolate driver with terminal for easy and speedy installation.
- ✓ Designed to retain 30,60,90 minutes of fire integrity of ceiling and subsequent load bearing floors.

## Color Changing

Easily can change Color from  
2700-6500K

## Dimmable

Controls brightness level from  
0% To 100%





**Optional Bezel Changeable:**



**Black**  
SKU- 1425



**Brush Nickel**  
SKU - 1426



**Polish Chrome**  
SKU- 1427



**Fire Rated Downlight With White Bezel**

10w **VT-7710**

Box Qty. **40 Pcs**

1424 - 3 IN 1    3800157633109



Voltage/Frequency: AC:220-240V,50Hz  
 Lumens: 850lm  
 LED Type: COB  
 Body Type: Aluminium  
 Beam Angle: 38°  
 Life Span: 30,000 Hours  
 Unit Size: Ø83x57mm  
 IP Rating: IP65



\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty.

**new!**

## Fire Rated Downlight With White Bezel

7W

VT-7077-W

Box Qty.  
50 Pcs

1416 - 2700K Warm White  
1417 - 4000K Day White  
1418 - 6400K White

3800157630344  
3800157630351  
3800157630368

## Optional Bezel Changeable:



Satin Nickel SKU- 1422



Chrome SKU- 1423

90 MIN  
Fire Rated



QUICK CONNECTOR

IP65  
RATING

Voltage/Frequency:  
Lumens:  
LED Type:  
Body Type:  
Beam Angle:

AC:220-240V,50Hz  
600lm  
COB  
Aluminium Alloy & Iron  
38°

Life Span: 30,000 Hours  
Unit Size: Ø85x52mm  
Cutting Size: Ø72mm  
IP Rating: IP65

**new!**

## Fire Rated Downlight With Satin Nickel Bezel

7W

VT-7077-SN

Box Qty.  
50 Pcs

1419 - 3000K Warm White  
1420 - 4000K Day White  
1421 - 6400K White

3800157630375  
3800157630382  
3800157630399

## Optional Bezel Changeable:



Chrome SKU- 1423

90 MIN  
Fire Rated



QUICK CONNECTOR

IP65  
RATING

Voltage/Frequency:  
Lumens:  
LED Type:  
Body Type:  
Beam Angle:

AC:220-240V,50Hz  
600lm  
COB  
Aluminium Alloy & Iron  
38°

Life Span: 30,000 Hours  
Unit Size: Ø85x52mm  
Cutting Size: Ø72mm  
IP Rating: IP65

**new!**

Fire Rated Fitting-GU10

**VT-7011-W**

 Box Qty.  
**50 Pcs**

SKU: 3131 EAN: 3800157632621

Base: GU10  
Material: Steel+Die Cast Aluminum  
Shape: Round  
Color of Fxture: White  
Dimension: Ø80x105mm  
Cutting Size: Ø65mm  
IP Rating: IP20

**90** MIN  
**Fire Rated**

 **Twist & Lock**



**new!**

Fire Rated Fitting-GU10

**VT-7011-SN**

 Box Qty.  
**50 Pcs**

SKU: 3132 EAN: 3800157632638

Base: GU10  
Material: Steel+Die Cast Aluminum  
Shape: Round  
Color of Fxture: Satin Nickel  
Dimension: Ø80x105mm  
Cutting Size: Ø65mm  
IP Rating: IP20

**90** MIN  
**Fire Rated**

 **Twist & Lock**



**new!**

Fire Rated Fitting-GU10

**VT-7011**

 Box Qty.  
**50 Pcs**

SKU: 3133 EAN: 3800157632645

Base: GU10  
Material: Steel+Die Cast Aluminum  
Shape: Round  
Color of Fxture: Chrome  
Dimension: Ø80x105mm  
Cutting Size: Ø65mm  
IP Rating: IP20

**90** MIN  
**Fire Rated**

 **Twist & Lock**



## Fire Rated Fitting-GU10

## VT-701-SN

 Box Qty.  
50 Pcs


SKU: 3680	EAN: 3800157626859
Base	GU10
Material:	Steel
Shape:	Round
Color of Fixture:	Satin Nickel
Dimension:	Ø80mmx115mm
Cutting Size:	65mm
IP Rating:	IP20

## Fire Rated Fitting-GU10


## VT-701-W

 Box Qty.  
50 Pcs


SKU: 3681	EAN: 3800157626866
Base	GU10
Material:	Steel
Shape:	Round
Color of Fixture:	White
Dimension:	Ø80mmx115mm
Cutting Size:	65mm
IP Rating:	IP20

## Fire Rated Fitting-GU10

## VT-701-CH

 Box Qty.  
50 Pcs


SKU: 3682	EAN: 3800157626873
Base	GU10
Material:	Steel
Shape:	Round
Color of Fixture:	Chrome
Dimension:	Ø80mmx115mm
Cutting Size:	65mm
IP Rating:	IP20

Fire Rated Fitting-GU10

**VT-702-SN**

Box Qty.  
**40 Pcs**



SKU: 3683 EAN: 3800157626880

Base	GU10
Material:	Steel
Shape:	Round
Color of Fxture:	Satin Nickel
Dimension:	Ø86mmx115mm
Cutting Size:	65mm
IP Rating:	IP65

**90** MIN  
**Fire Rated**

**IP65**  
RATING

Fire Rated Fitting-GU10

**VT-702-W**

Box Qty.  
**40 Pcs**



SKU: 3684 EAN: 3800157626897

Base	GU10
Material:	Steel
Shape:	Round
Color of Fxture:	White
Dimension:	Ø86mmx115mm
Cutting Size:	65mm
IP Rating:	IP65

**90** MIN  
**Fire Rated**

**IP65**  
RATING

Fire Rated Fitting-GU10

**VT-702-CH**

Box Qty.  
**40 Pcs**



SKU: 3685 EAN: 3800157626903

Base	GU10
Material:	Steel
Shape:	Round
Color of Fxture:	Chrome
Dimension:	Ø86mmx115mm
Cutting Size:	65mm
IP Rating:	IP65

**90** MIN  
**Fire Rated**

**IP65**  
RATING

## Fire Rated Fitting-GU10

## VT-703-SN

 Box Qty.  
40 Pcs

SKU: 3686 EAN: 3800157626910



Base	GU10
Material:	Steel
Shape:	Round
Color of Fixture:	Satin Nickel
Dimension:	Ø82mmx130mm
Cutting Size:	68mm
IP Rating:	IP20



## Fire Rated Fitting-GU10

## VT-703-W

 Box Qty.  
40 Pcs

SKU: 3687 EAN: 3800157626927



Base	GU10
Material:	Steel
Shape:	Round
Color of Fixture:	White
Dimension:	Ø82mmx130mm
Cutting Size:	68mm
IP Rating:	IP20



## Fire Rated Fitting-GU10

## VT-703-CH

 Box Qty.  
40 Pcs

SKU: 3688 EAN: 3800157626934



Base	GU10
Material:	Steel
Shape:	Round
Color of Fixture:	Chrome
Dimension:	Ø82mmx130mm
Cutting Size:	68mm
IP Rating:	IP20



# NEW FIRE-RATED DOWNLIGHT FITTING



# Motion Sensors

Many areas like lobbies, parking garages, staircases remain unused for long hours, but do need lighting to be lit automatically in case of movement. A motion sensor is a device, which detects movements, and in some cases light conditions and then transmits a signal for illumination.



## Product Features

- Power saving
- Available for indoor and outdoor purposes
- Compatible with most of our models
- Proven quality from reliable suppliers
- Wide range of models to choose from

## Applications

- Outdoor Areas like parking garages, Gardens compounds and yards
- Indoor areas like walkways, lobbies and staircases.

Infrared Sensor  
Max 1000W(LED)

**VT-8027-W**

SKU-5086

3800157609173



 Box Qty.  
**50 Pcs**



Sensor Type: **Infrared**

Colour: **White**

Detection Range: **360°**

Voltage: **AC:220-240V,50/60Hz**

Rated Load: **Max 1000W(LED)**

Detection Distance: **Max. 6m(<24°C)**

Ambient Light: **<3-2000LUX(adjustable)**

Body Type: **PC**

IP Rating: **IP20**

Dimension: **625x220x265mm**

Time Delay: **Min. 10sec±3sec, Max. 15min±2min**

Infrared Sensor  
Max 1000W(LED)

**VT-8027-B**

SKU-5087

3800157609180



 Box Qty.  
**50 Pcs**



Sensor Type: **Infrared**

Colour: **Black**

Detection Range: **360°**

Voltage: **AC:220-240V,50/60Hz**

Rated Load: **Max 1000W(LED)**

Detection Distance: **Max. 6m(<24°C)**

Ambient Light: **<3-2000LUX(adjustable)**

Body Type: **PC**

IP Rating: **IP20**

Dimension: **625x220x265mm**

Time Delay: **Min. 10sec±3sec, Max. 15min±2min**



### Infrared Sensor-Moving Head-IP44 Max 400W(LED)

**VT-8028-W**

SKU-5088      3800157609197



Sensor Type: **Infrared**  
 Colour: **White**  
 Detection Range: **180°**  
 Voltage: **AC:220-240V,50/60Hz**  
 Rated Load: **Max 400W(LED)**  
 Detection Distance: **Max. 12m(<24°C)**

Ambient Light: **<3-2000LUX(adjustable)**  
 Body Type: **PC**  
 IP Rating: **IP44**  
 Dimension: **445X345X19mm**  
 Time Delay: **Min. 10sec±3sec, Max. 15min±2min**



### Infrared Sensor-Moving Head-IP44 Max 400W(LED)

**VT-8028-B**

SKU-5089      3800157609203



Sensor Type: **Infrared**  
 Colour: **Black**  
 Detection Range: **180°**  
 Voltage: **AC:220-240V,50/60Hz**  
 Rated Load: **Max 400W(LED)**  
 Detection Distance: **Max. 12m(<24°C)**


Ambient Light: **<3-2000LUX(adjustable)**  
 Body Type: **PC**  
 IP Rating: **IP44**  
 Dimension: **445X345X19mm**  
 Time Delay: **Min. 10sec±3sec, Max. 15min±2min**



### Infrared Sensor Max 300W(LED)

**VT-8029**

SKU-5090      3800157609210



Sensor Type: **Infrared**  
 Colour: **White**  
 Detection Range: **360°**  
 Voltage: **AC:220-240V,50/60Hz**  
 Rated Load: **Max 300W(LED)**  
 Detection Distance: **Max. 6m(<24°C)**

Ambient Light: **<3-2000LUX(adjustable)**  
 Body Type: **PC**  
 IP Rating: **IP20**  
 Dimension: **76x75.6mm**  
 Time Delay: **Min. 10sec±3sec, Max. 15min±2min**

### Infrared Sensor-Moving Head Max 400W(LED)


**VT-8030**

SKU-5091

3800157609227



 Box Qty.  
**50 Pcs**



Sensor Type: **Infrared**

Colour: **White**

Detection Range: **360°**

Voltage: **AC:220-240V,50/60Hz**

Rated Load: **Max 400W(LED)**

Detection Distance: **Max. 8m(<24°C)**

Ambient Light: **<3-2000LUX(adjustable)**

Body Type: **PC**

IP Rating: **IP20**

Dimension: **98x73x82mm**

Time Delay: **Min. 10sec±3sec, Max. 15min±2min**

### Infrared Sensor-IP44 Max 300W(LED)

**VT-8003-W**

SKU-4967

3800230625823



 Box Qty.  
**50 Pcs**



Sensor Type: **Infrared**

Colour: **White**

Detection Range: **180°**

Voltage: **AC:220-240V,50/60Hz**

Rated Load: **Max 300W(LED)**

Detection Distance: **Max. 12m(<24°C)**

Ambient Light: **<3-2000LUX(adjustable)**

Body Type: **PC**

IP Rating: **IP44**

Dimension: **86.4x60.4x98mm**

Time Delay: **Min. 10sec±3sec, Max. 7min±2min**

## Infrared Sensor-IP44 Max 300W(LED)

**VT-8003-B**

SKU-5077

3800157606875



Box Qty.  
**50 Pcs**



Sensor Type: **Infrared**

Colour: **Black**

Detection Range: **180°**

Voltage: **AC:220-240V,50/60Hz**

Rated Load: **Max 300W(LED)**

Detection Distance: **Max. 12m(<24°C)**

Ambient Light: **<3-2000LUX(adjustable)**

Body Type: **PC**

IP Rating: **IP44**

Dimension: **86.4x60.4x98mm**

Time Delay: **Min. 10sec±3sec, Max. 7min±2min**

## Infrared Sensor Max 300W(LED)


**VT-8004**

SKU-4968

3800230625830



Box Qty.  
**50 Pcs**



Sensor Type: **Infrared**

Colour: **White**

Detection Range: **360°**

Voltage: **AC:220-240V,50/60Hz**

Rated Load: **Max 300W(LED)**

Detection Distance: **Max. 12m(<24°C)**

Ambient Light: **<3-2000LUX(adjustable)**

Body Type: **PC**

IP Rating: **IP20**

Dimension: **Ø88x55mm**

Time Delay: **Min. 10sec±3sec, Max. 15min±2min**

### Infrared Sensor-E27

Max 60W


**VT-8005**

SKU-4982

3800157600071



Box Qty.  
**50 Pcs**



Sensor Type:	<b>Infrared</b>	Ambient Light:	<b>&lt;3-2000LUX(adjustable)</b>
Colour:	<b>White</b>	Body Type:	<b>Plastic</b>
Detection Range:	<b>360°</b>	IP Rating:	<b>IP20</b>
Voltage:	<b>AC:110-240V,50/60Hz</b>	Dimension:	<b>55.5x116.5mm</b>
Rated Load:	<b>Max 60W</b>	Time Delay:	<b>Min. 10sec±3sec, Max. 5min±1min</b>
Detection Distance:	<b>Max. 6m(&lt;24°C)</b>		

### Infrared Sensor-IP44

Max 300W(LED)

**VT-8048**

SKU-1354

3800157624794



Box Qty.  
**50 Pcs**



Sensor Type:	<b>Infrared</b>	Ambient Light:	<b>&lt;3-2000LUX(adjustable)</b>
Colour:	<b>White</b>	Body Type:	<b>PC</b>
Detection Range:	<b>180°</b>	IP Rating:	<b>IP44</b>
Voltage:	<b>AC:220-240V,50/60Hz</b>	Dimension:	<b>86.4x86.4x60.4mm</b>
Rated Load:	<b>Max 300W(LED)</b>	Time Delay:	<b>Min. 10sec±3sec, Max. 7min±2min</b>
Detection Distance:	<b>Max. 12m(&lt;24°C)</b>		

#### Manual Override Function:

1. Automatic Sensor Override Mode - Turn the switch OFF and ON within 3 Seconds, the sensor will be overridden and switched off. The light will work continuously and normally.(Make sure the automatic mode is switched ON before using this functionality).
2. Sensor Switch On - Turn the switch OFF for 20 seconds and switch it back ON. The sensor will restart and work as per the settings adjusted.
3. If the light is left idle for a longer period of time, the sensor will automatically switch back to automatic mode (Possible when the outside light reaches 100Lux).



### Infrared Sensor

## Max 300W(LED)

### VT-8049

SKU-1355 3800157624800

 Box Qty.  
**50 Pcs**



Sensor Type:	<b>Infrared</b>	Ambient Light:	<3-2000LUX(adjustable)
Colour:	<b>White</b>	Body Type:	PC
Detection Range:	<b>360°</b>	IP Rating:	IP20
Voltage:	<b>AC:220-240V,50/60Hz</b>	Dimension:	<b>88x55mm</b>
Rated Load:	<b>Max 300W(LED)</b>	Time Delay:	<b>Min. 10sec±3sec, Max. 15min±2min</b>
Detection Distance:	<b>Max. 12m(&lt;24°C)</b>		

#### Manual Override Function:

1. Automatic Sensor Override Mode - Turn the switch OFF and ON within 3 Seconds, the sensor will be overridden and switched off. The light will work continuously and normally.(Make sure the automatic mode is switched ON before using this functionality).
2. Sensor Switch On - Turn the switch OFF for 20 seconds and switch it back ON. The sensor will restart and work as per the settings adjusted.
3. If the light is left idle for a longer period of time, the sensor will automatically switch back to automatic mode (Possible when the outside light reaches 100Lux).




### Infrared Sensor

## Max 300W(LED)

### VT-8051

SKU-1356 3800157624817

 Box Qty.  
**50 Pcs**



Sensor Type:	<b>Infrared</b>	Ambient Light:	<3-2000LUX(adjustable)
Colour:	<b>White</b>	Body Type:	PC
Detection Range:	<b>360°</b>	IP Rating:	IP20
Voltage:	<b>AC:220-240V,50/60Hz</b>	Dimension:	<b>76x75.6mm</b>
Rated Load:	<b>Max 300W(LED)</b>	Time Delay:	<b>Min. 10sec±3sec, Max. 15min±2min</b>
Detection Distance:	<b>Max. 6m(&lt;24°C)</b>		

#### Manual Override Function:

1. Automatic Sensor Override Mode - Turn the switch OFF and ON within 3 Seconds, the sensor will be overridden and switched off. The light will work continuously and normally.(Make sure the automatic mode is switched ON before using this functionality).
2. Sensor Switch On - Turn the switch OFF for 20 seconds and switch it back ON. The sensor will restart and work as per the settings adjusted.
3. If the light is left idle for a longer period of time, the sensor will automatically switch back to automatic mode (Possible when the outside light reaches 100Lux).

### Day Light Sensor - 1-10V

**VT-8059**

Box Qty.  
**100 Pcs**

SKU-1369      3800157625982

Colour: **White**  
 Detection Range: **360°**  
 Dimming Range: **1% - 100%**  
 Voltage: **DC:1-10V**  
 Body Type: **PC**  
 IP Rating: **IP20**



Daylight sensor supplies a simple and effective solution for daylight harvesting. Connecting to 1-10V Power source and using with LED dimmable driver.

The illuminations level of lamps will get darker when ambient light gets brighter.

When daylight is insufficient, the lamp will be in 100% Illumination level, and turns to 1% Level when daylight is sufficient enough, then gradually back to 100% level when it is getting darker.

### Infrared-Hand Gesture Detecion Max 200W(LED)




**VT-8025**

**On/Off via Moving Hand**

SKU-5084      3800157608046



Box Qty.  
**100 Pcs**



Sensor Type:	<b>Infrared</b>	Body Type:	<b>Plastic</b>
Colour:	<b>White</b>	IP Rating:	<b>IP20</b>
Detection Range:	<b>30°</b>	Dimension:	<b>35.5x78.2x20.6mm</b>
Voltage:	<b>AC:110-240V,50/60Hz</b>		
Rated Load:	<b>Max 200W(LED)</b>		
Detection Distance:	<b>5cm/6cm(&lt;24°C)</b>		



### Infrared-Door Detection Max 200W(LED)

**VT-8026**


SKU-5085

3800157608053

 Box Qty.  
**100 Pcs**



On/Off via the opening  
and closing of the door



Sensor Type: **Infrared**

Body Type: **Plastic**

Colour: **White**

IP Rating: **IP20**

Detection Range: **30°**

Dimension: **35.5x78.2x18.7mm**

Voltage: **AC:110-240V,50/60Hz**

Rated Load: **Max 200W(LED)**

Detection Distance: **5cm/6cm(<24°C)**



### Microwave Sensor-IP65 Max 200W(LED)

**VT-8036-W**

SKU-5571

3800157620246

 Box Qty.  
**100 Pcs**

 **IP65**  
RATING



Sensor Type: **Microwave**

Ambient Light: **<25-2000LUX**

Colour: **White**

Body Type: **Plastic**

Detection Range: **180°**

IP Rating: **IP65**

Voltage: **AC:220-240V,50/60Hz**

Dimension: **115x35x25mm**

Rated Load: **Max 200W(LED)**

Time Delay: **Min. 10sec±3sec, Max. 15min±2min**

Detection Distance: **5m/10m**

Microwave Sensor-IP65  
Max 200W(LED)

**VT-8036-B**

SKU-5572

3800157620253



 Box Qty.  
**100 Pcs**

 **IP65**  
RATING



Sensor Type: **Microwave**  
Colour: **Black**  
Detection Range: **180°**  
Voltage: **AC:220-240V,50/60Hz**  
Rated Load: **Max 200W(LED)**  
Detection Distance: **5m/10m**

Ambient Light: **<25-2000LUX**  
Body Type: **Plastic**  
IP Rating: **IP65**  
Dimension: **115x35x25mm**  
Time Delay: **Min. 10sec±3sec, Max. 15min±2min**

Microwave Sensor  
Max 300W(LED)


**VT-8018**

SKU-5078

3800157606882



 Box Qty.  
**100 Pcs**



Sensor Type: **Microwave**  
Colour: **White**  
Detection Range: **180° / 360°**  
Voltage: **AC:220-240V,50/60Hz**  
Rated Load: **Max 300W(LED)**  
Detection Distance: **1-8m(radius) adjustable**


Ambient Light: **<3-2000LUX(adjustable)**  
Body Type: **Plastic**  
IP Rating: **IP20**  
Dimension: **37x25x61.5mm**  
Time Delay: **Min. 10sec±3sec, Max. 12min±1min**

## Housing Case-IP65

 Box Qty.  
**50 Pcs**
**VT-8021**

SKU-5079      3800157606899

Colour: **White**  
 IP Rating: **IP65**  
 Dimension: **134x66.5mm**



## Photocell Sensor-IP44


**VT-8019**

SKU-5081      3800157608015

 Box Qty.  
**100 Pcs**

Sensor Type: **Photocell**  
 Colour: **White**  
 Detection Range: **360°**  
 Voltage: **AC:220-240V,50Hz**

Ambient Light: **<5-15LUX(adjustable)**  
 Body Type: **Plastic**  
 IP Rating: **IP44**  
 Dimension: **35.5x46x44.1mm**  
 Time Delay: **5 sec to 8 min (adjustable)**


Infrared Sensor-IP44  
Max 200W(LED)**VT-8022**

SKU-5082      3800157608022

 Box Qty.  
**100 Pcs**

Sensor Type: **Infrared**  
 Colour: **White**  
 Detection Range: **120°/360°**  
 Voltage: **AC:220-240V,50/60Hz**  
 Rated Load: **Max 200W(LED)**  
 Detection Distance: **3/6m(<24°C)**

Ambient Light: **10LUX/2000LUX(choice)**  
 Body Type: **Plastic**  
 IP Rating: **IP20**  
 Dimension: **36.8x25.5x55.4mm**  
 Time Delay: **5s,30s,1min,3min,5min,8min(choice)**



**new!**



### Microwave Sensor Max 300W(LED)


**VT-8077**

SKU-1446

3800157634755



Box Qty.  
**100 Pcs**



Sensor Type: **Microwave**  
Colour: **White**  
Detection Range: **360°**  
Voltage: **AC:220-240V,50/60Hz**  
Rated Load: **Max 300W(LED)**  
Detection Distance: **1-8m(radius) Adjustable**

Ambient Light: **0<3-2000LUX(Adjustable)**  
Body Type: **Plastic**  
IP Rating: **IP20**  
Dimension: **80.7x42.1x43.8mm**  
Time Delay: **Min. 10sec±3sec, Max.12min±1min**

### Microwave Sensor Max 300W(LED)


**VT-8023**

SKU-5083

3800157608039



Box Qty.  
**100 Pcs**



Sensor Type: **Microwave**  
Colour: **White**  
Detection Range: **180°**  
Voltage: **AC:220-240V,50/60Hz**  
Rated Load: **Max 300W(LED)**  
Detection Distance: **5m-15m(adjustable)**

Ambient Light: **<3-2000LUX(adjustable)**  
Body Type: **Plastic**  
IP Rating: **IP20**  
Dimension: **80x80x32mm**  
Time Delay: **10 sec to 12 min (adjustable)**

# LED Emergency Lights

V-TAC features a line of premium quality LED emergency lights for clear and bright emergency illumination. Inclusive of evident exit signs, these signs are powered by high performance batteries, rendering a longer lifespan and lower maintenance. V-TAC's emergency lights and signs are a practical and valuable asset to many applications inclusive of offices, hotels, hospitals and residential areas.



**Walls/Surface Mount**  
 2w | 120 lm



**Walls/Surface Hanging**  
 2w | 120 lm



**Recessed Hanging**  
 2w | 120 lm



**Recessed Fixed**  
 2w | 120 lm



**Bulkhead**  
 3w | 140 lm



**Bulkhead**  
 4w | 190 lm



**Wall Mounted**  
 7w | 600 lm

## Salient Features

- Thermoplastic PC housing, Rectangular type plastic with different signs
- Single or double face configuration
- ✓ Universal (wall, side or ceiling) mounting
- ⚡ Low energy consumption only 2.0 watts at 120V
- ⌚ LED indicator light and push button test switch
- LED LEDs mounted on print circuit board
- ⌚ 24 hours recharge after more than 3 Hours discharge
- 🔧 Efficient thermal management technology
- ⚡ Corrosion free mounting clamps
- 🔋 High performance Ni-Cd batteries made for Longevity & low maintenance
- ✓ Reliable Emergency backup of 3 hours

Exit Light - Surface


2W VT-519

Box Qty. 10 Pcs

8099 - 6000K White 3800157623155



**24Hrs**  
CHARGING TIME



Lamp Type: 16 SMD LEDs  
 Lumens: 160lm  
 Input Voltage: AC:220-240V,50/60Hz  
 Protection Rating: IP20  
 Material: PC  
 Exit Lamp Type: Surface/Ceiling Mounted  
 Viewing Distance: 22 Meters From Both Sides

Emergency Operation Time: >3 Hours  
 Battery: Ni-Cd 4.8V,600mAh  
 Recharging Time: 24 Hours  
 Test Button: Green Light Indicator Test Button  
 Stickers: 4 Stickers  
 Legends: 4 Way Legend Available  
 Mode Of Operation: Maintained

**new!**

Exit Light - Surface


2W VT-519-12

Box Qty. 10 Pcs

8312 - 6000K White 3800157630764



**12Hrs**  
CHARGING TIME




Lamp Type: 16 SMD LEDs  
 Lumens: 160lm  
 Input Voltage: AC:220-240V,50/60Hz  
 Protection Rating: IP20  
 Material: PC  
 Exit Lamp Type: Surface/Ceiling Mounted  
 Viewing Distance: 22 Meters From Both Sides

Emergency Operation Time: >3 Hours  
 Battery: Ni-cd 4.8V,600mAh  
 Recharging Time: 12 Hours  
 Test Button: Green Light Indicator Test Button  
 Stickers: 4 Stickers  
 Legends: 4 Way Legend Available  
 Mode Of Operation: Maintained



## Exit Light-Surface Hanging

**2w**    **VT-520**
**Box Qty.**  
**10 Pcs**
**8100 - 6000K White**    3800157623162

 **24Hrs**  
**CHARGING TIME**



Lamp Type:	16 SMD LEDs
Lumens:	160lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP20
Material :	PC
Exit Lamp Type:	Surface/Ceiling Mounted
Viewing Distance:	22 Meters From Both Sides

Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 4.8V,600mAh
Recharging Time:	24 Hours
Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	4 Way Legend Available
Mode Of Operation:	Maintained

**new!**


## Exit Light-Surface Hanging

**2w**    **VT-520-12**
**Box Qty.**  
**10 Pcs**
**8313 - 6000K White**    3800157630771

 **12Hrs**  
**CHARGING TIME**


Lamp Type:	16 SMD LEDs
Lumens:	160lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP20
Material :	PC
Exit Lamp Type:	Surface/Ceiling Mounted
Viewing Distance:	22 Meters From Both Sides

Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 4.8V,600mAh
Recharging Time:	12 Hours
Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	4 Way Legend Available
Mode Of Operation:	Maintained




Exit Light-Hanging

2W VT-521

Box Qty. 10Pcs

8200 - 6000K White 3800157623179

**24Hrs**  
CHARGING TIME



Lamp Type: 16 SMD LEDs  
 Lumens: 160lm  
 Input Voltage: AC:220-240V,50/60Hz  
 Protection Rating: IP20  
 Material: PC  
 Exit Lamp Type: Recessed Hanging  
 Viewing Distance: 22 Meters From Both Sides

Emergency Operation Time: >3 Hours  
 Battery: Ni-Cd 4.8V,600mAh  
 Recharging Time: 24 Hours  
 Test Button: Green Light Indicator Test Button  
 Stickers: 4 Stickers  
 Legends: 4 Way Legend Available  
 Mode Of Operation: Maintained

**new!**




Exit Light-Hanging

2W VT-521-12

Box Qty. 10 Pcs

8314 - 6000K White 3800157630788

**12Hrs**  
CHARGING TIME



Lamp Type: 16 SMD LEDs  
 Lumens: 160lm  
 Input Voltage: AC:220-240V,50/60Hz  
 Protection Rating: IP20  
 Material: PC  
 Exit Lamp Type: Recessed Hanging  
 Viewing Distance: 22 Meters From Both Sides


Emergency Operation Time: >3 Hours  
 Battery: Ni-Cd 4.8V,600mAh  
 Recharging Time: 12 Hours  
 Test Button: Green Light Indicator Test Button  
 Stickers: 4 Stickers  
 Legends: 4 Way Legend Available  
 Mode Of Operation: Maintained

## Exit Light-Recessed

2w VT-522

 Box Qty.  
10 Pcs

8201 - 6000K White 3800157623186


**24Hrs**  
CHARGING TIME


Lamp Type:	16 SMD LEDs
Lumens:	160lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP20
Material :	PC
Exit Lamp Type:	Recessed Fixed
Viewing Distance:	22 Meters From Both Sides


Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 4.8V,600mAh
Recharging Time:	24 Hours
Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	4 Way Legend Available
Mode Of Operation:	Maintained

## Exit Light-Recessed

2w VT-522-12

 Box Qty.  
10 Pcs

8315 - 6000K White 3800157630795


**12Hrs**  
CHARGING TIME


Lamp Type:	16 SMD LEDs
Lumens:	160lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP20
Material :	PC
Exit Lamp Type:	Recessed Fixed
Viewing Distance:	22 Meters From Both Sides

Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 4.8V,600mAh
Recharging Time:	12 hours
Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	4 Way Legend Available
Mode Of Operation:	Maintained

 **24Hrs**  
CHARGING TIME




Emergency -Bulkhead

3.8W VT-511

 Box Qty.  
**10 Pcs**

8249 - 6000K White 3800157626491



Lumens: **110lm**  
Input: **AC:220-240V,50/60Hz**  
Protection Rating: **IP20**  
Lamp Type: **20 SMD LEDs**  
Exit Lamp Type: **Bulkhead**  
Operation Time: **>3 Hours**

Charging Current: **200mA**  
Discharging Current: **360mA**  
Battery: **4V2.0AH Lead Acid battery**  
Material: **ABS+PC**  
Dimension: **292x79x102mm**  
Mode Of Operation **Maintained/Non Maintained**

**new!**

 **12Hrs**  
CHARGING TIME




Emergency -Bulkhead

3.8W VT-511-12

 Box Qty.  
**10 Pcs**

8383 - 6000K White 3800157635554



Lumens: **110lm**  
Input: **AC:220-240V,50/60Hz**  
Protection Rating: **IP20**  
Lamp Type: **20 SMD LEDs**  
Exit Lamp Type: **Bulkhead**  
Operation Time: **>3 Hours**


Charging Current: **200mA**  
Discharging Current: **360mA**  
Battery: **4V2.0AH Lead Acid battery**  
Material: **ABS+PC**  
Dimension: **292x79x102mm**  
Mode Of Operation **Maintained/Non Maintained**

## Emergency-Downlight

3W VT-503

 Box Qty.  
20 Pcs

8274 - 5500K White 3800157627269



Material:	Poly Carbonate & Aluminium	Convert Voltage:	AC:155V
Moured:	Ceiling Recessed	Discharging Current:	300mA
Life Time Of Battery:	2 Years	Discharge Duration:	3 Hours
Light Output (Emergency):	140lm	Spec Of Battery:	3.6V 1800mAh Ni-cd Battery
Lamp Protection:	Over Charge And Discharge Protection	Packing:	38.5x22x25mm
Led Indicator:	Green Light Indicator Test Button	IP Rating:	IP20
Charging Current:	90mA	Mode Of Operation:	Non Maintained

## Exit Light - Bulkhead

3W VT-523

 Box Qty.  
12 Pcs

8096 - 6000K White 3800157623124






Lamp Type:	16 SMD LEDs	Emergency Operation Time:	> 3 Hours
Lumens:	140lm	Battery:	Ni-Cd 3.6v,1500mAh
Input Voltage:	AC:220-240V,50/60Hz	Recharging Time:	24 Hours
Protection Rating:	IP65	Test Button:	Green Light Indicator Test Button
Material :	PC	Stickers:	4 Stickers
Exit Lamp Type:	Wall - Bulkhead	Legends:	4 Ways Legend Available
Viewing Distance:	22 Meters From One side	Mode Of Operation:	Maintained

**new!**

Exit Light - Bulkhead

3W VT-523-12


Box Qty. 12 Pcs

8311 - 6000K White 3800157630757



**12Hrs**  
CHARGING TIME

**IP65**  
RATING



Lamp Type: 16 SMD LEDs  
 Lumens: 140lm  
 Input Voltage: AC:220-240V,50/60Hz  
 Protection Rating: IP65  
 Material: PC  
 Exit Lamp Type: Wall - Bulkhead  
 Viewing Distance: 22 Meters From One side

Emergency Operation Time: >3 Hours  
 Battery: Ni-Cd 3.6v,1500mAh  
 Recharging Time: 12 Hours  
 Test Button: Green Light Indicator Test Button  
 Stickers: 4 Stickers  
 Legends: 4 Ways Legend Available  
 Mode Of Operation: Maintained

Exit Light - Bulkhead

4W VT-524

Box Qty. 12 Pcs

8097 - 6000K White 3800157623131



**24Hrs**  
CHARGING TIME

**IP65**  
RATING



Lamp Type: 30 SMD LEDs  
 Lumens: 190lm  
 Input Voltage: AC:220-240V,50/60Hz  
 Protection Rating: IP65  
 Material: PC  
 Exit Lamp Type: Wall - Bulkhead  
 Viewing Distance: 22 Meters From One side

Emergency Operation Time: >3 Hours  
 Battery: Ni-Cd 4.8V,900mAh  
 Recharging Time: 24 Hours(intial charge 36 hours)  
 Test Button: Green Light Indicator Test Button  
 Stickers: 4 Stickers  
 Legends: 4 Ways Legend Available  
 Mode Of Operation: Maintained


## Exit Light - Bulkhead

4W VT-524-12

 Box Qty.  
12 Pcs

8382 - 6000K White 3800157635493


**12Hrs**  
CHARGING TIME

 **IP65**  
RATING


Lamp Type:	30 SMD LEDs
Lumens:	190lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP65
Material :	PC
Exit Lamp Type:	Wall - Bulkhead
Viewing Distance:	22 Meters From One side


Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 4.8V,900mAh
Recharging Time:	12 hours
Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	4 Ways Legend Available
Mode Of Operation:	Maintained

## Emergency-Twin Spotlight

7W VT-526

 Box Qty.  
5 Pcs

8098 - 6000K White 3800157623148


**IP65**  
RATING


Lamp Type:	2x15 SMD LEDs
Lumens:	600lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP65
Material :	PC
Exit Lamp Type:	Wall Mounted
Viewing Distance:	22 Meters From One side

Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 9.6V,2200mAh
Recharging Time:	24 Hours(intial charge 36 hours)
Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	2 Ways Legend Available
Mode Of Operation:	Non Maintained



# LED Table Lamps

Most cozy and favorite corners, always deserve comfortable lighting conditions. To cater to this need, we bring to you an exclusive range of LED table lamps. Designed with a touch of class, these lamps deliver very smooth lighting with suitable functions to set the right mood and ambiance.



## Product Features

- Energy efficient ways of keeping it that way.
- Adjustable direction.
- Multiple functions like dimming, color changing.
- With USB charging functionality.
- Sleek and modern design.

## Applications

Table lamps can be used in any space, though they are most often found in bedrooms, living rooms at home next to sofas, chairs or beds. It is also a good accessory to be a part of the office decor.



Table Lamps-White+Silver

4W VT-1014-S

Box Qty. 25 Pcs

7098 - 3 IN 1 3800157616980



Rechargeable

Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	120°
Luminous Flux:	120lm	Color:	White+Silver
CRI:	>80	Body Type:	ABS+PC+Aluminium
PF:	>0.45	Dimension:	200x50x263mm




Table Lamps-White+Gold

4W VT-1014-G

Box Qty. 25 Pcs

7099 - 3 IN 1 3800157616997



Rechargeable

Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	120°
Luminous Flux:	120lm	Color:	White+Gold
CRI:	>80	Body Type:	ABS+PC+Aluminium
PF:	>0.45	Dimension:	200x50x263mm




Table Lamps-Black

4W VT-1014-B


Box Qty. 25 Pcs

8500 - 3 IN 1 3800157617215



Rechargeable


Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	120°
Luminous Flux:	120lm	Color:	Black
CRI:	>80	Body Type:	ABS+PC+Aluminium
PF:	>0.45	Dimension:	200x50x263mm





## Table Lamps-Grey

7W VT-1007D-G

 Box Qty.  
8 Pcs

7034 - 5000K White 3800157603836



Touch Control



6 Steps Dimming




1 hour timer



Eye Protection



Anti-radiation



Voltage/Frequency: AC:100-240V,50/60Hz

Beam Angle: 120°

Luminous Flux: 850lux

Color: Grey

CRI: &gt;80

Body Type: ABS


PF: &gt;0.45

Dimension: 330x130x380mm



## Table Lamps-Pink

7W VT-1007D-P

 Box Qty.  
8 Pcs

7042 - 5000K White 3800157605311



Touch Control



6 Steps Dimming




1 hour timer



Eye Protection



Anti-radiation



Voltage/Frequency: AC:100-240V,50/60Hz

Beam Angle: 120°

Luminous Flux: 850lux

Color: Pink

CRI: &gt;80

Body Type: ABS

PF: &gt;0.45

Dimension: 330x130x380mm



## Table Lamps-Blue

7W VT-1007D-B

 Box Qty.  
8 Pcs

7043 - 5000K White 3800157605328



Touch Control



6 Steps Dimming




1 hour timer



Eye Protection



Anti-radiation



Voltage/Frequency: AC:100-240V,50/60Hz

Beam Angle: 120°

Luminous Flux: 850lux

Color: Blue

CRI: &gt;80

Body Type: ABS

PF: &gt;0.45

Dimension: 330x130x380mm




Table Lamps-3 In 1-Dimmable

**7W VT-1009D-W**

Box Qty. **9 Pcs**

7039 - 3 IN 1 3800157605281



Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	120°
Luminous Flux:	650lux	Color:	White
CRI:	>80	Body Type:	ABS+Aluminium
PF:	>0.45	Dimension:	240x396x180mm




Table Lamps-3 In 1-Dimmable

**7W VT-1009D-B**

Box Qty. **9 Pcs**

7040 - 3 IN 1 3800157605298



Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	120°
Luminous Flux:	650lux	Color:	Black+White
CRI:	>80	Body Type:	ABS+Aluminium
PF:	>0.45	Dimension:	240x396x180mm




Table Lamps-3 In 1-Dimmable

**10W VT-1010D**

Box Qty. **12 Pcs**

7033 - 3 IN 1 3800157603829



Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	120°
Luminous Flux:	700lm	Color:	White+Silver
CRI:	>80	Body Type:	ABS+Aluminium
PF:	>0.45	Dimension:	328x445x205mm



## Table Lamps-3 In 1-Dimmable

7W

VT-1008D

 Box Qty.  
16 Pcs

7035 - 3 IN 1 3800157603843



Dimmable

Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	120°
Luminous Flux:	400lm	Color:	White
CRI:	>80	Body Type:	ABS
PF:	>0.45	Dimension:	170x352x113mm



## Desk Lamp-White

5W


VT-1015-W

 Box Qty.  
6 Pcs

7051 - 4000K Day white 3800157610650



Touch Control



Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	90°
Luminous Flux:	360lm	Color:	White
CRI:	>80	Body Type:	ABS+Metal
PF:	>0.45	Dimension:	210x136x32mm



## Desk Lamp-Touch Dimming

5W


VT-1015-B

 Box Qty.  
6 Pcs

7052 - 4000K Day white 3800157610667



Touch Control




Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	90°
Luminous Flux:	360lm	Color:	Black
CRI:	>80	Body Type:	ABS+Metal
PF:	>0.45	Dimension:	210x136x32mm



Table Lamps  
5.5W VT-1046

Box Qty.  
12 Pcs

8514 - 3000K Warm White 3800157627245  
8515 - 4000K Day White 3800157627252



Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	110°
Luminous Flux:	420lm	Color:	White
CRI:	>80	Body Type:	Plastic+Metal
PF:	>0.5	Dimension:	142x101.8x310mm



Desk Lamp-White  
7W VT-1017-W

Box Qty.  
12 Pcs

7053 - 4000K Day white 3800157610674



Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	120°
Luminous Flux:	420lm	Color:	White
CRI:	>80	Body Type:	ABS+Metal
PF:	>0.45	Dimension:	376x166x270mm



Desk Lamp-Touch Dimming  
7W VT-1017-B

Box Qty.  
12 Pcs

7054 - 4000K Day white 3800157610681



Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	120°
Luminous Flux:	420lm	Color:	Black
CRI:	>80	Body Type:	ABS+Metal
PF:	>0.45	Dimension:	376x166x270mm



## Table Lamps-Bakelite-E27


VT-7151-GR

 Box Qty.  
6 Pcs

3912 3800157626071



Body Type: Glass+Metal  
Holder: E27  
Color: Green  
Dimension: 260x180x360mm



## Table Lamps-Bakelite-E27


VT-7151-B

 Box Qty.  
6 Pcs

3913 3800157626088



Body Type: Glass+Metal  
Holder: E27  
Color: Blue  
Dimension: 260x180x360mm



## Table Lamps-Bakelite-E27


VT-7151-GD

 Box Qty.  
6 Pcs

3914 3800157626095



Body Type: Glass+Metal  
Holder: E27  
Color: Yellow  
Dimension: 260x180x360mm



**new!**

Table Lamps+Speaker


**3W VT-1043D**

Box Qty.  
**40 Pcs**

8516 - 3000K+RGB 3800157632959



Voltage/Frequency:	<b>AC:100-240V,50/60Hz</b>	CRI:	<b>&gt;70</b>
Luminous Flux:	<b>110lm</b>	PF:	<b>&gt;0.6</b>
Working Time:	<b>2-3 Hours(Min) 15-20</b>	Beam Angle:	<b>360°</b>
Battery Type:	<b>Hours(Max)</b>	Color:	<b>White</b>
Charging Time:	<b>Lithium Battery -</b>	Body Type:	<b>ABS</b>
USB Output	<b>1500mAh</b>	Dimension:	<b>Ø95x122mm</b>



- Compatible with all smart devices including smart phones, laptops, tablets, etc...
- Supports MP3 files stored in micro SD cards & USB drives
- Supports FM Function, FM Frequency Range 87-108MHZ.
- Easy to plug in your iPod, smart phones, tablets, computer & laptops and other MP3 players or any audio source that uses a standard 35mm jack
- Built-in micro phone for hands-free speaker phone calling which is easy to pair and does not require any code/pin
- Color changing and brightness adjusted by touching.
- USB cable for power, plug and play.

## Desk Lamp-Purple Shade


5W VT-1035-P

 Box Qty.  
6 Pcs

8501 - 4000K Day White 3800157620345



Touch Control



Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	90°
Luminous Flux:	300lm	Color:	Chrome+Purple
CRI:	>80	Body Type:	PC+Metal
PF:	>0.45	Dimension:	Ø150x233mm

## Hanging Lamp-Purple Shade

7W VT-1036-P

 Box Qty.  
9 Pcs

8504 - 4000K Day White 3800157620376



Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	90°
Luminous Flux:	360lm	Color:	Chrome+Purple
CRI:	>80	Body Type:	PC+Metal
PF:	>0.45	Dimension:	Ø150x151x1241mm

Desk Lamp-White Shade


5w VT-1035-W

Box Qty.  
6 Pcs

8502 - 4000K Day White 3800157620352



Touch Control



Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	90°
Luminous Flux:	300lm	Color:	Chrome+White
CRI:	>80	Body Type:	PC+Metal
PF:	>0.45	Dimension:	Ø150x233mm

Hanging Lamp-White Shade

7w VT-1036-W

Box Qty.  
9 Pcs

8505 - 4000K Day White 3800157620383



Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	90°
Luminous Flux:	360lm	Color:	Chrome+White
CRI:	>80	Body Type:	PC+Metal
PF:	>0.45	Dimension:	Ø150x151x1241mm

## Desk Lamp-Blue Shade


5W VT-1035-B

 Box Qty.  
6 Pcs

8503 - 4000K Day White 3800157620369



Touch Control



Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	90°
Luminous Flux:	300lm	Color:	Chrome+Blue
CRI:	>80	Body Type:	PC+Metal
PF:	>0.45	Dimension:	Ø150x233mm

## Hanging Lamp-Blue Shade

7W VT-1036-B

 Box Qty.  
9 Pcs

8506 - 4000K Day White 3800157620390



Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	90°
Luminous Flux:	360lm	Color:	Chrome+Blue
CRI:	>80	Body Type:	PC+Metal
PF:	>0.45	Dimension:	Ø150x151x1241mm




Floor Lamp-E27

**VT-7500-B**

Box Qty.  
**4 Pcs**

7055 3800157610698

Max. Watts: **60W**  
Body Type: **ABS+Metal**  
Holder: **E27**  
Color: **Black**  
Dimension: **250x250x1800mm**




Floor Lamp-E27

**VT-7500-S**

Box Qty.  
**4 Pcs**

7056 3800157610704

Max. Watts: **60W**  
Body Type: **ABS+Metal**  
Holder: **E27**  
Color: **Silver**  
Dimension: **250x250x1800mm**






### Floor Lamp-E27

#### VT-7600-SB

3703 3800157610766

Max. Watts: **60W**  
 Body Type: **Metal With Sand Finish**  
 Holder: **E27**  
 Color: **Sand Black+Satin Nickel**  
 Dimension: **140x200x1600mm**

 Box Qty.  
**4 Pcs**




### Floor Lamp-E27

#### VT-7600-SW

3704 3800157610773

Max. Watts: **60W**  
 Body Type: **Metal With Sand Finish**  
 Holder: **E27**  
 Color: **Sand White+Satin Nickel**  
 Dimension: **140x200x1600mm**

 Box Qty.  
**4 Pcs**





Floor Lamp


7W VT-7700-W

Box Qty.  
3 Pcs

8507 3800157620406

Built In LED

Voltage/Frequency: AC:100-240V,50/60Hz  
Luminous Flux: 420lm  
CRI: >80  
PF: >0.5  
Beam Angle: 120°  
Color: White  
Body Type: ABS+Metal  
Dimension: Ø220x440x1405mm



Floor Lamp


7W VT-7700-B

Box Qty.  
3 Pcs

8508 3800157620413

Built In LED

Voltage/Frequency: AC:100-240V,50/60Hz  
Luminous Flux: 420lm  
CRI: >80  
PF: >0.5  
Beam Angle: 120°  
Color: Black  
Body Type: ABS+Metal  
Dimension: Ø220x440x1405mm









# LED Innovative Lights

An Innovative and sustainable way of lighting up your outdoors.V-TAC's LED Solar Outdoor lights can function for up to 24 hours, with just 6-7 hours charging during the day.Inbuilt sensors allow these outdoor lamps to light up upon detection of movement.



## Product Features

-  ZERO Electricity Cost
-  PIR Detective
-  Outdoor
-  Solar Powered
-  Light on/off automatically
-  Cordless

## Applications

Suitable for Outdoor and Indoor Lighting




Solar Wall Light-IP65

1.5w VT-767-W

7096 - Day+Warm White

3800157616966

Box Qty. 20Pcs



Battery: 3.7V Lithium Battery 1200mAh  
 Lumens: 200lm  
 No. of LED: 10pcs (Front 8pcs, Back 2 pcs)  
 Detecting Angle: 120°  
 Sensing Range: 2 - 6 mtrs

Charging Time: 6-7 hrs Sunlight Charging  
 Working Time: Min 8 hrs and Max 24 hrs  
 IP Rating: IP65  
 Material: Mono Crystal Silicon  
 Dimension: 152x96x83.4mm




Solar Wall Light-IP65

1.5w VT-767-2-W

8276 - 4000K Day White

3800157627931

Box Qty. 20Pcs



Battery: 3.7V Lithium Battery 1200mAh  
 Lumens: 220lm  
 No. of LED: 14pcs (Front 12pcs, Back 2 pcs)  
 Detecting Angle: 120°  
 Sensing Range: 2 - 6 mtrs

Charging Time: 6-7 hrs Sunlight Charging  
 Working Time: Min 8 hrs and Max 24 hrs  
 IP Rating: IP65  
 Material: ABS+PC  
 Dimension: 144.5x96x79mm




Solar Wall Light-IP65

1.5w VT-767-2-B

8277 - 4000K Day White

3800157627948

Box Qty. 20Pcs



Battery: 3.7V Lithium Battery 1200mAh  
 Lumens: 220lm  
 No. of LED: 14pcs (Front 12pcs, Back 2 pcs)  
 Detecting Angle: 120°  
 Sensing Range: 2 - 6 mtrs

Charging Time: 6-7 hrs Sunlight Charging  
 Working Time: Min 8 hrs and Max 24 hrs  
 IP Rating: IP65  
 Material: ABS+PC  
 Dimension: 144.5x96x79mm




## Solar Wall Light-IP65

3w VT-768

7523 - Day+Warm White

3800157619363

 Box Qty.  
12Pcs


Battery: 3.7V Lithium Battery 2000mAh  
 Lumens: 400lm  
 No. of LED: 30pcs (Front 28pcs, Back 2 pcs)  
 Detecting Angle: 120°  
 Sensing Range: 2 - 6 mtrs

Charging Time: 6-7 hrs Sunlight Charging  
 IP Rating: IP65  
 Material: ABS+PC  
 Dimension: 140x212x109.2mm  
 Working Time: Min 5-8 hrs and Max 24 hrs



## Solar Floodlight

10w VT-787-10

9869 - 4000K Day White

3800157636025

 Box Qty.  
8Pcs


Battery: 3.7V Lithium Battery 8000mAh  
 Lumens: 1100lm  
 No. of LED: 60pcs  
 Detecting Angle: 180°  
 Sensing Range: ≤8mtrs

IP Rating: IP65  
 Material: Aluminium  
 Dimension: 175x43x266mm


Solar Wall Light-IP65

7W VT-767-7-W

Box Qty.  
20Pcs

8278 - 4000K Day White

3800157627955



Battery: 3.7V Lithium Battery 4000mAh  
Lumens: 800lm  
No. of LED: 60pcs (Front 56pcs, Back 4 pcs)  
Detecting Angle: 120°  
Sensing Range: 2 - 6 mtrs

Charging Time: 6-7 hrs Sunlight Charging  
IP Rating: IP65  
Material: ABS+PC  
Dimension: 270x221x109.2mm  
Working Time: Mode A: 5 hours, Mode B: 2~3 nights  
Mode C: 3~4 nights


Solar Wall Light-IP65

7W VT-767-7-B

Box Qty.  
20Pcs

8279 - 4000K Day White

3800157627962



Battery: 3.7V Lithium Battery 4000mAh  
Lumens: 800lm  
No. of LED: 60pcs (Front 56pcs, Back 4 pcs)  
Detecting Angle: 120°  
Sensing Range: 2 - 6 mtrs

Charging Time: 6-7 hrs Sunlight Charging  
IP Rating: IP65  
Material: ABS+PC  
Dimension: 270x221x109.2mm  
Working Time: Mode A: 5 hours, Mode B: 2~3 nights  
Mode C: 3~4 nights


No Wiring



Wireless



Battery Free



Switch - One Gang Set

Box Qty.  
**50****VT-541**

8229 3800157624336

## Switch

Working Type:	Push -Button
Power Mode:	Self Powered
Control Distance:	Up to 30 meters
Switch Lifetime:	2,00,000
Operating Temp:	-5~40°C
Humidity:	0-95%RH
IP Rating:	IP20
Dimensions:	Ø70x15.5mm

## Receiver

Input Voltage:	AC:200-265V,50/60Hz
Load Power:	Max 200W
Controller:	RF Receiver
Dimensions:	D:48x25mm

Switch - Mounting Base

Box Qty.  
**200****VT-540-1**

8231 3800157624350

Dimensions: 86x86x11mm




No Wiring




Wireless



Battery Free



Switch - Two Gang Set  Box Qty. **30**  
**VT-542**


8230 3800157624343

## Switch

Working Type:	<b>Push -Button</b>
Power Mode:	<b>Self Powered</b>
Control Distance:	<b>Up to 30 meters</b>
Switch Lifetime:	<b>2,00,000</b>
Operating Temp:	<b>-5~40°C</b>
Humidity:	<b>0-95%RH</b>
IP Rating:	<b>IP20</b>
Dimensions:	<b>Ø70x15.5mm</b>

## Receiver

Input Voltage:	<b>AC:200-265V,50/60Hz</b>
Load Power:	<b>Max 200W</b>
Controller:	<b>RF Receiver</b>
Dimensions:	<b>D:48x25mm</b>

Switch - Mounting Base  Box Qty. **200**  
**VT-540**

8231 3800157624350

Dimensions: **86x86x11mm**



# LED Outdoor Lights

Transform the exteriors of a Building or a Garden into a Beautiful piece of Architecture. Simultaneously help navigate obstacles at night, prevent accidents and provide security.



## Product Features

- Perfect replacement for traditional fittings as they are more flexible & efficient
- Work perfectly in extreme temperatures from  $-20^{\circ}$  to  $+45^{\circ}$  without any adverse effects
- Specifically designed for Outdoor use
- IP65/67 Protection Rating to ensure safety
- Low Maintenance
- Outstanding Colour options and settings

## Applications

Used for Gardens, Outdoor Residential Areas, Walkways & Passages, Driveways, Fountains, Lawns, Entrance, Patio or Terrace and similar environments



Wall Fitting-IP44-GU10-PIR

**VT-7621PIR**

7502 3800157617611



Box Qty.  
**24 Pcs**

**UP & DOWN  
LIGHTS**

Type: **Wall Fixtures**  
Holder: **GU10**  
Material: **Stainless Steel**

Color of Fixture: **Stainless Steel Brush**  
IP Rating: **IP44**  
Dimension: **110x67x163mm**



Wall Fitting-Up-Down-GU10-PIR

**VT-7622PIR**

7503 3800157617628



Box Qty.  
**12 Pcs**

**UP & DOWN  
LIGHTS**

Type: **Wall Fixtures**  
Holder: **GU10**  
Material: **Stainless Steel**

Color of Fixture: **Stainless Steel Brush**  
IP Rating: **IP44**  
Dimension: **110x67x220mm**



Wall Fitting-Up-Down-GU10-IP44

**VT-7622**

7500 3800157617598

Box Qty.  
**16 Pcs**

**UP & DOWN  
LIGHTS**

Type: **Wall Fixtures**  
Holder: **2XGU10**  
Material: **Stainless Steel**

Color of Fixture: **Stainless Steel Brush**  
IP Rating: **IP44**  
Dimension: **93x85x163mm**



Wall Fitting-IP44-GU10

**VT-7621**

7501 3800157617604

Box Qty.  
**24 Pcs**

Type: **Wall Fixtures**  
Holder: **GU10**  
Material: **Stainless Steel**

Color of Fixture: **Stainless Steel Brush**  
IP Rating: **IP44**  
Dimension: **93x85x118mm**



## Wall Fitting-Up-Down-GU10-IP44

## VT-7632

7504 3800157617635

 Box Qty.  
12 Pcs


Type: Wall Fixtures  
Holder: 2XGU10  
Material: Stainless Steel

Color of Fixture: Stainless Steel Brush  
IP Rating: IP44  
Dimension: 110x60x178mm



## Wall Fitting-IP44-GU10

## VT-7631

7505 3800157617642

 Box Qty.  
24 Pcs

Type: Wall Fixtures  
Holder: GU10  
Material: Stainless Steel

Color of Fixture: Stainless Steel Brush  
IP Rating: IP44  
Dimension: 110x60x125mm



## Wall Light-IP44-GU10

## VT-7641

7506 3800157617659

 Box Qty.  
24 Pcs

Type: Wall Fixtures  
Holder: GU10  
Material: Stainless Steel

Color of Fixture: Stainless Steel Brush  
IP Rating: IP44  
Dimension: 105x76x118mm



## Wall Fitting-Up-Down-GU10

## VT-7642

7507 3800157617666

 Box Qty.  
16 Pcs


Type: Wall Fixtures  
Holder: 2XGU10  
Material: Stainless Steel

Color of Fixture: Stainless Steel Brush  
IP Rating: IP44  
Dimension: 105x76x207mm



Wall Fitting-Round-IP44-GU10

**VT-7651RD**

7508 3800157617673

Box Qty.  
**24 Pcs**

Type: **Wall Fixtures**  
Holder: **GU10**  
Material: **Aluminium**

Color of Fixture: **Black**  
IP Rating: **IP44**  
Dimension: **92x68x80mm**



Wall Fitting-Up-Down-GU10-IP44

**VT-7652RD**

7509 3800157617680

Box Qty.  
**16 Pcs**



Type: **Wall Fixtures**  
Holder: **GU10**  
Material: **Aluminium**

Color of Fixture: **Black**  
IP Rating: **IP44**  
Dimension: **92x68x80mm**



Wall Fitting-Square-IP44-GU10

**VT-7651SQ**

7510 3800157617697

Box Qty.  
**24 Pcs**

Type: **Wall Fixtures**  
Holder: **GU10**  
Material: **Aluminium**

Color of Fixture: **Black**  
IP Rating: **IP44**  
Dimension: **92x68x80mm**



Wall Fitting-Square-IP44-GU10

**VT-7652SQ**

7511 3800157617703

Box Qty.  
**16 Pcs**

Type: **Wall Fixtures**  
Holder: **2XGU10**  
Material: **Aluminium**

Color of Fixture: **Black**  
IP Rating: **IP44**  
Dimension: **92x68x150mm**



## Wall Fitting-Up-Down-GU10

VT-7662

7512 3800157617710

 Box Qty.  
12 Pcs



Type: Wall Fixtures  
Holder: 2XGU10  
Material: Stainless Steel


Color of Fixture: Black  
IP Rating: IP44  
Dimension: 85x87x250mm

**new!**

## Wall Fitting-Square-IP44-GU10

VT-7651SQ-W

7539 3800157630702

 Box Qty.  
24 Pcs

Type: Wall Fixtures  
Holder: GU10  
Material: Aluminium

Color of Fixture: White  
IP Rating: IP44  
Dimension: 92x68x80mm

**new!**

## Wall Fitting-Round-IP44-GU10

VT-7651RD-W

7540 3800157630719

 Box Qty.  
24 Pcs

Type: Wall Fixtures  
Holder: GU10  
Material: Aluminium

Color of Fixture: White  
IP Rating: IP44  
Dimension: 92x68x80mm

**new!**

## Wall Fitting-Square-IP44-GU10

VT-7652SQ-W

7541 3800157630726

 Box Qty.  
16 Pcs



Type: Wall Fixtures  
Holder: 2XGU10  
Material: Aluminium

Color of Fixture: White  
IP Rating: IP44  
Dimension: 92x68x150mm

**new!**



Wall Fitting-Up-Down-GU10-IP44

**VT-7652RD-W**

7542 3800157630733

 Box Qty.  
**16 Pcs**



Type: **Wall Fixtures**  
Holder: **2xGU10**  
Material: **Aluminium**

Color of Fixture: **White**  
IP Rating: **IP44**  
Dimension: **92x68x80mm**

**new!**



Wall Fitting-Up-Down-GU10

**VT-7662-W**

7543 3800157630740

 Box Qty.  
**12 Pcs**



Type: **Wall Fixtures**  
Holder: **2XGU10**  
Material: **Aluminium**

Color of Fixture: **White**  
IP Rating: **IP44**  
Dimension: **85x87x250mm**

**new!**



Wall Fitting-IP44-GU10

**VT-7611**

7553 3800157633574

 Box Qty.  
**24 Pcs**

Type: **Wall Fixtures**  
Holder: **GU10**  
Material: **Aluminium**

Color of Fixture: **Black**  
IP Rating: **IP44**  
Dimension: **100x66x92mm**

**new!**



Wall Fitting-IP44-GU10

**VT-7612**

7554 3800157633581

 Box Qty.  
**6 Pcs**

Type: **Wall Fixtures**  
Holder: **GU10**  
Material: **Aluminium**

Color of Fixture: **Black**  
IP Rating: **IP44**  
Dimension: **1170x50mm**



## Underground Fitting-Round-GU10

## VT-7677RD

7515 3800157617741

 Box Qty.  
24 Pcs


Type: **Underground**  
Holder: **Fittings**  
Material: **GU10**

Color of Fixture: **Black**  
IP Rating: **IP65**  
Dimension: **110x110x-**



## Underground Fitting-Square-GU10

## VT-7677SQ

7516 3800157617758

 Box Qty.  
24 Pcs


Type: **Underground**  
Holder: **Fittings**  
Material: **GU10**

Color of Fixture: **Black**  
IP Rating: **IP65**  
Dimension: **110x110x-**



## Garden Spike-Single Head-E27

## VT-728

7044 3800157606332

 Box Qty.  
12 Pcs

Type: **Garden Lamps**  
Holder: **E27**  
Material: **ABS**

Color of Fixture: **Black**  
IP Rating: **IP44**  
Dimension: **450x27mm**



## Garden Spike-Double Head-E27

## VT-729

7045 3800157606349

 Box Qty.  
12 Pcs

Type: **Garden Lamps**  
Holder: **E27**  
Material: **ABS**

Color of Fixture: **Black**  
IP Rating: **IP44**  
Dimension: **450x205mm**



Garden Spike-Black-IP44

**VT-769**

7517 3800157617765

 Box Qty.  
**12 Pcs**

Type: **Garden Lamps**  
Holder: **GU10**  
Material: **Aluminium**

Color of Fixture: **Black**  
IP Rating: **IP44**  
Dimension: **95x95x335mm**



Garden Spike-White-IP44

**VT-770**

7518 3800157617772

 Box Qty.  
**8 Pcs**

Type: **Garden Lamps**  
Holder: **GU10**  
Material: **Stainless Steel**

Color of Fixture: **Silver**  
IP Rating: **IP44**  
Dimension: **60x60x420mm**



**new!**

Garden Lamp

**12w VT-857-B**

 Box Qty.  
**50 Pcs**

7544 - 3000K Warm White 3800157633444  
 7545 - 4000K Day White 3800157633451  
 7546 - Green 3800157633468

**IP65**  
 RATING


Commercial Type: **Garden Spike Light**  
 Voltage/Frequency: **AC:100-240V,50/60Hz**  
 Luminous Flux: **720lm**  
 Beam Angle: **30°**  
 PF **>0.6**

CRI: **>80**  
 IP Rating: **IP65**  
 Body Type: **Aluminium**  
 Dimension: **73x255mm**

**new!**

Garden Lamp

**12w VT-857-W**

 Box Qty.  
**50 Pcs**

7547 - 3000K Warm White 3800157633475  
 7548 - 4000K Day White 3800157633482  
 7549 - Green 3800157633499

**IP65**  
 RATING


Commercial Type: **Garden Spike Light**  
 Voltage/Frequency: **AC:100-240V,50/60Hz**  
 Luminous Flux: **720lm**  
 Beam Angle: **30°**  
 PF **>0.6**

CRI: **>80**  
 IP Rating: **IP65**  
 Body Type: **Aluminium**  
 Dimension: **73x255mm**

**new!**

Garden Lamp

**12w VT-857-G**

 Box Qty.  
**50 Pcs**

7550 - 3000K Warm White 3800157633505  
 7551 - 4000K Day White 3800157633512  
 7552 - Green 3800157633529

**IP65**  
 RATING


Commercial Type: **Garden Spike Light**  
 Voltage/Frequency: **AC:100-240V,50/60Hz**  
 Luminous Flux: **720lm**  
 Beam Angle: **30°**  
 PF **>0.6**

CRI: **>80**  
 IP Rating: **IP65**  
 Body Type: **Aluminium**  
 Dimension: **73x255mm**

**new!**

Pool Lights-PAR56

8W

VT-1258



Box Qty.  
**12 Pcs**


7556 - 3000K Warm White  
7555 - 6400K White  
7557 - Blue

3800157633789  
3800157633772  
3800157633796



**IP68**  
RATING

Commercial Type: PAR56  
Voltage/Frequency: AC/DC:12V,50Hz  
Luminous Flux: 800lm  
Beam Angle: 120°  
CRI: >80  
IP Rating: IP68  
Body Type: Glass  
Dimension: 178x114mm  
Cutting Size: 275x145mm



**new!**

Pool Lights-PAR56-RGB

8W

VT-1268



Box Qty.  
**12 Pcs**


7558 - RGB

3800157633802



**IP68**  
RATING

Commercial Type: PAR56  
Voltage/Frequency: AC/DC:12V,50Hz  
Luminous Flux: 800lm  
Beam Angle: 120°  
CRI: >80  
IP Rating: IP68  
Body Type: Glass  
Dimension: 178x114mm  
Cutting Size: 275x145mm



**new!**
**Pool Lights-PAR56**
**12w VT-1262**


 Box Qty.  
**12 Pcs**

7560 - 3000K Warm White  
 7559 - 6500K White  
 7561 - Blue

3800157633826  
 3800157633819  
 3800157633833

**IP68**  
 RATING

Commercial Type: PAR56  
 Voltage/Frequency: AC/DC:12V,50Hz  
 Luminous Flux: 1200lm  
 Beam Angle: 120°  
 CRI: >80  
 IP Rating: IP68  
 Body Type: Glass  
 Dimension: 178x114mm  
 Cutting Size: 275x145mm


**new!**
**Pool Lights-PAR56-RGB**
**12w VT-1263**


 Box Qty.  
**12 Pcs**

7562 - RGB

3800157633840

**IP68**  
 RATING

Commercial Type: PAR56  
 Voltage/Frequency: AC/DC:12V,50Hz  
 Luminous Flux: 1200lm  
 Beam Angle: 120°  
 CRI: >80  
 IP Rating: IP68  
 Body Type: Glass  
 Dimension: 178x114mm  
 Cutting Size: 275x145mm





# Garden Lamps

V-TAC presents an elegant series of garden lighting- allowing your garden to glow in style when the sun goes down. Step outside with our wide range of contemporary outdoor lighting and decorate your pathways, walls, floors and ceilings with our modern designs.



## Product Features

- Traditional Garden Lamps designed to fit the Modern day requirements
- Available in different designs, shapes and sizes
- Waterproof Lamps available in series of IP rating from IP 44 to IP 66
- Easy installation
- Applicable with GU10 -E27 base lights
- Suitable for Walls, Floor, Pathways and Ceiling Lights

## Applications

Suitable for Outdoor Lighting

Wall Lamp


**VT-7670**

 Box Qty. **12 Pcs**

7513

3800157617727

Voltage: **AC:220-240V,50Hz**  
Max.Watts: **14W**  
IP Rating: **IP44**  
Holder: **E27**  
Color of Fixture: **Stainless Steel**  
Body Type: **Stainless Steel+PC**  
Size: **250x90x100mm**



Wall Lamp


**VT-7680**

 Box Qty. **12 Pcs**

7514


3800157617734

Voltage: **AC:220-240V**  
Max.Watts: **14W**  
IP Rating: **IP44**  
Holder: **E27**  
Color of Fixture: **Stainless Steel**  
Body Type: **Stainless Steel+PC**  
Size: **250x90x100mm**



Wall Lamp


**VT-745-B**

 Box Qty. **12 Pcs**

7064

3800157614399

Voltage: **AC:220-240V,50Hz**  
Max.Watts: **40W**  
IP Rating: **IP54**  
Holder: **E27**  
Color of Fixture: **Matt Black**  
Body Type: **Aluminium**  
Size: **145X265mm**



## Wall Lamp


## VT-745-DG

 Box Qty.  
**12 Pcs**

7065

3800157614405

Voltage: AC:220-240V,50Hz  
 Max.Watts: 40W  
 IP Rating: IP54  
 Holder: E27  
 Color of Fixture: Dark Grey  
 Body Type: Aluminium  
 Size: 145X265mm



## Wall Lamp


## VT-754-MB

 Box Qty.  
**10 Pcs**

7076

3800157616294

Voltage: AC:220-240V,50Hz  
 Max.Watts: 40W  
 IP Rating: IP44  
 Holder: E27  
 Color of Fixture: Matt Black  
 Body Type: Aluminium+Glass  
 Size: 245x180x93mm



## Wall Lamp


## VT-754-MW

 Box Qty.  
**10 Pcs**

7077

3800157616300

Voltage: AC:220-240V,50Hz  
 Max.Watts: 40W  
 IP Rating: IP44  
 Holder: E27  
 Color of Fixture: Matt White  
 Body Type: Aluminium+Glass  
 Size: 245x180x93mm



Wall Lamp


**VT-760-B**

 Box Qty.  
**12 Pcs**

7519

3800157617789

Voltage: **AC:220-240V**  
Max.Watts: **60W**  
IP Rating: **IP44**  
Holder: **E27**  
Color of Fixture: **Matt Black**  
Body Type: **Aluminium+Glass**  
Size: **225x400x148mm**



Wall Lamp


**VT-760-W**

 Box Qty.  
**12 Pcs**

7520


3800157617796

Voltage: **AC:220-240V**  
Max.Watts: **60W**  
IP Rating: **IP44**  
Holder: **E27**  
Color of Fixture: **Matt White**  
Body Type: **Aluminium+Glass**  
Size: **225x400x148mm**



Wall Lamp


**VT-761-B**

 Box Qty.  
**8 Pcs**

7521

3800157617802

Voltage: **AC:220-240V**  
Max.Watts: **60W**  
IP Rating: **IP44**  
Holder: **E27**  
Color of Fixture: **Matt Black**  
Body Type: **Aluminium+Glass**  
Size: **245x445x185mm**



## Wall Lamp


## VT-761-W

Box Qty.  
8 Pcs

7522

3800157617819

Voltage: AC:220-240V  
 Max.Watts: 60W  
 IP Rating: IP44  
 Holder: E27  
 Color of Fixture: Matt White  
 Body Type: Aluminium+Glass  
 Size: 245x445x185mm



## Wall Lamp


## VT-730

Box Qty.  
6 Pcs

7046

3800157610391

Voltage: AC:220-240V,50Hz  
 Max.Watts: 40W  
 IP Rating: IP44  
 Holder: E27  
 Color of Fixture: Black  
 Body Type: Aluminium+Glass  
 Size: 200x238mm



## Wall Lamp


## VT-731

Box Qty.  
6 Pcs

7047

3800157610407

Voltage: AC:220-240V,50Hz  
 Max.Watts: 40W  
 IP Rating: IP44  
 Holder: E27  
 Color of Fixture: Black  
 Body Type: Aluminium+Glass  
 Size: 200x238mm



Wall Lamp


**VT-852**

 Box Qty.  
**6 Pcs**

7531

3800157630078

Voltage: AC:220-240V,50Hz  
Max.Watts: 60W  
IP Rating: IP44  
Holder: E27  
Color of Fixture: Matt Black  
Body Type: Aluminium, Glass  
Size: 290x250x525mm



Wall Lamp


**VT-853**

 Box Qty.  
**6 Pcs**

7532

3800157630085

Voltage: AC:220-240V,50Hz  
Max.Watts: 60W  
IP Rating: IP44  
Holder: E27  
Color of Fixture: Matt Black  
Body Type: Aluminium, Glass  
Size: 290x250x525mm



Wall Lamp


**VT-751-B**

 Box Qty.  
**10 Pcs**

7070

3800157616232

Voltage: AC:220-240V,50Hz  
Max.Watts: 40W  
IP Rating: IP44  
Holder: E27  
Color of Fixture: Matt Black  
Body Type: Aluminium+Glass  
Size: 215x375x170mm



MOTION  
PIR  
SENSOR



## Wall Lamp


## VT-751-W

 Box Qty.  
10 Pcs

7071

3800157616249

Voltage: AC:220-240V,50Hz  
 Max.Watts: 40W  
 IP Rating: IP44  
 Holder: E27  
 Color of Fixture: Matt White  
 Body Type: Aluminium+Glass  
 Size: 215x375x170mm





## Wall Lamp


## VT-749-B

 Box Qty.  
10 Pcs

7066

3800157616195

Voltage: AC:220-240V,50Hz  
 Max.Watts: 40W  
 IP Rating: IP44  
 Holder: E27  
 Color of Fixture: Matt Black  
 Body Type: Aluminium+Glass  
 Size: 208x360x170mm



## Wall Lamp


## VT-749-W

 Box Qty.  
10 Pcs

7067

3800157616201

Voltage: AC:220-240V,50Hz  
 Max.Watts: 40W  
 IP Rating: IP44  
 Holder: E27  
 Color of Fixture: Matt White  
 Body Type: Aluminium+Glass  
 Size: 208x360x170mm



Wall Lamp


**VT-750-B**



3800157616218

7068

Voltage: AC:220-240V,50Hz  
Max.Watts: 40W  
IP Rating: IP44  
Holder: E27  
Color of Fixture: Matt Black  
Body Type: Aluminium+Glass  
Size: 208x360x170mm



Wall Lamp


**VT-750-W**



3800157616225

7069

Voltage: AC:220-240V,50Hz  
Max.Watts: 40W  
IP Rating: IP44  
Holder: E27  
Color of Fixture: Matt White  
Body Type: Aluminium+Glass  
Size: 208x360x170mm



Ceiling Lamp


**VT-752-B**



3800157616256

7072

Voltage: AC:220-240V,50Hz  
Max.Watts: 40W  
IP Rating: IP44  
Holder: E27  
Color of Fixture: Matt Black  
Body Type: Aluminium+Glass  
Size: 170x840mm



## Ceiling Lamp


## VT-752-W

 Box Qty.  
10 Pcs

7073

3800157616263

Voltage: AC:220-240V,50Hz  
 Max.Watts: 40W  
 IP Rating: IP44  
 Holder: E27  
 Color of Fixture: White  
 Body Type: Aluminium+Glass  
 Size: 170x840mm



## Ceiling Lamp


## VT-735

 Box Qty.  
10 Pcs

7058

3800157612616

Voltage: AC:220-240V,50Hz  
 Max.Watts: 60W  
 IP Rating: IP44  
 Holder: E27  
 Color of Fixture: Black  
 Body Type: Aluminium+Glass  
 Size: 170x720mm



## Stand Lamp


## VT-736

 Box Qty.  
10 Pcs

7059

3800157612623

Voltage: AC:220-240V,50Hz  
 Max.Watts: 60W  
 IP Rating: IP44  
 Holder: E27  
 Color of Fixture: Black  
 Body Type: Aluminium+Glass  
 Size: 170x600mm



### Ceiling Lamp


#### VT-850

 Box Qty.  
**8 Pcs**

7529

3800157630054

Voltage: **AC:200-240V,50Hz**  
Max.Watts: **60W**  
IP Rating: **IP44**  
Holder: **E27**  
Color of Fixture: **Matt Black**  
Body Type: **Aluminium+PC**  
Size: **250x890mm**



### Pole Lamp


#### VT-851

 Box Qty.  
**1 Pcs**

7530

3800157630061

Voltage: **AC:220-240V,50Hz**  
Max.Watts: **60W**  
IP Rating: **IP44**  
Holder: **E27**  
Color of Fixture: **Black**  
Body Type: **Aluminium+PC**  
Size: **250x1110mm**



### Stand Lamp

#### VT-734


 Box Qty.  
**10 Pcs**

7057

3800157612609

Voltage: **AC:220-240V,50Hz**  
Max.Watts: **60W**  
IP Rating: **IP65**  
Holder: **E27**  
Color of Fixture: **Black**  
Body Type: **Aluminium+Glass**  
Size: **170x290**

 **IP65**  
RATING



## Stand Lamp


## VT-753-B

 Box Qty.  
**10 Pcs**

7074

3800157616270

Voltage: AC:220-240V,50Hz  
 Max.Watts: 40W  
 IP Rating: IP44  
 Holder: E27  
 Color of Fixture: Matt Black  
 Body Type: Aluminium+Glass  
 Size: 170x403mm



## Stand Lamp


## VT-753-W

 Box Qty.  
**10 Pcs**

7075

3800157616287

Voltage: AC:220-240V,50Hz  
 Max.Watts: 40W  
 IP Rating: IP44  
 Holder: E27  
 Color of Fixture: Matt White  
 Body Type: Aluminium+Glass  
 Size: 170x403mm



## Stand Lamp


## VT-737

 Box Qty.  
**1 Pcs**

7060

3800157612630

Voltage: AC:220-240V,50Hz  
 Max.Watts: 60W  
 IP Rating: IP44  
 Holder: E27  
 Color of Fixture: Black  
 Body Type: Aluminium+Glass  
 Size: 345x1365mm



Stand Lamp


**VT-738**

Box Qty.  
**1 Pcs**

7061

3800157612647

Voltage: AC:220-240V,50Hz  
Max.Watts: 60Wx2  
IP Rating: IP44  
Holder: E27  
Color of Fixture: Black  
Body Type: Aluminium+Glass  
Size: 480x1410mm



Stand Lamp


**VT-739**

Box Qty.  
**1 Pcs**

7062

3800157612654

Voltage: AC:220-240V,50Hz  
Max.Watts: 60Wx2  
IP Rating: IP44  
Holder: E27  
Color of Fixture: Black  
Body Type: Aluminium+Glass  
Size: 500x1990mm



Stand Lamp


**VT-740**

Box Qty.  
**1 Pcs**

7063

3800157612661

Voltage: AC:220-240V,50Hz  
Max.Watts: 60Wx3  
IP Rating: IP44  
Holder: E27  
Color of Fixture: Black  
Body Type: Aluminium+Glass  
Size: 500x1990mm



# LED Wall Lights

Presenting our modern LED wall lights, the perfect replacement for traditional wall lamps. A classy combination of energy efficiency and design. Applied indoors or outdoors, style up your bedroom, hall or pathways with the soft light illuminated from these Wall Lamps.



## Product Features

- Modern Wall lights available in sleek and stylish designs.
- Adjustable Beam Angle.
- Available in Black, Grey & White Colors
- Easy installation
- Perfect for Halls, Pathways, Bedroom, Kitchen & Terrace

## Applications

Suitable for Residential lighting, Hotels, Restaurants, Resorts, Residential Lighting and similar environment



**White**

- 8316 - 3000K Warm White 3800157632270
- 8317 - 4000K Day White 3800157632287
- 8318 - 5000K White 3800157632294

**Black**

- 8322 - 3000K Warm White 3800157632331
- 8323 - 4000K Day White 3800157632348
- 8324 - 5000K White 3800157632355

**Grey**

- 8319 - 3000K Warm White 3800157632300
- 8320 - 4000K Day White 3800157632317
- 8321 - 5000K White 3800157632324

**new!**

Wall Lights


10w VT-830

 Box Qty. **8Pcs**

 **IP65 RATING**

Sensor Compatible: **Yes**  
 Voltage/Frequency: **AC:100-240V,50/60Hz**  
 Luminous Flux: **450lm**  
 IP Rating: **IP65**  
 CRI: **>80**

PF: **>0.5**  
 Beam Angle: **72°**  
 Body Type: **Aluminium**  
 Dimension: **108x250mm**





### White

8325 - 3000K Warm White 3800157632362  
 8326 - 4000K Day White 3800157632379  
 8327 - 5000K White 3800157632386

### Grey

8328 - 3000K Warm White 3800157632393  
 8329 - 4000K Day White 3800157632409  
 8330 - 5000K White 3800157632416

### Black

8331 - 3000K Warm White 3800157632423  
 8332 - 4000K Day White 3800157632430  
 8333 - 5000K White 3800157632447

**new!**

Wall Lights


10w VT-820

Box Qty.  
4Pcs

**IP65**  
RATING

Sensor Compatible: Yes  
 Voltage/Frequency: AC:100-240V,50/60Hz  
 Luminous Flux: 450lm  
 IP Rating: IP65  
 CRI: >80

PF: >0.5  
 Beam Angle: 72°  
 Body Type: Aluminium  
 Dimension: 108x800mm





**White**

- 8334 - 3000K Warm White    3800157632454
- 8335 - 4000K Day White    3800157632461
- 8336 - 6400K White        3800157632478

**Black**

- 8340 - 3000K Warm White    3800157632515
- 8341 - 4000K Day White    3800157632522
- 8342 - 6400K White        3800157632539

**Grey**

- 8337 - 3000K Warm White    3800157632485
- 8338 - 4000K Day White    3800157632492
- 8339 - 6400K White        3800157632508


**new!**


Wall Lights  
**12w VT-822**

 Box Qty.  
**20Pcs**

 **IP65**  
RATING

- |                    |                     |             |           |
|--------------------|---------------------|-------------|-----------|
| Sensor Compatible: | Yes                 | PF:         | >0.5      |
| Voltage/Frequency: | AC:100-240V,50/60Hz | Beam Angle: | 140°      |
| Luminous Flux:     | 750lm               | Body Type:  | PC        |
| IP Rating:         | IP65                | Dimension:  | 130x160mm |
| CRI:               | >80                 |             |           |





### Black

8211 - 3000K Warm White 3800157623285  
8212 - 4000K Day White 3800157623292

### White

8209 - 3000K Warm White 3800157623261  
8210 - 4000K Day White 3800157623278

Square-IP65


4W VT-704

Box Qty.  
20Pcs

**IP65**  
RATING

Sensor Compatible: Yes  
Voltage/Frequency: AC:220-240V,50/60Hz  
Luminous Flux: 440lm  
IP Rating: IP65  
CRI: >80

PF: >0.5  
Beam Angle: 360°  
Body Type: Aluminium+Acrylic  
Dimension: 150x150x50mm





**Black**

8215 - 3000K Warm White 3800157623322  
8216 - 4000K Day White 3800157623339

**White**

8213 - 3000K Warm White 3800157623308  
8214 - 4000K Day White 3800157623315

Round-IP65

4W

VT-706

Box Qty.  
**20Pcs**



Sensor Compatible: **Yes**

Voltage/Frequency: **AC:220-240V,50/60Hz**

Luminous Flux: **440lm**

IP Rating: **IP65**


CRI: **>80**

PF: **>0.5**

Beam Angle: **360°**

Body Type: **Aluminium+Acrylic**

Dimension: **150x50mm**



### White

8280 - 3000K Warm White 3800157629744  
8281 - 4000K Day White 3800157629751

### Black

8282 - 3000K Warm White 3800157629768  
8283 - 4000K Day White 3800157629775

### Grey

8284 - 3000K Warm White 3800157629782  
8285 - 4000K Day White 3800157629799

## Modern Wall Lights


5w VT-825

Box Qty.  
20Pcs

**IP65**  
RATING

Sensor Compatible: Yes  
Voltage/Frequency: AC:220-240V,50/60Hz  
Luminous Flux: 550lm  
IP Rating: IP65  
CRI: >80

PF: >0.5  
Beam Angle: 120°  
Body Type: Aluminium  
Dimension: 170x170x75mm





**White**

8295 - 3000K Warm White 3800157629898  
 8296 - 4000K Day White 3800157629904

**Grey**

8299 - 3000K Warm White 3800157629935  
 8300 - 4000K Day White 3800157629942

**Black**

8297 - 3000K Warm White 3800157629911  
 8298 - 4000K Day White 3800157629928

Triangle Light

6W

VT-826




Box Qty.  
**20Pcs**



Sensor Compatible: **Yes**  
 Voltage/Frequency: **AC:220-240V,50/60Hz**  
 Luminous Flux: **660lm**  
 IP Rating: **IP65**  
 CRI: **>80**

PF: **>0.5**  
 Beam Angle: **15/120°**  
 Body Type: **Aluminium**  
 Dimension: **90x200x90mm**





### Black

8288 - 3000K Warm White 3800157629829  
8289 - 4000K Day White 3800157629836

### White

8286 - 3000K Warm White 3800157629805  
8287 - 4000K Day White 3800157629812

### Grey

8290 - 3000K Warm White 3800157629843  
8291 - 4000K Day White 3800157629850

Single Head-Rotatable

6W


VT-816

Box Qty.  
20Pcs

**IP65**  
RATING

Sensor Compatible: Yes  
Voltage/Frequency: AC:220-240V,50/60Hz  
Luminous Flux: 660lm  
IP Rating: IP65  
CRI: >80

PF: >0.5  
Beam Angle: 350°  
Body Type: Aluminium  
Dimension: 110x54x97mm





**Black**

7078 - 3000K Warm White 3800157616379  
 7087 - 4000K Day White 3800157616874

**White**

7079 - 3000K Warm White 3800157616386  
 7088 - 4000K Day White 3800157616881

**Grey**

7080 - 3000K Warm White 3800157616393  
 7089 - 4000K Day White 3800157616898

Square-Bridgelux

6W VT-759

Box Qty. **20Pcs**



Sensor Compatible: **Yes**

Voltage/Frequency: **AC:220-240V,50/60Hz**

Luminous Flux: **660lm**

IP Rating: **IP65**


CRI: **>80**

PF: **>0.45**

Beam Angle: **120°**

Body Type: **Aluminium**

Dimension: **100x100x100mm**





### Black

7081 - 3000K Warm White 3800157616409  
7090 - 4000K Day White 3800157616904

### White

7082 - 3000K Warm White 3800157616416  
7091 - 4000K Day White 3800157616911

### Grey


7083 - 3000K Warm White 3800157616423  
7092 - 4000K Day White 3800157616928

Round-Bridgelux

6W VT-756

Box Qty.  
20Pcs

**IP65**  
RATING



Sensor Compatible: Yes

Voltage/Frequency: AC:220-240V,50/60Hz

Luminous Flux: 660lm

IP Rating: IP65

CRI: >80

PF: >0.45

Beam Angle: 120°

Body Type: Aluminium

Dimension: 140x115x100mm



**Grey**

8305 - 3000K Warm White 3800157629997  
 8306 - 4000K Day White 3800157630009

**Black**

8303 - 3000K Warm White 3800157629973  
 8304 - 4000K Day White 3800157629980

**White**

8301 - 3000K Warm White 3800157629959  
 8302 - 4000K Day White 3800157629966


**Round Light**

6W VT-836

Box Qty. **20Pcs**



Sensor Compatible:	Yes	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	90°
Luminous Flux:	660lm	Body Type:	Aluminium
IP Rating:	IP65	Dimension:	112x112x93mm
CRI:	>80		





### Black

8219 - 3000K Warm White 3800157623360  
8220 - 4000K Day White 3800157623377

### White

8217 - 3000K Warm White 3800157623346  
8218 - 4000K Day White 3800157623353


## Ceiling-Blade Lights

7W

VT-707

Box Qty.  
20Pcs

 **IP65**  
RATING



Sensor Compatible: Yes

Voltage/Frequency: AC:220-240V,50/60Hz

Luminous Flux: 770lm

IP Rating: IP65

CRI: >80

PF: >0.5

Beam Angle: 360°

Body Type: Aluminium

Dimension: 110x120x170mm



Round-Bridgelux

**6W**      **VT-741**


 Box Qty.  
**20Pcs**

7524 - 3000K Warm White    3800157620017  
7525 - 4000K Day White      3800157620024



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux:        **660lm**  
IP Rating:                **IP65**  
CRI:                        **>80**

PF:                        **>0.55**  
Beam Angle:            **360°**  
Body Type:              **Aluminium**  
Dimension:              **Ø135mm**



**Ø 135 mm**



Round-Bridgelux

**9W**      **VT-743**


 Box Qty.  
**20Pcs**

7526 - 3000K Warm White    3800157620031  
7527 - 4000K Day White      3800157620048



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux:        **990lm**  
IP Rating:                **IP65**  
CRI:                        **>80**

PF:                        **>0.55**  
Beam Angle:            **360°**  
Body Type:              **Aluminium**  
Dimension:              **Ø180mm**



**Ø 180 mm**




## Up-Down Light-Medium

9w VT-8056

 Box Qty.  
20Pcs

8239 - 3000K Warm White 3800157625791  
 8240 - 4000K Day White 3800157625807  
 8241 - 6400K White 3800157625814

 **IP65**  
RATING


Sensor Compatible: **Yes**  
 Voltage/Frequency: **AC:100-240V,50/60Hz**  
 Luminous Flux: **400lm**  
 IP Rating: **IP65**  
 CRI: **>80**

PF: **>0.9**  
 Beam Angle: **90°**  
 Body Type: **PC**  
 Dimension: **173x81x46mm**




## Up-Down Light-Large

12w VT-8057

 Box Qty.  
20Pcs

8242 - 3000K Warm White 3800157625821  
 8243 - 4000K Day White 3800157625838  
 8244 - 6400K White 3800157625845

 **IP65**  
RATING


Sensor Compatible: **Yes**  
 Voltage/Frequency: **AC:100-240V,50/60Hz**  
 Luminous Flux: **600lm**  
 IP Rating: **IP65**  
 CRI: **>80**


PF: **>0.9**  
 Beam Angle: **92°**  
 Body Type: **PC**  
 Dimension: **230x100x90mm**



Double Head-Rotatable

12w VT-814

Box Qty. **20Pcs**



Sensor Compatible:	Yes	PF:	>0.5
Voltage/Frequency:	AC:110-240V,50/60Hz	Beam Angle:	350°
Luminous Flux:	1320lm	Body Type:	Aluminium
IP Rating:	IP65	Dimension:	230x54x97mm
CRI:	>80		




## Softlight-Bulkhead

12w VT-8058

 Box Qty.  
20Pcs

8245 - 3000K Warm White	3800157625852
8246 - 4000K Day White	3800157625869
8247 - 6400K White	3800157625876

 **IP65**  
RATING


Sensor Compatible: Yes

Voltage/Frequency: AC:100-240V,50/60Hz

Luminous Flux: 500lm

IP Rating: IP65

CRI: &gt;80

PF: &gt;0.9

Beam Angle: 130°

Body Type: PC

Dimension: 230x110x76mm




Landscape-Soft Light-Medium

12w VT-8054

Box Qty.  
20Pcs

8233 - 3000K Warm White 3800157625739  
8234 - 4000K Day White 3800157625746  
8235 - 6400K White 3800157625753



Sensor Compatible: Yes  
Voltage/Frequency: AC:100-240V,50/60Hz  
Luminous Flux: 600lm  
IP Rating: IP65  
CRI: >80

PF: >0.9  
Beam Angle: 110°  
Body Type: PC  
Dimension: 265x120x81mm




Landscape-Soft Light-Large

20w VT-8055

Box Qty.  
20Pcs

8236 - 3000K Warm White 3800157625760  
8237 - 4000K Day White 3800157625777  
8238 - 6400K White 3800157625784



Sensor Compatible: Yes  
Voltage/Frequency: AC:100-240V,50/60Hz  
Luminous Flux: 1000lm  
IP Rating: IP65  
CRI: >80

PF: >0.9  
Beam Angle: 110°  
Body Type: PC  
Dimension: 319x170x114mm

# INDOOR WALL LIGHTS




## Wall Lights

5W VT-705

 Box Qty.  
**20Pcs**

8208 - 3000K Warm White 3800157623254  
8232 - 4000K Day White 3800157624756

Sensor Compatible:	Yes	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	150°
Luminous Flux:	550lm	Body Type:	Aluminium
IP Rating:	IP20	Dimension:	175x80x96mm
CRI:	>80		





**White**

8344 - 3000K Warm White 3800157633000  
8345 - 4000K Day White 3800157633017


**Black**

8346 - 3000K Warm White 3800157633024  
8347 - 4000K Day White 3800157633031

**new!**

Square-Bridgelux

3W VT-803

 Box Qty.

Sensor Compatible:	Yes	PF:	>0.5
Voltage/Frequency:	AC:110-240V,50/60Hz	Beam Angle:	120°
Luminous Flux:	300lm	Body Type:	Iron
IP Rating:	IP20	Dimension:	220x80x200mm
CRI:	>80		


## Rotatable-360-White

5W

VT-757

Box Qty.  
20Pcs

7086 - 3000K Warm White 3800157616454  
7093 - 4000K Day White 3800157616935



Sensor Compatible:	Yes	PF:	>0.45
Voltage/Frequency:	AC:110-240V,50/60Hz	Beam Angle:	10-360°
Luminous Flux:	560lm	Body Type:	Aluminium
IP Rating:	IP20	Dimension:	140x105x140mm
CRI:	>80		


## Square-Bridgelux

5W

VT-758-B

Box Qty.  
20Pcs

7084 - 3000K Warm White 3800157616430  
7094 - 4000K Day White 3800157616942



Sensor Compatible:	Yes	PF:	>0.45
Voltage/Frequency:	AC:110-240V,50/60Hz	Beam Angle:	120°
Luminous Flux:	560lm	Body Type:	Aluminium
IP Rating:	IP20	Dimension:	100x80x100mm
CRI:	>80		


## Square-Bridgelux

5W

VT-758

Box Qty.  
20Pcs

7085 - 3000K Warm White 3800157616447  
7095 - 4000K Day White 3800157616959



Sensor Compatible:	Yes	PF:	>0.45
Voltage/Frequency:	AC:100-240V	Beam Angle:	120°
Luminous Flux:	560lm	Body Type:	Aluminium
IP Rating:	IP20	Dimension:	100x100x80mm
CRI:	>80		



**White**

8225 - 3000K Warm White 3800157623421  
8226 - 4000K Day White 3800157623438

**Black**

8227 - 3000K Warm White 3800157623445  
8228 - 4000K Day White 3800157623452


Modern Wall Lights

9W

VT-710

 Box Qty.  
**20Pcs**

Sensor Compatible:	Yes	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	360°
Luminous Flux:	990lm	Body Type:	Aluminium+Acrylic
IP Rating:	IP20	Dimension:	210x80mm
CRI:	>80		





### White

8221 - 3000K Warm White 3800157623384  
8222 - 4000K Day White 3800157623391



### Black

8223 - 3000K Warm White 3800157623407  
8224 - 4000K Day White 3800157623414


## Modern Wall Lights

9w VT-709

Box Qty.  
**10Pcs**

Sensor Compatible: Yes  
Voltage/Frequency: AC:220-240V,50/60Hz  
Luminous Flux: 990lm  
IP Rating: IP20  
CRI: >80

PF: >0.5  
Beam Angle: 360°  
Body Type: Aluminium  
Dimension: 440x335x75mm





**White**

8307 - 3000K Warm White 3800157630016  
8308 - 4000K Day White 3800157630023


**Black**

8309 - 3000K Warm White 3800157630030  
8310 - 4000K Day White 3800157630047

Modern Wall Lights

10w VT-811

 Box Qty.  
**20Pcs**



Sensor Compatible:	Yes	PF:	>0.45
Voltage/Frequency:	AC:110-240V,50/60Hz	Beam Angle:	360°
Luminous Flux:	1100lm	Body Type:	Aluminium
IP Rating:	IP65	Dimension:	300x215x60mm
CRI:	>80		



### Grey

8206 - 3000K Warm White 3800157623230  
8207 - 4000K Day White 3800157623247



### White

8202 - 3000K Warm White 3800157623193  
8203 - 4000K Day White 3800157623209




### Black

8204 - 3000K Warm White 3800157623216  
8205 - 4000K Day White 3800157623223

## Modern Wall Lights

12w VT-712

Box Qty.  
20Pcs



Sensor Compatible: Yes  
Voltage/Frequency: AC:100-240V,50/60Hz  
Luminous Flux: 1100lm  
IP Rating: IP20  
CRI: >80

PF: >0.5  
Beam Angle: 360°  
Body Type: Aluminium+Acrylic  
Dimension: 260x125x55mm




Single Head

4.5w VT-805-W

Box Qty.  
**12Pcs**

8262 - 3000K Warm White 3800157627122  
8264 - 4000K Day White 3800157627146



Sensor Compatible:	Yes	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	100°
Luminous Flux:	360lm	Body Type:	Plastic+Metal
IP Rating:	IP20	Dimension:	100x94x45mm
CRI:	>80		




Single Head

4.5w VT-805-B

Box Qty.  
**12Pcs**

8263 - 3000K Warm White 3800157627139  
8265 - 4000K Day White 3800157627153



Sensor Compatible:	Yes	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	100°
Luminous Flux:	360lm	Body Type:	Plastic+Metal
IP Rating:	IP20	Dimension:	100x94x45mm
CRI:	>80		



## Double Head

9w


VT-810-W

 Box Qty.  
12Pcs

8266 - 3000K Warm White 3800157627160  
8268 - 4000K Day White 3800157627184

Sensor Compatible: Yes  
Voltage/Frequency: AC:220-240V,50/60Hz  
Luminous Flux: 720lm  
IP Rating: IP20  
CRI: >80

PF: >0.5  
Beam Angle: 100°  
Body Type: Plastic+Metal  
Dimension: 400x100x94mm



## Double Head

9w


VT-810-B

 Box Qty.  
12Pcs

8267 - 3000K Warm White 3800157627177  
8269 - 4000K Day White 3800157627191

Sensor Compatible: Yes  
Voltage/Frequency: AC:220-240V,50/60Hz  
Luminous Flux: 720lm  
IP Rating: IP20  
CRI: >80

PF: >0.5  
Beam Angle: 100°  
Body Type: Plastic+Metal  
Dimension: 400x100x94mm






Tripple Head

13.5w VT-813-W

Box Qty. **12Pcs**

8270 - 3000K Warm White 3800157627207  
 8272 - 4000K Day White 3800157627221



Sensor Compatible:	Yes	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	100°
Luminous Flux:	1080lm	Body Type:	Plastic+Metal
IP Rating:	IP20	Dimension:	600x100x94mm
CRI:	>80		




Tripple Head

13.5w VT-813-B

Box Qty. **12Pcs**

8271 - 3000K Warm White 3800157627214  
 8273 - 4000K Day White 3800157627238



Sensor Compatible:	Yes	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	100°
Luminous Flux:	1080lm	Body Type:	Plastic+Metal
IP Rating:	IP20	Dimension:	600x100x94mm
CRI:	>80		




## Single Head

6W

VT-806-W

 Box Qty.  
24Pcs

8250 - 3000K Warm White 3800157627009  
8252 - 4000K Day White 3800157627023



Sensor Compatible:	Yes	PF:	> 0.5
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	100°
Luminous Flux:	480lm	Body Type:	Plastic+Metal
IP Rating:	IP20	Dimension:	100x93mm
CRI:	>80		




## Single Head

6W

VT-806-B

 Box Qty.  
24Pcs

8251 - 3000K Warm White 3800157627016  
8253 - 4000K Day White 3800157627030



Sensor Compatible:	Yes	PF:	> 0.5
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	100°
Luminous Flux:	480lm	Body Type:	Plastic+Metal
IP Rating:	IP20	Dimension:	100x93mm
CRI:	>80		



Double Head


12w VT-812-W

Box Qty. **12Pcs**

8254 - 3000K Warm White 3800157627047  
 8256 - 4000K Day White 3800157627061

Sensor Compatible: Yes  
 Voltage/Frequency: AC:220-240V,50/60Hz  
 Luminous Flux: 960lm  
 IP Rating: IP20  
 CRI: >80

PF: >0.5  
 Beam Angle: 100°  
 Body Type: Plastic+Metal  
 Dimension: 405x100x93mm



Double Head


12w VT-812-B

Box Qty. **12Pcs**

8255 - 3000K Warm White 3800157627054  
 8257 - 4000K Day White 3800157627078

Sensor Compatible: Yes  
 Voltage/Frequency: AC:220-240V,50/60Hz  
 Luminous Flux: 960lm  
 IP Rating: IP20  
 CRI: >80

PF: >0.5  
 Beam Angle: 100°  
 Body Type: Plastic+Metal  
 Dimension: 405x100x93mm





## Tripple Head


18w VT-818-W

 Box Qty.  
12Pcs

8258 - 3000K Warm White 3800157627085  
8260 - 4000K Day White 3800157627108

Sensor Compatible: Yes  
Voltage/Frequency: AC:220-240V,50/60Hz  
Luminous Flux: 1440lm  
IP Rating: IP20  
CRI: >80

PF: >0.5  
Beam Angle: 100°  
Body Type: Plastic+Metal  
Dimension: 605x100x93mm



## Tripple Head


18w VT-818-B

 Box Qty.  
12Pcs

8259 - 3000K Warm White 3800157627092  
8261 - 4000K Day White 3800157627115

Sensor Compatible: Yes  
Voltage/Frequency: AC:220-240V,50/60Hz  
Luminous Flux: 1440lm  
IP Rating: IP20  
CRI: >80

PF: >0.5  
Beam Angle: 100°  
Body Type: Plastic+Metal  
Dimension: 605x100x93mm





# LED Display Screen

VTAC LED's Display screen series perfectly designed for the best video output and display of images and information. Offering Display color of 281 trillions(synchronized). The perfect product for advertising and marketing.



## Product Features

- Powerful LED display screen available in Indoor and Outdoor series
- Displays digital content such as Video, Images & Information
- Good Brand Value addition for Advertising
- Easy Installation

## Applications

Suitable for Outdoor and Indoor Advertising, Hotel conference room, Restaurants, Showrooms, Casinos, Government facilities, Theaters, Retail outlets, Traffic control room, Security monitoring room, Stage background, HD cinema, Shopping malls, Railway stations, Airports.



Indoor Display Screen

**P5 Indoor LED Finished Cabinet**

Box Qty.  
**6 Pcs**

11077 3800157617468



Screen Parameter

Pixel Density:	<b>40000dots/sqm</b>
Brightness:	<b>1800nits</b>
Optimum View Distance:	<b>more than 5m</b>
Gray Scale:	<b>16bits</b>
Display Color:	<b>281 trillions(synchronized)</b>
Operation Power:	<b>220V-240V</b>
Max Power Consumption:	<b>750W/sqm</b>
Control Mode:	<b>Synchronized</b>
Refresh Frequency:	<b>400-700HZ</b>
Fram Frequency:	<b>60HZ</b>
Surport Signal Input:	<b>S-Video,RGBHV,YUV etc.</b>
Control Distance:	<b>UTP140M,SINGLE MODE FIBER</b>
Life Span(50% Brightness):	<b>15KM</b>
IP(Front/rear):	<b>100000hrs</b>

LED Cabinet Parameter

Cabinet Size(L*h*d):	<b>640*640mm</b>
Cabinet Resolution:	<b>128*128</b>
Module Quantity Each Cabinet:	<b>2*4=8</b>
Average Power Consumption:	<b>300w/cabinet</b>
Cabinet Material:	<b>Iron</b>
Cabinet Size:	<b>8kg/cabinet</b>

LED Module Parameter

Pixel Pitch:	<b>5mm</b>
Led Specification:	<b>SMD3528</b>
Led Configuration:	<b>SMD 3 in 1</b>
Module Size:	<b>320*160mm</b>
Module Resolution:	<b>64*32=2048dot</b>
Drive Method:	<b>1/16 scan constant current</b>
Drive IC:	<b>SM16106</b>

Sending Box

Box Qty.  
**20 Pcs**

500082



Sending Card

Box Qty.  
**20 Pcs**

500081





# Stylish Pendants

---

Includes all mounting hardware for quick and easy installation and filament vintage style bulb recommended (sold separately).

## Product Features

- Stylish pendant lamps available in various shapes, material and sizes.
- Most suitable with A60, Candle, ST-64 & Globe Bulb Series.
- Easy to Install.
- Vibrant & elegant colors available.
- Applicable with E14 & E27 base.
- Pendant holders available in Bottle Shape, Chrome, Wooden, Concrete, Metal & Porcelain series.

## Applications

Perfect choice for Hotels, Bars, Commercial & Residential Lighting.


---



**VT-7350-HT**  
Diamond Cut Glass-Transparent

Box Qty.  
**8Pcs**


SKU: 3879  
EAN Code: 3800157620970  
Material: Glass+Metal  
Size: Ø330x260x1000mm



**VT-7350-HB**  
Diamond Cut Glass-Black

Box Qty.  
**8Pcs**

SKU: 3880  
EAN Code: 3800157620987  
Material: Glass+Metal  
Size: 330x260x1000mm






**VT-7254**

Designer Glass-Transparent

Box Qty.  
**8Pcs**

SKU: 3882  
 EAN Code: 3800157621007  
 Material: Glass+Metal  
 Size: Ø250x230x1000mm




**VT-7306**

Designer Glass-Transparent

Box Qty.  
**8Pcs**

SKU: 3883  
 EAN Code: 3800157621014  
 Material: Glass  
 Size: Ø300x265x1000mm





**VT-7305**

Designer Glass-Transparent




Box Qty.  
**4Pcs**

SKU: 3881

EAN Code: 3800157620994

Material: Glass

Size: Ø270x1280mm






**VT-7292**

Designer Glass-Gun Grey

Box Qty.  
**8Pcs**

SKU: 3887  
 EAN Code: 3800157621052  
 Material: Glass  
 Size: Ø300x265x1000mm




**VT-7380**

Designer Glass-Gun Grey

Box Qty.  
**4Pcs**

SKU: 3888  
 EAN Code: 3800157621069  
 Material: Glass  
 Size: Ø380x330x1000mm






**VT-7303**  
Amber Glass-Metal Series

Box Qty.  
**8Pcs**


SKU: 3866  
EAN Code: 3800157620765  
Material: Glass+Metal  
Size: 300x280x1000mm



**VT-7302**  
Transparent Glass-Metal Series

Box Qty.  
**8Pcs**

SKU: 3865  
EAN Code: 3800157620758  
Material: Glass+Metal  
Size: 300x280x1000mm






**VT-7229**  
Transparent Glass-Metal Series

Box Qty.  
**8Pcs**


SKU: 3867  
EAN Code: 3800157620772  
Material: Glass+Metal  
Size: 265x190x1000mm



**VT-7304-AW**  
Double Glass-Amber-White

Box Qty.  
**8Pcs**

SKU: 3875  
EAN Code: 3800157620932  
Material: Glass+Metal  
Size: Ø250x420x1000mm






**VT-7181-AW**  
Double Glass-Amber-White

Box Qty.  
**9Pcs**


SKU: 3878  
EAN Code: 3800157620963  
Material: Glass+Metal  
Size: 180x350x1000mm



**VT-7304-GW**  
Double Glass-Gungrey-White

Box Qty.  
**8Pcs**

SKU: 3876  
EAN Code: 3800157620949  
Material: Glass+Metal  
Size: 250x420x1000mm






**VT-7181-GW**  
Double Glass-Gungrey-White

Box Qty.  
**9Pcs**


SKU: 3877  
EAN Code: 3800157620956  
Material: Glass+Metal  
Size: 180x350x1000mm



**VT-7281-WG**  
Modern-White Glass Pendant

Box Qty.  
**4Pcs**

SKU: 3884  
EAN Code: 3800157621021  
Material: Glass+Metal  
Size: Ø285x440x1000mm






**VT-7281-BG**  
Modern-Black Glass Pendant

Box Qty.  
**4Pcs**


SKU: 3885  
EAN Code: 3800157621038  
Material: Glass+Metal  
Size: 285x440x1000mm



**VT-7281-AG**  
Modern-Amber Glass Pendant

Box Qty.  
**4Pcs**

SKU: 3886  
EAN Code: 3800157621045  
Material: Glass+Metal  
Size: 285x440x1000mm






**VT-7210**  
Glass-Metal Series

Box Qty.  
**8Pcs**


SKU: 3730  
EAN Code: 3800157611039  
Material: Glass+Metal  
Size: 245x230x1100mm



**VT-7140-A**  
Amber Glass-Metal Series

Box Qty.  
**12Pcs**

SKU: 3736  
EAN Code: 3800157611091  
Material: Glass+Metal  
Size: 140x240x1130mm






**VT-7140-T**  
Transparent Glass-Metal Series

 Box Qty.  
**8Pcs**


SKU: 3735  
EAN Code: 3800157611084  
Material: Glass+Metal  
Size: 140x240x1130mm



**VT-7185**  
Transparent Glass-Metal Series

 Box Qty.  
**12Pcs**

SKU: 3738  
EAN Code: 3800157611114  
Material: Glass+Metal  
Size: 180x230x1110mm






**VT-7250**  
Transparent Glass-Metal Series

Box Qty.  
**8Pcs**


SKU: 3739  
EAN Code: 3800157611121  
Material: Glass+Metal  
Size: 250x330x1220mm



**VT-7290**  
Amber Glass-Metal Series

Box Qty.  
**8Pcs**

SKU: 3741  
EAN Code: 3800157611145  
Material: Glass+Metal  
Size: 260x260x1150mm






**VT-7300**

Transparent Glass-Metal Series

Box Qty.  
**8Pcs**

SKU: 3737  
EAN Code: 3800157611107  
Material: Glass+Metal  
Size: 300x250x1150mm




**VT-7320**

Amber Glass-Metal Series

Box Qty.  
**8Pcs**

SKU: 3740  
EAN Code: 3800157611138  
Material: Glass+Metal  
Size: 250x280x1180mm






**VT-7150-AG**  
Amber Glass-Metal Series

Box Qty.  
**12Pcs**


SKU: 3732  
EAN Code: 3800157611053  
Material: Glass+Metal  
Size: 145x160x1050mm



**VT-7150-GG**  
Green Glass-Metal Series

Box Qty.  
**12Pcs**

SKU: 3734  
EAN Code: 3800157611077  
Material: Glass+Metal  
Size: 145x160x1050mm






**VT-7150-RG**  
Red Glass-Metal Series

Box Qty.  
**12Pcs**


SKU: 3731  
EAN Code: 3800157611046  
Material: Glass+Metal  
Size: 145x160x1050mm



**VT-7150-CG**  
Glass-Metal Series

Box Qty.  
**12Pcs**

SKU: 3733  
EAN Code: 3800157611060  
Material: Glass+Metal  
Size: 145x160x1050mm






**VT-7220-A**  
Amber Glass Pendant

Box Qty.  
**8Pcs**


SKU: 3726  
EAN Code: 3800157610995  
Material: Glass+Metal  
Size: 220x280x1150mm



**VT-7220-T**  
Transparent Glass Pendant

Box Qty.  
**8Pcs**

SKU: 3727  
EAN Code: 3800157611008  
Material: Glass+Metal  
Size: 220x280x1150mm






**VT-7130**  
Transparent Glass-Wood Pendant

 Box Qty.  
**8Pcs**


SKU: 3818  
EAN Code: 3800157615433  
Material: Glass+Wood  
Size: 135x240x1150mm



**VT-7170**  
Transparent Glass-Wood Pendant

 Box Qty.  
**8Pcs**

SKU: 3819  
EAN Code: 3800157615440  
Material: Glass+Wood  
Size: 165x220x1100mm






**VT-7307**

Trio Glass Pendant-Lampholder

Box Qty.  
**4Pcs**

SKU: 3926  
 EAN Code: 3800157626217  
 Material: Glass+Wood  
 Size: 300x1300mm




**VT-7240**

Transparent Glass-Wood Pendant

Box Qty.  
**8Pcs**

SKU: 3820  
 EAN Code: 3800157615457  
 Material: Glass+Wood  
 Size: 235x140x1050mm





**VT-7015**

3D Glass-Black Canopy




Box Qty.  
**10Pcs**

SKU: 3830

EAN Code: 3800157616652

Material: Glass

Size: 150x140x1200mm






**VT-7180**

Transparent Glass-V Shape

Box Qty.  
**8Pcs**

SKU: 3863  
 EAN Code: 3800157620734  
 Material: Glass+Metal  
 Size: Ø250x90mm




**VT-7226**

Transparent Glass-Globe

Box Qty.  
**8Pcs**

SKU: 3864  
 EAN Code: 3800157620741  
 Material: Glass+Metal  
 Size: Ø250x230mm






**VT-7142**

Transparent Glass-Cone Shape

Box Qty.  
**8Pcs**

SKU: 3861  
EAN Code: 3800157620710  
Material: Glass+Metal  
Size: 140x160mm




**VT-7143**

Transparent Glass-V Shape

Box Qty.  
**8Pcs**

SKU: 3862  
EAN Code: 3800157620727  
Material: Glass+Metal  
Size: 185x140mm






**VT-7400**  
6 Bulb Chandelier-Movable

Box Qty.  
**4Pcs**

SKU: 3889  
EAN Code: 3800157621076  
Material: Metal  
Size: 791x900mm






**VT-7422-B**  
Aluminium Shade-Black

 Box Qty.  
**8Pcs**


SKU: 3728  
EAN Code: 3800157611015  
Material: Aluminium  
Size: 230x310x1150mm



**VT-7422-WH**  
Aluminium Shade-White

 Box Qty.  
**8Pcs**

SKU: 3729  
EAN Code: 3800157611022  
Material: Aluminium  
Size: 230x310x1150mm






**VT-7200-MG**  
Mesh Metal-Grey

Box Qty.  
**8Pcs**


SKU: 3822  
EAN Code: 3800157616577  
Material: Metal  
Size: 200x270x1300mm



**VT-7200-CG**  
Mesh Metal-Gold

Box Qty.  
**8Pcs**

SKU: 3821  
EAN Code: 3800157616560  
Material: Metal  
Size: 200x270x1300mm






**VT-7200-MW**  
Mesh Metal-White

Box Qty.  
**8Pcs**


SKU: 3823  
EAN Code: 3800157616584  
Material: Metal  
Size: 200x270x1300mm



**VT-7131-CG**  
Can Shape-Gold Pendant

Box Qty.  
**10Pcs**

SKU: 3824  
EAN Code: 3800157616591  
Material: Metal  
Size: 130x250x1300mm






**VT-7131-MB**  
Can Shape-Black Pendant

Box Qty.  
**10Pcs**


SKU: 3825  
EAN Code: 3800157616607  
Material: Metal  
Size: 130x250x1300mm



**VT-7131-MW**  
Can Shape-WhitePendant

Box Qty.  
**10Pcs**

SKU: 3826  
EAN Code: 3800157616614  
Material: Metal  
Size: 130x250x1300mm






**VT-7132-CG**  
Can Shape-Gold Pendant

Box Qty.  
**10Pcs**


SKU: 3827  
EAN Code: 3800157616621  
Material: Metal  
Size: 130x220x1300mm



**VT-7132-MB**  
Can Shape-Black Pendant

Box Qty.  
**10Pcs**

SKU: 3828  
EAN Code: 3800157616638  
Material: Metal  
Size: 130x220x1300mm






**VT-7132-MW**  
Can Shape-WhitePendant

Box Qty.  
**10Pcs**


SKU: 3829  
EAN Code: 3800157616645  
Material: Metal  
Size: 130x220x1300mm



**VT-7332**  
Mesh Metal-Globe

Box Qty.  
**8Pcs**

SKU: 3859  
EAN Code: 3800157620697  
Material: Metal  
Size: Ø290x1000x1340mm






**VT-7252**  
Mesh Metal-GV Shape

Box Qty.  
**12Pcs**

SKU: 3860  
EAN Code: 3800157620703  
Material: Metal  
Size: 285x170x1000mm



**VT-8255**  
Copper Series-Rose Gold

Box Qty.  
**4Pcs**

SKU: 3709  
EAN Code: 3800157610827  
Material: Iron with electric copper paint  
Size: Ø250mm





**VT-8150-CO**  
Copper Series-Rose Gold

Box Qty.  
**10Pcs**

SKU: 3713  
EAN Code: 3800157610865  
Material: Metal  
Size: Ø150



**VT-8300**  
Copper Series-Rose Gold

Box Qty.  
**4Pcs**

SKU: 3710  
EAN Code: 3800157610834  
Material: Iron with electric copper paint  
Size: Ø300





**VT-8220**

Copper Series-Rose Gold

Box Qty.  
**4Pcs**

SKU: 3711  
EAN Code: 3800157610841  
Material: Iron with electric copper paint  
Size: Ø220



**VT-8150-CH**

Copper Series-Rose Gold

Box Qty.  
**10Pcs**

SKU: 3712  
EAN Code: 3800157610858  
Material: Iron with electric copper paint  
Size: Ø150mm





**VT-8180-CH**  
Copper Series-Chrome

Box Qty.  
**4Pcs**

SKU: 3707  
EAN Code: 3800157610803  
Material: Iron with electric copper paint  
Size: Ø180mm



**VT-8180-CO**  
Copper Series-Rose Gold

Box Qty.  
**8Pcs**

SKU: 3708  
EAN Code: 3800157610810  
Material: Iron with electric copper paint  
Size: Ø180mm





**VT-8170**

Copper Series-Rose Gold

Box Qty.  
**8Pcs**

SKU: 3714  
EAN Code: 3800157610872  
Material: Iron with electric copper paint  
Size: Ø170mm



**VT-8230**

Copper Series-Rose Gold

Box Qty.  
**4Pcs**

SKU: 3715  
EAN Code: 3800157610889  
Material: Iron with electric copper paint  
Size: Ø230mm





**VT-8175-CH**  
Copper Series-Chrome

Box Qty.  
**4Pcs**

SKU: 3705  
EAN Code: 3800157610780  
Material: Iron with electric copper paint  
Size: Ø170



**VT-8175-CO**  
Copper Series-Rose Gold

Box Qty.  
**8Pcs**

SKU: 3706  
EAN Code: 3800157610797  
Material: Iron with electric copper paint  
Size: Ø170mm





**VT-8200**

Copper Series-Rose Gold

Box Qty.  
**4Pcs**

SKU: 3716  
EAN Code: 3800157610896  
Material: Iron with electric copper paint  
Size: Ø200mm



**VT-8250**

Copper Series-Rose Gold

Box Qty.  
**4Pcs**

SKU: 3717  
EAN Code: 3800157610902  
Material: Iron with electric copper paint  
Size: Ø250mm






**VT-7205**  
White Glass-Wood Pendant

Box Qty.  
**8Pcs**


SKU: 3759  
EAN Code: 3800157611329  
Material: Glass+Wood  
Size: 190x320x1120mm



**VT-7175**  
White Glass-Wood Pendant

Box Qty.  
**8Pcs**

SKU: 3758  
EAN Code: 3800157611312  
Material: Glass+Wood  
Size: 170x320x1120mm






**VT-7177**

**White Glass-Wood Pendant**

Box Qty.  
**8Pcs**

SKU: 3760  
EAN Code: 3800157611336  
Material: Glass+Wood  
Size: 170x320x1120mm




**VT-7162-WH**

**Aluminum Pendant-White**

Box Qty.  
**20Pcs**

SKU: 3868  
EAN Code: 3800157620789  
Material: Aluminium  
Size: Ø160x350x600mm






**VT-7162-B**  
Aluminum Pendant-Black

Box Qty.  
**20Pcs**


SKU: 3869  
EAN Code: 3800157620796  
Material: Aluminium  
Size: Ø160x350x600mm



**VT-7330**  
Concrete-Mesh

Box Qty.  
**4Pcs**

SKU: 3849  
EAN Code: 3800157618984  
Material: Concrete+Iron  
Size: 400x250x1100mm






**VT-7121**  
Concrete-Mesh

Box Qty.  
**6Pcs**


SKU: 3847  
EAN Code: 3800157618960  
Material: Concrete+Iron  
Size: 120x380x1300mm



**VT-7253**  
Concrete-Mesh

Box Qty.  
**4Pcs**

SKU: 3848  
EAN Code: 3800157618977  
Material: Concrete+Iron  
Size: 250x310x1200mm






**VT-7155**  
Concrete-Lampshade

Box Qty.  
**6Pcs**


SKU: 3850  
EAN Code: 3800157618991  
Material: Concrete  
Size: 160x290x1250mm



**VT-7202**  
Concrete-Lampshade

Box Qty.  
**4Pcs**

SKU: 3853  
EAN Code: 3800157619028  
Material: Concrete  
Size: 180x160x1100mm






**VT-7291**  
Concrete-Acrylic

Box Qty.  
**4Pcs**


SKU: 3854  
EAN Code: 3800157619035  
Material: Concrete+Wood  
Size: 265x260x1050mm



**VT-7301**  
Concrete-Wooden

Box Qty.  
**4Pcs**

SKU: 3858  
EAN Code: 3800157619073  
Material: Concrete+Wood  
Size: 290x250x1150mm






**VT-7125-GY**  
Concrete-Wooden

Box Qty.  
**8Pcs**


SKU: 3855  
EAN Code: 3800157619042  
Material: Concrete+Wood  
Size: 120x210x1080mm



**VT-7125-GN**  
Concrete-Wooden

Box Qty.  
**8Pcs**

SKU: 3856  
EAN Code: 3800157619059  
Material: Concrete+Wood  
Size: 120x210x1080mm






**VT-7125-R**  
Concrete-Wooden

Box Qty.  
**8Pcs**


SKU: 3857  
EAN Code: 3800157619066  
Material: Concrete+Wood  
Size: 120x210x1080mm



**VT-7160**  
Concrete-Table Lamp

Box Qty.  
**4Pcs**

SKU: 3851  
EAN Code: 3800157619004  
Material: Concrete  
Size: 160x150x2000mm






**VT-7171**  
Concrete-Table Lamp

Box Qty.  
**8Pcs**


SKU: 3852  
EAN Code: 3800157619011  
Material: Concrete  
Size: 180x130x2000mm



**VT-7141-CG**  
Geometric Series-Gold Canopy

Box Qty.  
**8Pcs**

SKU: 3831  
EAN Code: 3800157616669  
Material: Metal  
Size: 250x190x1250mm






**VT-7141-MB**

Geometric Series-Black Canopy

Box Qty.  
**8Pcs**

SKU: 3832  
EAN Code: 3800157616676  
Material: Metal  
Size: 250x190x1250mm




**VT-7161-CG**

Geometric Series-Gold Canopy

Box Qty.  
**10Pcs**

SKU: 3833  
EAN Code: 3800157616683  
Material: Metal  
Size: 225x225x1250mm






**VT-7161-MB**

Geometric Series-Black Canopy

Box Qty.  
**8Pcs**

SKU: 3834  
 EAN Code: 3800157616690  
 Material: Metal  
 Size: 225x225x1250mm




**VT-7144**

Geometric Series-Black Canopy

Box Qty.  
**4Pcs**

SKU: 3927  
 EAN Code: 3800157626224  
 Material: Metal Finish  
 Size: 300x1300mm






**VT-7322-CG**

Geometric Series-Gold Canopy

Box Qty.  
**10Pcs**

SKU: 3835  
EAN Code: 3800157616706  
Material: Metal  
Size: 320x320x1350mm




**VT-7322-MB**

Geometric Series-Black Canopy

Box Qty.  
**10Pcs**

SKU: 3836  
EAN Code: 3800157616713  
Material: Metal  
Size: 320x320x1350mm






**VT-7321-CG**  
Geometric Series-Gold Canopy

Box Qty.  
**10Pcs**


SKU: 3837  
EAN Code: 3800157616720  
Material: Metal  
Size: 320x320x1350mm



**VT-7321-MB**  
Geometric Series-Black Canopy

Box Qty.  
**10Pcs**

SKU: 3838  
EAN Code: 3800157616737  
Material: Metal  
Size: 320x320x1350mm






**VT-7225**

Danish Wood-Bronze Canopy

Box Qty.  
**8Pcs**

SKU: 3816  
EAN Code: 3800157612760  
Material: Aluminium+SAND FINISH  
Size: 260x330x1111mm




**VT-7340**

Danish Wood-Bronze Canopy

Box Qty.  
**4Pcs**

SKU: 3817  
EAN Code: 3800157612777  
Material: Aluminium+SAND FINISH  
Size: 360x420x1200mm






**VT-7520-B**  
Aluminum-Sand finish-Black

 Box Qty.  
**4Pcs**


SKU: 3700  
EAN Code: 3800157610735  
Material: Aluminium+ SAND FINISH  
Size: 220x310x1375mm



**VT-7520-G**  
Aluminum-Sand finish-Grey

 Box Qty.  
**4Pcs**

SKU: 3701  
EAN Code: 3800157610742  
Material: Aluminium+SAND FINISH  
Size: 220x310x1375mm






**VT-7520-WH**  
Aluminum-Sand finish-White

Box Qty.  
**4Pcs**

SKU: 3702  
EAN Code: 3800157610759  
Material: Aluminium+ SAND FINISH  
Size: 220x310x1375mm






**VT-7425-WH**  
Modern Wooden Top-White

Box Qty.  
**8Pcs**


SKU: 3756  
 EAN Code: 3800157611299  
 Material: Aluminium+Wooden Top  
 Size: 250x200x1100mm



**VT-7425-B**  
Modern Wooden Top-Black

Box Qty.  
**8Pcs**

SKU: 3757  
 EAN Code: 3800157611305  
 Material: Aluminium+Wooden Top  
 Size: 250x200x1100mm






**VT-7525-WH**  
Wooden Top Iron-White

Box Qty.  
**8Pcs**


SKU: 3761  
EAN Code: 3800157611343  
Material: Iron+WOODEN TOP  
Size: 250x400x1200mm



**VT-7525-B**  
Wooden Top Iron-Black

Box Qty.  
**8Pcs**

SKU: 3762  
EAN Code: 3800157611350  
Material: Iron+WOODEN TOP  
Size: 250x400x1200mm






**VT-7535-W**  
Wooden Top Iron-White

Box Qty.  
**8Pcs**


SKU: 3763  
EAN Code: 3800157611367  
Material: Iron+WOODEN TOP  
Size: 350x300x1100mm



**VT-7535-B**  
Wooden Top Iron-Black

Box Qty.  
**8Pcs**

SKU: 3764  
EAN Code: 3800157611374  
Material: Iron+WOODEN TOP  
Size: 350x300x1100mm






**VT-7545-WH**

Wooden Top Iron-White

 Box Qty.  
**8Pcs**

SKU: 3765  
EAN Code: 3800157611381  
Material: Iron+WOODEN TOP  
Size: 350x300x1100mm




**VT-7545-B**

Wooden Top Iron-Black

 Box Qty.  
**8Pcs**

SKU: 3766  
EAN Code: 3800157611398  
Material: Iron+WOODEN TOP  
Size: 350x300x1100mm






**VT-7100-WH**  
Pendant-Aluminium Shade-White

Box Qty.  
**12Pcs**


SKU: 3920  
EAN Code: 3800157626156  
Material: Plastic+Aluminium  
Size: 180x100x1200mm



**VT-7100-B**  
Pendant-Aluminium Shade-Black

Box Qty.  
**12Pcs**

SKU: 3921  
EAN Code: 3800157626163  
Material: Plastic+Aluminium  
Size: 180x100x1200mm






**VT-7100-G**  
Pendant-Aluminium Shade-Grey

Box Qty.  
**12Pcs**


SKU: 3922  
EAN Code: 3800157626170  
Material: Plastic+Aluminium  
Size: 180x100x1200mm



**VT-7100-P**  
Pendant-Aluminium Shade-Pink

Box Qty.  
**12Pcs**

SKU: 3923  
EAN Code: 3800157626187  
Material: Plastic+Aluminium  
Size: 180x100x1200mm






**VT-7100-R**  
Pendant-Aluminium Shade-Red

Box Qty.  
**12Pcs**


SKU: 3924  
EAN Code: 3800157626194  
Material: Plastic+Aluminium  
Size: 180x100x1200mm



**VT-7100-BL**  
Pendant-Aluminium Shade-Blue

Box Qty.  
**12Pcs**

SKU: 3925  
EAN Code: 3800157626200  
Material: Plastic+Aluminium  
Size: 180x100x1200mm






**VT-7777-RG**  
Metal Plate-Rose Gold



Box Qty.  
**20Pcs**

SKU: 3751  
EAN Code: 3800157611244  
Material: Metal  
Size: 300x90x1000mm




**VT-7777-MG**  
Metal Plate-Matt Gold



Box Qty.  
**20Pcs**

SKU: 3752  
EAN Code: 3800157611251  
Material: Metal  
Size: 300x90x1000mm



**new!**



**VT-7401-W**  
Net Prism-White Pendant

Box Qty.  
**2Pcs**

SKU: 3943  
EAN Code: 3800157630115  
Material: Metal  
Size: 400x540mm




**new!**



**VT-7401-B**  
Net Prism-Black Pendant

Box Qty.

SKU: 3944  
EAN Code: 3800157630122  
Material: Metal  
Size: 400x540mm



**new!**



**VT-7401-BG**  
Net Prism-Black Pendant

 Box Qty.  
**2Pcs**

SKU: 3945  
EAN Code: 3800157630139  
Material: Metal  
Size: 400x540mm



**new!**



**VT-7310-B**  
Prism-Blue Pendant

 Box Qty.  
**4Pcs**

SKU: 3946  
EAN Code: 3800157630146  
Material: Metal  
Size: 310x190mm



**new!**



**VT-7310-Y**  
Prism-Yellow Pendant

Box Qty.  
**4Pcs**

SKU: 3947  
EAN Code: 3800157630153  
Material: Metal  
Size: 310x190mm



**new!**



**VT-7310-W**  
Prism-White Pendant

Box Qty.  
**4Pcs**

SKU: 3948  
EAN Code: 3800157630160  
Material: Metal  
Size: 310x190mm



**new!**



**VT-7323-W**  
Prism-Wooden-White

Box Qty.  
**4Pcs**

SKU: 3949  
EAN Code: 3800157630177  
Material: Metal  
Size: 320x270mm



**new!**



**VT-7323-Y**  
Prism-Wooden-Yellow

Box Qty.  
**4Pcs**

SKU: 3950  
EAN Code: 3800157630184  
Material: Metal  
Size: 320x270mm



**new!**



**VT-7323-P**  
Prism-Wooden-Pink

 Box Qty.  
**4Pcs**

SKU: 3951  
EAN Code: 3800157630191  
Material: Metal  
Size: 320x270mm



**new!**



**VT-7255-W**  
Cone Prism-White

 Box Qty.  
**4Pcs**

SKU: 3952  
EAN Code: 3800157630207  
Material: Metal  
Size: 250x255mm



**new!**



**VT-7255-B**  
Cone Prism-Blue

 Box Qty.

SKU: 3953  
EAN Code: 3800157630214  
Material: Metal  
Size: 250x255mm



**new!**



**VT-7255-Y**  
Cone Prism-Yellow

 Box Qty.

SKU: 3954  
EAN Code: 3800157630221  
Material: Metal  
Size: 250x255mm



**new!**



**VT-7334-T**  
Metal W/Crystal

Box Qty.  
**4Pcs**

SKU: 3955  
EAN Code: 3800157630238  
Material: Metal  
Size: 300x360mm



**new!**



**VT-7334-M**  
Metal W/Crystal

Box Qty.  
**4Pcs**

SKU: 3956  
EAN Code: 3800157630245  
Material: Metal  
Size: 330x300mm



**new!**



**VT-7334-B**  
Metal W/Crystal

Box Qty.  
**4Pcs**

SKU: 3957  
EAN Code: 3800157630252  
Material: Metal  
Size: 300x360mm







**VT-7424**  
Vintage Metal

Box Qty.  
**12Pcs**


SKU: 3753  
EAN Code: 3800157611268  
Material: Metal  
Size: 260x170x1080mm



**VT-7201**  
Vintage Metal-Pulley

Box Qty.  
**8Pcs**

SKU: 3845  
EAN Code: 3800157617192  
Material: Metal  
Size: 220x140x600-1600mm






**VT-7118**

Pendant-Hemp Rope

Box Qty.  
**12Pcs**

SKU: 3754  
EAN Code: 3800157611275  
Material: Rope  
Size: 45x57x1500mm




**VT-7251**

Globe-Chrome Canopy

Box Qty.  
**4Pcs**

SKU: 3839  
EAN Code: 3800157616744  
Material: Acrylic Glass  
Size: 250x250x1300mm






**VT-7558-GN**  
Pendant Holder-Bottle-E14

 Box Qty.  
**25Pcs**

Color: **Green**  
SKU: **3767**  
EAN Code: **3800157611404**  
Material: **Glass**  
Size: **72x280x1150mm**



**VT-7558-BL**  
Pendant Holder-Bottle-E14

 Box Qty.  
**25Pcs**

Color: **Blue**  
SKU: **3768**  
EAN Code: **3800157611411**  
Material: **Glass**  
Size: **72x280x1150mm**



**VT-7558-R**  
Pendant Holder-Bottle-E14

 Box Qty.  
**25Pcs**

Color: **Red**  
SKU: **3769**  
EAN Code: **3800157611428**  
Material: **Glass**  
Size: **72x280x1150mm**



**VT-7558-A**  
Pendant Holder-Bottle-E14

 Box Qty.  
**25Pcs**

Color: **Amber**  
SKU: **3770**  
EAN Code: **3800157611435**  
Material: **Glass**  
Size: **72x280x1150mm**



**VT-7558-T**  
Pendant Holder-Bottle-E14

 Box Qty.  
**25Pcs**


Color: **Transparent**  
SKU: **3771**  
EAN Code: **3800157611442**  
Material: **Glass**  
Size: **72x280x1150mm**



**VT-7558-P**  
Pendant Holder-Bottle-E14

 Box Qty.  
**25Pcs**

Color: **Pink**  
SKU: **3772**  
EAN Code: **3800157611459**  
Material: **Glass**  
Size: **72x280x1150mm**



**VT-7558-Y**  
Pendant Holder-Bottle-E14

 Box Qty.  
**25Pcs**

Color: **Yellow**  
SKU: **3773**  
EAN Code: **3800157611466**  
Material: **Glass**  
Size: **72x280x1150mm**



**VT-7558-R0**  
Pendant Holder-Bottle-E14

 Box Qty.  
**25Pcs**

Color: **Rose**  
SKU: **3774**  
EAN Code: **3800157611473**  
Material: **Glass**  
Size: **72x280x1150mm**



**VT-7558-GY**  
Pendant Holder-Bottle-E14

 Box Qty.  
**25Pcs**

Color: **Grey**  
SKU: **3775**  
EAN Code: **3800157611480**  
Material: **Glass**  
Size: **78x280x1150mm**



**VT-7558-BR**  
Pendant Holder-Bottle-E14

 Box Qty.  
**25Pcs**


Color: **Brown**  
SKU: **3776**  
EAN Code: **3800157611497**  
Material: **Glass**  
Size: **72x280x1150mm**



Color: **Red Bronze**  
 SKU: **3840**  
 EAN Code: **3800157617147**  
 Material: **Metal**  
 Size: **Ø50x90x900mm**

**VT-7555-RB**  
**Metal Holder-Canopy**

Box Qty.  
**30Pcs**



**VT-7555-BBR**  
**Metal Holder-Canopy**

Color: **Brown Bronze**  
 SKU: **3841**  
 EAN Code: **3800157617154**  
 Material: **Metal**  
 Size: **Ø50x90x900mm**

Box Qty.  
**30Pcs**



**VT-7555-BB**  
**Metal Holder-Canopy**

Color: **Brass Bronze**  
 SKU: **3842**  
 EAN Code: **3800157617161**  
 Material: **Metal**  
 Size: **Ø50x90x900mm**

Box Qty.  
**30Pcs**



**VT-7555-BR**  
**Metal Holder-Canopy**

Color: **Bronze**  
 SKU: **3843**  
 EAN Code: **3800157617178**  
 Material: **Metal**  
 Size: **Ø50x90x900mm**

Box Qty.  
**30Pcs**



**VT-7555-MG**  
**Metal Holder-Canopy**

Color: **Gold**  
 SKU: **3844**  
 EAN Code: **3800157617185**  
 Material: **Metal**  
 Size: **Ø50x90x900mm**


Box Qty.  
**30Pcs**



**VT-7999-G2**  
Metal Holder-Adjustable Canopy

 Box Qty.  
**60Pcs**

Color: Gold Aluminum  
SKU: 3811  
EAN Code: 3800157612425  
Material: Aluminium  
Size: 50x100mm



**VT-7999-G3**  
Metal Holder-Adjustable

 Box Qty.  
**60Pcs**

Color: Gold Aluminum  
SKU: 3812  
EAN Code: 3800157612432  
Material: Aluminium  
Size: 50x100mm



**VT-7999-B**  
Metal Holder-Adjustable

 Box Qty.  
**60Pcs**

Color: Bronze Aluminum  
SKU: 3813  
EAN Code: 3800157612449  
Material: Aluminium  
Size: 50x100mm



**VT-7999-BV**  
Metal Holder-Adjustable

 Box Qty.  
**60Pcs**

Color: Bronze Aluminum  
SKU: 3814  
EAN Code: 3800157612456  
Material: Aluminium  
Size: 50x100mm



**VT-7999**  
Metal Holder-Adjustable

 Box Qty.  
**60Pcs**

Color: Rose Gold Aluminum  
SKU: 3815  
EAN Code: 3800157612463  
Material: Aluminium  
Size: 50x100mm



**VT-7778-W**  
Wooden Holder-White Wire

 Box Qty.  
**50Pcs**

Color: **White Wire**  
SKU: **3720**  
EAN Code: **3800157610933**  
Material: **Wooden**  
Size: **73x102x1000mm**



**VT-7778-BK**  
Wooden Holder-Black Wire

 Box Qty.  
**50Pcs**

Color: **Black Wire**  
SKU: **3721**  
EAN Code: **3800157610940**  
Material: **Wooden**  
Size: **73x102x1000mm**



**VT-7778-BL**  
Wooden Holder-Blue Wire

 Box Qty.  
**50Pcs**

Color: **Blue Wire**  
SKU: **3722**  
EAN Code: **3800157610957**  
Material: **Wooden**  
Size: **73x102x1000mm**



**VT-7778-R**  
Wooden Holder-Red Wire

 Box Qty.  
**50Pcs**

Color: **Red Wire**  
SKU: **3723**  
EAN Code: **3800157610964**  
Material: **Wooden**  
Size: **73x102x1000mm**



**VT-7778-PR**  
Wooden Holder-Purple Wire

 Box Qty.  
**50Pcs**

Color: **Purple Wire**  
SKU: **3724**  
EAN Code: **3800157610971**  
Material: **Wooden**  
Size: **73x102x1000mm**



**VT-7778-GN**  
Wooden Holder-Green Wire

 Box Qty.  
**50Pcs**

Color: **Green Wire**  
SKU: **3725**  
EAN Code: **3800157610988**  
Material: **Wooden**  
Size: **73x102x1000mm**



Pendant-Porcelain Set

**VT-7998-W**  Box Qty. **60Pcs**

Color: **White**  
 SKU: **3803**  
 EAN Code: **3800157612340**  
 Material: **Porcelain**  
 Size: **Ø105x750mm**



Pendant-Porcelain Set

**VT-7998-BK**  Box Qty. **60Pcs**

Color: **Black**  
 SKU: **3804**  
 EAN Code: **3800157612357**  
 Material: **Porcelain**  
 Size: **Ø105x750mm**



Pendant-Porcelain Set

**VT-7998-GN**  Box Qty. **60Pcs**

Color: **Green**  
 SKU: **3805**  
 EAN Code: **3800157612364**  
 Material: **Porcelain**  
 Size: **Ø105x750mm**



Pendant-Porcelain Set

**VT-7998-BL**  Box Qty. **60Pcs**

Color: **Blue**  
 SKU: **3806**  
 EAN Code: **3800157612371**  
 Material: **Porcelain**  
 Size: **Ø105x750mm**



Pendant-Porcelain Set

**VT-7998-R**  Box Qty. **60Pcs**

Color: **Red**  
 SKU: **3807**  
 EAN Code: **3800157612388**  
 Material: **Porcelain**  
 Size: **Ø105x750mm**



Pendant-Porcelain Set

**VT-7998-GY**  Box Qty. **60Pcs**

Color: **Grey**  
 SKU: **3808**  
 EAN Code: **3800157612395**  
 Material: **Porcelain**  
 Size: **Ø105x750mm**



Pendant-Porcelain Set

**VT-7998Y**  Box Qty. **60Pcs**

Color: **Yellow**  
 SKU: **3809**  
 EAN Code: **3800157612401**  
 Material: **Porcelain**  
 Size: **Ø105x750mm**



Pendant-Porcelain Set

**VT-7998-BR**  Box Qty. **60Pcs**

Color: **Brown**  
 SKU: **3810**  
 EAN Code: **3800157612418**  
 Material: **Porcelain**  
 Size: **Ø105x750mm**



Porcelain Holder

**VT-799-W** Box Qty. **100Pcs**

Color: **White**  
 SKU: **3795**  
 EAN Code: **3800157612265**  
 Material: **Porcelain**  
 Size: **Ø47x64mm**



Porcelain Holder

**VT-799-BK** Box Qty. **100Pcs**

Color: **Black**  
 SKU: **3796**  
 EAN Code: **3800157612272**  
 Material: **Porcelain**  
 Size: **Ø47x64mm**



Porcelain Holder

**VT-799-GN** Box Qty. **100Pcs**

Color: **Green**  
 SKU: **3797**  
 EAN Code: **3800157612289**  
 Material: **Porcelain**  
 Size: **Ø47x64mm**



Porcelain Holder

**VT-799-BL** Box Qty. **100Pcs**

Color: **Blue**  
 SKU: **3798**  
 EAN Code: **3800157612296**  
 Material: **Porcelain**  
 Size: **Ø47x64mm**



Porcelain Holder

**VT-799-R** Box Qty. **100Pcs**

Color: **Red**  
 SKU: **3799**  
 EAN Code: **3800157612302**  
 Material: **Porcelain**  
 Size: **Ø47x64mm**



Porcelain Holder

**VT-799-GY** Box Qty. **100Pcs**

Color: **Grey**  
 SKU: **3800**  
 EAN Code: **3800157612319**  
 Material: **Porcelain**  
 Size: **Ø47x64mm**



Porcelain Holder

**VT-799-Y** Box Qty. **100Pcs**

Color: **Yellow**  
 SKU: **3801**  
 EAN Code: **3800157612326**  
 Material: **Porcelain**  
 Size: **Ø47x64mm**



Porcelain Holder

**VT-799-BR** Box Qty. **100Pcs**

Color: **Brown**  
 SKU: **3802**  
 EAN Code: **3800157612333**  
 Material: **Porcelain**  
 Size: **Ø47x64mm**



Concrete Holder-Canopy

**VT-7668-GN**  Box Qty. **40Pcs**

Color: **Green**  
 SKU: **3742**  
 EAN Code: **3800157611152**  
 Material: **Concrete**  
 Size: **50x95x1050mm**



Concrete Holder-Canopy

**VT-7668-R**  Box Qty. **40Pcs**

Color: **Red**  
 SKU: **3743**  
 EAN Code: **3800157611169**  
 Material: **Concrete**  
 Size: **50x95x1050mm**



Concrete Holder-Canopy

**VT-7668-BL**  Box Qty. **40Pcs**

Color: **Blue**  
 SKU: **3744**  
 EAN Code: **3800157611176**  
 Material: **Concrete**  
 Size: **50x95x1050mm**



Concrete Holder-Canopy

**VT-7668-Y**  Box Qty. **40Pcs**

Color: **Yellow**  
 SKU: **3745**  
 EAN Code: **3800157611183**  
 Material: **Concrete**  
 Size: **50x95x1050mm**



Concrete Holder-Canopy

**VT-7668-W**  Box Qty. **40Pcs**

Color: **White**  
 SKU: **3746**  
 EAN Code: **3800157611190**  
 Material: **Concrete**  
 Size: **50x95x1050mm**




Concrete Holder-Canopy

**VT-7668-BK**  Box Qty. **40Pcs**

Color: **Black**  
 SKU: **3747**  
 EAN Code: **3800157611206**  
 Material: **Concrete**  
 Size: **50x95x1050mm**



Concrete Holder-Canopy

**VT-7668-GY**  Box Qty. **40Pcs**

Color: **Grey**  
 SKU: **3748**  
 EAN Code: **3800157611213**  
 Material: **Concrete**  
 Size: **50x95x1050mm**



Concrete Holder-Canopy

**VT-7668-BR**  Box Qty. **40Pcs**

Color: **Brown**  
 SKU: **3749**  
 EAN Code: **3800157611220**  
 Material: **Concrete**  
 Size: **50x95x1050mm**



Concrete Holder-Canopy

**VT-7668-BE**  Box Qty. **40Pcs**

Color: **Beige**  
 SKU: **3750**  
 EAN Code: **3800157611237**  
 Material: **Concrete**  
 Size: **50x95x1050mm**



**VT-7448**  
Gold Rose Holder

Color: **Rose Gold Set**  
SKU: **3777**  
Box Qty. **40Pcs**  
Size: **36x60mm**

EAN Code:  
3800157611503



**VT-7338-W**  
Chrome Holder

Color: **White**  
SKU: **3755**  
Box Qty. **40Pcs**  
Size: **36x60mm**

EAN Code:  
3800157611282



**VT-7338-BK**  
Chrome Holder

Color: **Black**  
SKU: **3782**  
Box Qty. **40Pcs**  
Size: **36x60mm**

EAN Code:  
3800157611558



**VT-7338-BL**  
Chrome Holder

Color: **Blue**  
SKU: **3783**  
Box Qty. **40Pcs**  
Size: **36x60mm**

EAN Code:  
3800157611565



**VT-7338-BN**  
Chrome Holder

Color: **Brown**  
SKU: **3784**  
Box Qty. **40Pcs**  
Size: **36x60mm**

EAN Code:  
3800157611572



**VT-7338-GN**  
Chrome Holder

Color: **Green**  
SKU: **3785**  
Box Qty. **40Pcs**  
Size: **36x60mm**

EAN Code:  
3800157611589



**VT-7338-GY**  
Chrome Holder

Color: **Grey**  
SKU: **3786**  
Box Qty. **1Pcs**  
Size: **36x60mm**

EAN Code:  
3800157611596



**VT-7338-LB**  
Chrome Holder

Color: **Light Blue**  
SKU: **3787**  
Box Qty. **40Pcs**  
Size: **36x60mm**

EAN Code:  
3800157611602



**VT-7338-O**  
Chrome Holder

Color: **Orange**  
SKU: **3788**  
Box Qty. **40Pcs**  
Size: **36x60mm**

EAN Code:  
3800157611619



**VT-7338-PK**  
Chrome Holder

Color: **Pink**  
SKU: **3789**  
Box Qty. **1Pcs**  
Size: **36x60mm**

EAN Code:  
3800157611626



**VT-7338-PE**  
Chrome Holder

Color: **Purple**  
SKU: **3790**  
Box Qty. **40Pcs**  
Size: **36x60mm**

EAN Code:  
3800157611633



**VT-7338-R**  
Chrome Holder

Color: **Red**  
SKU: **3791**  
Box Qty. **40Pcs**  
Size: **36x60mm**

EAN Code:  
3800157611640



**VT-7338-RR**  
Chrome Holder

Color: **Rose Red**  
SKU: **3792**  
Box Qty. **40Pcs**  
Size: **36x60mm**

EAN Code:  
3800157611657



**VT-7338-Y**  
Chrome Holder

Color: **Yellow**  
SKU: **3793**  
Box Qty. **40Pcs**  
Size: **36x60mm**

EAN Code:  
3800157611664



**VT-7338-BE**  
Chrome Holder

Color: **Beige**  
SKU: **3794**  
Box Qty. **40Pcs**  
Size: **36x60mm**

EAN Code:  
3800157611671



**VT-7228-BN**  
Silicone Series

Color: **Brown**  
SKU: **3475**  
Box Qty. **100Pcs**  
Size: **1000mm**

EAN Code:  
3800157607919



**VT-7228-BE**  
Silicone Series

Color: **Blue**  
SKU: **3476**  
Box Qty. **100Pcs**  
Size: **1000mm**

EAN Code:  
3800157607926



**VT-7228-W**  
Silicone Series

Color: **White**  
SKU: **3477**  
Box Qty. **100Pcs**  
Size: **1000mm**

EAN Code:  
3800157607933



**VT-7228-BK**  
Silicone Series

Color: **Black**  
SKU: **3478**  
Box Qty. **100Pcs**  
Size: **1000mm**

EAN Code:  
3800157607940



**VT-7228-PN**  
Silicone Series

Color: **Pink**  
SKU: **3479**  
Box Qty. **100Pcs**  
Size: **1000mm**

EAN Code:  
3800157607957



**VT-7228-R**  
Silicone Series

Color: **Red**  
SKU: **3480**  
Box Qty. **100Pcs**  
Size: **1000mm**

EAN Code:  
3800157607964



**VT-7228-GY**  
Silicone Series

Color: **Grey**  
SKU: **3481**  
Box Qty. **100Pcs**  
Size: **1000mm**

EAN Code:  
3800157607971



**VT-7228-LB**  
Silicone Series

Color: **Light Blue**  
SKU: **3482**  
Box Qty. **100Pcs**  
Size: **1000mm**

EAN Code:  
3800157609463



**VT-7228-PE**  
Silicone Series

Color: **Purple**  
SKU: **3483**  
Box Qty. **100Pcs**  
Size: **1000mm**

EAN Code:  
3800157609470



**VT-7228-O**  
Silicone Series

Color: **Orange**  
SKU: **3484**  
Box Qty. **100Pcs**  
Size: **1000mm**

EAN Code:  
3800157609487



**VT-7228-Y**  
Silicone Series

Color: **Yellow**  
SKU: **3485**  
Box Qty. **100Pcs**  
Size: **1000mm**

EAN Code:  
3800157609494



**VT-7228-GN**  
Silicone Series

Color: **Green**  
SKU: **3486**  
Box Qty. **100Pcs**  
Size: **1000mm**

EAN Code:  
3800157609500



Designer Sleek

# LED Pendants

---



**Built In LED**


Designer Sleek Pendant-Chrome

18w VT-7018

Box Qty.  
12Pcs

3890 - 4000K Day White

3800157621083



Voltage/Frequency: AC:220-240V,50Hz

No. of LED: 90 pcs

Luminous Flux: 1350lm

Material : Stainless Steel+Metal+PMMA

LED Type: SMD

Unit GW : 1.38 Kg

CRI: >80

Life Span: 20,000 Hours

PF: >0.8

Size : 940x55x800mm

Beam Angle: 120°



### Built In **LED**


Designer Sleek Pendant-Chrome

24w VT-7024

Box Qty.  
12Pcs

3891 - 4000K Day White

3800157621090



Voltage/Frequency: **AC:220-240V,50Hz**

Luminous Flux: **1800lm**

LED Type: **SMD**

CRI: **>80**

PF: **>0.8**

Beam Angle: **120°**

No. of LED: **120 pcs**

Material : **Stainless Steel+Metal+PMMA**

Unit GW : **1.59 Kg**

Life Span: **20,000 Hours**

Size : **1220x55x800mm**



**Built In LED**


Designer Sleek Pendant-Chrome

36w VT-7036

Box Qty.  
12Pcs

3892 - 4000K Day White

3800157621106



Voltage/Frequency: **AC:220-240V,50Hz**

Luminous Flux: **2700lm**

LED Type: **SMD**

CRI: **>80**

PF: **>0.8**

Beam Angle: **120°**

No. of LED: **180 pcs**

Material : **Stainless Steel+Metal+PMMA**

Unit GW : **1.82 Kg**

Life Span: **20,000 Hours**

Size : **1820x55x800mm**



### Built In **LED**


Designer Sleek Pendant-Chrome

36w VT-7037

Box Qty.  
6Pcs

3893 - 4000K Day White

3800157621113



Voltage/Frequency: **AC:220-240V,50Hz**

Luminous Flux: **2700lm**

LED Type: **SMD**

CRI: **>80**

PF: **>0.8**

Beam Angle: **120°**

No. of LED: **180 pcs**

Material : **Stainless Steel+Metal+PMMA**

Unit GW : **2.24 Kg**

Life Span: **20,000 Hours**

Size : **940x120x60mm**




Mirror Light-Picture Lamp-Chrome

8W **VT-7008**

Box Qty. **12Pcs**

3894 - 4000K Day White

3800157621120



Voltage/Frequency: **AC:220-240V,50Hz**

No. of LED: **40 pcs**

Luminous Flux: **600lm**

Material: **Metal+PMMA**

LED Type: **SMD**

Unit GW: **0.72 Kg**

CRI: **>80**

Life Span: **20,000 Hours**

PF: **>0.5**

Size: **500x55x185mm**

Beam Angle: **120°**

Built In **LED**




Mirror Light-Picture Lamp-Chrome

12W **VT-7012**

Box Qty. **12Pcs**

3895 - 4000K Day White

3800157621137



Voltage/Frequency: **AC:220-240V,50Hz**

No. of LED: **60 pcs**

Luminous Flux: **900lm**

Material: **Metal+PMMA**

LED Type: **SMD**

Unit GW: **0.82 Kg**

CRI: **>80**

Life Span: **20,000 Hours**

PF: **>0.5**

Size: **640x55x185mm**

Beam Angle: **120°**

Built In **LED**



## Mirror Lamp-Movable


8W

VT-7009CH

Box Qty.  
11Pcs

3900 - 4000K Day white

3800157621854



Voltage/Frequency: AC:220-240V,50Hz

No. of LED: 40 pcs

Luminous Flux: 600lm

Material : Stainless Steel+Aluminium+PMMA

LED Type: SMD

Unit GW : 0.8 Kg

CRI: &gt;80

Life Span: 20,000 Hours

PF: &gt;0.8

Size : 455x45x190mm

Beam Angle: 120°

Built In



## Mirror Light-Picture Lamp-Golden


8W

VT-7009

Box Qty.  
11Pcs

3901 - 4000K Day white

3800157621861



Voltage/Frequency: AC:220-240V,50Hz

No. of LED: 40 pcs

Luminous Flux: 600lm

Material : Stainless Steel+Aluminium+PMMA

LED Type: SMD

Unit GW : 0.8 Kg

CRI: &gt;80

Life Span: 20,000 Hours

PF: &gt;0.8

Size : 455x45x190mm

Beam Angle: 120°

Built In




Mirror Light - Chrome Cap

10w VT-7010-CH

Box Qty.  
**10Pcs**

3916 - 4000K Day White  
3917 - 6400K White

3800157626118  
3800157626125



Voltage/Frequency:	<b>AC:220-240V,50/60Hz</b>	No. of LED:	N/A
Luminous Flux:	<b>950lm</b>	Material :	<b>Aluminium+PC</b>
LED Type:	<b>SMD</b>	Unit GW :	<b>0.63 Kg</b>
CRI:	<b>&gt;80</b>	Life Span:	<b>30,000 Hours</b>
PF:	<b>&gt;0.5</b>	Size :	<b>605x53.6x64.6mm</b>
Beam Angle:	<b>150°</b>		

Built In **LED**




Mirror Light - White Cap

10w VT-7010-WH

Box Qty.  
**10Pcs**

3918 - 4000K Day White  
3919 - 6400K White

3800157626132  
3800157626149



Voltage/Frequency:	<b>AC:220-240V,50/60Hz</b>	No. of LED:	N/A
Luminous Flux:	<b>950lm</b>	Material :	<b>Aluminium+PC</b>
LED Type:	<b>SMD</b>	Unit GW :	<b>0.63 Kg</b>
CRI:	<b>&gt;80</b>	Life Span:	<b>30,000 Hours</b>
PF:	<b>&gt;0.5</b>	Size :	<b>605x53.6x64.6mm</b>
Beam Angle:	<b>150°</b>		

Built In **LED**




### Mirror Light-Chrome

## 12w VT-7014

 Box Qty.  
**12Pcs**

3902 - 4000K Day white

3800157621878



Voltage/Frequency: AC:220-240V,50Hz

No. of LED: 60 pcs

Luminous Flux: 900lm

Material: Stainless Steel+Metal+PMMA

LED Type: SMD

Unit GW: 1.08 Kg

CRI: &gt;80

Life Span: 20,000 Hours

PF: &gt;0.8

Size: 640x65x65mm

Beam Angle: 120°

**Built In** 



### Mirror Light-Chrome

## 18w VT-7021

 Box Qty.  
**12Pcs**

3903 - 4000K Day white

3800157621885



Voltage/Frequency: AC:220-240V,50Hz

No. of LED: 90 pcs

Luminous Flux: 1350lm

Material: Stainless Steel+Metal+PMMA

LED Type: SMD

Unit GW: 1.28 Kg

CRI: &gt;80

Life Span: 20,000 Hours

PF: &gt;0.8

Size: 940x65x65mm

Beam Angle: 120°

**Built In** 




Designer Bend Glass-Wall Pendant

**12w VT-7013**

Box Qty.  
**6Pcs**

3896 - 4000K Day White

3800157621144



Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **900lm**  
 LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.8**  
 Beam Angle: **120°**

No. of LED: **60 pcs**  
 Material: **Stainless Steel+Metal+Glass**  
 Unit GW: **1.01 Kg**  
 Life Span: **20,000 Hours**  
 Size: **685x55x65mm**

**Built In LED**




Designer Bend Glass-Wall Pendant

**18w VT-7019**

Box Qty.  
**6Pcs**

3897 - 4000K Day white

3800157621151



Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **1350lm**  
 LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.8**  
 Beam Angle: **120°**

No. of LED: **90 pcs**  
 Material: **Stainless Steel+Metal+Glass**  
 Unit GW: **1.50 Kg**  
 Life Span: **20,000 Hours**  
 Size: **985x55x65mm**

**Built In LED**



Built In **LED**


Designer Bend Glass-Hanging Pendant

18w VT-7020

Box Qty.  
6Pcs

3898 - 4000K Day white

3800157621168



Voltage/Frequency: **AC:220-240V,50Hz**

Luminous Flux: **1350lm**

LED Type: **SMD**

CRI: **>80**

PF: **>0.8**

Beam Angle: **120°**


No. of LED: **90 pcs**

Material : **Stainless Steel+Metal+Glass**

Unit GW : **1.98 Kg**

Life Span: **20,000 Hours**

Size : **985x55x800mm**



**Built In LED**


Designer Bend Series - Chrome

36w VT-7038

Box Qty.  
6Pcs

3899 - 4000K Day white

3800157621175



Voltage/Frequency: **AC:220-240V,50Hz**

Luminous Flux: **2700lm**

LED Type: **SMD**

CRI: **>80**

PF: **>0.8**

Beam Angle: **120°**

No. of LED: **180 pcs**

Material : **Stainless Steel+Metal+Glass**

Unit GW : **3.53 Kg**

Life Span: **20,000 Hours**

Size : **985x120x75mm**



Modern Circular

# Chandeliers & Pendants

With Built in LED lights

---


Pendant Light-Gold Lamp Shade

7W VT-7333-G  Box Qty. 12Pcs


3934 - 3000K Warm White 3800157628952  
 3928 - 4000K Day White 3800157626569

Built In **LED**

Voltage/Frequency:	AC:220-240V,50Hz	No. of LED:	14 pcs
Luminous Flux:	400lm	Material :	Metal Finish
LED Type:	SMD	Unit GW :	1.4 Kg
CRI:	>80	Life Span:	30,000 Hours
PF:	>0.5	Size :	Ø120xH190mm
Beam Angle:	120°		




Pendant Light-White Lamp Shade

7W VT-7333-WH  Box Qty. 12Pcs

3935 - 3000K Warm White 3800157628969  
 3929 - 4000K Day White 3800157626576

Built In **LED**

Voltage/Frequency:	AC:220-240V,50Hz	No. of LED:	14 pcs
Luminous Flux:	400lm	Material :	Metal Finish
LED Type:	SMD	Unit GW :	1.4 Kg
CRI:	>80	Life Span:	30,000 Hours
PF:	>0.5	Size :	Ø120xH190mm
Beam Angle:	120°		



## Pendant Light-Gold Lamp Shade

7W

VT-7444-G

 Box Qty.  
8Pcs

3936 - 3000K Warm White  
3930 - 4000K Day White

3800157628976  
3800157626583

Built In **LED**

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 400lm

LED Type: SMD

CRI: &gt;80

PF: &gt;0.5

Beam Angle: 120°



No. of LED: 14 pcs

Material : Metal Finish

Unit GW : 1.9 Kg

Life Span: 30,000 Hours

Size : Ø250xH190mm



## Pendant Light-White Lamp Shade

7W

VT-7444-WH

 Box Qty.  
8Pcs

3937 - 3000K Warm White  
3931 - 4000K Day White

3800157628983  
3800157626590

Built In **LED**

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 400lm

LED Type: SMD

CRI: &gt;80

PF: &gt;0.5

Beam Angle: 120°


No. of LED: 14 pcs

Material : Metal Finish

Unit GW : 1.9 Kg

Life Span: 30,000 Hours

Size : Ø250xH190mm



Pendant Light-Gold Lamp Shade

7W

VT-7666-G

Box Qty.  
4Pcs


3938 - 3000K Warm White  
3932 - 4000K Day White

3800157628990  
3800157626606

Built In **LED**

Voltage/Frequency: AC:220-240V,50Hz  
Luminous Flux: 400lm  
LED Type: SMD  
CRI: >80  
PF: >0.5  
Beam Angle: 120°

No. of LED: 14 pcs  
Material: Metal Finish  
Unit GW: 2.4 Kg  
Life Span: 30,000 Hours  
Size: Ø340xH190mm



Pendant Light-White Lamp Shade

7W

VT-7666-WH

Box Qty.  
4Pcs



3939 - 3000K Warm White  
3933 - 4000K Day White

3800157629003  
3800157626613

Built In **LED**

Voltage/Frequency: AC:220-240V,50Hz  
Luminous Flux: 400lm  
LED Type: SMD  
CRI: >80  
PF: >0.5  
Beam Angle: 120°

No. of LED: 14 pcs  
Material: Metal Finish  
Unit GW: 2.4 Kg  
Life Span: 30,000 Hours  
Size: Ø340xH190mm





### Built In **LED**

Chandelier Series


40w VT-40-1

3874 - 3000K Warm White

3800157620888



Box Qty.  
1Pcs



Voltage/Frequency: AC:100-240V,50Hz

Luminous Flux: 2800lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 120°

No. of LED: 240 pcs

Material : Steel+PC

Unit GW : 3.90 Kg

Life Span: 20,000 Hours

Size : 400X210X1000mm




Built In **LED**

Chandelier-3 Step  
70w VT-70-3D

3904 - 3000K Warm White  
3905 - 4000K Day White

3800157624633  
3800157624640

Box Qty.  
1Pcs



Voltage/Frequency: **AC:100-240V,50Hz**  
Luminous Flux: **4900lm**  
LED Type: **SMD**  
CRI: **>80**  
PF: **>0.9**  
Beam Angle: **120°**

No. of LED: **360 pcs**  
Material : **Acrylic+Aluminium**  
Unit GW : **3.50 Kg**  
Life Span: **20,000 Hours**  
Size : **600x600x1200mm**




Built In **LED**

Chandelier-3 Step  
80w VT-80-3D

3906 - 3000K Warm White  
3907 - 4000K Day White


3800157624657  
3800157624664

Box Qty.  
1Pcs



Voltage/Frequency: **AC:100-240V,50Hz**  
Luminous Flux: **5600lm**  
LED Type: **SMD**  
CRI: **>80**  
PF: **>0.9**  
Beam Angle: **120°**

No. of LED: **510 pcs**  
Material : **Acrylic+Aluminium**  
Unit GW : **4.7 Kg**  
Life Span: **20,000 Hours**  
Size : **600x600x1200mm**



**Built In LED**

Chandelier-3 Step  
**85W VT-85-3**

3910 - 3000K Warm White  
3911 - 4000K Day White

Box Qty.  
**1Pcs**

3800157624695  
3800157624701



Voltage/Frequency:	<b>AC:100-240V,50Hz</b>	No. of LED:	<b>510 pcs</b>
Luminous Flux:	<b>5900lm</b>	Material :	<b>Acrylic+Aluminium</b>
LED Type:	<b>SMD</b>	Unit GW :	<b>5.5 Kg</b>
CRI:	<b>&gt;80</b>	Life Span:	<b>20,000 Hours</b>
PF:	<b>&gt;0.9</b>	Size :	<b>200x400x600mm</b>
Beam Angle:	<b>120°</b>		

SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.
135	- 23	187	- 29	235	- 15	290	- 9	413	- 43	482	- 47
136	- 23	188	- 29	236	- 15	291	- 8	414	- 43	483	- 47
137	- 23	192	- 33	240	- 31	292	- 8	415	- 39	484	- 48
138	- 22	193	- 33	241	- 31	293	- 7	416	- 39	485	- 48
139	- 22	194	- 33	242	- 31	294	- 7	417	- 39	486	- 40
140	- 22	195	- 34	243	- 31	320	- 66	418	- 44	487	- 40
141	- 23	196	- 34	244	- 31	321	- 66	419	- 44	488	- 48
142	- 23	197	- 34	245	- 31	322	- 66	420	- 40	489	- 48
143	- 23	198	- 33	246	- 32	350	- 68	421	- 40	520	- 28
144	- 16	199	- 33	247	- 32	351	- 68	422	- 44	521	- 28
145	- 16	200	- 33	248	- 32	352	- 68	423	- 44	550	- 77
146	- 16	201	- 32	249	- 13	353	- 68	424	- 41	551	- 77
147	- 24	202	- 32	250	- 13	354	- 68	425	- 41	552	- 76
148	- 24	203	- 32	251	- 13	355	- 68	426	- 41	553	- 76
149	- 24	204	- 35	252	- 13	356	- 69	427	- 37	554	- 77
150	- 25	205	- 35	253	- 13	357	- 69	428	- 37	555	- 77
151	- 25	206	- 35	254	- 13	358	- 69	429	- 37	556	- 76
152	- 25	207	- 35	255	- 12	359	- 69	430	- 45	557	- 76
153	- 24	208	- 35	256	- 12	360	- 69	431	- 45	558	- 75
154	- 24	209	- 35	257	- 12	361	- 69	432	- 45	559	- 75
155	- 24	210	- 22	258	- 11	362	- 70	439	- 41	560	- 74
156	- 19	211	- 22	259	- 11	363	- 70	440	- 41	561	- 74
157	- 19	212	- 22	260	- 11	364	- 70	441	- 41	562	- 75
158	- 19	213	- 26	261	- 11	365	- 70	442	- 37	563	- 75
159	- 21	214	- 26	262	- 11	366	- 70	443	- 37	564	- 74
160	- 21	215	- 26	263	- 11	367	- 70	444	- 37	565	- 74
161	- 21	216	- 27	264	- 12	368	- 71	445	- 45	566	- 73
162	- 21	217	- 27	265	- 12	369	- 71	446	- 45	567	- 73
163	- 21	218	- 27	266	- 12	370	- 71	447	- 45	568	- 73
164	- 21	219	- 27	267	- 15	371	- 71	454	- 46	569	- 73
165	- 34	220	- 27	268	- 15	372	- 71	455	- 46	572	- 78
166	- 34	221	- 27	269	- 15	373	- 71	456	- 46	573	- 78
167	- 34	222	- 25	270	- 18	400	- 42	463	- 46	611	- 53
168	- 17	223	- 25	271	- 18	401	- 42	464	- 46	612	- 53
169	- 17	224	- 25	272	- 4	402	- 42	465	- 46	613	- 53
170	- 17	225	- 26	275	- 6	403	- 38	472	- 47	614	- 53
171	- 17	226	- 26	278	- 5	404	- 38	473	- 47	615	- 53
172	- 17	227	- 26	279	- 5	405	- 38	474	- 47	616	- 53
173	- 17	228	- 19	280	- 6	406	- 42	475	- 43	617	- 52
174	- 16	229	- 19	282	- 3	407	- 42	476	- 43	618	- 52
175	- 16	230	- 19	283	- 28	408	- 42	477	- 43	619	- 52
176	- 16	231	- 20	284	- 28	409	- 38	478	- 39	620	- 52
177	- 20	232	- 20	285	- 28	410	- 38	479	- 39	621	- 52
178	- 20	233	- 20	286	- 3	411	- 38	480	- 39	622	- 52
179	- 20	234	- 15	287	- 4	412	- 43	481	- 47	623	- 51

SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.
624	- 51	1191	- 369	1276	- 378	1325	- 385	1370	- 397	1417	- 416
625	- 51	1192	- 369	1277	- 378	1326	- 383	1371	- 397	1418	- 416
626	- 51	1202	- 369	1278	- 378	1327	- 383	1372	- 397	1419	- 416
627	- 51	1207	- 388	1279	- 378	1328	- 383	1373	- 397	1420	- 416
628	- 51	1208	- 388	1281	- 405	1329	- 383	1374	- 397	1421	- 416
632	- 50	1209	- 388	1282	- 405	1330	- 383	1375	- 397	1422	- 416
633	- 50	1210	- 388	1284	- 388	1331	- 383	1376	- 398	1423	- 416
634	- 50	1229	- 370	1285	- 371	1332	- 364	1377	- 398	1424	- 415
650	- 59	1230	- 370	1286	- 371	1333	- 364	1378	- 398	1425	- 415
651	- 59	1231	- 370	1287	- 371	1334	- 364	1379	- 398	1426	- 415
652	- 59	1232	- 370	1288	- 382	1335	- 364	1380	- 398	1427	- 415
653	- 59	1233	- 368	1289	- 382	1336	- 364	1381	- 398	1428	- 391
654	- 59	1234	- 368	1292	- 367	1337	- 364	1382	- 359	1429	- 391
655	- 59	1235	- 368	1293	- 367	1338	- 365	1383	- 359	1430	- 391
656	- 60	1236	- 368	1294	- 367	1339	- 365	1384	- 359	1431	- 391
657	- 60	1237	- 368	1295	- 367	1340	- 365	1385	- 359	1432	- 391
658	- 60	1238	- 368	1296	- 367	1341	- 409	1388	- 394	1433	- 391
659	- 55	1241	- 370	1297	- 367	1342	- 410	1389	- 394	1434	- 392
660	- 55	1242	- 370	1298	- 366	1343	- 411	1390	- 394	1435	- 392
661	- 55	1243	- 187	1299	- 366	1344	- 412	1391	- 394	1436	- 392
662	- 55	1244	- 187	1300	- 366	1345	- 407	1392	- 395	1437	- 392
663	- 55	1245	- 187	1301	- 366	1346	- 407	1393	- 395	1438	- 392
664	- 55	1246	- 187	1302	- 366	1347	- 408	1394	- 395	1439	- 392
665	- 56	1247	- 187	1303	- 366	1348	- 408	1395	- 395	1440	- 393
666	- 56	1248	- 187	1304	- 382	1349	- 403	1396	- 395	1441	- 393
667	- 56	1255	- 371	1305	- 382	1350	- 404	1397	- 395	1442	- 393
668	- 56	1256	- 371	1306	- 382	1351	- 404	1398	- 386	1443	- 393
669	- 56	1257	- 371	1307	- 382	1352	- 404	1399	- 386	1444	- 393
670	- 57	1259	- 401	1308	- 396	1353	- 404	1400	- 386	1445	- 393
671	- 57	1260	- 401	1309	- 396	1354	- 427	1401	- 386	1446	- 433
672	- 58	1261	- 401	1310	- 396	1355	- 428	1402	- 386	1447	- 409
673	- 58	1262	- 401	1311	- 396	1356	- 428	1403	- 386	1448	- 410
674	- 58	1263	- 400	1312	- 396	1357	- 361	1404	- 387	1449	- 411
675	- 58	1264	- 400	1313	- 396	1358	- 361	1405	- 387	1450	- 412
676	- 64	1265	- 400	1314	- 384	1359	- 361	1406	- 387	1451	- 359
677	- 64	1266	- 400	1315	- 384	1360	- 357	1407	- 387	1452	- 359
678	- 64	1267	- 400	1316	- 384	1361	- 357	1408	- 387	1453	- 378
679	- 64	1268	- 400	1317	- 384	1362	- 357	1409	- 387	1657	- 147
680	- 65	1269	- 404	1318	- 384	1363	- 358	1410	- 362	1658	- 147
681	- 65	1270	- 377	1319	- 384	1364	- 358	1411	- 362	1659	- 147
688	- 58	1271	- 377	1320	- 385	1365	- 358	1412	- 363	1663	- 148
689	- 58	1272	- 377	1321	- 385	1366	- 359	1413	- 363	1664	- 148
1100	- 379	1273	- 377	1322	- 385	1367	- 359	1414	- 399	1665	- 148
1103	- 379	1274	- 377	1323	- 385	1368	- 359	1415	- 399	1666	- 148
1115	- 381	1275	- 377	1324	- 385	1369	- 429	1416	- 416	1667	- 148

SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.
1668	- 148	2135	- 322	2535	- 334	3127	- 182	3249	- 355	3484	- 601
1669	- 151	2137	- 323	2536	- 334	3128	- 182	3250	- 353	3485	- 601
1670	- 151	2138	- 323	2537	- 334	3129	- 176	3251	- 353	3486	- 601
1671	- 151	2143	- 323	2538	- 334	3130	- 176	3252	- 353	3500	- 333
1672	- 147	2144	- 323	2539	- 334	3131	- 417	3253	- 349	3501	- 333
1673	- 147	2145	- 323	2540	- 334	3132	- 417	3254	- 349	3502	- 333
1674	- 147	2148	- 324	2541	- 334	3133	- 417	3256	- 350	3503	- 333
1682	- 151	2149	- 324	2542	- 334	3134	- 175	3257	- 350	3504	- 333
1683	- 151	2150	- 324	2543	- 334	3135	- 175	3258	- 350	3505	- 333
1684	- 151	2155	- 324	2544	- 320	3136	- 176	3300	- 339	3507	- 333
1685	- 149	2156	- 323	2545	- 320	3137	- 177	3303	- 339	3508	- 333
1686	- 149	2159	- 326	2546	- 320	3138	- 177	3307	- 339	3509	- 333
1687	- 149	2161	- 322	2548	- 319	3139	- 177	3309	- 341	3510	- 333
1688	- 151	2162	- 322	2549	- 319	3140	- 178	3312	- 339	3511	- 333
1689	- 151	2163	- 322	2550	- 319	3141	- 178	3318	- 339	3512	- 333
1690	- 151	2164	- 321	2551	- 319	3142	- 178	3319	- 340	3522	- 372
1693	- 148	2165	- 321	2552	- 326	3143	- 179	3320	- 340	3523	- 373
1694	- 148	2166	- 321	2553	- 326	3144	- 182	3321	- 341	3524	- 373
1695	- 148	2350	- 333	2554	- 342	3145	- 183	3322	- 341	3525	- 373
2002	- 325	2351	- 333	2555	- 342	3146	- 183	3326	- 341	3526	- 373
2005	- 324	2352	- 333	2556	- 342	3147	- 183	3327	- 341	3527	- 374
2009	- 324	2353	- 333	2557	- 342	3148	- 183	3331	- 332	3528	- 374
2011	- 324	2354	- 333	2558	- 320	3149	- 184	3333	- 332	3529	- 374
2013	- 324	2355	- 333	3009	- 340	3150	- 184	3334	- 332	3544	- 372
2015	- 324	2356	- 333	3018	- 340	3151	- 184	3337	- 343	3548	- 372
2016	- 324	2403	- 327	3035	- 355	3152	- 184	3338	- 343	3553	- 372
2025	- 325	2404	- 327	3057	- 348	3226	- 349	3339	- 343	3554	- 372
2031	- 325	2405	- 327	3101	- 352	3227	- 349	3340	- 343	3556	- 372
2032	- 325	2430	- 327	3110	- 239	3228	- 348	3420	- 145	3560	- 374
2034	- 325	2431	- 327	3111	- 175	3229	- 348	3423	- 185	3565	- 374
2035	- 325	2459	- 327	3112	- 176	3230	- 348	3469	- 168	3566	- 374
2036	- 325	2460	- 323	3113	- 177	3231	- 351	3470	- 168	3567	- 372
2037	- 326	2461	- 321	3114	- 178	3232	- 351	3471	- 168	3570	- 372
2038	- 326	2462	- 321	3115	- 179	3233	- 351	3472	- 169	3574	- 372
2041	- 324	2463	- 321	3116	- 179	3234	- 352	3473	- 169	3575	- 190
2042	- 325	2512	- 329	3117	- 179	3235	- 352	3474	- 169	3576	- 190
2043	- 325	2513	- 329	3118	- 180	3237	- 354	3475	- 601	3577	- 190
2044	- 326	2514	- 329	3119	- 180	3238	- 354	3476	- 601	3578	- 224
2118	- 323	2515	- 330	3120	- 180	3239	- 354	3477	- 601	3581	- 191
2120	- 323	2516	- 330	3121	- 180	3240	- 355	3478	- 601	3582	- 191
2122	- 323	2517	- 330	3122	- 181	3243	- 347	3479	- 601	3583	- 191
2124	- 322	2518	- 331	3123	- 181	3244	- 347	3480	- 601	3584	- 162
2126	- 323	2527	- 332	3124	- 181	3246	- 347	3481	- 601	3585	- 162
2128	- 323	2529	- 331	3125	- 181	3247	- 347	3482	- 601	3586	- 162
2133	- 322	2531	- 331	3126	- 182	3248	- 352	3483	- 601	3587	- 172

SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.
3588	- 173	3641	- 161	3691	- 161	3740	- 535	3789	- 600	3834	- 568
3589	- 173	3642	- 163	3692	- 162	3741	- 534	3790	- 600	3835	- 569
3590	- 173	3643	- 163	3694	- 174	3742	- 599	3791	- 600	3836	- 569
3591	- 173	3644	- 164	3695	- 174	3743	- 599	3792	- 600	3837	- 570
3592	- 174	3645	- 164	3696	- 174	3744	- 599	3793	- 600	3838	- 570
3593	- 163	3646	- 164	3697	- 175	3745	- 599	3794	- 600	3839	- 591
3594	- 163	3647	- 164	3698	- 145	3746	- 599	3795	- 598	3840	- 594
3595	- 171	3648	- 159	3700	- 572	3747	- 599	3796	- 598	3841	- 594
3596	- 172	3649	- 159	3701	- 572	3748	- 599	3797	- 598	3842	- 594
3597	- 172	3650	- 159	3702	- 573	3749	- 599	3798	- 598	3843	- 594
3598	- 172	3651	- 160	3703	- 456	3750	- 599	3799	- 598	3844	- 594
3599	- 165	3652	- 160	3704	- 456	3751	- 581	3800	- 598	3845	- 590
3600	- 165	3653	- 160	3705	- 556	3752	- 581	3801	- 598	3847	- 561
3601	- 165	3654	- 161	3706	- 556	3753	- 590	3802	- 598	3848	- 561
3602	- 165	3655	- 373	3707	- 554	3754	- 591	3803	- 597	3849	- 560
3603	- 166	3656	- 373	3708	- 554	3755	- 600	3804	- 597	3850	- 562
3604	- 166	3657	- 373	3709	- 551	3756	- 574	3805	- 597	3851	- 565
3605	- 166	3658	- 373	3710	- 552	3757	- 574	3806	- 597	3852	- 566
3606	- 166	3659	- 373	3711	- 553	3758	- 558	3807	- 597	3853	- 562
3607	- 167	3660	- 374	3712	- 553	3759	- 558	3808	- 597	3854	- 563
3608	- 167	3663	- 343	3713	- 552	3760	- 559	3809	- 597	3855	- 564
3609	- 167	3664	- 158	3714	- 555	3761	- 575	3810	- 597	3856	- 564
3610	- 167	3665	- 158	3715	- 555	3762	- 575	3811	- 595	3857	- 565
3611	- 168	3666	- 158	3716	- 557	3763	- 576	3812	- 595	3858	- 563
3612	- 169	3667	- 159	3717	- 557	3764	- 576	3813	- 595	3859	- 550
3613	- 170	3668	- 317	3720	- 596	3765	- 577	3814	- 595	3860	- 551
3614	- 171	3669	- 170	3721	- 596	3766	- 577	3815	- 595	3861	- 543
3615	- 171	3673	- 145	3722	- 596	3767	- 592	3816	- 571	3862	- 543
3616	- 171	3674	- 161	3723	- 596	3768	- 592	3817	- 571	3863	- 542
3617	- 375	3675	- 157	3724	- 596	3769	- 592	3818	- 539	3864	- 542
3618	- 375	3676	- 157	3725	- 596	3770	- 592	3819	- 539	3865	- 527
3619	- 375	3677	- 158	3726	- 538	3771	- 592	3820	- 540	3866	- 527
3620	- 185	3678	- 242	3727	- 538	3772	- 593	3821	- 546	3867	- 528
3621	- 224	3679	- 243	3728	- 545	3773	- 593	3822	- 546	3868	- 559
3622	- 225	3680	- 418	3729	- 545	3774	- 593	3823	- 547	3869	- 560
3623	- 225	3681	- 418	3730	- 532	3775	- 593	3824	- 547	3874	- 618
3624	- 317	3682	- 418	3731	- 537	3776	- 593	3825	- 548	3875	- 528
3625	- 340	3683	- 419	3732	- 536	3777	- 600	3826	- 548	3876	- 529
3627	- 156	3684	- 419	3733	- 537	3782	- 600	3827	- 549	3877	- 530
3628	- 157	3685	- 419	3734	- 536	3783	- 600	3828	- 549	3878	- 529
3629	- 157	3686	- 420	3735	- 533	3784	- 600	3829	- 550	3879	- 523
3630	- 156	3687	- 420	3736	- 532	3785	- 600	3830	- 541	3880	- 523
3631	- 156	3688	- 420	3737	- 535	3786	- 600	3831	- 566	3881	- 525
3632	- 156	3689	- 170	3738	- 533	3787	- 600	3832	- 567	3882	- 524
3640	- 160	3690	- 170	3739	- 534	3788	- 600	3833	- 567	3883	- 524

SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.
3884	- 530	3932	- 617	4255	- 188	4454	- 95	4802	- 263	4887	- 251
3885	- 531	3933	- 617	4256	- 188	4455	- 95	4803	- 262	4888	- 251
3886	- 531	3934	- 615	4257	- 188	4456	- 95	4804	- 262	4889	- 251
3887	- 526	3935	- 615	4259	- 133	4459	- 88	4805	- 262	4890	- 271
3888	- 526	3936	- 616	4274	- 109	4460	- 88	4806	- 263	4891	- 271
3889	- 544	3937	- 616	4276	- 109	4461	- 88	4807	- 263	4892	- 271
3890	- 603	3938	- 617	4277	- 109	4465	- 153	4808	- 263	4893	- 271
3891	- 604	3939	- 617	4278	- 109	4472	- 121	4809	- 262	4894	- 271
3892	- 605	3943	- 582	4301	- 136	4473	- 117	4810	- 262	4895	- 271
3893	- 606	3944	- 582	4302	- 138	4474	- 126	4811	- 262	4896	- 271
3894	- 607	3945	- 583	4308	- 137	4475	- 126	4812	- 263	4897	- 271
3895	- 607	3946	- 583	4361	- 123	4476	- 126	4813	- 263	4898	- 271
3896	- 611	3947	- 584	4362	- 123	4477	- 127	4814	- 263	4904	- 260
3897	- 611	3948	- 584	4365	- 135	4478	- 127	4815	- 262	4905	- 260
3898	- 612	3949	- 585	4366	- 139	4479	- 127	4816	- 262	4906	- 260
3899	- 613	3950	- 585	4368	- 122	4481	- 130	4817	- 262	4907	- 261
3900	- 608	3951	- 586	4369	- 107	4482	- 130	4818	- 253	4908	- 261
3901	- 608	3952	- 586	4388	- 138	4483	- 131	4821	- 253	4909	- 261
3902	- 610	3953	- 587	4389	- 107	4484	- 131	4824	- 254	4910	- 260
3903	- 610	3954	- 587	4390	- 107	4485	- 131	4825	- 254	4911	- 260
3904	- 619	3955	- 588	4394	- 142	4486	- 129	4826	- 254	4912	- 260
3905	- 619	3956	- 588	4399	- 143	4487	- 129	4827	- 254	4913	- 261
3906	- 620	3957	- 589	4407	- 134	4488	- 129	4830	- 255	4914	- 261
3907	- 620	4061	- 188	4409	- 134	4489	- 125	4833	- 255	4915	- 261
3910	- 621	4062	- 188	4417	- 144	4490	- 125	4854	- 248	4916	- 260
3911	- 621	4084	- 188	4418	- 144	4491	- 125	4855	- 248	4917	- 260
3912	- 450	7230	- 99	4419	- 144	4496	- 129	4856	- 248	4918	- 260
3913	- 450	7200	- 103	4420	- 144	4497	- 129	4857	- 248	4919	- 261
3914	- 450	4140	- 105	4421	- 124	4498	- 121	4858	- 248	4920	- 261
3916	- 609	43441	- 102	4426	- 142	4737	- 273	4859	- 248	4921	- 261
3917	- 609	7231	- 99	4427	- 140	4738	- 273	4860	- 249	4922	- 270
3918	- 609	7407	- 103	4428	- 140	4739	- 272	4861	- 249	4923	- 270
3919	- 609	7320	- 101	4431	- 137	4740	- 272	4862	- 249	4924	- 270
3920	- 578	7418	- 99	4432	- 137	4741	- 273	4863	- 250	4925	- 270
3921	- 578	4217	- 98	4438	- 152	4742	- 273	4864	- 250	4926	- 270
3922	- 579	4220	- 106	4439	- 152	4743	- 272	4865	- 250	4927	- 270
3923	- 579	4223	- 189	4440	- 99	4744	- 272	4866	- 250	4928	- 270
3924	- 580	4224	- 189	4441	- 98	4745	- 273	4867	- 250	4929	- 270
3925	- 580	4225	- 189	4444	- 135	4746	- 273	4868	- 250	4930	- 270
3926	- 540	4228	- 94	4445	- 135	4759	- 272	4869	- 251	4931	- 256
3927	- 568	4242	- 106	4446	- 135	4760	- 272	4870	- 251	4932	- 256
3928	- 615	4244	- 106	4447	- 89	4797	- 259	4871	- 251	4933	- 256
3929	- 615	4246	- 106	4448	- 89	4798	- 259	4872	- 249	4934	- 256
3930	- 616	4253	- 109	4449	- 89	4800	- 263	4873	- 249	4935	- 256
3931	- 616	4254	- 109	4453	- 95	4801	- 263	4874	- 249	4936	- 256

SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.
4937	- 257	5076	- 288	5472	- 315	5585	- 298	5787	- 213	5906	- 201
4938	- 257	5077	- 426	5475	- 315	5586	- 298	5788	- 213	5908	- 202
4939	- 257	5078	- 431	5476	- 315	5587	- 297	5800	- 195	5917	- 223
4940	- 257	5079	- 432	5477	- 316	5588	- 297	5801	- 215	5927	- 208
4941	- 257	5081	- 432	5487	- 311	5592	- 298	5804	- 213	5928	- 208
4942	- 257	5082	- 432	5488	- 311	5594	- 299	5805	- 213	5929	- 208
4943	- 258	5083	- 433	5489	- 311	5595	- 299	5806	- 213	5930	- 208
4944	- 258	5084	- 429	5490	- 311	5599	- 308	5818	- 196	5931	- 209
4945	- 258	5085	- 430	5491	- 312	5600	- 308	5819	- 216	5932	- 209
4946	- 258	5086	- 423	5492	- 312	5601	- 308	5821	- 216	5934	- 210
4947	- 258	5087	- 423	5493	- 312	5602	- 308	5822	- 214	5935	- 210
4948	- 258	5088	- 423	5494	- 312	5603	- 309	5823	- 214	5936	- 210
4949	- 259	5089	- 424	5495	- 313	5604	- 309	5824	- 214	5937	- 210
4965	- 405	5090	- 424	5496	- 313	5605	- 309	5826	- 193	5938	- 211
4966	- 405	5091	- 425	5497	- 313	5606	- 309	5827	- 193	5939	- 211
4967	- 425	5094	- 380	5498	- 313	5607	- 300	5837	- 216	5940	- 205
4968	- 426	5095	- 380	5499	- 314	5608	- 300	5838	- 216	5941	- 205
4973	- 404	5096	- 380	5500	- 314	5609	- 302	5839	- 216	5942	- 205
4982	- 427	5097	- 380	5501	- 316	5610	- 302	5840	- 214	5943	- 203
4987	- 286	5110	- 381	5550	- 297	5611	- 302	5841	- 214	5944	- 203
4996	- 403	5116	- 344	5554	- 301	5612	- 302	5842	- 214	5945	- 203
4997	- 401	5117	- 344	5555	- 301	5613	- 302	5844	- 193	5946	- 206
4998	- 403	5118	- 344	5557	- 303	5614	- 302	5845	- 193	5947	- 206
4999	- 401	5119	- 344	5558	- 303	5691	- 222	5853	- 196	5948	- 206
5031	- 259	5120	- 344	5559	- 303	5692	- 222	5854	- 196	5949	- 203
5032	- 259	5121	- 344	5560	- 303	5697	- 219	5858	- 194	5950	- 203
5033	- 259	5122	- 344	5562	- 399	5699	- 219	5860	- 194	5951	- 203
5050	- 403	5123	- 344	5563	- 399	5700	- 219	5864	- 197	5952	- 206
5051	- 403	5124	- 344	5564	- 399	5701	- 220	5876	- 198	5953	- 206
5052	- 403	5125	- 344	5565	- 399	5716	- 219	5877	- 198	5954	- 206
5053	- 402	5126	- 344	5566	- 394	5717	- 220	5883	- 198	5955	- 204
5054	- 402	5127	- 344	5567	- 394	5735	- 222	5884	- 199	5956	- 204
5055	- 402	5128	- 344	5570	- 382	5745	- 223	5885	- 199	5957	- 204
5056	- 402	5129	- 345	5571	- 430	5746	- 217	5886	- 199	5958	- 207
5057	- 405	5130	- 345	5572	- 431	5747	- 217	5889	- 199	5959	- 207
5058	- 405	5131	- 345	5574	- 304	5750	- 217	5891	- 200	5960	- 207
5059	- 405	5132	- 345	5575	- 304	5752	- 218	5893	- 200	5961	- 204
5068	- 288	5133	- 345	5576	- 304	5753	- 218	5894	- 220	5962	- 204
5069	- 288	5134	- 345	5577	- 305	5754	- 218	5895	- 221	5963	- 204
5070	- 288	5135	- 345	5578	- 305	5755	- 221	5896	- 224	5964	- 207
5071	- 288	5136	- 345	5580	- 305	5756	- 217	5897	- 224	5965	- 207
5072	- 288	5137	- 345	5581	- 306	5758	- 218	5899	- 201	5966	- 207
5073	- 288	5138	- 345	5582	- 306	5782	- 195	5900	- 201	5967	- 205
5074	- 288	5139	- 345	5583	- 306	5783	- 215	5904	- 201	5968	- 205
5075	- 288	5140	- 345	5584	- 306	5786	- 213	5905	- 201	5969	- 205

SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.
5970	- 194	6266	- 294	6324	- 284	6371	- 268	6427	- 240	7064	- 477
5971	- 194	6267	- 294	6325	- 284	6372	- 268	6428	- 252	7065	- 478
5972	- 194	6268	- 239	6326	- 284	6373	- 269	6429	- 252	7066	- 482
6018	- 241	6269	- 240	6327	- 243	6374	- 269	6430	- 252	7067	- 482
6019	- 239	6270	- 240	6328	- 240	6375	- 269	6431	- 252	7068	- 483
6026	- 236	6271	- 239	6329	- 236	6376	- 233	6432	- 238	7069	- 483
6029	- 239	6272	- 278	6332	- 237	6380	- 234	6433	- 238	7070	- 481
6053	- 285	6273	- 278	6333	- 237	6381	- 234	6436	- 239	7071	- 482
6054	- 285	6276	- 273	6334	- 264	6384	- 235	6437	- 240	7072	- 483
6055	- 285	6277	- 272	6335	- 264	6385	- 235	6438	- 61	7073	- 484
6056	- 285	6278	- 273	6336	- 264	6386	- 240	6439	- 61	7074	- 486
6057	- 285	6279	- 272	6337	- 266	6387	- 290	6440	- 62	7075	- 486
6062	- 294	6280	- 273	6338	- 266	6388	- 290	6441	- 62	7076	- 478
6166	- 287	6281	- 272	6339	- 266	6389	- 286	6442	- 61	7077	- 478
6167	- 287	6282	- 291	6340	- 264	6390	- 286	6443	- 61	7078	- 497
6168	- 287	6283	- 291	6341	- 264	6391	- 286	6444	- 62	7079	- 497
6169	- 287	6284	- 291	6342	- 264	6392	- 277	6445	- 62	7080	- 497
6170	- 287	6285	- 291	6343	- 266	6393	- 277	6446	- 295	7081	- 498
6171	- 287	6286	- 292	6344	- 266	6394	- 277	6447	- 295	7082	- 498
6172	- 287	6287	- 292	6345	- 266	6399	- 290	6448	- 295	7083	- 498
6173	- 287	6292	- 248	6346	- 265	6400	- 290	6449	- 295	7084	- 508
6174	- 287	6293	- 248	6347	- 265	6401	- 246	7033	- 447	7085	- 508
6184	- 293	6294	- 248	6348	- 265	6402	- 246	7034	- 446	7086	- 508
6185	- 293	6295	- 250	6349	- 267	6403	- 246	7035	- 448	7087	- 497
6198	- 292	6296	- 250	6350	- 267	6404	- 246	7039	- 447	7088	- 497
6199	- 292	6297	- 250	6351	- 267	6405	- 246	7040	- 447	7089	- 497
6200	- 293	6299	- 279	6352	- 265	6406	- 246	7042	- 446	7090	- 498
6201	- 293	6301	- 279	6353	- 265	6407	- 246	7043	- 446	7091	- 498
6217	- 231	6302	- 279	6354	- 265	6408	- 246	7044	- 470	7092	- 498
6221	- 231	6305	- 280	6355	- 267	6409	- 246	7045	- 470	7093	- 508
6222	- 231	6306	- 280	6356	- 267	6410	- 247	7046	- 480	7094	- 508
6229	- 277	6307	- 280	6357	- 267	6411	- 247	7047	- 480	7095	- 508
6230	- 277	6308	- 280	6358	- 268	6412	- 247	7051	- 448	7096	- 459
6231	- 277	6309	- 279	6359	- 268	6413	- 247	7052	- 448	7098	- 445
6238	- 233	6310	- 279	6360	- 268	6414	- 247	7053	- 449	7099	- 445
6239	- 233	6313	- 281	6361	- 269	6415	- 247	7054	- 449	7102	- 125
6250	- 282	6314	- 281	6362	- 269	6416	- 247	7055	- 455	7103	- 125
6251	- 282	6315	- 281	6363	- 269	6417	- 247	7056	- 455	7105	- 126
6256	- 235	6316	- 281	6364	- 268	6418	- 247	7057	- 485	7106	- 126
6257	- 235	6318	- 282	6365	- 268	6419	- 229	7058	- 484	7108	- 127
6258	- 235	6319	- 282	6366	- 268	6420	- 229	7059	- 484	7109	- 127
6262	- 278	6320	- 282	6367	- 269	6422	- 249	7060	- 486	7110	- 128
6263	- 278	6321	- 282	6368	- 269	6423	- 249	7061	- 487	7111	- 128
6264	- 278	6322	- 283	6369	- 269	6424	- 249	7062	- 487	7112	- 128
6265	- 279	6323	- 283	6370	- 268	6426	- 237	7063	- 487	7113	- 119

SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.
7114	- 120	7179	- 130	7241	- 93	7308	- 150	7366	- 81	7513	- 477
7115	- 120	7180	- 130	7242	- 93	7309	- 86	7367	- 81	7514	- 477
7116	- 120	7181	- 131	7246	- 95	7310	- 150	7368	- 83	7515	- 470
7121	- 88	7182	- 131	7251	- 118	7317	- 89	7399	- 97	7516	- 470
7123	- 107	7183	- 131	7252	- 118	43421	- 102	7400	- 97	7517	- 471
7124	- 107	7184	- 132	7253	- 154	7324	- 85	7401	- 96	7518	- 471
7126	- 149	7185	- 132	7254	- 154	7325	- 85	7402	- 96	7519	- 479
7127	- 149	7186	- 132	7255	- 154	7326	- 85	7403	- 96	7520	- 479
7128	- 149	7187	- 132	4207	- 102	7327	- 113	7404	- 96	7521	- 479
7132	- 110	7188	- 132	7260	- 93	7328	- 114	7405	- 96	7522	- 480
7133	- 110	7189	- 133	7261	- 93	7329	- 152	7406	- 96	7523	- 460
7134	- 110	7190	- 133	7262	- 93	7330	- 152	7363	- 103	7524	- 501
7142	- 118	7191	- 133	4122	- 100	7331	- 152	7364	- 103	7525	- 501
7143	- 119	7198	- 100	7263	- 100	7332	- 152	7199	- 103	7526	- 501
7144	- 119	4216	- 100	7264	- 100	7333	- 152	7410	- 141	7527	- 501
7145	- 117	4166	- 100	7266	- 93	7334	- 152	7411	- 141	7529	- 485
7146	- 116	7201	- 103	7269	- 149	7335	- 113	7412	- 141	7530	- 485
7147	- 116	4124	- 104	7270	- 149	7336	- 113	7413	- 142	7531	- 481
7148	- 116	42501	- 104	7271	- 149	7337	- 153	7414	- 136	7532	- 481
7150	- 88	7408	- 103	7275	- 110	7338	- 153	7415	- 117	7533	- 226
7151	- 88	7409	- 103	7276	- 110	7339	- 153	7416	- 123	7534	- 226
7153	- 132	7362	- 103	7277	- 110	7340	- 153	7417	- 90	7535	- 226
7154	- 132	7205	- 154	7282	- 81	7341	- 91	43431	- 102	7536	- 227
7155	- 124	7206	- 154	7283	- 82	7342	- 91	7419	- 98	7537	- 227
7156	- 124	7207	- 154	7284	- 82	7343	- 92	7420	- 122	7538	- 227
7157	- 121	7209	- 108	7285	- 85	7344	- 92	7421	- 122	7539	- 468
7158	- 111	7210	- 108	7286	- 85	7197	- 100	7422	- 96	7540	- 468
7159	- 111	7211	- 108	7287	- 85	7348	- 98	7423	- 139	7541	- 468
7160	- 111	7212	- 108	7288	- 85	7349	- 94	7424	- 139	7542	- 469
7161	- 111	7213	- 108	7289	- 85	7350	- 94	7425	- 139	7543	- 469
7162	- 111	7216	- 115	7290	- 85	7351	- 94	7426	- 90	7544	- 472
7163	- 111	7217	- 115	7291	- 83	7352	- 94	7427	- 143	7545	- 472
7164	- 111	7218	- 114	7292	- 83	7353	- 94	7500	- 465	7546	- 472
7165	- 111	7219	- 114	7293	- 83	7354	- 94	7501	- 465	7547	- 472
7166	- 111	7220	- 115	7295	- 84	7355	- 83	7502	- 465	7548	- 472
7167	- 147	7223	- 97	7296	- 84	7356	- 83	7503	- 465	7549	- 472
7168	- 147	7224	- 90	7297	- 84	7358	- 104	7504	- 466	7550	- 472
7169	- 147	7229	- 97	7298	- 84	7359	- 104	7505	- 466	7551	- 472
7170	- 135	7346	- 99	7299	- 84	7173	- 105	7506	- 466	7552	- 472
7202	- 102	7196	- 100	7300	- 86	7360	- 84	7507	- 466	7553	- 469
7203	- 102	7232	- 97	7303	- 150	7361	- 84	7508	- 467	7554	- 469
7204	- 102	7233	- 97	7304	- 150	42511	- 104	7509	- 467	7555	- 473
7176	- 128	7234	- 189	7305	- 150	42521	- 104	7510	- 467	7556	- 473
7177	- 128	7235	- 189	7306	- 150	7357	- 104	7511	- 467	7557	- 473
7178	- 130	7236	- 189	7307	- 150	7365	- 82	7512	- 468	7558	- 473

SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.
7559	- 474	8230	- 463	8275	- 244	8320	- 489	8515	- 449	7265	- 100
7560	- 474	8231	- 462	8276	- 459	8321	- 489	8516	- 451	4164	- 101
7561	- 474	8231	- 463	8277	- 459	8322	- 489	9104	- 225	4213	- 101
7562	- 474	8232	- 506	8278	- 461	8323	- 489	9546	- 225	43641	- 134
8070	- 274	8233	- 505	8279	- 461	8324	- 489	9869	- 209	43651	- 137
8073	- 274	8234	- 505	8280	- 494	8325	- 490	9869	- 460	43881	- 138
8074	- 274	8235	- 505	8281	- 494	8326	- 490	9944	- 375	44141	- 136
8075	- 274	8236	- 505	8282	- 494	8327	- 490	9945	- 375	44251	- 143
8076	- 274	8237	- 505	8283	- 494	8328	- 490	9947	- 337	44291	- 139
8096	- 440	8238	- 505	8284	- 494	8329	- 490	9952	- 375	44301	- 139
8097	- 441	8239	- 502	8285	- 494	8330	- 490	9953	- 375	44801	- 130
8098	- 442	8240	- 502	8286	- 496	8331	- 490	9954	- 375	44921	- 129
8099	- 435	8241	- 502	8287	- 496	8332	- 490	9955	- 375	44941	- 129
8100	- 436	8242	- 502	8288	- 496	8333	- 490	9956	- 336	60246	- 230
8119	- 243	8243	- 502	8289	- 496	8334	- 491	9957	- 337	60256	- 230
8200	- 437	8244	- 502	8290	- 496	8335	- 491	9968	- 241	60276	- 236
8201	- 438	8245	- 504	8291	- 496	8336	- 491	9969	- 241	60286	- 230
8202	- 512	8246	- 504	8292	- 503	8337	- 491	9970	- 242	60303	- 244
8203	- 512	8247	- 504	8293	- 503	8338	- 491	9981	- 335	60696	- 236
8204	- 512	8249	- 439	8294	- 503	8339	- 491	9982	- 335	62186	- 231
8205	- 512	8250	- 516	8295	- 495	8340	- 491	9983	- 335	62196	- 231
8206	- 512	8251	- 516	8296	- 495	8341	- 491	9984	- 335	62206	- 231
8207	- 512	8252	- 516	8297	- 495	8342	- 491	9985	- 336	62366	- 232
8208	- 506	8253	- 516	8298	- 495	8344	- 507	9986	- 336	62376	- 232
8209	- 492	8254	- 517	8299	- 495	8345	- 507	9987	- 336	62406	- 232
8210	- 492	8255	- 517	8300	- 495	8346	- 507	9989	- 241	62416	- 232
8211	- 492	8256	- 517	8301	- 499	8347	- 507	9990	- 337	62426	- 232
8212	- 492	8257	- 517	8302	- 499	8348	- 389	9991	- 337	62436	- 233
8213	- 493	8258	- 518	8303	- 499	8349	- 389	9992	- 338	63776	- 232
8214	- 493	8259	- 518	8304	- 499	8350	- 389	9993	- 338	63786	- 233
8215	- 493	8260	- 518	8305	- 499	8351	- 389	9994	- 338	63796	- 233
8216	- 493	8261	- 518	8306	- 499	8352	- 389	9995	- 338	71001	- 140
8217	- 500	8262	- 513	8307	- 511	8353	- 389	9997	- 242	71011	- 125
8218	- 500	8263	- 513	8308	- 511	8382	- 442	9999	- 242	71031	- 125
8219	- 500	8264	- 513	8309	- 511	8383	- 439	11077	- 521	71041	- 126
8220	- 500	8265	- 513	8310	- 511	8500	- 445	34235	- 185	71071	- 127
8221	- 510	8266	- 514	8311	- 441	8501	- 452	36265	- 185	71081	- 127
8222	- 510	8267	- 514	8312	- 435	8502	- 453	7174	- 105	71091	- 127
8223	- 510	8268	- 514	8313	- 436	8503	- 454	7175	- 105	71811	- 131
8224	- 510	8269	- 514	8314	- 437	8504	- 452	7256	- 105	500081	- 521
8225	- 509	8270	- 515	8315	- 438	8505	- 453	42591	- 134	500082	- 521
8226	- 509	8271	- 515	8316	- 489	8506	- 454	43001	- 143		
8227	- 509	8272	- 515	8317	- 489	8507	- 457	43011	- 136		
8228	- 509	8273	- 515	8318	- 489	8508	- 457	43061	- 140		
8229	- 462	8274	- 440	8319	- 489	8514	- 449	43071	- 137		

## Certificates



DIALux Partner



TUV



RoHS

RoHS



The LIA Member



CE / LVD

**V-TAC<sup>®</sup>**

**PRO**

**5**

**ΧΡΟΝΙΑ  
ΕΓΓΥΗΣΗ  
ΠΡΟΪΟΝΤΩΝ**



**V-TAC**  
GREECE  
ΠΡΩΤΟΠΟΡΙΑΚΕΣ ΛΥΣΕΙΣ ΦΩΤΙΣΜΟΥ LED

 **METANOR**

**ΘΕΣΣΑΛΟΝΙΚΗ**

Κωλέττη & Καβάλας 2

54627 - Θεσσαλονίκη

T. 2310 517496

F. 2310 5553830

info@metanorlighting.com

**ΑΘΗΝΑ**

Αγ.Πολυκάρπου 11 Βοτανικός

11855 - Αθήνα

T. 210 5121011/210 3412730

F. 210 3412730

info@metanorlighting.com

**YouTube**

**facebook**

 **Instagram**